



---

# TeamViewer 10 Manual

---

**MSI**

Rev 10.1-201412



# Table of Contents

<b>1</b>	<b>Installation overview .....</b>	<b>3</b>
<b>2</b>	<b>Create a Group Policy Object and Deploy TeamViewer MSI package .....</b>	<b>5</b>
<b>3</b>	<b>Deploy TeamViewer Host with your customizations .....</b>	<b>8</b>
<b>4</b>	<b>Deploy TeamViewer Host with automated account assignment .....</b>	<b>9</b>
4.1	Automatically deploy TeamViewer Host with automated account assignment .....	9
4.2	Manually deploy TeamViewer Host with automated account assignment .....	10
<b>5</b>	<b>Change TeamViewer Settings (Redeploy) .....</b>	<b>16</b>
<b>6</b>	<b>Deploy minor updates .....</b>	<b>17</b>
<b>7</b>	<b>Uninstall TeamViewer .....</b>	<b>19</b>
<b>8</b>	<b>Enable Windows Installer logging .....</b>	<b>20</b>



# 1 Installation overview

The following MSI packages are available:

- **TeamViewer.msi**: MSI installation package for TeamViewer (full version)
- **TeamViewer\_host.msi**: MSI installation package for TeamViewer Host. In addition you can also apply your customizations with this package.

**To install TeamViewer MSI, follow these steps:**

1. Choose the package you want to install (TeamViewer.msi or TeamViewer\_Host.msi)
2. If you have already deployed a TeamViewer MSI version before, you can simply install the newer Version. The older version will be replaced automatically, even if it's a lower major version (4.x or higher supported). However, you have to make sure that TeamViewer (full version) and TeamViewer Host won't get mixed. If you want to change the TeamViewer variant, you should uninstall the existing one first.

**Note:** If you have already installed TeamViewer before through a standard setup (non MSI) it doesn't matter which variant had been used (full version or Host). In this case any TeamViewer MSI package can be deployed without a previous uninstalling of TeamViewer. The older version will be replaced automatically, even if it's a lower major version (3.x or higher supported).

3. Provide all TeamViewer settings you want to deploy in a file named TeamViewer\_Settings.reg. This filename is mandatory. If you don't provide this file, TeamViewer will use its default settings. You can get this .reg file through a settings export from TeamViewer: Install TeamViewer on a single computer and configure it to your needs. In the Options dialog (**Extras | Options**) in the category **Advanced** use the Button **Export...** labeled with **Export options to a \*.reg file**. In the following Dialog **Export Options** you can also specify your license key. Please keep in mind that only on one side of a TeamViewer connection a license is needed. Usually this is on the side of the technical support, not on the client computers.



**Note:** TeamViewer\_Settings.reg is suitable for 32- and 64-bit systems.

4. The chosen MSI package and TeamViewer\_Settings.reg have to be placed on the same network share.

5. Deploy the package with a group policy. It's strongly recommended to deploy TeamViewer on a per computer base.

➡ The TeamViewer installation will place two entries to the installed programs on your clients.

Full version: **TeamViewer 10 (MSI Wrapper)** and **TeamViewer 10**.

Host: **TeamViewer 10 Host (MSI Wrapper)** and **TeamViewer 10 Host**.




## 2 Create a Group Policy Object and Deploy TeamViewer MSI package

For the experienced administrator: you have to create a network share that is accessible from all computers where you want TeamViewer to be installed. Place the required TeamViewer files on this network share, create a Group Policy Object and link it to your domain or an organizational unit. Add your TeamViewer MSI package as a software installation package to this GPO.


**The following shows an example for a Windows Server 2008 Domain Controller:**

1. Create a network share that is accessible to all computers that receive the TeamViewer installation. The example shows a network share which already contains the appropriate installation files.






2. Start the Group Policy Management Console and create a Group Policy Object (i.e. TeamViewer\_MSI) under your Domain (or Organizational Unit).




3. Select the created GPO and add all computers or groups to which the GPO has to be applied to in the section **Security Filtering**.






4. Edit the GPO and navigate to **Computer Configuration / Software Settings**. Right-click **Software Installation** and add a new package.



5. **Enter the network share (UNC) of the TeamViewer MSI package.**
6. When you open the package select the deployment method Assigned.





## 3 Deploy TeamViewer Host with your customizations

It is possible to customize TeamViewer Host with your own branding, including logo and text.

Visit the [Design & Deploy website](#) to setup your customizations within the TeamViewer Management Console. After you created the Host customizations a `ConfigurationID` will be generated.

To deploy the TeamViewer Host with your customizations, simply extend the filename of the `TeamViewer_Host.msi` with `-idc` and append the `ConfigurationID` to it. Set the new filename within your group policy as software package.

### Filename example:

- ConfigurationID: `hcl79ca`
- Original filename: `TeamViewer_Host.msi`
- Resulting filename: `TeamViewer_Host-idchcl79ca.msi`

Make sure not to miss the `-idc` prior to the `ConfigurationID`. Also modify your Group Policy to match with the new filename.





## 4 Deploy TeamViewer Host with automated account assignment

You can customize a TeamViewer Host module in such a way, that the Host module is added automatically to a TeamViewer account when installed. The assignment doesn't have to be confirmed at the client computer.

There are two different methods to prepare the MSI package for installation. We recommend to use the provided `TrustConfigID.ps1` script as described in [section 4.1, page 9](#). As an alternative you can prepare the MSI package manually as described in [section 4.2, page 10](#).

First, you have to create a serviceConnectionPoint (SCP) within the Active Directory. The SCP is used to provide trusted ConfigurationIDs to TeamViewer clients in your domain. The provided script will create a SCP automatically.

### 4.1 Automatically deploy TeamViewer Host with automated account assignment

To create a SCP via the `TrustConfigID.ps1` script, follow these steps:

1. Run the `TrustConfigID.ps1` script from the downloaded zip-file as an administrator. Either run the script via right click or open it within the Windows PowerShell.
2. Enter a ConfigurationID you want to add and click ENTER.
3. If it is the first Configuration ID you want to add, you have to enter a path and a name for the TeamViewer serviceConnectionPoint (SCP).
  - The default name will be `TeamViewer`, if no name is provided.
  - The default path will be `CN=System, DC=domain, DC=com`, if no path is provided.

Experienced PowerShell users may also run the script from PowerShell command line. The parameters are:

- `List`
  - Shows all saved ConfigurationIDs.



- Add <ConfigurationID> [optional -Name <Name> [optional] -Path <Path>
  - Default command
  - Adds a ConfigurationID to the TeamViewer serviceConnectionPoint.
- Remove <ConfigurationID>
  - Removes a ConfigurationID from the TeamViewer serviceConnectionPoint
  - If you remove every ConfigurationID, the whole TeamViewer serviceConnectionPoint will be deleted.
  - If you enter `all` instead of an ConfigurationID, the whole TeamViewer serviceConnectionPoint will be deleted.

**Note:** It is possible to combine the parameters.

You can now deploy the customized TeamViewer Host module with automated account assignment as described in [section 1 "Installation overview", page 3](#).

## 4.2 Manually deploy TeamViewer Host with automated account assignment


If you want to deploy TeamViewer Host manually, the unlock of ConfigurationIDs that support automated account assignment, can be deposited using a LDAP editor within a Windows domain in the Active Directory (AD), we recommend "ADSI Edit".

**To create a SCP manually, follow these steps:**

1. Open **ADSI Edit** and connect to the corresponding domain.
  - Press WINDOWS + R, enter `adsiedit.msc` and click **OK**.
  - Press WINDOWS + S, search for `ADSI` and open the **ADSI Edit**.
2. Navigate to the path of the AD where you want to create the SCP. We recommend `CN=TeamViewer, CN=System, DC=your, DC=domain, DC=com`.




### 3. Create a new **Object** within the root folder.



➡ The **Create Object** dialog box will open.


### 4. Select **container** as the class of the new Object.




### 5. Follow the steps within the dialog.



6. Create a new **serviceConnectionPoint** object in the folder within the newly created container.



7. Name the SCP (can be named freely).



8. Click the **More attributes** button in the last step of the wizard.

➡ The Attributes dialog box will open.

9. Open the **keywords attribute** dialog.



10. Add the **Attribute Values** TeamViewer and B15CB251-377F-46FB-81E9-4B6F12D6A15F.

**Attributes**

Path:

Class: serviceConnectionPoint

Select which properties to view: Optional

Select a property to view: keywords

**Attribute Values**

Syntax: DirectoryString

Edit Attribute:

Value(s): TeamViewer  
B15CB251-377F-46FB-81E9-4B6F12D6A15F

Add Remove

OK Cancel


11. Confirm all open dialog boxes and close the wizard.
12. The SCP is now prepared.

Now you can add the ConfigurationIDs to the SCP.



**To add ConfigurationIDs to the SCP, follow these steps:**

1. Open the properties of the SCP using ADSI Edit
2. Edit the `serviceBindingInformation` attribute in the **Attribute Editor**.



➡ The **Multi-valued String Editor** dialog box will open.



3. Enter the desired ConfigurationIDs.

Attribute: serviceBindingInformation

Value to add:

Add

Values:

abg223b  
qpxkqda

Remove

OK Cancel

You can now deploy the customized TeamViewer Host module with automated account assignment as described in [section 1 "Installation overview", page 3](#).


**Note:** Do not create more than one (1) SCP for your customized ConfigurationIDs (not supported by TeamViewer). Nevertheless, multiple ConfigurationIDs can be added to the serviceBindingInformation.



## 5 Change TeamViewer Settings (Redeploy)

If you only want to change your settings without installing a newer version of TeamViewer, you can adjust your TeamViewer\_Settings.reg file and use the existing Group Policy Object for the TeamViewer.msi or TeamViewer\_Host.msi.

Right-click the package in the Group Policy Management Editor and select **All Tasks | Redeploy application**.








## 6 Deploy minor updates


You can deploy minor TeamViewer updates using the TeamViewer MSI Wrapper. This includes updates for TeamViewer versions within a main version (e. g. from TeamViewer 10.12345 to TeamViewer 10.54321).

**To deploy a minor TeamViewer update, follow these steps:**

1. Add a new package to the existing software package in GPO.



2. Configure the new package for update. To do so, open the **Properties** of the package.




➡ The <package name> **Properties** dialog will open.

3. Select **Upgrades** and click **Add**.

➡ The **Add Upgrade Package** dialog will open.





4. Choose the current package that should be updated.



5. Close and confirm all dialogs.

➡ The Upgrade package is displayed with a green arrow icon.

Name	Versi...	Deployment st...
 TeamViewer 10 (MSI Wrapper)	10.0	Assigned
 TeamViewer 10 (MSI Wrapper) (2)	10.0	Assigned

6. To deploy an update, right-click the package in the **Group Policy Management Editor** and select **All Tasks | Redeploy application**.


**Note:** Only the newest updated package with the green arrow icon will be deployed.



## 7 Uninstall TeamViewer

To Remove TeamViewer, use the existing Group Policy Object for the TeamViewer.msi or TeamViewer\_Host.msi.

Right-click the package in the Group Policy Management Editor and select **All Tasks | Remove....**



### Uninstall TeamViewer manually

To uninstall TeamViewer manually on a client computer you only need to uninstall the **TeamViewer 10 (MSI Wrapper)** and **TeamViewer 10 Host (MSI Wrapper)**, respectively, under **Add or Remove Programs** in the Windows control panel. The second TeamViewer entry will then be removed automatically, which you can check by refreshing the program list.



## 8 Enable Windows Installer logging

For trouble shooting purposes it might be useful to enable Windows Installer logging. You can enable logging manually through settings in the registry or with Group Policies. For further notes please have a look at: <http://support.microsoft.com/kb/223300/en-us>.