

a
RFID implant
Shuffle start
Social Instability Stress
Shuffling of social groups
twice per week for two weeks
Shuffle stop
Behavior
Samples
P22–29
P35–42
P51–59
Sucrose Preference
Social Preference
OFT
NOR
EPM
P36–48
P42–49
P44–51
P45–52
P46–53
b
Female
CON RES SUS
Integrated resilience
−0.317
Animal ID
Group
Novel object recognition
Sucrose preference
Body-weight change
Smaller corticosterone rise
Lower adrenal weight
Lower spleen weight
Male
−0.437
≥2
0
≤−2
Signed z
c
Dark phase Females
Dark phase Males
Light phase Females
Light phase Males
Movement
Shared occupancy
Occupancy dispersion
Temporal flexibility
Temporal volatility
HMM state architecture
Rest-like (≥40 s)
RES −CON
SUS −CON
RES −SUS
post hoc q < 0.05
≤−1 −0.5 0 0.5 ≥1
Hedges g
d
Female
Spearman ρ = −0.43
BH q = 0.002
CON
RES
SUS
Integrated Resilience (z)
Movement
Male
Spearman ρ = −0.44
BH q = 0.003
e
LOAO R² = 0.173
Baseline R² = −0.018
Female
Male
Permutations
Observed
Holm P = 0.002
Held-out predicted Integrated Resilience
Observed Integrated Resilience