Indexed Sets

December 24, 2023

This chapter contained discussion of indexed sets, the set-theoretical counterpart to indexed categories. In particular, here we explore:

- 1. Indexed sets, i.e. functors $K_{\sf disc} \to {\sf Sets}$ with K a set;
- 2. The limits and colimits in the category of K-indexed sets;
- 3. Constructions with indexed sets like dependent sums, dependent products, and internal Homs.

Contents

1 Indexed Setsk

1.1 Foundation 80QL

Let K be a set.

Definition 1.1.1.1. A K-indexed set igo functor $X: K_{\mathsf{disc}} \to \mathsf{Sets}$.

Remark 1.1.1.2. By Categories, ??, @@W-indexed set consists of a K-indexed collection

$$X^{\dagger} \colon K \to \mathrm{Obj}(\mathsf{Sets}),$$

of sets, assigning a set $X_x^{\dagger} \stackrel{\text{def}}{=} X_x$ to each element x of K.

1.2 Morphisms of Pindexed Sets

Let $X \colon K_{\mathsf{disc}} \to \mathsf{Sets}$ and $Y \colon K_{\mathsf{disc}} \to \mathsf{Sets}$ be indexed sets.

Definition 1.2.1.1. A morphism of K and Y is a natural transformation

$$f \colon X \Longrightarrow Y, \qquad K_{\mathsf{disc}} \underbrace{ \overbrace{f \mid \bigvee_{V}}^X }_{\mathsf{Sets}} \mathsf{Sets}$$

from X to Y.

Remark 1.2.1.2. In detail, a morphismorphi K-indexed sets consists of a K-indexed collection

$$\{f_x\colon X_x\to Y_x\}_{x\in K}$$

of maps of sets.

1.3 The Category of Sets Indexed by a Fixed Set

Let K be a set.

Definition 1.3.1.1. The **category of Monday defined** sets is the category $\mathsf{ISets}(K)$ defined by

$$\mathsf{ISets}(K) \stackrel{\text{def}}{=} \mathsf{Fun}\big(K_{\mathsf{disc}},\mathsf{Sets}\big).$$

Remark 1.3.1.2. In detail, the **category** K-indexed sets is the category $\mathsf{ISets}(K)$ where

- Objects. The objects of ISets(K) are K-indexed sets as in ??;
- *Morphisms*. The morphisms of $\mathsf{ISets}(K)$ are morphisms of K-indexed sets as in ??;
- Identities. For each $X \in \text{Obj}(\mathsf{ISets}(K))$, the unit map

$$\mathbb{K}_X^{\mathsf{ISets}(K)} \colon \mathrm{pt} \to \mathrm{Hom}_{\mathsf{ISets}(K)}(X,X)$$

of $\mathsf{ISets}(K)$ at X is defined by

$$\mathrm{id}_X^{\mathsf{ISets}(K)} \stackrel{\mathrm{def}}{=} \{ \mathrm{id}_{X_x} \}_{x \in K};$$

• Composition. For each $X, Y, Z \in \text{Obj}(\mathsf{ISets}(K))$, the composition map

$$\circ^{\mathsf{ISets}(K)}_{X,Y,Z} \colon \mathrm{Hom}_{\mathsf{ISets}(K)}(Y,Z) \times \mathrm{Hom}_{\mathsf{ISets}(K)}(X,Y) \to \mathrm{Hom}_{\mathsf{ISets}(K)}(X,Z)$$
 of $\mathsf{ISets}(K)$ at (X,Y,Z) is defined by

$$\{g_x\}_{x\in K} \circ_{X,Y,Z}^{\mathsf{ISets}(K)} \{f_x\}_{x\in K} \stackrel{\text{def}}{=} \{g_x \circ f_x\}_{x\in K}.$$

¹Further Terminology: Also called a K-indexed map of sets from X to Y.

1.4 The Category of Indexed Sets

Definition 1.4.1.1. The **category of indexed sets** is the category ISets defined as the Grothendieck construction of the functor ISets: Sets^{op} \rightarrow Cats of ??:

$$\mathsf{ISets} \stackrel{\mathrm{def}}{=} \int^{\mathsf{Sets}} \mathsf{ISets}.$$

Remark 1.4.1.2. In detail, the category ISets where

- Objects. The objects of ISets are pairs (K, X) consisting of
 - The Indexing Set. A set K;
 - The Indexed Set. A K-indexed set $X: K_{\mathsf{disc}} \to \mathsf{Sets};$
- Morphisms. A morphism of ISets from (K, X) to (K', Y) is a pair (ϕ, f) consisting of
 - The Reindexing Map. A map of sets $\phi: K \to K'$;
 - The Morphism of Indexed Sets. A morphism of K-indexed sets $f: X \to \phi_*(Y)$ as in the diagram

$$f \colon X \to \phi_*(Y), \qquad \begin{matrix} K_{\mathsf{disc}} & \xrightarrow{\phi} K'_{\mathsf{disc}} \\ X & & & \\ X & & & \\ Y & & & \\ \mathsf{Sets}; \end{matrix}$$

• Identities. For each $(K, X) \in \text{Obj}(\mathsf{ISets})$, the unit map

$$\mathbb{F}^{\mathsf{ISets}}_{(K,X)} \colon \mathrm{pt} \to \mathsf{ISets}((K,X),(K,X))$$

of ISets at (K, X) is defined by

$$id_{(K,X)}^{\mathsf{ISets}} \stackrel{\text{def}}{=} (id_K, id_X).$$


• Composition. For each $\mathbf{X}=(K,X),\ \mathbf{Y}=(K',Y),\ \mathbf{Z}=(K'',Z)\in \mathrm{Obj}(\mathsf{ISets}),$ the composition map

$$\circ_{\mathbf{X},\mathbf{Y},\mathbf{Z}}^{\mathsf{ISets}}\colon \mathsf{ISets}(\mathbf{Y},\mathbf{Z})\times \mathsf{ISets}(\mathbf{X},\mathbf{Y})\to \mathsf{ISets}(\mathbf{X},\mathbf{Z})$$

of ISets at (X, Y, Z) is defined by

$$(\psi, g) \circ (\phi, f) \stackrel{\text{def}}{=} (\psi \circ \phi, (g \circ id_{\phi}) \circ f),$$

as in the diagram



for each $(\phi, f) \in \mathsf{ISets}(\mathbf{X}, \mathbf{Y})$ and each $(\psi, g) \in \mathsf{ISets}(\mathbf{Y}, \mathbf{Z})$.

2 Limits of Londexed Sets

2.1 Products of Time Sets

Let $X: K_{\mathsf{disc}} \to \mathsf{Sets}$ and $Y: K_{\mathsf{disc}} \to \mathsf{Sets}$ be indexed sets.

Definition 2.1.1.1. The **product of Morand** Y is the K-indexed set $X \times Y \colon K_{\mathsf{disc}} \to \mathsf{Sets}$ defined by

$$(X \times Y)_k \stackrel{\text{def}}{=} X_k \times Y_k$$

for each $k \in K$.

Proof. That this agrees with the categorical product in $\mathsf{ISets}(K)$ follows from Limits and Colimits, ?? of ??.

2.2 Pullbacks of Note Indexed Sets

Let $X, Y, Z: K_{\mathsf{disc}} \to \mathsf{Sets}$ be K-indexed sets and let $f: X \to Z$ and $g: Y \to Z$ be morphisms of K-indexed sets.

Definition 2.2.1.1. The pullback of X^{0} X^{0} Y over Z is the X-indexed set $X \times_Z Y \colon K_{\mathsf{disc}} \to \mathsf{Sets}$ defined by

$$(X \times_Z Y)_k \stackrel{\text{def}}{=} X_k \times_{Z_k} Y_k$$

for each $k \in K$.

Proof. That this agrees with the categorical pullback in $\mathsf{ISets}(K)$ follows from Limits and Colimits, ?? of ??.

2.3 Equalisers OFRE-Indexed Sets

Let $X, Y : K_{\mathsf{disc}} \to \mathsf{Sets}$ be K-indexed sets and let $f, g : X \rightrightarrows Y$ be morphisms of K-indexed sets.

Definition 2.3.1.1. The equaliser of g is the K-indexed set $Eq(f,g): K_{disc} \to Sets$ defined by

$$(\text{Eq}(f,g))_k \stackrel{\text{def}}{=} \text{Eq}(f_k,g_k)$$

for each $k \in K$.

Proof. That this agrees with the categorical equaliser in $\mathsf{ISets}(K)$ follows from Limits and Colimits, ?? of ??.

2.4 Products in dets

Let $X: K_{\mathsf{disc}} \to \mathsf{Sets}$ and $Y: K'_{\mathsf{disc}} \to \mathsf{Sets}$ be indexed sets.

Definition 2.4.1.1. The **product of** X **with** Y is the $(K \times K')$ -indexed set

$$X \times Y \colon (K \times K')_{\mathsf{disc}} \to \mathsf{Sets}$$

defined by

$$(X \times Y)_{(k,k')} \stackrel{\text{def}}{=} X_k \times Y_{k'}$$

for each $(k, k') \in K \times K'$.

Proof. We claim that this agrees with the categorical product in ISets. \Box

2.5 Pullbacks in Pets

Let $X: K_{\mathsf{disc}} \to \mathsf{Sets}$ be a K-indexed set, let $Y: K'_{\mathsf{disc}} \to \mathsf{Sets}$ be a K'-indexed set, let $Z: K''_{\mathsf{disc}} \to \mathsf{Sets}$ be a K''-indexed set, and let $(\phi, f): X \to Z$ and $(\psi, g): Y \to Z$ be morphisms of indexed sets (as in ??).

Definition 2.5.1.1. The pullback of X^{Qand} Y over Z is the $(K \times_{K''} K)$ -indexed set

$$X \times_Z Y : (K \times_{K''} K)_{\mathsf{disc}} \to \mathsf{Sets}$$

defined by

$$(X \times_Z Y)_{(k,k')} \stackrel{\text{def}}{=} X_k \times_{Z_{\phi(k)}} Y_{k'}$$
$$\stackrel{\text{def}}{=} X_k \times_{Z_{\psi(k)}} Y_{k'}$$

for each $(k, k') \in K \times_{K''} K'$.

Proof. We claim that this agrees with the categorical pullback in ISets. \Box

2.6 Equalisers Mark ets

Let $X: K_{\mathsf{disc}} \to \mathsf{Sets}$ be a K-indexed set, let $Y: K'_{\mathsf{disc}} \to \mathsf{Sets}$ be a K'-indexed set, and let $(\phi, f), (\psi, g): X \to Y$ be morphisms of indexed sets (as in $\ref{eq:disc}$).

Definition 2.6.1.1. The equaliser of (MA) and (ψ, g) is the Eq (ϕ, ψ) -indexed set Eq(f, g): Eq $(\phi, \psi) \to \text{Sets}$ defined by

$$(\mathrm{Eq}(f,g))_k \stackrel{\mathrm{def}}{=} \mathrm{Eq}(f_k,g_k)$$

for each $k \in \text{Eq}(\phi, \psi)$.

Proof. We claim that this agrees with the categorical equaliser in ISets. \Box

3 Colimits of Indexed Sets

3.1 Coproducts of K-Indexed Sets

Let $X: K_{\mathsf{disc}} \to \mathsf{Sets}$ and $Y: K_{\mathsf{disc}} \to \mathsf{Sets}$ be indexed sets.

Definition 3.1.1.1. The **coproduct** of WRD of Y is the K-k-indexed set $X \coprod Y \colon K_{\mathsf{disc}} \to \mathsf{Sets}$ defined by

$$(X \coprod Y)_k \stackrel{\text{def}}{=} X_k \coprod Y_k$$

for each $k \in K$.

Proof. That this agrees with the categorical coproduct in $\mathsf{ISets}(K)$ follows from Limits and Colimits, ?? of ??.

3.2 Pushouts of At-Indexed Sets

Let $X, Y, Z \colon K_{\mathsf{disc}} \to \mathsf{Sets}$ be K-indexed sets and let $f \colon Z \to X$ and $g \colon Z \to Y$ be morphisms of K-indexed sets.

Definition 3.2.1.1. The **pushout** of $X \otimes Y$ is the K-indexed set $X \coprod_{Z} Y \colon K_{\mathsf{disc}} \to \mathsf{Sets}$ defined by

$$(X \coprod ZY)_k \stackrel{\text{def}}{=} X_k \coprod Z_k Y_k$$

for each $k \in K$.

Proof. That this agrees with the categorical pushout in $\mathsf{ISets}(K)$ follows from Limits and Colimits, ?? of ??.

3.3 Coequalise MR K-Indexed Sets

Let $X, Y \colon K_{\mathsf{disc}} \to \mathsf{Sets}$ be K-indexed sets and let $f, g \colon X \rightrightarrows Y$ be morphisms of K-indexed sets.

Definition 3.3.1.1. The **coequaliser** of the M-indexed set $CoEq(f,g): K_{disc} \to Sets$ defined by

$$(\operatorname{CoEq}(f,g))_k \stackrel{\text{def}}{=} \operatorname{CoEq}(f_k,g_k)$$

for each $k \in K$.

Proof. That this agrees with the categorical coequaliser in $\mathsf{ISets}(K)$ follows from Limits and Colimits, ?? of ??.

4 Constructions With Indexed Sets

4.1 Change of **back**exing

Let $\phi \colon K \to K'$ be a function and let X be a K'-indexed set.

Definition 4.1.1.1. The **change of ind** of X to X is the X-indexed set $\phi^*(X)$ defined by

$$\phi^*(X) \stackrel{\text{def}}{=} X \circ \phi_{\mathsf{disc}}.$$

Remark 4.1.1.2. In detail, the changer of indexing of X to K is the K-indexed set $\phi^*(X)$ defined by

$$\phi^*(X)_x \stackrel{\mathrm{def}}{=} X_{\phi(x)}$$

for each $x \in K$.

Proposition 4.1.1.3. The assignment $X \mapsto (X)$ defines a functor

$$\phi^* : \mathsf{ISets}(K') \to \mathsf{ISets}(K),$$

where

• Action on Objects. For each $X \in \text{Obj}(\mathsf{ISets}(K'))$, we have

$$[\phi^*](X) \stackrel{\text{def}}{=} \phi^*(X);$$

• Action on Morphisms. For each $X, Y \in \text{Obj}(\mathsf{ISets}(K'))$, the action on

Hom-sets

$$\phi_{X,Y}^* \colon \operatorname{Hom}_{\mathsf{ISets}(K')}(X,Y) \to \operatorname{Hom}_{\mathsf{ISets}(K)}(\phi^*(X),\phi^*(Y))$$

of ϕ^* at (X,Y) is the map sending a morphism of K'-indexed sets

$$f = \{f_x \colon X_x \to Y_x\}_{x \in K'}$$

from X to Y to the morphism of K-indexed sets defined by

$$\phi^*(f) \stackrel{\text{def}}{=} \left\{ f_{\phi(x)} \colon X_{\phi(x)} \to Y_{\phi(x)} \right\}_{x \in K}.$$

Proof. Omitted.

Proposition 4.1.1.4. The assignment $K \bowtie \mathfrak{S}ets(K)$ defines a functor

ISets: Sets^{op}
$$\rightarrow$$
 Cats,

where

• Action on Objects. For each $K \in \text{Obj}(\mathsf{Sets})$, we have

$$[\mathsf{ISets}](K) \stackrel{\scriptscriptstyle\rm def}{=} \mathsf{ISets}(K);$$

• Action on Morphisms. For each $K, K' \in \text{Obj}(\mathsf{Sets})$, the action on Hom-sets

$$\mathsf{ISets}_{K,K'} \colon \mathsf{Sets}^\mathsf{op}(K,K') \to \mathsf{Fun}(\mathsf{ISets}(K),\mathsf{ISets}(K'))$$

of ISets at (K, K') is the map defined by

$$\mathsf{ISets}_{K,K'}(\phi) \stackrel{\text{def}}{=} \phi^*$$

for each $\phi \in \mathsf{Sets}^{\mathsf{op}}(K, K')$.

Proof. Omitted.

4.2 Dependent Mans

Let $\phi \colon K \to K'$ be a function and let X be a K-indexed set.

Definition 4.2.1.1. The **dependent suffic** X is the K'-indexed set $\Sigma_{\phi}(X)^2$ defined by

$$\Sigma_{\phi}(X) \stackrel{\text{def}}{=} \operatorname{Lan}_{\phi}(X),$$

and hence given by

$$\Sigma_{\phi}(X)_x \cong \coprod_{y \in \phi^{-1}(x)} X_y$$

for each $x \in K'$.

Proposition 4.2.1.2. The assignment $X + \otimes \mathcal{E}_b(X)$ defines a functor

$$\Sigma_{\phi} \colon \mathsf{ISets}(K) \to \mathsf{ISets}(K'),$$

where

• Action on Objects. For each $X \in \text{Obj}(\mathsf{ISets}(K))$, we have

$$[\Sigma_{\phi}](X) \stackrel{\text{def}}{=} \Sigma_{\phi}(X);$$

• Action on Morphisms. For each $X,Y\in \mathrm{Obj}(\mathsf{ISets}(K)),$ the action on Hom-sets

$$\Sigma_{\phi|X,Y} \colon \operatorname{Hom}_{\mathsf{ISets}(K)}(X,Y) \to \operatorname{Hom}_{\mathsf{ISets}(K')}(\Sigma_{\phi}(X),\Sigma_{\phi}(Y))$$

of Σ_{ϕ} at (X,Y) is the map sending a morphism of K-indexed sets

$$f \colon X \to Y$$

to the morphism of K'-indexed sets defined by

$$\Sigma_{\phi}(f) \stackrel{\text{def}}{=} \operatorname{Lan}_{\phi}(f);$$
$$\cong \coprod_{y \in \phi^{-1}(X)} f_{y}.$$

Proof. Omitted.

4.3 Dependent Products

Let $\phi \colon K \to K'$ be a function and let X be a K-indexed set.

² Further Notation: Also written $\phi_*(X)$.

Definition 4.3.1.1. The **dependent product of** X is the K'-indexed set $\Pi_{\phi}(X)^3$ defined by

10

$$\Pi_{\phi}(X) \stackrel{\text{def}}{=} \operatorname{Ran}_{\phi}(X),$$

and hence given by

$$\Pi_{\phi}(X)_x \cong \prod_{y \in \phi^{-1}(x)} X_y$$

for each $x \in K'$.

Proposition 4.3.1.2. The assignment $X \mapsto \mathbb{N}_{\phi}(X)$ defines a functor

$$\Pi_{\phi} \colon \mathsf{ISets}(K) \to \mathsf{ISets}(K'),$$

where

• Action on Objects. For each $X \in \text{Obj}(\mathsf{ISets}(K))$, we have

$$[\Pi_{\phi}](X) \stackrel{\text{def}}{=} \Pi_{\phi}(X);$$

• Action on Morphisms. For each $X,Y\in \mathrm{Obj}(\mathsf{ISets}(K)),$ the action on Hom-sets

$$\Pi_{\phi|X,Y} \colon \operatorname{Hom}_{\mathsf{ISets}(K)}(X,Y) \to \operatorname{Hom}_{\mathsf{ISets}(K')}(\Pi_{\phi}(X),\Pi_{\phi}(Y))$$

of Π_{ϕ} at (X,Y) is the map sending a morphism of K-indexed sets

$$f \colon X \to Y$$

to the morphism of K'-indexed sets defined by

$$\Pi_{\phi}(f) \stackrel{\text{def}}{=} \operatorname{Ran}_{\phi}(f);$$
$$\cong \prod_{y \in \phi^{-1}(x)} f_{y}.$$

Proof. Omitted.

4.4 Internal House

Let K be a set and let X and Y be K-indexed sets.

Definition 4.4.1.1. The internal Hom@@fXindexed sets from X to Y is the indexed set $\mathbf{Hom}_{\mathsf{lSets}(K)}(X,Y)$ defined by

$$\mathbf{Hom}_{\mathsf{ISets}(K)}(X,Y) \stackrel{\text{def}}{=} \mathsf{Sets}(X_x,Y_x)$$

for each $x \in K$.

³ Further Notation: Also written $\phi_!(X)$.

4.5 Adjointness Indexed Sets

Let $\phi \colon K \to K'$ be a map of sets.

Proposition 4.5.1.1. We have a triple admartion

$$(\Sigma_\phi\dashv\phi^*\dashv\Pi_\phi)\text{:}\quad \mathsf{ISets}(K) \underbrace{\stackrel{\Sigma_\phi}{\longleftarrow}}_{\Pi_\phi} \mathsf{ISets}(K').$$

Proof. This follows from Kan Extensions, ?? of ??.

Appendices

A Other Chapters

Sets

- 1. Sets
- 2. Constructions With Sets
- 3. Pointed Sets
- 4. Tensor Products of Pointed Sets
- 5. Relations
- 6. Spans
- 7. Posets

Indexed and Fibred Sets

- 7. Indexed Sets
- 8. Fibred Sets
- 9. Un/Straightening for Indexed and Fibred Sets

Category Theory

11. Categories

- 12. Types of Morphisms in Categories
- 13. Adjunctions and the Yoneda Lemma
- 14. Constructions With Categories
- 15. Kan Extensions

Bicategories

- 17. Bicategories
- 18. Internal Adjunctions

Internal Category Theory

19. Internal Categories

Cyclic Stuff

20. The Cycle Category

Cubical Stuff

21. The Cube Category

Globular Stuff

22. The Globe Category

Cellular Stuff

23. The Cell Category

Monoids

24. Monoids

25. Constructions With Monoids

Monoids With Zero

26. Monoids With Zero

27. Constructions With Monoids With Zero

Groups

28. Groups

29. Constructions With Groups

Hyper Algebra

30. Hypermonoids

31. Hypergroups

32. Hypersemirings and Hyperrings

33. Quantales

Near-Rings

34. Near-Semirings

35. Near-Rings

Real Analysis

36. Real Analysis in One Variable

37. Real Analysis in Several Variables

Measure Theory

38. Measurable Spaces

39. Measures and Integration

Probability Theory

39. Probability Theory

Stochastic Analysis

40. Stochastic Processes, Martingales, and Brownian Motion

41. Itô Calculus

42. Stochastic Differential Equations

Differential Geometry

43. Topological and Smooth Manifolds

Schemes

44. Schemes