Pointed Sets

December 24, 2023

0072 This chapter contains some foundational material on pointed sets.

Contents

0073 1 Pointed Sets

0074 1.1 Foundations

0075 **Definition 1.1.1.1.** A **pointed set**[1] is equivalently

- An $\mathbb{E}_0$-monoid in $(\mathrm{N}_\bullet(\mathsf{Sets}), \mathrm{pt})$;
- A pointed object in $(\mathsf{Sets}, \mathrm{pt})$.

0076 **Remark 1.1.1.2.** In detail, a **pointed set** is a pair (X, x_0) consisting of

- *The Underlying Set.* A set X, called the **underlying set of** (X, x_0);
- *The Basepoint.* A morphism

  $$[x_0]\colon \mathrm{pt} \to X$$

  in Sets, determining an element $x_0 \in X$, called the **basepoint of** X.

0077 **Example 1.1.1.3.** The 0-**sphere**[2] is the pointed set $(S^0, 0)$[3] consisting of

- *The Underlying Set.* The set S^0 defined by

  $$S^0 \overset{\text{def}}{=} \{0, 1\};$$

- *The Basepoint.* The element 0 of S^0.

0078 **Example 1.1.1.4.** The **trivial pointed set** is the pointed set $(\mathrm{pt}, \star)$ consisting of

- *The Underlying Set.* The punctual set $\mathrm{pt} \overset{\text{def}}{=} \{\star\}$;
- *The Basepoint.* The element $\star$ of pt.

0079 **Example 1.1.1.5.** The **underlying pointed set** of a semimodule (M, α_M) is the pointed set $(M, 0_M)$.

007A **Example 1.1.1.6.** The **underlying pointed set** of a module (M, α_M) is the pointed set $(M, 0_M)$.

---

[1] *Further Terminology:* Also called an $\mathbb{F}_1$-**module**.

[2] *Further Terminology:* Also called the **underlying pointed set of the field with one element**.

[3] *Further Notation:* Also denoted $(\mathbb{F}_1, 0)$.

007B 1.2 Morphisms of Pointed Sets

007C **Definition 1.2.1.1.** A **morphism of pointed sets**[4] is equivalently

- A morphism of $\mathbb{E}_0$-monoids in $(\mathrm{N}_\bullet(\mathsf{Sets}), \mathrm{pt})$.
- A morphism of pointed objects in $(\mathsf{Sets}, \mathrm{pt})$.

007D **Remark 1.2.1.2.** In detail, a **morphism of pointed sets** $f\colon (X, x_0) \longrightarrow (Y, y_0)$ is a morphism of sets $f\colon X \longrightarrow Y$ such that the diagram

$$\begin{tikzcd} & \mathrm{pt} \arrow[dl, "{[x_0]}"'] \arrow[dr, "{[y_0]}"] & \\ X \arrow[rr, "f"'] & & Y \end{tikzcd}$$

commutes, i.e. such that

$$f(x_0) = y_0.$$

007E 1.3 The Category of Pointed Sets

007F **Definition 1.3.1.1.** The **category of pointed sets** is the category Sets_* defined equivalently as

- The homotopy category of the ∞-category $\mathsf{Mon}_{\mathbb{E}_0}(\mathrm{N}_\bullet(\mathsf{Sets}), \mathrm{pt})$ of Monoids in Monoidal ∞-Categories, **??**;
- The category Sets_* of Categories, **??**.

007G **Remark 1.3.1.2.** In detail, the **category of pointed sets** is the category Sets_* where

- *Objects.* The objects of Sets_* are pointed sets;
- *Morphisms.* The morphisms of Sets_* are morphisms of pointed sets;
- *Identities.* For each $(X, x_0) \in \mathrm{Obj}(\mathsf{Sets}_*)$, the unit map

  $$\mathbb{1}^{\mathsf{Sets}_*}_{(X,x_0)} \colon \mathrm{pt} \longrightarrow \mathsf{Sets}_*((X, x_0), (X, x_0))$$

  of Sets_* at (X, x_0) is defined by[5]

  $$\mathrm{id}^{\mathsf{Sets}_*}_{(X,x_0)} \overset{\mathrm{def}}{=} \mathrm{id}_X;$$

[4] *Further Terminology:* Also called a **pointed function** or a **morphism of $\mathbb{F}_1$-modules**.

[5] Note that id_X is indeed a morphism of pointed sets, as we have $\mathrm{id}_X(x_0) = x_0$.

- *Composition.* For each $(X, x_0), (Y, y_0), (Z, z_0) \in \mathrm{Obj}(\mathsf{Sets}_*)$, the composition map

$$\circ^{\mathsf{Sets}_*}_{(X,x_0),(Y,y_0),(Z,z_0)} \colon \mathsf{Sets}_*((Y, y_0), (Z, z_0)) \times \mathsf{Sets}_*((X, x_0), (Y, y_0)) \to \mathsf{Sets}_*((X, x_0), (Z, z_0))$$

of Sets_* at $((X, x_0), (Y, y_0), (Z, z_0))$ is defined by[6]

$$g \circ^{\mathsf{Sets}_*}_{(X,x_0),(Y,y_0),(Z,z_0)} f \overset{\text{def}}{=} g \circ f.$$

007H 1.4 Elementary Properties of Pointed Sets

007J **Proposition 1.4.1.1.** Let (X, x_0) be a pointed set.

007K 1. *Completeness.* The category Sets_* of pointed sets and morphisms between them is complete, having in particular products (Definition 2.1.1.1), pullbacks (Definition 2.3.1.1), and equalisers (Definition 2.2.1.1).

007L 2. *Cocompleteness.* The category Sets_* of pointed sets and morphisms between them is cocomplete, having in particular coproducts (Definition 3.1.1.1), pushouts (Definition 3.2.1.1), and coequalisers (Definition 3.3.1.1).

007M 3. *Failure To Be Cartesian Closed.* The category Sets_* is not Cartesian closed.

007N 4. *Relation to Partial Functions.* We have an equivalence of categories[7]

$$\mathsf{Sets}_* \overset{\text{eq.}}{\cong} \mathsf{Sets}^{\text{part.}}$$

between the category of pointed sets and pointed functions between them and the category of sets and partial functions between them.

[6] Note that the composition of two morphisms of pointed sets is indeed a morphism of pointed sets, as we have

$$\begin{aligned} g(f(x_0)) &= g(y_0) \\ &= z_0, \end{aligned}$$

or

$$\begin{tikzcd} & \mathrm{pt} \arrow[dl, "{[x_0]}"'] \arrow[d, "{[y_0]}"] \arrow[dr, "{[z_0]}"] & \\ X \arrow[r, "f"'] & Y \arrow[r, "g"'] & Z \end{tikzcd}$$

in terms of diagrams.

[7] *Warning:* This is not an isomorphism of categories, only an equivalence.

Proof. *Item 1*, *Completeness*: Omitted.
Item 2, *Cocompleteness*: Omitted.
Item 3, *Failure To Be Cartesian Closed*: See [**MSE2855868**].
Item 4, *Relation to Partial Functions*: Omitted. □

007P 2 Limits of Pointed Sets

007Q 2.1 Products

Let (X, x_0) and (Y, y_0) be pointed sets.

007R **Definition 2.1.1.1.** The **product of** (X, x_0) **and** (Y, y_0) is the pointed set $(X \times Y, (x_0, y_0))$.

007S 2.2 Equalisers

Let $f, g \colon (X, x_0) \rightrightarrows (Y, y_0)$ be morphisms of pointed sets.

007T **Definition 2.2.1.1.** The **equaliser of** (f, g) is the pointed set $(\mathrm{Eq}_*(f, g), x_0)$ consisting of

- *The Underlying Set.* The set $\mathrm{Eq}_*(f, g)$ defined by
$$\mathrm{Eq}_*(f, g) \overset{\text{def}}{=} \{x \in X \mid f(x) = y_0 = g(x)\};$$
- *The Basepoint.* The element x_0 of $\mathrm{Eq}_*(f, g)$.

007U 2.3 Pullbacks

Let (X, x_0), (Y, y_0), and (Z, z_0) be pointed sets and let $f \colon (X, x_0) \to (Z, z_0)$ and $g \colon (Y, y_0) \to (Z, z_0)$ be morphisms of pointed sets.

007V **Definition 2.3.1.1.** The **pullback of** (X, x_0) **and** (Y, y_0) **over** (Z, z_0) **along** (f, g) is the pointed set $((X, x_0) \times_{(z,z_0)} (Y, y_0), p_0)$ consisting of

- *The Underlying Set.* The set $(X, x_0) \times_{(z,z_0)} (Y, y_0)$ defined by
$$(X, x_0) \times_{(z,z_0)} (Y, y_0) \overset{\text{def}}{=} \{(x, y) \in X \times Y \mid f(x) = z_0 = g(y)\};$$
- *The Basepoint.* The element (x_0, y_0) of $(X, x_0) \times_{(z,z_0)} (Y, y_0)$.

007W 3 Colimits of Pointed Sets

007X 3.1 Coproducts

Let (X, x_0) and (Y, y_0) be pointed sets.

007Y **Definition 3.1.1.1.** The **coproduct of** (X, x_0) **and** (Y, y_0) is their wedge sum $(X \vee Y, p_0)$ of Definition 4.3.1.1.

3.2 Pushouts 007Z

Let (X, x_0), (Y, y_0), and (Z, z_0) be pointed sets and let $f\colon (Z, z_0) \longrightarrow (X, x_0)$ and $g\colon (Z, z_0) \longrightarrow (Y, y_0)$ be morphisms of pointed sets.

0080 **Definition 3.2.1.1.** The **pushout of** (X, x_0) **and** (Y, y_0) **over** (Z, z_0) **along** (f, g) is the pointed set $(X \coprod_{f,Z,g} Y, p_0)$, where $p_0 = [x_0] = [y_0]$.

0081 3.3 Coequalisers

Let $f, g\colon (X, x_0) \rightrightarrows (Y, y_0)$ be morphisms of pointed sets.

0082 **Definition 3.3.1.1.** The **coequaliser of** (f, g) is the pointed set $(\mathrm{CoEq}(f, g), x_0)$.

0083 4 Constructions With Pointed Sets

0084 4.1 Internal Homs

Let (X, x_0) and (Y, y_0) be pointed sets.

0085 **Definition 4.1.1.1.** The **pointed set of morphisms of pointed sets from** (X, x_0) **to** (Y, y_0) is the pointed set $\mathsf{Sets}_*(X, Y)$ consisting of

- *The Underlying Set.* The set $\mathsf{Sets}_*((X, x_0), (Y, y_0))$ of morphisms of pointed sets from (X, x_0) to (Y, y_0);
- *The Basepoint.* The element

$$\Delta_{y_0}\colon (X, x_0) \longrightarrow (Y, y_0)$$

  of $\mathsf{Sets}_*((X, x_0), (Y, y_0))$.

0086 4.2 Free Pointed Sets

Let X be a set.

0087 **Definition 4.2.1.1.** The **free pointed set on** X is the pointed set X^+ consisting of

- *The Underlying Set.* The set X^+ defined by

$$X^+ \overset{\text{def}}{=} X \coprod \mathrm{pt};$$

- *The Basepoint.* The element $\star$ of X^+.

0088 **Proposition 4.2.1.2.** Let X be a set.

0089 1. *Functoriality.* The assignment $X \mapsto X^+$ defines a functor

$$(-)^+ \colon \mathsf{Sets} \longrightarrow \mathsf{Sets}_*,$$

where

- *Action on Objects.* For each $X \in \mathrm{Obj}(\mathsf{Sets})$, we have

$$[(-)^+](X) \overset{\text{def}}{=} X_+,$$

where X_+ is the pointed set of Definition 4.2.1.1;

- *Action on Morphisms.* For each morphism $f \colon X \longrightarrow Y$ of Sets, the image

$$f_+ \colon X_+ \longrightarrow Y_+$$

of f by $(-)^+$ is the map of pointed sets defined by

$$f^+(x) \overset{\text{def}}{=} \begin{cases} f(x) & \text{if } x \in X, \\ \star & \text{if } x = \star. \end{cases}$$

008A 2. *Adjointness.* We have an adjunction

$$((-)^+ \dashv 忘) \colon \quad \begin{tikzcd} \mathsf{Sets} \arrow[r, bend left, "(-)^+"] \arrow[r, phantom, "\perp"] & \mathsf{Sets}_*, \arrow[l, bend left, "忘"] \end{tikzcd}$$

witnessed by a bijection of sets

$$\mathsf{Sets}_*((X_+, \star), (Y, y_0)) \cong \mathsf{Sets}(X, Y),$$

natural in $X \in \mathrm{Obj}(\mathsf{Sets})$ and $(Y, y_0) \in \mathrm{Obj}(\mathsf{Sets}_*)$.

008B 3. *Symmetric Strong Monoidality With Respect to Wedge Sums.* The free pointed set functor of Item 1 has a symmetric strong monoidal structure

$$\left((-)^{+},(-)^{+,\coprod},(-)^{+,\coprod}_{\mathbb{1}}\right)\colon(\mathsf{Sets},\textstyle\coprod,\emptyset)\to(\mathsf{Sets}_{*},\vee,\mathrm{pt}),$$

being equipped with isomorphisms of pointed sets

$$(-)^{+,\coprod}_{X,Y}\colon X^{+}\vee Y^{+}\xrightarrow{\cong}\left(X\textstyle\coprod Y\right)^{+},$$
$$(-)^{+,\coprod}_{\mathbb{1}}\colon\mathrm{pt}\xrightarrow{\cong}\emptyset^{+},$$

natural in $X,Y\in\mathrm{Obj}(\mathsf{Sets})$.

008C 4. *Symmetric Strong Monoidality With Respect to Smash Products.* The free pointed set functor of Item 1 has a symmetric strong monoidal structure

$$\left((-)^{+},(-)^{+,\times},(-)^{+,\times}_{\mathbb{1}}\right)\colon(\mathsf{Sets},\times,\mathrm{pt})\to(\mathsf{Sets}_{*},\wedge,S^{0}),$$

being equipped with isomorphisms of pointed sets

$$(-)^{+,\times}_{X,Y}\colon X^{+}\wedge Y^{+}\xrightarrow{\cong}(X\times Y)^{+},$$
$$(-)^{+,\times}_{\mathbb{1}}\colon S^{0}\xrightarrow{\cong}\mathrm{pt}^{+},$$

natural in $X,Y\in\mathrm{Obj}(\mathsf{Sets})$.

Proof. *Item 1, Functoriality*: Clear.
Item 2, Adjointness: Clear.
Item 3, Symmetric Strong Monoidality With Respect to Wedge Sums: Omitted.
Item 4, Symmetric Strong Monoidality With Respect to Smash Products: Omitted. □

008D 4.3 Wedge Sums of Pointed Sets

Let (X,x_0) and (Y,y_0) be pointed sets.

008E **Definition 4.3.1.1.** The **wedge sum of** X **and** Y is the pointed set $(X\vee Y,p_0)$ consisting of

- *The Underlying Set.* The set $X\vee Y$ defined by[8]

$$\begin{aligned}(X\vee Y,p_0)&\stackrel{\mathrm{def}}{=}(X,x_0)\textstyle\coprod(Y,y_0)\\&\cong\left(X\textstyle\coprod_{\mathrm{pt}}Y,p_0\right)\\&\cong\left(X\textstyle\coprod Y/\sim,p_0\right),\end{aligned}\qquad\begin{tikzcd}X\vee Y \arrow[dr, phantom, "\ulcorner", very near start] & Y \arrow[l] \\ X \arrow[u] & \mathrm{pt}, \arrow[l, hook', "{[x_0]}"] \arrow[u, hook, "{[y_0]}"']\end{tikzcd}$$

where $\sim$ is the equivalence relation on $X\coprod Y$ given by $x_0\sim y_0$;

[8]Here $(X,x_0)\coprod(Y,y_0)$ is the coproduct of (X,x_0) and (Y,y_0) in Sets_{*}.

- *The Basepoint.* The element p_0 of $X \vee Y$ defined by

$$\begin{aligned} p_0 &\overset{\text{def}}{=} [x_0] \\ &= [y_0]. \end{aligned}$$

008F **Proposition 4.3.1.2.** Let (X, x_0) and (Y, y_0) be pointed sets.

008G 1. *Functoriality.* The assignments $(X, x_0), (Y, y_0), ((X, x_0), (Y, y_0)) \mapsto (X \vee Y, p_0)$ define functors

$$\begin{aligned} X \vee - &\colon \mathsf{Sets}_* \longrightarrow \mathsf{Sets}_*, \\ - \vee Y &\colon \mathsf{Sets}_* \longrightarrow \mathsf{Sets}_*, \\ -_1 \vee -_2 &\colon \mathsf{Sets}_* \times \mathsf{Sets}_* \longrightarrow \mathsf{Sets}_*. \end{aligned}$$

008H 2. *Associativity.* We have an isomorphism of pointed sets

$$(X \vee Y) \vee Z \cong X \vee (Y \vee Z),$$

natural in $(X, x_0), (Y, y_0), (Z, z_0) \in \mathsf{Sets}_*$.

008J 3. *Unitality.* We have isomorphisms of pointed sets

$$\begin{aligned} \mathrm{pt} \vee X &\cong X, \\ X \vee \mathrm{pt} &\cong X, \end{aligned}$$

natural in $(X, x_0) \in \mathsf{Sets}_*$.

008K 4. *Commutativity.* We have an isomorphism of pointed sets

$$X \vee Y \cong Y \vee X,$$

natural in $(X, x_0), (Y, y_0) \in \mathsf{Sets}_*$.

008L 5. *Symmetric Monoidality.* The triple $(\mathsf{Sets}_*, \vee, \mathrm{pt})$ is a symmetric monoidal category.

008M 6. *Symmetric Strong Monoidality With Respect to Free Pointed Sets.* The free pointed set functor of Item 1 of Proposition 4.2.1.2 has a symmetric strong monoidal structure

$$\left((-)^+, (-)^{+,\coprod}, (-)^{+,\coprod}_{\mathbb{1}}\right) \colon (\mathsf{Sets}, \textstyle\coprod, \emptyset) \longrightarrow (\mathsf{Sets}_*, \vee, \mathrm{pt}),$$

being equipped with isomorphisms of pointed sets

$$
\begin{aligned}
(-)^{+,\coprod}_{X,Y} \colon X^{+} \vee Y^{+} &\xrightarrow{\cong} (X \coprod Y)^{+},\\
(-)^{+,\coprod}_{\mathbb{1}} \colon \mathrm{pt} &\xrightarrow{\cong} \emptyset^{+},
\end{aligned}
$$

natural in $X, Y \in \mathrm{Obj}(\mathsf{Sets})$.

008N 7. *The Fold Map.* We have a natural transformation

$$
\nabla \colon \vee \circ \Delta^{\mathsf{Cats}}_{\mathsf{Sets}_*} \Longrightarrow \mathrm{id}_{\mathsf{Sets}_*}, \qquad
\begin{tikzcd}
 & \mathsf{Sets}_* \times \mathsf{Sets}_* \arrow[dr, "\vee"] \arrow[d, phantom, "\Downarrow \nabla"] & \\
\mathsf{Sets}_* \arrow[ur, "\Delta^{\mathsf{Cats}}_{\mathsf{Sets}_*}"] \arrow[rr, bend right, "\mathrm{id}_{\mathsf{Sets}_*}"'] & & \mathsf{Sets}_*,
\end{tikzcd}
$$

called the **fold map**, whose component

$$
\nabla_X \colon X \vee X \to X
$$

at X is given by the composition

$$
\begin{aligned}
X &\xrightarrow{\Delta_X} X \times X\\
&\twoheadrightarrow X \times X/\sim\\
&\overset{\mathrm{def}}{=\!=} X \vee X.
\end{aligned}
$$

Proof. *Item 1, Functoriality*: Omitted.
Item 2, Associativity: Omitted.
Item 3, Unitality: Omitted.
Item 4, Commutativity: Omitted.
Item 5, Symmetric Monoidality: Omitted.
Item 6, Symmetric Strong Monoidality With Respect to Free Pointed Sets: Omitted.
Item 7, The Fold Map: Omitted. □

Appendices

A Other Chapters