

## Chapter 5

### MCQs

#### Question 1

You're at a school lunch, and your friend starts clutching their throat, unable to speak, with a panicked look. Their face is turning red. What should you do first?

- ☐ A) Tell them to drink water to clear their throat.
  - ☐ B) Ask, "Are you choking?" and if they can't answer but signal yes, perform the Heimlich maneuver.
  - ☐ C) Wait a few minutes to see if they cough it out on their own.
  - ☐ D) Pat them on the back gently until they stop choking.
- Correct Answer: B

Note: No correct answer specified for this question

#### Question 2

While at a park, you see someone collapse and become unresponsive. You check, and their chest isn't moving—they're not breathing normally. What is the first thing you should do?

- ☐ A) Start chest compressions without calling for help to save time.
  - ☐ B) Check for a pulse to confirm if their heart has stopped.
  - ☐ C) Call 911 or yell for someone to call while you prepare to start hands-only CPR.
  - ☐ D) Wait for a trained adult to arrive before doing anything.
- Correct Answer: C

Note: No correct answer specified for this question

### Question 3

During gym class, a classmate has a seizure and starts shaking on the floor. What is the most important action to take while the seizure is happening?

- ☐ A) Hold them down to stop the shaking so they don't hurt themselves.
  - ☐ B) Put a spoon in their mouth to prevent them from biting their tongue.
  - ☐ C) Clear the area of objects and protect their head with something soft like a jacket.
  - ☐ D) Leave them alone and go find a teacher to handle it.
- Correct Answer: C

Note: No correct answer specified for this question

### Question 4

At a hot outdoor event, your friend faints and falls to the ground. They're unresponsive for a moment. What should you do immediately after ensuring they're on the ground safely?

- ☐ A) Splash cold water on their face to wake them up quickly.
  - ☐ B) Lay them flat on their back and elevate their legs to improve blood flow to the brain.
  - ☐ C) Make them sit up right away to get air.
  - ☐ D) Give them food to raise their blood sugar.
- Correct Answer: B

Note: No correct answer specified for this question

### Question 5

You're at a party, and a friend who ate a cookie starts wheezing, their face swells, and they say their throat feels tight. You suspect anaphylaxis. They have an EpiPen in their bag. What is the correct sequence of actions?

- A) Wait to see if symptoms get worse before using the EpiPen, then call for help.
  - B) Use the EpiPen on their thigh, call 911 immediately, and stay with them until help arrives.
  - C) Call 911 first, wait for paramedics to arrive, and let them use the EpiPen.
  - D) Give them water to drink and use the EpiPen only if they stop breathing.
- Correct Answer: B

Note: No correct answer specified for this question