
splice

# The plumbing for your coding agents.

Brand kit v1.0. Logo, colour, type, components, motion and writing rules for Splice.



# About this kit

## What Splice is

Splice is a free, open-source proxy for Claude Code that runs on the user's computer. It sends Claude Code requests to other models and accounts, such as GPT, Grok or Kimi, and exposes settings for tool calls, compaction, caching and usage. The audience is developers who already use Claude Code.

## Where the look comes from

The colours, fonts and drawing style were already in use in the 0.4.0 announcement video and the Splice console. This kit documents them, adds a logo, and sets rules for new assets. SOURCE-EVIDENCE.md lists the source of each value.

### RELATION TO TEMPLE

Splice and Temple are both Torad Labs products. They share dark backgrounds, mono type for numbers, the ease-out curve `cubic-bezier(.22,1,.36,1)` and the rule that claims need evidence. They do not share colours, fonts or the logo style. Do not use Temple teal, Temple Rounded or glass effects on Splice assets, and do not use the Splice mark on Temple assets.

### HOW TO USE THIS GUIDE

Each page covers one part of the system and lists the files, sizes and rules for it. The same rules are in GUIDELINES.md as plain text. Every asset can be rebuilt from the scripts in src/.

# Logo

The mark is a cable shaped like a lowercase s, with a plug at each end, on a square plate. The wordmark is lowercase `splice` set in Fraunces and converted to outlines. Use the SVG files; do not redraw either part.



**splice-mark-night**
For dark backgrounds: Night, Dusk, dark photos.



**splice-mark-day**
For Paper and other light backgrounds.




**splice-horizontal-night / -day**
Mark plus wordmark. Use in headers, nav bars and slides. Use the stacked version in square spaces.




Stacked lockup; one-colour marks for single-colour printing, embossing and watermarks; favicon for 16 to 32 px. The favicon has no shadow and a thicker cable.

# Logo usage

Keep clear space of one quarter of the plate width on all sides. Measure from the plate edge, not from the shadow. Below the minimum sizes, switch to the next smaller asset.





| ASSET | MINIMUM SIZE |
|---|---|
| Mark with shadow | 48 px |
| Flat mark | 24 px |
| Favicon | 16–32 px |
| Wordmark | 72 px wide |
| Horizontal lockup | 28 px tall |




Do not stretch or skew the mark.




Do not rotate the mark or the lockups.



Do not change the cable or plug colours, including to provider colours.



Do not replace the offset shadow with a blurred drop shadow.



Do not place the mark on busy images or patterns.




Do not type the wordmark in a font. In sentences, write Splice with a capital S.

# Colour

Nine core colours. Night is the default background. Key Light is the only accent colour. Values were sampled from the 0.4.0 video or copied from the console's CSS.

### Night
`#1D2140 · RGB 29 33 64`

Default background for every dark surface. About 70% of a frame.

### Night Low
`#141731 · RGB 20 23 49`

Second background: side navigation, footers, table headers.

### Plate
`#382E25 · RGB 56 46 37`

Logo plate and the rail in diagrams. Large dark objects.

### Shell
`#1C1610 · RGB 28 22 16`

Terminal screens, stat boxes, dark cards.

### Ink
`#07050A · RGB 7 5 10`

3 px outlines and the 6 px offset shadow on every object.

### Paper
`#FBF1DF · RGB 251 241 223`

Light cards, tooltips and end cards. Light-mode background.

### Cream
`#EFE2C6 · RGB 239 226 198`

Body text and the wordmark on Night.

### Key Light
`#FFD79A · RGB 255 215 154`

Accent. Primary button, focus ring, the active session. One use per view.

### Dusk
`#724C5E · RGB 114 76 94`

Alternate background for end cards and the GitHub preview only.

Rough proportions for a frame: Night 70%, objects (Plate, Shell, Paper) 25%, Key Light and provider colours 5%. Use Key Light once per view. Tokens: tokens/splice.css and tokens/splice.tokens.json.

# Provider colours, status and contrast

Each provider has one fixed colour, used for its cable, its session card shadow and its model dot. Provider colours identify a provider; do not use them as backgrounds, for status or as brand colours. Status colours always appear with a text label.

## PROVIDER COLOURS, CONTRAST ON NIGHT

| | | |
|---|---|---|
| Claude | #EE8F58 | 6.5:1 |
| GPT | #00C5BE | 7.2:1 |
| Grok | #6EADFE | 6.8:1 |
| Kimi | #E3B341 | 8.0:1 |
| Muse | #B896F3 | 6.5:1 |
| Router | #F3B27A | 8.5:1 |
| Local | #7BC47F | 7.5:1 |
| DeepSeek | #EC93C3 | 7.1:1 |

## STATUS

| | | |
|---|---|---|
| Live | #5BB59C / day<br>#2C6555 | Connected, request succeeded, tests passed. |
| Limit | #F06A4C / day<br>#BB301A | Rate limited, failed, stopped. |
| Needs you | #FFD79A / day<br>#8A5A12 | Waiting for the user to decide something. |

## TEXT CONTRAST, WCAG 2.2

| | | |
|---|---|---|
| Cream on Night | 12.18:1 | AA · AAA |
| Cream Mute on Night | 4.89:1 | AA |
| Key Light on Night | 11.49:1 | AA · AAA |
| Cream on Dusk | 5.62:1 | AA |
| Day Ink on Paper | 14.87:1 | AA · AAA |
| Key on Paper | 5.28:1 | AA |

# Typography

Three font families, all under the SIL Open Font License and included in fonts/. The console already uses all three.

FRAUNCES

Aa Gg

**Plug in any model.**

Headlines only. Weight 500 to 600, optical size auto, SOFT 0, WONK 0. The wordmark uses weight 480 at optical size 144.

SOURCE SERIF 4

Aa Gg

**Sessions, accounts, models**

Body text, UI labels and captions. 400 for paragraphs, 500 for UI, 600 for titles.

IBM PLEX MONO

0123

**splice sessions**

Numbers, times, token counts, commands, file paths and session names. Use tabular figures. Not for sentences.

# Type scale


| | | |
|---|---|---|
| **Display** | Fraunces 560 · 56–120 px / 0.95 · −0.015em | The plumbing. |
| **Heading** | Fraunces 580 · 32–44 px / 1.05 | Provider colours |
| **Title** | Source Serif 4 600 · 20 px / 1.3 | claude-grok is serving |
| **Body** | Source Serif 4 400 · 17 px / 1.5 · 60–72 characters per line | Run Claude Code on the plan you already pay for. |
| **UI** | Source Serif 4 500 · 14 px / 20 px | Sessions · Requests · Accounts |
| **Data** | IBM Plex Mono 500 · 13–15 px / 1.45 · tabular | 48,210 in · 412 out · 9.8 s |
| **Label** | IBM Plex Mono 500 · 11–12 px · uppercase · +0.14em | RELEASE · 0.4.0 |

Use sentence case for headings and labels. Use lowercase only for the wordmark and for literal commands. Spacing values are multiples of 4 px. In diagrams, put labels on or next to the object they describe.

# Shapes and components

Objects have a 3 px Ink outline, a solid Ink shadow offset 6 px down and right, and 9 px corners (7 px for elements inside an object). Backgrounds get one diagonal light band and a fine noise texture. No gradients, blur or transparency effects on objects.




Left: session diagram. Session cards are Paper with a Shell screen; the shadow uses the provider colour. Right: primary button (Key Light), secondary button, tags, tooltip, stat box.


09

# Motion

Use motion to show where a request goes. Example: motion/splice-flow-loop.mp4, a 4 s loop where a request leaves a Claude Code session, stops at the rail and goes to one model.



0.00 s request leaves the session



0.25 s travelling



0.42 s held at the rail



0.58 s routed to the model



0.83 s arrives




0.92 s label appears

| RULE | VALUE |
|---|---|
| Drawn objects | Update every 2nd frame (12 updates per second in 24 fps video). Layout moves and camera moves update every frame. |
| Durations | `90 ms` button press, `240 ms` small UI change, `420 ms` large or full-screen move. |
| Easing | `cubic-bezier(.22,1,.36,1)` for UI, `cubic-bezier(.65,0,.35,1)` for full-screen moves. |
| Holds | Hold the frame where something arrives for 2 to 4 drawings (83–167 ms). Animate one thing at a time. |
| Accuracy | Do not show fake progress or spinners. Cutting straight from a command to its result is fine. Honour prefers-reduced-motion. |

# Logo animation

Three clips in motion/logo/, each at 1920×1080 and 1080×1080, 24 fps. Formats: MP4 (H.264), WebM with alpha, GIF, transparent PNG frames. The intro and idle clips are also available as Lottie JSON and animated SVG.

INTRO · 3.5 S · PLAYS ONCE



0.25 s plate drops | 0.67 s cable draws | 1.25 s plugs light | 1.83 s pulse runs | 2.33 s wordmark | 3.50 s final

IDLE · 3.0 S · LOOPS



0.00 s | 0.67 s pulse | 1.50 s plug flash

OUTRO · 3.5 S · PLAYS ONCE




0.00 s lockup | 1.00 s tagline | 1.67 s link | 3.50 s final

| CLIP | USE IT FOR |
|---|---|
| Intro | Start of videos, talks and the site's first load. Do not loop it. |
| Idle | Animated avatar, site header, README banner, loading screen. The first and last frames match, so it loops without a jump. |
| Outro | End of videos and demos. It ends on the tagline and the repository URL. |

# Writing

Write plainly and specifically. Say what Splice does, what the user gets, and what to do next. Only describe features that are in a published release.

USE

**“The plumbing for your coding agents.”**

**“Claude Code on the plans and keys you already have.”**

**“Splice puts control of your agents in your hands.”**

“Free and open source. Runs on your computer.”

DO NOT USE


“Unlimited Claude for free.” Splice uses plans and keys the user already pays for. It does not make usage free.

“Break out of Anthropic's jail.” Do not attack providers.

“10x faster agents.” No speed or quality claims without a published benchmark.

| | |
|---|---|
| **Name** | Splice in sentences. `splice` for the command and the wordmark. |
| **Providers** | Write provider and model names as plain text. Do not use provider logos. |
| **Demos** | Label staged or animated scenes as demos. Do not invent numbers or quotes. |
| **Affiliation** | Where needed: “Splice is an independent open-source project and is not affiliated with or endorsed by any model provider.” |

# Applications





X header, 1500 × 500. Keep the bottom-left 300 × 170 px empty; the avatar covers it.



X avatar, 400 × 400. Content fits inside the circle crop.




GitHub social preview, 1280 × 640. 40 px safe margin.




Release card, 1200 × 630. Sample copy from the 0.4.0 drafts.

# Kit contents

This is a draft for review. The Splice app, site and repository do not use it yet. The console already uses these colours and fonts, so adopting the kit there mainly means replacing the typed "splice" with the logo files.

| FOLDER | CONTENTS |
|---|---|
| `logos/` | Mark (night, day, flat, one-colour cream and ink), wordmark (cream, ink), horizontal and stacked lockups. SVG and PNG. |
| `icons/` | Favicon SVG and 16/32/48 px PNG. App icon SVG and 256/512/1024 px PNG. |
| `tokens/` | `splice.css` custom properties, `splice.tokens.json`, contrast table. |
| `fonts/` | Fraunces, Source Serif 4, IBM Plex Mono, licence files, `splice-fonts.css`. |
| `social/` `templates/` | X avatar and header, GitHub social preview, release card. |
| `motion/` | Request flow loop and 2 s logo sting. `motion/logo/`: intro, idle and outro clips in MP4, WebM, GIF, PNG frames, Lottie and SVG. |
| `src/` | Python scripts that generate every file above from `src/palette.py`. |

Not done: trademark search for the name and mark, print (CMYK) colour values, non-Latin scripts.