uplix

2025 PPE Catalogue

Personal Protective Equipment

uplix

HEAD PROTECTION

Various Models

HDPE/ABS

Excellent quality, high-quality service guarantee

Head Protection

HEP101

- White
- Green
- Red
- Orange
- Yellow
- Blue

Front Brim Safety Helmet
Shell Material: HDPE
Suspension Adjustment: Ratchet(4-Points)
Accessory Mounting Options: Side-Slots
Head Protection Venting: No
ChinStrap: Adjustable chin strap with chin protector
Color: Red/Yellow/Blue/White/Customized
Standards: CE EN397: 2012+A1:2012

HEP102

- White
- Green
- Red
- Orange
- Yellow
- Blue

Front Brim Safety Helmet
Shell Material: HDPE /ABS
Suspension Adjustment: Ratchet(6-Points)
Accessory Mounting Options: Side-Slots
Head Protection Venting: No
ChinStrap: Adjustable chin strap with chin protector
Color: Red/Yellow/Blue/White/Customized
Standards: CE EN397: 2012+A1:2012; ANSI Z89.1 Type IClassE

HEP103

- White
- Green
- Red
- Orange
- Yellow
- Blue

Front Brim Safety Helmet
Shell Material: HDPE
Suspension Adjustment: Ratchet(6-Points)
Accessory Mounting Options: Side-Slots
Head Protection Venting: Yes
ChinStrap: Adjustable chin strap with chin protector
Color: Red/Yellow/Blue/White/Customized
Standards: CE EN397: 2012+A1:2012;

HEP104

- White
- Green
- Red
- Orange
- Yellow
- Blue

Front Brim Safety Helmet
Shell Material: ABS
Suspension Adjustment: Ratchet(8-Points)
Accessory Mounting Options: Side-Slots
Head Protection Venting: Yes
ChinStrap: Adjustable chin strap with chin protector
Color: Red/Yellow/Blue/White/Customized
Standards: CE EN397: 2012+A1:2012;

HEP105

- White
- Green
- Red
- Orange
- Yellow
- Blue

Front Brim Safety Helmet
Shell Material: ABS
Suspension Adjustment: Ratchet(6-Points)
Accessory Mounting Options: Side-Slots
Head Protection Venting: Yes
ChinStrap: Adjustable chin strap with chin protector
Color: Red/Yellow/Blue/White/Customized
Standards: CE EN397: 2012+A1:2012;

AS/NZS 1801-1997;

HEP106

- White
- Green
- Red
- Orange
- Yellow
- Blue

Front Brim Safety Helmet
Shell Material: ABS
Suspension Adjustment: Ratchet(8-Points)
Accessory Mounting Options: Side-Slots
Head Protection Venting: Yes
ChinStrap: Adjustable chin strap with chin protector
Color: Red/Yellow/Blue/White/Customized
Standards: CE EN397: 2012+A1:2012;

HEP160

- White
- Green
- Red
- Orange
- Yellow
- Blue

Full Brim Safety Helmet
Shell Material: HDPE
Suspension Adjustment: Ratchet(6-Points)
Head Protection Venting: No
ChinStrap: Adjustable chin strap with chin protector
Color: Red/Yellow/Blue/White/Customized
Standards: CE EN397: 2012+A1:2012, ANSIZ89.1TypeICLASSC

HEP170

- White
- Green
- Red
- Orange
- Yellow
- Blue

Climbing Helmet with Eyewear
Shell Material: ABS
Suspension Adjustment: Ratchet(6-Points)
Head Protection Venting: Yes
ChinStrap: Adjustable chin strap with chin protector
Color: Red/Yellow/Blue/White/Customized
Standards: CE EN397: 2012+A1:2012

HEP180

Fire Helmet
Face mask: thermal insulation, anti fog &radiation imitation
Cap Material: PA66, Shawl Material: Aluminum foil and aramid ,back head protection pad, Maximum impact force(≤3780N), Temperature resistance :260℃
Color: Yellow ,Red
Standard: Meets request GA44-2015
Anti impact, high temperature resistance,

multilevel regulation, wearing comfort and adjustable

Head Protection

HEP201

Hard Hat Visors with Neck Shades
Material: Polyester with Wire Spring Around Rim
Sun Shade Mounting: Over-the-Hat with Wide Brim
Color: Hi-Visibility Green/Hi-Visibility Orange
For Use With: Front and Full Brim Hard Hats
Small size after folding, easy to store and carry
Helmet not included

HEP202

Hard Hat Visors with Neck Shades
Material: Polyester with Polyethylene Sheet
Sun Shade Mounting: Over-the-Hat with Wide Brim
Color: Hi-Visibility Orange/Hi-Visibility Green
For Use With: Front and Full Brim Hard Hats
Helmet not included

HEP206

Hard Hat Neck Shades
Material: Polyester
Sun Shade Mounting: Elastic Brim Band
Color: Hi-Visibility Green/Hi-Visibility Orange
For Use With: Front Brim Hard Hats
Helmet not included

HEP210

Flame Resistant Balaclava
Material: Aramid
Areas Exposed: Eyes
Size: Universal
Color: Navy/Customized
Arc flash and flame-resistant balaclavas, hats, neck gaiters, and hard hat liners protect the head and neck area from arc flash burns that can occur when working near electrical hazards.

HEP220

Baseball Hat with Neck Shade
Material: Cotton
Back-of-hat cinch cord: Adjustable cord for secure fit on a variety of head sizes
Color: White/Customized
Baseball hats have a curved brim that shades the eyes from sun to reduce eye strain and improve visibility

HEP230

Baseball Style Bump Caps
Material: Inner ABS Polymer; Outer Polycotton
Head Protection Venting: Yes
High-Visibility Colors: Yes
Suspension Adjustment: Hook-and-Loop
Color: Navy/Customized
Baseball-style bump caps are used where workers might bump into stationary objects such as beams or piping.

HEP231

Baseball Style Bump Caps
Material: Inner ABS Polymer; Outer Polycotton
Head Protection Venting: Yes
Basic Colors: Yes
Suspension Adjustment: Hook-and-Loop
Color: Grey/Customized

HEP232

Baseball Style Bump Caps
Material: Inner ABS Polymer; Outer Polycotton
Head Protection Venting: Yes
Basic Colors: Yes
Suspension Adjustment: Hook-and-Loop
Color: Orange/Customized

HEP233

Baseball Style Bump Caps
Material: Inner ABS Polymer; Outer Polycotton
Head Protection Venting: Yes
High-Visibility Colors: Yes
Suspension Adjustment: Hook-and-Loop
Color: Hi-Visibility Green/Customized

uplix

EYE PROTECTION

Eye Protection

EYP103

Clear
Smoke

Safety Glasses

Lens Color: Clear/Dark
Lens Material: Impact rated & UV protected polycarbonate lens
Glasses Frame Style: Wraparound with Side Protection
Frame Type: Half-Frame
Frame Color: Black/Blue or Customized
Adjustable Arm Length: Yes
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes Padded Nose Piece: No
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP105

Clear
Smoke

Safety Glasses

Lens Color: Clear/ Dark
Lens Material: Impact rated & UV protected polycarbonate lens
Glasses Frame Style: Wraparound with Side Protection
Frame Type: Frameless
Frame Color: Clear/Black
Adjustable Arm Length: No
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes Padded Nose Piece: No
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP108

Clear
Smoke

Safety Glasses

Lens Color: Clear/Dark
Lens Material: Impact rated & UV protected polycarbonate lens
Glasses Frame Style: Wraparound with Side Protection
Frame Type: Frameless
Frame Color: Clear/Black
Adjustable Arm Length: No
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes Padded Arms: Rubber Padded Arms
Includes Padded Nose Piece: No
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP109

Clear
Smoke

Safety Glasses

Lens Color: Clear/Dark
Lens Material: Impact rated & UV protected polycarbonate lens
Glasses Frame Style: Wraparound with Side Protection
Frame Type: Half-Frame
Frame Color: Black/orange
Adjustable Arm Length: Yes
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes Padded Arms: Rubber Padded Arms
Includes Padded Nose Piece: Yes
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP110

Clear
Smoke

Safety Glasses

Lens Color: Clear/Dark
Lens Material: Impact rated & UV protected polycarbonate lens
Glasses Frame Style: Wraparound with Side Protection
Frame Type: Half-Frame
Frame Color: Black
Adjustable Arm Length: Yes
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes Padded Nose Piece: Yes
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP8538

Clear
Smoke

Safety Glasses

Lens Color: Clear/Dark
Lens Material: Impact rated & UV protected polycarbonate lens
Glasses Frame Style: Wraparound with Side Protection
Frame Type: Half-Frame
Frame Color: Black
Adjustable Arm Length: Yes
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes Padded Arms: Rubber Padded Arms
Includes Padded Nose Piece: Yes
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP8573

Clear
Smoke

Safety Glasses

Lens Color: Dark/Clear
Lens Material: Impact rated & UV protected polycarbonate lens
Glasses Frame Style: Wraparound with Side Protection
Frame Type: Half-Frame
Frame Color: Black
Adjustable Arm Length: Yes
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes Padded Arms: Rubber Padded Arms
Includes Padded Nose Piece: Yes
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP117

Sealed Safety Glasses

Lens Color: Clear
Lens Material: Impact rated & UV protected polycarbonate lens
Glasses Frame Style: Wraparound with Side Protection
Frame Type: Full-frame
Adjustable Arm Length: No
Foam Lined: Brow and Eye Socket Foam Lining
Includes Scratch-Resistant Lens Coating: No
Includes Anti-Fog Lens Coating: Yes
Includes Padded Arms: No
Includes Padded Nose Piece: Yes
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP120

Sealed Safety Glasses Lens Color: Clear Lens Material: Impact rated & UV protected polycarbonate lens Glasses Frame Style: Wraparound with Side Protection Frame Type: Full-Frame Frame Color: Black/Blue Adjustable Arm Length: No Foam Lined: Brow and Eye Socket Rubber Lining Includes Scratch-Resistant Lens Coating: Yes Includes Anti-Fog Lens Coating: Yes
Includes Padded Arms: Rubber Padded Arms
Includes Padded Nose Piece: Yes
Standards: ANSI Z87.1-2020; CE EN 166: 2001

Eye Protection

EYP101

Over-the-Glasses (OTG) Safety Glasses
Lens Color: Clear
Lens Material: Polycarbonate provide 99.9% UV protection
Glasses Frame Style: OTG
Frame Type: Frameless
Frame Color: Clear
Adjustable Arm Length: No
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes Padded Nose Piece: No
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP127

Over-the-Glasses (OTG) Safety Glasses
Lens Color: Clear/Dark
Lens Material: Polycarbonate provide 99.9% UV protection
Glasses Frame Style: OTG
Frame Type: Frameless
Frame Color: Blue
Adjustable Arm Length: Yes
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes Padded Arms: Rubber Padded Arms
Includes Padded Nose Piece: No
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP201

Safety Goggle
Lens Color: Clear
Lens Material: Polycarbonate provide 99.9% UV protection
Traditional Frame Material: PVC
Frame Color: Clear
Venting Type: Direct
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes: Elastic Strap
Eyewear Size: Universal
Chemical Splash/Impact Resistant, Dust/Splash Rating D3

Standards: ANSIZ87.1-2020; CE EN 166: 2001

EYP203

Safety Goggle
Lens Color: Clear
Lens Material: Impact rated & UV protected polycarbonate lens
Traditional Frame Material: PVC
Frame Color: Clear
Venting Type: Indirect
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes: Elastic Strap
Eyewear Size: Universal
Chemical Splash/Impact Resistant, Dust/Splash Rating D3
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP204AF

Safety Goggle
Lens Color: Clear
Lens Material: Impact rated & UV protected polycarbonate lens
Wraparound Frame Material: PVC
Nose Bridge Material: PVC
Frame Color: Green
Venting Type: Indirect
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes: Elastic Strap
Eyewear Size: Universal
Chemical Splash/Impact Resistant, Dust/Splash Rating D3

Standards: ANSIZ87.1-2020; CE EN 166: 2001

EYP207

Safety Goggle
Lens Color: Clear
Lens Material: Impact rated & UV protected polycarbonate lens
Wraparound Frame Material: Polycarbonate
Nose Bridge Material: Polycarbonate
Frame Color: Clear
Venting Type: Indirect
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes: Elastic Strap
Eyewear Size: Universal
Chemical Splash/Impact Resistant, Dust/Splash Rating D3

Standards: ANSIZ87.1-2020; CE EN 166: 2001

EYP208

Autoclavable Safety Goggle
Lens Color: Clear
Lens Material: Impact rated & UV protected polycarbonate lens
Wraparound Frame Material: Thermoplastic rubber
Venting Type: No
Protects against chemical splashes
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes: Non-irritant silicone strap
Eyewear Size: Universal
Autoclavable goggle for cleanroom
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP209

Fire Goggle
Lens Color: Clear
Lens Material: Impact rated & UV protected polycarbonate lens
Wraparound Frame Material: Thermoplastic rubber
Venting Type: No
Protects against chemical splashes
Includes Scratch-Resistant Lens Coating: Yes
Includes Anti-Fog Lens Coating: Yes
Includes: Elastic synthetic headband
Eyewear Size: Universal
Fire Goggle for firefighters
Standards: ANSI Z87.1-2020; CE EN 166: 2001

EYP301

Welding Goggle
Welding Shade Designation: W5
Lens Material: Glass
Lift Front / Fixed Front: Lift Front
Frame Material: PVC
Venting Type: Indirect
Includes: Cover Plate, Impact Plate
Includes: Elastic headband
Eyewear Size: Universal
Welding Goggle for welders
Standards: ANSI Z87.1-2020; CE EN 166: 2001

uplix

FACE PROTECTION

Excellent quality, high-quality service guarantee

Face Protection

EYP403

Full Face Shield Mounting adapters secure a face shield to helmet, designed to fit most regular safety helmets Visor: Clear aluminum bound Bracket: PP with Wire Spring Splashes protection Protective films Face Shield Material: PC/PVC/Steel mesh Certificate: CE EN166: 2001

EYP403Y

Ratchet Face Shield Assembly
Visor Material: Polycarbonate
Suspension Adjustment Type: Ratchet
Visor Shade: Clear Visor
Headgear Material: Plastic
Includes: Bound Window; Ratcheting Headgear; Single Crown
Reusability: Reusable
Face Shield Material: PC/PVC/Steel mesh
Certificate: CE EN166: 2001

EYP420

Disposable Face Shield
Visor Material: Polyethylene
Face Shield Visor Coating: Anti-Fog
Strap Material: Elastic
Reusability: Disposable
Standard: CE EN166: 2001

EYP310

Welding Hand shield
Material: PP
Lens Size: 4-1/4x2" (108 x51 mm)
Usage: Handheld
Standard: CE EN175
Features: Applied for gas welding brazing and torch cutting work

EYP320

Welding Helmet
Mounted on a safety helmet
PP bracket, PP materials
Lens Size: 4-1/4x2" (108 x51 mm)
Usage: Secure to helmet, designed to fit most regular safety helmets
Standard: CE EN175
Features: Applied for gas welding brazing and torch cutting work

EYP321

Welding Helmet
Rachet type welding helmet
Lift-front lens holder
PP materials
Lens Size: 4-1/4x2" (108 x51 mm)
Suspension Adjustment Type: Ratchet
Standard: CE EN175
Features: Applied for gas welding brazing and torch cutting work

EYP331

Auto-Darkening Welding Helmets
ADF size: 110 x 90 x 10mm
View Area: 92 x 42mm
Light shade: DIN4
Dark shade: DIN9-13
Switch time: 1/25000s
Sensitivity: adjustment, Grinding
Delay time: 0.2-0.8s adjustable
Sensors number: 2
UV/IR protection: Up to DIN 16 at all time
Grinding function: Yes(DIN4)
ADF Self-check: Yes

EYP332

Auto-Darkening Welding Helmets
ADF size: 114×133×10mm
View Area: 100×97mm
Light shade: DIN4
Dark shade: DIN5-9/9-13
Switch time: 1/30000s
Sensitivity: Low to high, stepless adjusted
Delay time: 0.2-0.8s adjustable
Battery supply: Solar cells, replaceable Lithium battery 1×CR2450
Sensors number: 4
UV/IR protection: Up to DIN 16 at all time
Grinding function: Yes(DIN4)
ADF Self-check: Yes(TEST Button)

Welding Lens Accessories

Auto-Darkening welding filters
Article No.:EYPUNL10/ EYPUNL11/ EYPUNL12

Welding filters Clear glass
Art. No.: **EYP341** Size:4¼x2”(108x51mm)
Art. No.: **EYP342**Size: 4¼x3¼” (108 x 83mm)
Art. No.: **EYP343**Size: 5¼x2½(133 x 114mm)
Welding filters Dark glass
Art. No.: **EYP341-11**Size:4¼x2”(108x51mm)
Art. No.: **EYP342-11**Size: 4¼x3¼” (108 x 83mm)
Art. No.: **EYP343-11**Size: 5¼x2½(133 x 114mm)
Shade No.: 11
Material: Glass

uplix

RESPIRATORY PROTECTION

Respiratory Protection

REP9330V

KN95 Mask
Material: Nonwoven
Certificate: GB 2626-2019
Features: Lightweight, vertical folded easily. Nose foam and nose clip ensure comfortable.
Article No.: **REP9330**Without valve

REP9313V

FFP2 Mask
Material: Nonwoven
Certificate: EN 149:2001+A1:2009
Features: Good elasticity headband, molded. Against solid and liquid particles of average toxicity.
Article No.: **REP9313**Without valve

REP6001V

N95 Mask
Material: Nonwoven
Certificate: NIOSH 95
Features: : Lightweight, vertical folded easily. 95% filtration effective against particulate aerosols free of oils.
Article No.: **REP6001**Without valve

REP9001V

N95 Mask
Material: Nonwoven
Certificate: NIOSH 95
Features: Headband, molded. 95% filtration effective against particulate aerosols free of oils. Latex-free elastic ultrasonic welded to cup.
Article No.: **REP9001**Without valve

REP160V

Foldable FFP3 Mask
Material: Nonwoven
Certificate: EN 149:2001+A1:2009
Features: Headband, fish shape to avoid mouth touch the mask, cut to fit the face shape.
Article No.: **REP160** Without valve

REPSJ3999V

FFP3 Mask
Material: Nonwoven
Certificate: EN 149:2001+A1:2009
Features: Headband, molded. 4 pcs of adjustable clip. Inside cup with soft PU seal rubber to avoid leakage.

REP601

Half Mask
Material: TPE rubber & silicone face seal
Certificate of mask: CE EN140:1998;
Certificate of A1 Gas Filter: EN 14387: 2021
Certificate of Particle Filter: EN 143: 2021
Comfortable soft, lightweight facepiece with easy-to-adjust head straps. Cradle head harness and easy fasten neck strap.

REP4007

Full Face Mask
Material: TPE rubber & silicone face seal & PC Lens.
Certificate: CE EN136:1998;
Certificate of A1 Gas Filter: EN 14387: 2021
Certificate of Particle Filter: EN 143: 2021
Large lens provides a wide field of view for excellent visibility. Lightweight well-balanced design and silicone face seal.

AX2100

SCBA Mask Material: Rubber Connection Mode Of Mask And Gas Supply Valve: Quick Plug-in Type Maximum Gas Supply Capacity Of Gas Supply Valve: 600l / Min Working Pressure: 30mpa Initial Alarm Pressure: 5-6mpa Cylinder Volume: 6.8l Theoretical Service Time: 60min
Cylinder Weight: 1.0mpa 3.8kg

uplix

HEARING PROTECTION

Hearing Protection

HRP101

Ear Plug
Material: Polyurethane foam
Noise reduction value: NRR: 29dB SNR: 37dB
Package: 1 pair/bag
Features: Tapered shape for easy insertion and removal. Suitable for factories, construction sites and other scenes.
Standard: CE EN352-2: 2002
HRP101C: with cord

HRP110

Ear Plug
Material: Silicone
Noise reduction value: NRR:25dB SNR: 32dB
Package: 1 pair/bag
Features: Reusable, easy to clean. Suitable for factories, construction sites and other scenes.
Standard: CE EN352-2: 2002
HRP110C: with cord

HRP110CB

Earplug with Box Material: Silicone Cord: Yes SNR: 32dB, NRR: 26dB Color: Blue or as per customer's request With box easy to storage Features: Reusable, easy to clean. Suitable for factories, construction sites and other scenes. Standard: CE EN352-2: 2002

HRP201

Earmuffs Material: ABS ear cup Noise reduction value: SNR: 22dB NRR: 20dB With soft foam-filled cushion provides a good seal for protection against harmful noise. Adjustable reinforced headband can be worn in three positions. Standard: CE EN352-1: 2002

HRP210

Earmuffs
Material: ABS ear cup
Noise reduction value: SNR:29dB, NRR: 22dB
Soft Ear Cushion
Noise-dampening Foam
Unique plastic headband and ear cups for extended comfort and Insulation
Standard: CE EN352-1: 2002

HRP220

Earmuffs
Material: ABS cup and soft PU leather
Noise reduction value: SNR: 30dB NRR: 25dB
Headband length can be adjusted.
Unique double-shell design guarantee offer high noise reduction rating.
Thickness polyurethane headband, suitable for long time wear.
Standard: CE EN352-1: 2002

HRP230

Earmuffs Material: ABS ear cup Noise reduction value: SNR: 27dB NRR: 25dB With soft foam-filled cushion provides a good seal for protection against harmful noise. Can be folded into a compact unit, yellow color is easy for inspection. Standard: CE EN352-1: 2002

HRP240

Earmuffs
Material: ABS ear cup
Noise reduction value: SNR: 27dB NRR: 25dB
Slotted type, durable spring steel head bands, snap on and off hard hat easily.
Standard: CE EN352-1: 2002

HRP301

Electric Earmuffs
Material: ABS
SNR: 23db
NRR: 21db
Headband: steel + plastic (POM), foldable
Batteries: 2 x 1.5 AAA
FM/AM: none
DAB: none
Bluetooth: none

uplix

HAND PROTECTION

Measuring instructions

- **Palm circumference**
  To calculate this, wrap a measuring tape once around the knuckles on your dominant hand (i.e., if you are right handed, take the measurement on your right hand).

Gloves SIZES CM

EU	UK	Palm circumference
7	S	<17.8-20.2
8	M	20.3-22.8
9	L	22.9-25.3
10	XL	25.4-27.8
11	2XL	27.9-30.4
12	3XL	30.5>

Hand Protection

HDP123G900

Double PVC Dotted Cotton Gloves
Material: 100% Cotton.
Weight: 900g/Dozen
Color: Blue
Liner: 10 Gauges Knitted Cotton
Cuff: SnugKnit-wristCuffs
Size: 9/10
Packing: 12 pairs/Bag

HDP1042G13

13G Latex Coating Gloves
Coating : Latex crinkle Coating
Liner: 13 Gauges Polyester Liner
Cuff: Knit Wrist
Exterior Finish: Ventilated back
Color: Red with Black Coating or Customized
Size: 7-11
Package:12 Pairs/Bag

HDP1042G10

10G Latex Coating Gloves
Coating : Latex Palm Coating
Liner: 10G Cotton Gauze Liner
Cuff: Knit Wrist
Color: Yellow with Green coating or Customized
Exterior Finish: Ventilated back
Size: 7-11
Package:12 Pairs/Bag

HDP1021

13G Fingertip PU Gloves
Coating : Polyurethane (PU)
Liner: 13 Gauges Polyester Liner
Cuff: Knit Wrist
Exterior Finish: Ventilated back
Color: Gray or Customized
Size:7-11
Package:12 Pairs/Bag

HDP1032G13

13G Nitrile Coating Gloves
Coating : Nitrile Palm Coating
Liner: 13 Gauges Polyester Liner
Cuff: Knit Wrist
Exterior Finish: Ventilated back
Color: White with Gray Coating or Customized
Size:7-11
Package:12 Pairs/Bag

HDP1032G15

15G Foam Nitrile Coating Gloves
Coating : Foam Nitrile Palm Coating
Liner: 15 Gauges Nylon Liner
Cuff: Knit Wrist
Exterior Finish: Ventilated back
Color: Gray with Black Coating or Customized
Size:7-11
Package:12 Pairs/Bag

HDP1032DOTS

15G Foam Nitrile Coating Gloves
Coating : Foam Nitrile Coating with PVC Dots
Liner: 15 Gauges Nylon Liner
Cuff: Knit Wrist
Exterior Finish: Ventilated back
Color: Gray with Black Coating or Customized
Size:7-11
Package:12 Pairs/Bag

HDP1033

13G Foam Full Nitrile Coating Gloves
Coating : Full Smooth Nitrile Dipping and Foam Nitrile Palm
Liner: 13 Gauge Polyester
Cuff: Knit Wrist
Color: Blue with Black Coating
Size: 7-11
Package:12Pairs/Bag

HDP1034

Full Nitrile Coating Gloves
Coating : Nitrile
Cuff: Safety Cuff
Interior Finish: Jerry Liner Textile Support
Color: Jerry Liner Blue Nitrile
Size: 10
Package:12Pairs/Bag

Hand Protection

HDP2011

HPPE Cut Resistant Gloves
Liner: HDPE fiber Seamless Textile liner
Cuff: Knit Wrist
Color: Grey
Size: 7-11
Package: 12 Pairs/Bag

HDP2012

HPPE Cut Resistant Gloves
Coating: Polyurethane (PU)
HDPE fiber Seamless textile liner
Cuff: Knit Wrist
Color: Grey
Size:7-11
Package:12 Pairs/Bag
Certificate: CE EN388: 2016 + A1: 2018 4X42D

HDP2013

HPPE Cut Resistant Gloves
Coating: Nitrile
HDPE fiber Seamless textile liner
Cuff: Knit Wrist
Color: Grey
Size:7-11
Package:12 Pairs/Bag
Certificate: CE EN388: 2016 + A1: 2018 4X43D

HDP2032

Steel Cut Resistant Gloves
Liner: Steel wire
Cuff: Knit Wrist
Color: Sliver
Size:7-11
Package:1 Piece/Bag

HDP2027

Aramid Cut Resistant Gloves Liner: Aramid Seamless Textile liner Cuff: Knit Wrist Palm: PVC Dots Color: Yellow with Red Cuff Size:7-11
Package:12 Pairs/Bag

HDP2025

Aramid Cut Resistant Gloves
Coating: Cowhide Leather
Liner: Aramid Seamless Textile liner
Cuff: Knit Wrist
Color: Blue with Gray Palm
Size:7-11
Package:12 Pairs/Bag

HDP2024

Aramid Cut Resistant
Coating: Wrinkle Latex Palm Coating
Liner: Aramid Seamless Textile liner
Cuff: Knit Wrist
Color: Yellow and Blue Coating
Size:7-11
Package:12 Pairs/Bag

HDP2016

Aramid Cut Resistant
Liner: HDPE fiber Seamless Textile
Cuff: Knit Wrist
Color: Grey
Length: 20/30/35/40/45cm
Package:12 Pairs/Bag

HDP2026

Aramid Cut Resistant
Liner: Aramid Seamless Textile
Cuff: Knit Wrist
Color: Yellow
Length: 20/30/35/40/45cm
Package:12 Pairs/Bag

Hand Protection

HDP111

Driver Gloves
Fabric: Cowhide
Cuff: Elasticity
Color: Natural or Yellow
Size: 10.5
Package:12 Pairs/Bag

HDP112

Driver Gloves Fabric: Sheepskin Cuff: Elasticity Color: Natural Size: 10.5
Package:12 Pairs/Bag

HDP113

Driver Gloves
Fabric: Pigskin
Cuff: Elasticity
Color: Natural
Size: 10.5
Package:12 Pairs/Bag

HDP302

Welding Gloves
Palm: Split Cow Leather Full Palm
Back: Canvas
Cuff: Rubberized Safety Cuff
Color: Yellow/Purple Striped/Customized
Size:10.5
Package:12Pairs/Bag

HDP-301-2

CE

Welding Gloves
Palm: Split Cow Leather Full Palm
Fabric: Striped Canvas
Cuff: Rubberized Safety Cuff
Color: Yellow/White/Purple Striped/Customized
Size:10.5
Package:12Pairs/Bag
Article No.: **HDP-301-2-1** Yellow
Article No.: **HDP-301-2-2** White
CE EN388: 2016 + A1: 2018 4143X

HDP302WINTER

Winter Welding Gloves
Palm: Split Cow Leather Full Palm
Fabric: Yellow Canvas
Cuff: Rubberized Safety Cuff
Liner: Cotton
Color: Yellow/Customized
Size:10.5
Package:12Pairs/Bag

HDP304

Welding Gloves
Material: Split Cow Leather
Lining: 100% cotton
Cuff: Straight
Length: 35cm/40 cm/45cm
Color: Red/Black
Package:12 Pairs/Bag

HDP303

Welding Gloves
Material: Split Cow Leather with Yellow Reinforced Palm
Lining: 100% cotton
Cuff: Straight
Length: 40cm
Color: Blue and Yellow/Custom
Package:12 Pairs/Bag

HDP305

Welding Gloves
Material: Aluminum foil flame retardant cloth on the back of the hand, composite material on the inside palm, leather palm.
Cuff: Straight
Length: 35cm
Color: Yellow
Package:12 Pairs/Bag

Hand Protection

HDP400

Cleaning Gloves
Material: Natural Latex, flock lined
Type: Fish scale grip, rolled cuff
Color: Yellow, pink, orange, red, blue, green
Size: S, M, L, XL
Length: 300 mm
Thickness: 0.25mm, 0.30mm, 0.35mm, 0.40mm, 0.50mm
Package: 1 pair/bag, 12 pairs/plain

HDP401

Chemical Resistant Gloves
Material: PVC Dipped
Liner: Interlock Liner
Color: Red
Size: 27/30/35/40/45cm
Package:12 Pairs/Bag

HDP624

Chemical Resistant Gloves
Material : Nitrile
Liner: Flocked Liner
Size: 33cm 15mil/ 46cm 21mil
Package:12 Pairs/Bag
Certificate: CE EN420, CE EN388 3101X, CE EN374-1 AJLKPT, CE EN374-5

HDP404

Chemical Resistant Gloves
Material: Latex Liner: No lining Color: Black/Yellow Size: 30/35/40/45/55cm Package:12 Pairs/Bag CE EN374

HDP405

Chemical Resistant Gloves
Fabric: Neoprene Rubber
Liner: Flocked Liner
Color: Blue + Yellow
Size: 32cm 20mil/28mil
Package:12 Pairs/Bag
Certificate: CE EN388 2101X, CE EN374-1 KLNOT, CE EN374-2 level3, CE EN374-5

HDP406BLA

Chemical Resistant Gloves
Fabric: Neoprene
Liner: Flocked Liner
Color: Black
Size: 32cm 20mil/26mil
Package:12 Pairs/Bag
Certificate: 20mil: CE EN388 1110X, CE EN374-1 AKLNOT, CE EN374-2 level3, CE EN374-5
26mil: CE EN388 2110X, CE EN374-1 AJKLNT, CE EN374-2 level3, CE EN374-5

HDP602

Class 00
Class 1
Class 2
Class 2
Class 3
Class 4

Insulation Gloves, Latex
Material: Natural Latex
Size: 36cm
Standard: IEC 60903
Color: Orange/Red
Specification:
Article No.: Class 00
Article No.: Class 0
Article No.: Class 1
Article No.: Class 2
Article No.: Class 3
Article No.: Class 4

HDP601

Insulation Gloves, Rubber
Material: Natural Rubber Size: 38cm Standard: GB/T17622-2008 Color: Red/Orange/Yellow/Beige
Specification: Article No.: Class 0 Article No.: Class 1 Article No.: Class 2 Article No.: Class 3 Article No.: Class 4

HDP603

Leather Gloves
Material: Cowhide
Color: White + Orange
Article No.: **HDP602**Insulated Gloves

Hand Protection

HDP803

Short Firefighting Gloves
Material: Aramidwith reinforced leather
Dark Blue Aramid Flame Retardant fabric,
High Visibility Tapes Lining: Thermal Insulation
Size: One Size
Certificate: CE EN388, ISO 17881

HDP802

Long Firefighting Gloves
Material: Full Grain Leather with cowhide leather cuff
High Visibility Tapes Lining: Thermal Insulation
Size: One Size
Certificate: CE EN388, ISO 17881

HDP801

Long Firefighting Gloves
Material: Aluminized/Kevlar knit,
Reinforced Leather Palm, Fire Resistance Knitted Cuff
Lining: Thermal Insulation
Size: One Size
Certificate: CE EN388, ISO 17881

HDP711D300

Heat Resistance Gloves
Palm: Aramid dense weave fabric
Back of hand: Polyester
Kevlar fire-resistant thread stitching
Performance: Temperature resistance 300℃
Size: 36cm
Color: White

HDP711D500

Heat Resistance Gloves
Palm: High strength and abrasion resistant para-aramid coarse twill
Back of the hand: aramid dense weave fabric
Wrist: Kevlar fireproof thread
Performance: Temperature resistance 500℃
Size: 36cm
Color: Yellow

HDP713

Heat Resistance Gloves
Palm: High strength and abrasion resistant carbon fiber
Back of hand: aramid dense weave and carbon fiber blend
Wrist: composite aluminum foil fireproof cloth
Performance: temperature resistance 1000℃
Size: 38cm
Color: Green

HDP712

Aluminum Heat Resistance Gloves
Palm: Silicone Composite
Back of hand: Aluminized Fabric
Middle layer: Flame Retardant Knit
Back of hand withstand temperature：1600℃
Palm withstand temperature： 200-300℃
Size: 36cm
Color: Sliver

HDP701

Cold Resistant Gloves
Material: Multi-layer Composite material
Lining: Ultra-fine low-temperature cotton
Size: 38cm/48cm/68cm
Specification: -160℃~-360℃

Hand Protection

HDP501S1

Impact Gloves
Material: HPPE
Palm: Nitrile coated
Back of hand: TPR
Velcro Cuff for Easy On & Off
Cut resistance level: Grade 5
Suitable for drilling, oil and gas field, assembly, fabrication, mining

HDP501S2

Impact Gloves
Material: HPPE
Palm: Nitrile coated
Back of hand: TPR
Elastic Cuff
Cut resistance level: Grade 5
Suitable for drilling, oil and gas field, assembly, fabrication, mining

HDP501S4

Impact Gloves
Palm: Silicone Coating & Waterproof Palm
Back: Breathable Mesh Fabric & TPR
Elastic Cuff
Palm with Cust Resistance Function
Suitable for drilling, oil and gas field, assembly, fabrication, mining

HDP501S5

Impact Gloves
Palm: Double-layered palm with a soft interior microfiber
Back of hand: TPR
Double-stitched with Kevlar
Suitable for drilling, oil and gas field, assembly, fabrication, mining

HDP501S6

Impact Gloves
Material: Stair Cloth
Palm: Silicone Dot Bead, Silicone Dot Bead, Microfibre, Neoprene.
Back of hand: TPR
Double-stitched with Kevlar
Suitable for drilling, oil and gas field, assembly, fabrication, mining

HDP501S7

Impact Gloves
Palm: Microfibre, SBR Inner Padded
Back: Breathable Mesh Fabric & TPR
PVC Reinforced On Fingers
Velcro Cuff for Easy On & Off
Suitable for drilling, oil and gas field, assembly, fabrication, mining

HDP501S8

Impact Gloves
Palm: Microfibre, SBR Inner Padded
Back: Breathable Mesh Fabric & TPR
PVC Reinforced On Fingers & Palm
Velcro Cuff for Easy On & Off
Suitable for drilling, oil and gas field, assembly, fabrication, mining

HDP501S9

Impact Gloves
Back of hand: TPR
Elastic cuff for secure fit
Breathable 7-gauge polyester seamless knit
Unique foam rubber palm pads reduce shock
Suitable for drilling, oil and gas field, assembly, fabrication, mining

HDP501S14

Anti-vibration gloves
Elastic cuff for secure fit
Breathable 7-gauge nylon seamless knit
Unique foam rubber palm pads reduce shock
Suitable for drilling, oil and gas field, assembly, fabrication, mining

uplix

BODY PROTECTION

Body Protection



Measuring instructions

Measurements should be taken by another person

Do not tighten the measuring tape too much.

Person being measured should be wearing only underwear

(i.e. no shoes)

- **Chest/ Bust**
  width Measure under your arms around the fullest part of your chest/ bust
- **Waist width**
  Measure around natural waistline
- **Hip width**
  Stand with your heels together and measure around the fullest part of your
- **Inner leg length**
  Measure from top of inside leg at crotch to floor without shoes
- **Body height**
  Measure straight from top of head to floor without shoes

Body Protection

uplix

Coverall SIZES for MEN

CM

EU	EU	Asia	UK	USA	Chest/bust width	Waist width	Hip width	Inner leg length	Body height
42	XS	S/M	32	32	82-85	70-73	85-89	81	156-164
44	S	L	34	34	86-89	74-77	90-94	82	156-164
46	S	L	36	36	90-93	78-81	95-98	83	164-172
48	M	XL	38	38	94-97	82-85	99-102	84	164-172
50	M	XL	40	40	98-101	86-89	103-106	85	164-172
52	L	2XL	42	42	102-105	90-94	107-110	86	172-180
54	L	2XL	44	44	106-109	95-99	111-114	87	172-180
56	XL	3XL	46	46	110-113	100-104	115-118	88	172-180
58	XL	3XL	48	48	114-117	105-109	119-122	88.5	180-188
60	2XL	4XL	50	50	118-121	110-114	123-126	89	180-188
62	2XL	4XL	52	52	122-125	115-119	127-130	89	180-188
64	3XL	5XL	54	54	126-129	120-124	131-134	89	188-196
66	3XL	5XL	56	56	130-134	125-129	135-138	89	188-196

Coverall SIZES for WOMEN

CM

EU	EU	Asia	UK	USA	Chest/bust width	Waist width	Hip width	Innerleg length	Body height
34	XS	S/M	8	4	78-81	64-66	88-91	79	156-168
36	S	L XL	10	6	82-85	67-70	92-95	79	160-172
38	M	2XL	12	8	86-89	71-74	96-98	79	160-172
40	L	3XL	14	10	90-93	75-78	99-101	79	164-180
42	XL	4XL	16	12	94-97	79-82	102-104	79	164-180
44	2XL		18	14	98-102	83-87	105-108	79	164-180
46	3XL	5XL	20	16	103-107	88-92	109-112	79	172-184
48	4XL	6XL	22	18	108-113	94-99	113-116	79	172-184

Trouser SIZES for MEN CM

EU	EU	Asia	UK	USA	Inch sizes	Waist width	Hip width	Inner leg length
42	XS	S/M	32	32	26/27	70-73	85-89	81
44	S	L	34	34	28/29	74-77	90-94	82
46	S	L	36	36	30/31	78-81	95-98	83
48	M	XL	38	38	32/33	82-85	99-102	84
50	M	XL	40	40	34	86-89	103-106	85
52	L	2XL	42	42	36	90-94	107-110	86
54	L	2XL	44	44	38	95-99	111-114	87
56	XL	3XL	46	46	40	100-104	115-118	88
58	XL	3XL	48	48	42	105-109	119-122	88.5
60	2XL	4XL	50	50	44	110-114	123-126	89
62	2XL	4XL	52	52	46	115-119	127-130	89
64	3XL	5XL	54	54	48	120-124	131-134	89
66	3XL	5XL	56	56	50	125-129	135-138	89

Trouser SIZES for WOMEN CM

EU	EU	Asia	UK	USA	Inch sizes	Waist width	Hip width	Innerleg length
34	XS	S/M	8	4	26-27	64-66	88-91	79
36	S	L	10	6	28-29	67-70	92-95	79
38	M	XL	12	8	29-30	71-74	96-98	79
40	L	2XL	14	10	31-32	75-78	99-101	79
42	XL	3XL	16	12	32-33	79-82	102-104	79
44	2XL	4XL	18	14	33-34	83-87	105-108	79
46	3XL	5XL	20	16	34-35	88-92	109-112	79
48	4XL	6XL	22	18	36	94-99	113-116	79

Body Protection

uplix

Top SIZES for MEN CM

EU	EU	Asia	UK	USA	Chest/bust width	Waist width	Hip width
36	XS	S/M	14	14	82-85	70-73	85-89
37	S	L	14.5	14.5	86-93	74-81	90-98
38	S	L	15	15	86-93	74-81	90-98
39	M	XL	15.5	15.5	94-101	82-89	99-106
40	M	XL	16	16	94-101	82-89	99-106
41	L	2XL	16	16	102-109	90-99	107-114
42	L	2XL	16.5	16.5	102-109	90-99	107-114
43	XL	3XL	17	17	110-117	100-109	115-122
44	XL	3XL	17.5	17.5	110-117	100-109	115-122
45	2XL	4XL	18	18	118-125	110-119	123-130
46	2XL	4XL	18	18	118-125	110-119	123-130
47	3XL	5XL	18.5	18.5	126-134	120-129	131-138
48	3XL	5XL	19	19	126-134	120-129	131-138

Top SIZES for WOMEN CM

EU	EU	Asia	UK	USA	Chest/bust width	Waist width	Hip width
34	XS	S/M	28	26	78-81	64-66	88-91
36	S	L	30	28	82-85	67-70	92-95
38	M	XL	32	30	86-89	71-74	96-98
40	L	2XL	34	32	90-93	75-78	99-101
42	XL	3XL	36	34	94-97	79-82	102-104
44	2XL	4XL	38	36	98-102	83-87	105-108
46	3XL	5XL	40	38	103-107	88-92	109-112
48	4XL	6XL	42	40	108-113	94-99	113-116

Body Protection

BDP1000

Safety Vest
Material: 100% Polyester Knit/Mesh
Fabric Weight/m²: 60/80/100/120g Or Customized
Reflective Tape: 5cm Width TC
Closure: Velcro
Color: Hi-Viz Green/Hi-Viz Orange
Pocket: Can Be Customized

BDP101V

Safety Vest
Material: 100% Polyester Knit/Mesh
Fabric Weight/m²: 60/80/100/120g Or Customized
Reflective Tape: 5cm Width TC
Closure: Velcro
Color: Hi-Viz Green/Hi-Viz Orange
Pocket: Can Be Customized

BDP101

Safety Vest Zipper
Material: 100% Polyester Knit/Mesh
Fabric Weight/m²: 60/80/100/120g Or Customized
Reflective Tape: 5cm Width TC
Closure: Zipper
Color: Hi-Viz Yellow
Pocket: Can Be Customized

BDP1013-1

Safety Vest Multi-pocket
Material: 100% Polyester Knit/Mesh
Fabric Weight/m²: 60/80/100/120g Or Customized
Shell: 100% Polyester PU Coating
Lining:100% Polyester Polar Fleece
Reflective Tape: 5cm Width TC
Closure: Zipper
Pocket: Can Be Customized

BDP1601

Safety Vest Material: Polyester with Spandex Belt ground width: around 4.5cm Reflective tape width: 1.5 cm/2cm/3cm Fasting release buckle Colorful

BDP1030

Safety Winter Vest
Material: 100% Oxford
Reflective Tape: 5cm Width TC
Zipper closure
Color: Hi-Viz Yellow/Orange
Pocket: Can Be Customized
Warm fleece lining

BDP1021

Safety Vest
Material: Polyester Oxford with waterproof coating.
Reflective Tape: High visibility
Closure: Button
Color: Green/Orange/Red/Yellow/Black
Pocket: numerous pockets including backside pocket

BDP1201-1P

Safety Vest
Material: 100% Polyester
Reflective Tape: High visibility
Closure: Zipper
Color: Yellow/Orange/Red/Green
Pocket: numerous pockets

BDP1020

Safety Vest
Material: 100% Polyester Mesh
Reflective Tape: High visibility
Closure: Zipper
Soft collar design
Color: Yellow/Orange/Red/Green
Pocket: 4 pockets

Body Protection

BDP1201

Safety Reflective T-Shirt
Material: 100% Polyester Knit
Fabric Weight/m²: 150gsm Or Customized
Reflective Tape: 5cm Width TC
Type: Round neck
Sleeve: Short
Color: Yellow/ Orange/Navy Blue Or Customized
Pocket: Can Be Customized

BDP1263

Safety Reflective T-Shirt Long Sleeve
Material: 100% Polyester Knit
Fabric Weight/m²: 150gsm Or Customized
Reflective Tape: 5cm Width TC
Type: Round neck
Sleeve: Long
Color: Yellow/ Orange/Navy Blue Or Customized
Pocket: Can Be Customized

BDP1263S1AA

Safety Reflective T-Shirt Long Sleeve
Material: 100% Polyester Knit
Fabric Weight/m²: 150gsm Or Customized
Reflective Tape: 5cm Width TC
Type: Round neck
Sleeve: Long
Color: Contrast color
Pocket: Can Be Customized

BDP1264S1

Hooded Reflective T-Shirt Long Sleeve
Material: 100% Polyester Knit
Fabric Weight/m²: 150gsm Or Customized
Reflective Tape: 5cm Width TC
Type: Round neck
Sleeve: Long
With hood
Color: Hi-Viz Green/Hi-Viz Orange
Pocket: Can Be Customized

BDP1200S3

Safety Reflective POLO Shirt
Material: 100% Polyester Knit
Fabric Weight/m²: 150gsm Or Customized
Reflective Tape: 5cm Width TC
Type: POLO neck
Sleeve: Short
Color: Yellow/ Orange/Navy Blue Or Customized
Pocket: Can Be Customized

BDP1200S6

Safety Reflective POLO Shirt
Material: 100% Polyester Knit
Fabric Weight/m²: 150gsm Or Customized
Reflective Tape: 5cm Width TC
Type: POLO neck
Sleeve: Short
Color: Contrast
Pocket: Can Be Customized

BDP1262

Safety Reflective POLO Shirt Long Sleeve
Material: 100% Polyester Knit
Fabric Weight/m²: 150gsm Or Customized
Reflective Tape: 5cm Width TC
Type: Round neck
Sleeve: Long
Color: Yellow/ Orange/Navy Blue Or Customized
Pocket: Can Be Customized

BDP1261

Safety Reflective POLO Shirt Long Sleeve
Material: 100% Polyester Knit
Fabric Weight/m²: 150gsm Or Customized
Reflective Tape: 5cm Width TC
Type: Round neck
Sleeve: Long
Color: Contract
Pocket: Can Be Customized

BDP1261S3

Safety Reflective POLO Shirt Long Sleeve
Material: 100% Polyester Knit
Fabric Weight/m²: 150gsm Or Customized
Reflective Tape: 5cm Width TC
Type: Round neck
Sleeve: Long
Color: Contract
Pocket: Can Be Customized

Body Protection

BDP1290

High Visibility Sweater
Material: 100% Polyestersmooth-faced fleece
Reflective Tape: 5cm
Color: Hi-Viz Yellow/Hi-Viz Orange or contrast color
Round neck long sleeve
Pocket: 2. Can Be Customized

BDP1404S1

Hoodie High Visibility Sweater
Material: 100% Polyestersmooth-faced fleece
Reflective Tape: 5cm
Closure: Zipper
Color: Hi-Viz Yellow/Hi-Viz Orange or contrast color
With hood
Pocket: 2. Can Be Customized

BDP1402

Reflective Winter Softshell Jacket
Material: 100% Polyester with soft warmth lining
Reflective Tape: 5cm Width TC
Closure: Zipper
Color: Hi-Viz Yellow/Hi-Viz Orange or contrast color
Pocket: 2. Can Be Customized

BDP5401

Waterproof Winter Thermal Insulation Jacket
Material: Outer polyester with waterproof coating
Lining: warm quilted
Reflective Tape: 5cm Width TC
Closure: Zipper with flap
Big cap
Pocket: 2 with big flap

BDP5403

Waterproof Winter Thermal Insulation Jacket
Material: Outer polyester with waterproof coating
Lining: warm quilted
Reflective Tape: 5cm Width TC
Closure: Zipper with flap
Big cap
Elastic waist
Pocket: 2

BDP5404

Waterproof Winter Thermal Insulation Jacket
Material: Outer polyester with waterproof coating
Lining: warm quilted
Reflective Tape: Grey/Yellow or Orange
Closure: Zipper with flap
Big cap
Elastic waist
Pocket: 2

BDP5600

Waterproof Soft Shell Winter Thermal Insulation Jacket Material: Outer soft shell with waterproof coating Lining: warm fleece Will not damage after washing Reflective Tape: 5cm Width TC Closure: Zipper Pocket: 2 with zipper

BDP5700

HI-VIS ALL WEATHER JACKET & PANT
Material: Oxford with waterproof coating
Filling: 100% Polyester quilted
Lining: Warm fleece
Detachable for both jacket and pant
Multi-functional wear for different season
Reflective Tape: 5cm
-30℃ can be used

BDP5701

HI-VIS ALL WEATHER JACKET & PANT
Material: Oxford with waterproof coating Filling: 100% Polyester quilted Detachable for jacket Special design for inside jacket also with reflective design that can be wear diretcly Multi-functional wear for different season Reflective Tape: 5cm Width TC -30℃ can be used

Body Protection

BDP2040

Coverall Summer
Fabric style: Plain
Material: 65% Polyester, 35% Cotton
Fabric Weight/m²: 170gsm
Closure: Zipper & Button
Color: White
Pocket: Can Be Customized

BDP2006

Coverall
Fabric style: Twill
Material: 65% Polyester, 35% Cotton
Fabric Weight/m²: 180/220/240gsm
Closure: Zipper & Button
Color: Navy Blue
Pocket: Can Be Customized

BDP106

Coverall
Fabric style: Twill
Material: 100% Cotton
Fabric Weight/m²: 180/220/240gsm
Closure: Zipper & Button
Color: Blue
Pocket: Can Be Customized

BDP2100RF

Coverall Soft
Fabric style: Twill
Material: 80% Polyester, 20% Rayon
Fabric Weight/m²: 175gsm
Special soft fabric
Closure: Zipper & Button
Color: Blue and so on
5cm high visibility reflective tape
Pocket: Can Be Customized

BDP2000-6

Coverall Soft
Fabric style: Twill
Material: 80% Polyester, 20% Rayon
Fabric Weight/m²: 175gsm
Special soft fabric
Closure: Zipper & Button
Color: Blue and so on
5cm high visibility reflective tape
Pocket: Can Be Customized

BDP1060-3

Coverall
Fabric style: Twill
Material: 65% Polyester, 35% Cotton
Fabric Weight/m²: 180/220/240gsm
Closure: Buttons Closure
Color: Green and so on
5cm high visibility reflective tape
Pocket: Can Be Customized

BDP2200

Denim Coverall Heavy Duty
Fabric style: Twill Denim
Material: 100% Cotton Denim
Fabric Weight/m²: 280gsm
Closure: Zipper & Button
Color: Denim Blue
Pocket: Can Be Customized
Grey/Yellow reflective tape

BDP2003-2

Coverall
Fabric style: Twill
Material: : 100% Polyester
Fabric Weight/m²: 195gsm
Closure: Zipper & Button
Color: Grey
Pocket: Can Be Customized

BDP2202

Coverall
Fabric Type: Twill
Material: 100% Cotton
Fabric Weight/m²: 180/230 gsm
Closure: Zipper & Button
Color: Orange
Pocket: Can Be Customized

Body Protection

BDP2400

Work Shirt & Pant
Fabric style: Twill
Material: 65% Polyester, 35% Cotton
Fabric Weight/m²: 220gsm
Closure: Button
Color: Lemon Green contrast Blue
Pocket: Can Be Customized

BDP1300

Work Shirt & Pant
Fabric style: Twill
Material: 100% Cotton
Fabric Weight/m²: 150/180/240gsm
Closure: Button
Color: Yellow contrast Navy Blue
Pocket: Can Be Customized

BDP1300SS

Work Shirt & Pant
Fabric style: Twill
Material: 100% Cotton
Fabric Weight/m²: 150/180/240gsm
Closure: Button
Color: Orange contrast Navy Blue
Short sleeve shirt
Pocket: Can Be Customized

BDP1350-1

Work Shirt & Pant
Fabric style: Plain Weave
Material: 100% Cotton
Fabric Weight/m²: 200gsm
Closure: Zipper & Button
Color: Grey / Navy Blue
Pocket: Can Be Customized

BDP1301S

Work Shirt & Pant
Fabric style: Twill
Material: 60% Polyester, 35% Polyester
Fabric Weight/m²: 190gsm for shirt, 235gsm for pant
Closure: Buttons Closure
Color: Green, Orange, and so on
Pocket: Can Be Customized

BDP2400-1

Work Shirt & Pant
Fabric Type: Twill
Material: 100% Polyester
Fabric Weight/m²: 190gsm
Closure Buttons Closure
Color: Blue
Pocket: Can Be Customized

BDP2120

Work Suit
Fabric Type: Twill
Material: 65% Polyester, 35% Cotton
Fabric Weight/m²: 265gsm or other weight
Closure: Zipper
Color: Grey and so on
Pocket: Can Be Customized

BDP2130

Work Suit
Fabric Type: Twill
Material: 100% Polyester or other fabric
Fabric Weight/m²: 190gsm
Closure : Zipper
Fluorescent reflective tape
Pocket: Can Be Customized

BDP2303

Work Suit
Fabric Type: Twill
Material: 100% Cotton
Fabric Weight/m²: 180gsm
Closure : Zipper
Color: Fluorescent yellow/ Fluorescent orange
Pocket: Can Be Customized

Body Protection

BDP2133

Work Suit
Fabric style: Twill
Material: 90% Polyester, 10% Viscose
Fabric Weight/m²: 170gsm
Closure: Zipper & Button
Color: Grey
Pocket: Can Be Customized

BDP1403

Soft Shell Winter Work Suit
Fabric style: Plain
Material: 100% Polyester with fleece lining
Closure: Zipper & Button
Color: Lemon Yellow contrast Black
Pocket: Can Be Customized

BDP2300-1

Work Suit
Fabric style: Twill
Material: 100% Cotton
Fabric Weight/m²: 180/220/260/280gsm
Closure: Zipper & Button
Color: Green and so on
Pocket: Can Be Customized

BDP2305-4

Work Suit
Fabric style: Demin
Material: 65% Polyester, 35% Cotton
Fabric Weight/m²: 280gsm
Closure: Zipper & Button
Color: Blue
Pocket: Can Be Customized

BDP2314

Work Jacket
Fabric style: Twill
Material: 100% polyester canvas
Fabric Weight/m²: 280 gsm
Closure: Buttons Closure
Color: Grey
Pocket: Functional

BDP8700-4

Work Jacket Soft Shell
Fabric Type: Plain
Material: 100% Polyester
Lining: Fleece
Closure: Zipper Closure
Color: Black/Grey and so on
Pocket: Can Be Customized

BDP2831-6

Shirt Sleeve Shirt
Fabric Type: Plain
Material: 65% Polyester, 35% Cotton
Fabric Weight/m²: 150gsm
Closure: Button
Color: Red contrast Black
Pocket: Can Be Customized

BDP1300S

Shirt Sleeve Shirt
Fabric Type: Twill
Material: 100% Cotton
Fabric Weight/m²: 150/180/220gsm
Closure : Zipper
Color: Fluorescent yellow/ Fluorescent orange
Pocket: Can Be Customized

BDP2830-3

Shirt Long Sleeve
Fabric style: Plain
Material: 100% Polyester
Fabric Weight/m²: 115gsm
Closure: Button
Color: Blue/White and so on
Pocket: Chest pocket

Body Protection

BDP2606

Coverall
Fabric style: Twill
Material: 65% Polyester, 35% Cotton
Fabric Weight/m²: 245gsm
Closure: Zipper & Button
Color: Grey and so on
Pocket: Can Be Customized

BDP2607

Coverall
Fabric style: Twill
Material: 100% Polyester
Fabric Weight/m²: 180gsm
Closure: Zipper & Button
Color: : Navy Blue and so on
Pocket: Can Be Customized

BDP2604M-1

Coverall
Fabric style: Twill
Material: 100% Polyester
Fabric Weight/m²: 180gsm
Closure: Zipper & Button
Color: Blue and so on
Reflective Tape: 5cm Width TC
Pocket: Can Be Customized

BDP2610

Bib Pant
Fabric style: Twill
Material: 100% Cotton
Fabric Weight/m²: 180/220/260gsm
Closure: Zipper & Button
Color: Grey
Pocket: Can Be Customized

BDP2605

Bib Pant
Fabric Type : Woven
Material : 65% Polyester, 35% Cotton
Fabric Weight/m²: 240g sm
Closure: Zipper & Button
Color: Hi-Viz Orange
Pocket: Can Be Customized

BDP2610S

Bib Pant
Fabric style: Twill
Material: 100% Cotton
Fabric Weight/m²: 180/220/260gsm
Closure: Zipper & Button
Color: Grey
Pocket: Can Be Customized

BDP2900

Elastic Work Pant
Material: 64% polyester, 34% cotton, 2% spandex
Fabric Weight/m²: 250gsm
Color: Black
Pocket: Many

BDP2902-3

Work Pant Many pockets
Material : 65% Polyester, 35% Cotton
Fabric Weight/m²: 245gsm
Color: Blue
Pocket: 2 side 3D pockets, 2 thigh 3D pockets, 2 back 3D pockets

BDP9602

Chainsaw Operator's Trousers
Design A Class A
Material: 100% Polyester
Closure: Zipper & Button
EN ISO 11393-2:2019
EN ISO 13688+A1:2021

FIRE PROTECTION

Body Protection

BDP7330

FR Anti-Static Hi-Vis Sweatshirt
Fabric Type: Knitted
Material: 60% Modacrylic, 39% Cotton, 1% Carbon
Fabric Weight/m²: 300g
Reflective Tape: 5cm Width TC
Color: Orange / Yellow
Pocket: Can Be Customized

BDP7303

FR Anti-Static Hi-Vis Sweatshirt
Fabric Type: Knitted
Material: 99% Cotton, 1% Carbon
Fabric Weight/m²: 220g
Closure: Button
Reflective Tape: 5cm Width TC
Color: Orange /Yellow
Pocket: Can Be Customized

BDP7332R

FR Anti-Static Hi-Vis Sweatshirt
Fabric Type: Knitted
Material: 60% Modacrylic,39% Cotton, 1% Carbon
Fabric Weight/m²: 350g
Reflective Tape: 5cm Width TC
Color: Orange/ Yellow
Pocket: Can Be Customized

BDP7334

FR Long-sleeved shirt
Fabric style: Plain Weave
Material: 60% Modacrylic,39% Cotton, 1% Carbon
Fabric Weight/m²: 300g
Closure: Button
Reflective Tape: Flame retardant reflective tape
Color: Sky Blue

BDP7400

FR Winter Jacket
Fabric style: Twill
Material: shell fabric: 98% cotton 2% Antistatic, 280gsm
Filling: 300gsm silk wadding
Liniing: 100%polyester, 100gsm polyester taffeta
Closure: Zipper
Reflective Tape: Flame retardant reflective tape
Color: Orange

HDP760

FR Winter Jacket
Fabric style: Twill
Material: shell fabric: 100% cotton, 220gsm
Filling: 120gm silk wadding
Lining: 100% cotton, 220gsm
Closure: Zipper Closure
Reflective Tape: Flame retardant reflective tape
Pocket: 2
EN ISO 11612: A1B1C1

BDP7402

Winter FR, anti-static, anti-acid and alkali suit
Fabric style: Twill
Material: 98% FR cotton, 2% anti-static
Fabric Weight/m²: 280gsm
Closure: Zipper
Reflective Tape: Flame retardant reflective tape
Color: Blue
Pocket: Can Be Customized

BDPFR68

FR Work Suit
Fabric style: Twill
Material: 100% FR Cotton
Fabric Weight/m²: 265gsm
Closure: Zipper
Reflective Tape: : Flame retardant reflective tape
Color: Red/Navy Blue/Orange
Pocket: Can Be Customized

BDP7702

IFR Work Suit
Fabric style: Plain Weave
Material: 93% Meta Aramid, 5% Para aramid, 2% Antistatic
Fabric Weight/m²: 150gsm
Closure: Zipper
Color: Blue /Red/ Gray
Pocket: Can Be Customized

Body Protection

BDP7101

FR Work Suit
Fabric style: Twill
Material: 100% FR Cotton
Fabric Weight/m²: 220gsm
Closure: Metal Zipper
Reflective Tape: Flame retardant reflective tape 2.5cm
Color: Red/Navy Blue/Orange
Pocket: Can Be Customized

BDP7706

Molten Aluminum Splash Work Suits
Fabric Type: Twill
Material: 30% Wool, 50% Lenzing FR, 20% Nylon.
Fabric Weight/m²: 320gsm/350gsm
Closure: Metal zipper
Color: Blue
Pocket: Can Be Customized
EN ISO 11612: D3E3

BDP7102

Denim FR Suit
Fabric Type: Denim
Material: 100% FRCotton
Fabric Weight/m²: 420gsm
Color: Blue
Closure: Metal zipper
Pocket: Can Be Customized

BDP1300FR

FR Shirt and Pant Fabric style: Twill
Material: 100% FR Cotton Fabric Weight/m²: 240gsm Closure: Button Reflective Tape: FR reflective tape 5cm 2 chest pockets with flap Cuff with button adjustment Pant pockets Color: Orange contrast Navy Blue

BDPFR28

FR Coverall Anti-static
Fabric style: Twill
Material: shell fabric: 98% FR Cotton, 2% Antistatic
Fabric Weight/m²: 280gsm
Closure: Metal Zipper
Chest pocket: Metal zipper
Pen pocket
Reflective Tape: FR reflective tape 5cm
Color: Orange/Navy Blue/Blue and so on

HDP7000-4

FR Coverall
Fabric style: Twill
Material: shell fabric: 98% FR Cotton, 2% Antistatic
Fabric Weight/m²: 280gsm
Closure: Metal Zipper
Chest pocket: Metal zipper
Pen pocket
Reflective Tape: FR reflective tape 5cm
Color: Orange/Navy Blue/Blue and so on

BDP5401

FR Coverall
Fabric style: Twill
Material: shell fabric: 100% FR Cotton
Fabric Weight/m²: 230gsm
Closure: Metal Zipper
Chest pocket: Metal zipper
Pen pocket
Reflective Tape: FR reflective tape 5cm
Color: Orange/Navy Blue/Blue and so on

BDP7001-3

FR Coverall
Fabric style: Twill
Material: shell fabric: 100% FR Cotton
Fabric Weight/m²: 220gsm
Closure: Metal Zipper
Chest pocket: Metal zipper
Pen pocket
Reflective Tape: FR reflective tape 5cm
Color: Orange/Navy Blue/Blue and so on

BDP1060-7240G

FR Coverall
Fabric style: Twill
Material: shell fabric: 100% FR Cotton
Fabric Weight/m²: 230gsm
Closure: Metal Zipper
Chest pocket: Metal zipper
Pen pocket
Reflective Tape: FR reflective tape 5cm
Color: Orange/Navy Blue/Blue and so on

Body Protection

FR7402-1

FR Coverall
Fabric style: Twill
Material: 100% FR Cotton
Fabric Weight/m²: 240gsm
Closure: Zipper
Reflective Tape: FR reflective tape
Color: Navy blue and so on
Pocket: Can Be Customized

BDP7006

FR Coverall
Fabric style: Twill
Material: 88% FR Cotton, 12% Nylon
Fabric Weight/m²: 250gsm
Closure: Zipper
Reflective Tape: Flame retardant reflective tape
Color: Blue
Pocket: Can Be Customized

BDP7602

IFR Coverall
Fabric style: Plain Weave
Material: 93% Meta Aramid, 5% Para aramid, 2% Antistatic
Fabric Weight/m²: 150gsm
Closure: Zipper
Color: Blue /Red/ Gray
Pocket: Can Be Customized

BDP7601

Nomex IFR Coverall
Fabric style: Twill
Material: 93% Nomex® with 5% Kevlar® and 2% antistatic fiber
Fabric Weight/m²: 150gsm
Closure: Zipper
Reflective Tape: Flame retardant reflective tape
Color: Navy Blue
Pocket: Can Be Customized

BDP7043WINTER

Winter IFRCoverall
Fabric style: Twill
Material: 54% Modacrylic, 44% Cotton, 2% Antistatic
Fabric Weight/m²: 350gsm outer fabric, 150gsm insulation
Closure: YKK Zipper
Reflective Tape: FR reflective tape
Color: Orange/ Gray/ Navy Blue
Pocket: Can Be Customized

BDP-BSH

Sandblasting Suit
Heavy Duty Sandblasting Suit with Helmet, B reathing Apparatus Thermostat
This is an oxygen supplied protective suit tha t protects the body from head to toe

B613-1 & E604-1

Firefighting Suits Fabric style: Twill Material: 93% meta aramid, 5% para aramid, 2% antistatic, ripstop. Fabric Weight/m²: 220gsm outer, 250gsm thermal barrier, 120gsm lining Closure: Zipper & Button Reflective Tape: FR reflective tape Color: Navy Blue Pocket: Can Be Customized EN469:2005/A1:2006

ZFMH-DA C

Firefighting Suits Fabric style: Twill Material: 93% meta aramid, 5% para aramid, 2% antistatic, ripstop. Fabric Weight/m²: 220gsm outer, 250gsm thermal barrier, 120gsm lining 32.8cal/cm2 Closure: Zipper & Button Reflective Tape: FR reflective tape Color: Khaki Pocket: Can Be Customized EN469:2005/A1:2006

BDP821S-45

45 Cal ARC Jacket and Bib Trousers
ATPV: 45 cal/cm2
Material: Inherently flame resistant fabric
Description: Inherently flame resistant and its protection cannot be washed out or wornaway, multilayer combination is lighter than flame retardant cotton/nylon blended garments,reducing the risk of heat stress.
Color: Dark Blue
Standard: ASTM F1959, ASTM F2621

Body Protection

BDP5000

Rain Coat
Material: 100% PVC
Coating: PVC
Closure: Zipper & Button
Color: Yellow

BDP5324

Rain Coat
Material: 100% Polyester
Coating: PVC
Closure: Zipper & Button
Color: Hi-Viz Orange
Reflective Tape: 2.5cm Width, 5cm Knitted
Padding Cloth

BDP504-S1

Rain Coat
Material: 100% Polyester
Coating: PVC
Closure: Zipper & Button
Color: Hi-Viz Yellow
Reflective Tape: 5cm Width

BDP5300

Rain Coat
Material: 100% Polyester
Coating: PVC
Closure: Zipper & Button
Color: Yellow
Reflective Tape: 5cm Width

BDP5321

Rain Coat
Material: 100% Polyester
Coating: PVC
Closure: Zipper & Button
Color: Hi-Viz Yellow
Reflective Tape: 5cm Width

BDP5200

Rain Coat
Material: 100% Polyester
Coating: PVC
Closure: Zipper & Button
Color: Black
Reflective Tape: 5cm Width

BDP5304

Rain Coat
Material: 100% Polyester
Coating: PU
Lining:100% Polyester, Mesh Fabric
Closure: Zipper & Button
Color: Hi-Viz Green
Reflective Tape: 5cm Width

BDP5500

Poncho
Material: 100% Polyester
Closure: Button
Color: Yellow/Blue/Orange/White

BDP5503

Poncho
Material: 100% Polyester
Coating: PU
Lining:100% Polyester, Mesh Fabric
Closure: Zipper & Button
Includes Bib Pants

Body Protection

BDP5050

Rain Suit
Material: 100% Polyester
Coating: PVC
Closure: Zipper & Button
Color: Yellow

BDP5220-1W

Rain Suit
Material: 100% Polyester
Coating: PVC
Closure: Zipper & Button
Color: Hi-Viz Orange
Reflective Tape: 2.5cm Width, 5cm Knitted
Padding Cloth

BDP5310

Rain Suit
Material: 150D Oxford
Coating: PU
Closure: Zipper & Button
Color: Hi-Viz Yellow
Reflective Tape: 5cm Width

BDP5103

Rain Suit
Material: 100% PVC
Closure: Zipper & Button
Color: Yellow
Reflective Tape: 5cm Width

BDP5220-6

Rain Suit
Material: 100% Polyester
Coating: PVC
Closure: Zipper & Button
Color: Hi-Viz Yellow
Reflective Tape: 5cm Width

BDP5200-1

Rain Suit
Material: 100% Polyester
Coating: PVC
Closure: Zipper & Button
Color: Black
Reflective Tape: 5cm Width

BDP5304-1

Rain Suit
Material: 100% Polyester
Coating: PU
Lining:100% Polyester, Mesh Fabric
Closure: Zipper & Button
Color: Yellow
Reflective Tape: 5cm

BDP5220-7

Rain Suit
Material: 300D Oxford
Coating: PU
Lining:100% Polyester, Mesh Fabric
Closure: Zipper & Button
Color: Yellow
Reflective Tape: 5cm

BDP5220-2

Rain Suit
Material: 100% Polyester
Coating: PU
Lining:100% Polyester, Mesh Fabric
Closure: Zipper & Button
Includes Bib Pants

Body Protection

BDP6000

Hooded Disposable Coveralls
Coverall Material: Microporous Polyethylene Laminate, Polypropylene 55 g/m2
Coverall Construction: Hooded with Elastic Cuffs and Elastic Ankles and Elastic Waist
Closure Features: Two-Way Zipper at Front Opening Covered by Flap
Hazard Type: Hazardous Dry Particulates & Non-Hazardous Liquid Splash/Spray
BDP6100REwith reflective stripes
BDP6100BL Fabric blue color
BDP6100OR Fabric orange color
BDP6100KNwith knitted cuffs

BDP6010

Hooded Disposable Coveralls
Coverall Material: Microporous Polyethylene Laminate, Polypropylene 55 g/m2
Coverall Construction: Hooded with Elastic Cuffs and Elastic Ankles and Elastic Waist
Closure Features: Two-Way Zipper at Front Opening Covered by Flap
Hazard Type: Hazardous Dry Particulates & Non-Hazardous Liquid Splash/Spray
BDP6100REwith reflective stripes
BDP6100BL Fabric blue color
BDP6100OR Fabric orange color
BDP6100KNwith knitted cuffs

BDP6030

Chemical Protective Coveralls
Coverall Material: Microporous Polyethylene Laminate, Polypropylene 88 g/m2
Coverall Construction: Hooded with Elastic Cuffs and Elastic Ankles and Elastic Waist
Closure Features: Two-Way Zipper at Front Opening Covered by Adhesive Flap
Seam Style: Ultrasonic welded seams
Hazard Type: Hazardous Dry Particulates & Medium Duty Hazardous Liquid Splash/Spray
BDP6200KNwith knitted cuffs

BP138

Chemical Resistant PVC Apron
Apron Material: PVC
Size: 120 x 90 cm
Thickness: 0.3 mm
Waist/ Neck Closure: Tie
Includes Grommets: Yes
Material Performance: Heavy Duty Chemical Resistant
EN343/EN14126
Medical Class I

BP140

Chemical Resistant Apron Apron Material: PVC Rubber Size: 110 x 70 cm Thickness: 0.40 mm Waist/Neck Closure: Tie Includes Grommets: Yes Material Performance: Heavy Duty Hazard Protection Type: Non-Hazardous Dry Particulates; Non-Hazardous Liquid Splash; Non-Hazardous Liquid Spray

BDP6040-1

Chemical Protective Clothing
Coverall Material: PVC
Coverall Construction: Hooded with Elastic Cuffs and Elastic Ankles and Elastic Waist
Closure Features: Two-Way Zipper at Front Opening Covered by Flap
Seam Style: Ultrasonic welded seams
Hazard Type: Hazardous Dry Particulates & Light Duty Hazardous Liquid Splash/Spray

BDP6080 (HG-3NF)

Level A Suits with Expanded Back & Secondary Flame-Resistance
Coverall Material: Composite material
Coverall Construction: Nitrile glove, FR boots
Seam Style: Ultrasonic welded seams
Respirator configuration: Built-in, SCBA not included
Hazard Type: Hazardous Dry Particulates & Light Duty Hazardous Liquid Splash/Spray

BDP6100

Fireproof Clothing Set
Material combination: divided into composite aluminum foil fireproof cloth, comfort layer
Features: It has the characteristics of fireproof, heat insulation, wear resistance, folding resistance, flame retardant, anti-radiation heat, high temperature resistance 600-800 degrees, radiation heat temperature 1000 °C.

BDP6120

Liquid Nitrogen Protective Clothing
Material: waterproof breathable composite, low temperature cotton, textile lining, polyester pongee.
Characteristics: Adopt multilayer imported anti low temperature composite material, through the precision of the production process of sealing process, suitable for

personnel in the extreme cold environment to wear, effective defense -170 °Cto -250°C

Body Protection

BDP3004

Tactical Vest
Material: 65% Polyester, 35% Cotton
Color: Gray, Navy, Black
Closure: Zipper Closure
Pocket: Can Be Customized
Features: Sweat-absorbent, Breathable

BDP3105

Tactical Shirts
Material: 65% Polyester, 35% Cotton
Color: Khaki/Green/Black/
Camouflage
Closure: Buttons Closure
Pocket: Can Be Customized
Features: Sweat-absorbent, Breathable

BDP3001-1

Tactical Shirts
Material: 65% Polyester, 35% Cotton
Color: Khaki/Green/Black/
Camouflage
Closure: Buttons Closure
Pocket: Can Be Customized
Features: Sweat-absorbent, Breathable

BDP3200

Tactical Shirts
Material: 65% Polyester, 35% Cotton
Color: Khaki/Green/Black/
Camouflage
Closure: Buttons Closure
Pocket: Can Be Customized
Features: Sweat-absorbent, Breathable

BDP2137

Tactical Jacket
Material: 100% Polyester
lining : Rocking Velvet
Color: Khaki/Green/Black/
Camouflage
Closure: Zipper & Button
Pocket: Can Be Customized
Features: Warmth

BDP3407

Tactical Jacket
Material: 65% Polyester, 35% Cotton
Color: Khaki/Green/Black/
Camouflage
Closure: Zipper & Button
Pocket: Can Be Customized
Features: Warmth
Article No.: **BDP34503IN1** with Rocking Velvet

BDP3207

Tactical Pants
Material: 65% Polyester, 35% Cotton
Color: Khaki/Green/Black/
Camouflage
Closure: Zipper & Button
Pocket: Can Be Customized

BDP3208

Tactical Pants
Material: 65% Cotton, 35% Polyester
Color: Black / Khaki / Gray / Green
Closure: Zipper & Button
Pocket: Can Be Customized

BDP3700

Tactical Belts
Material: Nylon
Color: Black / Khaki / Gray / Green
Closure: Zipper & Button

uplix

ARC PROTECTION

Body Protection

Imagine working near exposed energized electrical conductors or circuit parts and suddenly before you have time to try and catch the tool you dropped, you're faced with a blinding flash, an incredible wave of heat, a deafening noise, and are thrown across the room.

Arc flashes have been known to reach temperatures of up to 35,000° F. That's four times hotter than the sun! That deafening noise was 140dB and can result in permanent hearing loss. That bright flash was probably recorded at 1 million lux, enough to do permanent eye damage. Every year, there can be as many as 30,000 arc flash incidents that result in 7,000 burn injuries, 2,000 hospitalizations due to serious injury, and 400 deaths.

Arc flashes happen so fast that employees have zero time to react. For that reason, it's important to implement a safety program that focuses on minimizing the risk of arc flash events and reducing the risk of injuries. One of the most effective options employers can do to protect employees from these dangerous situations is to ensure that all employees working near arc flash hazards wear the appropriate arc rated personal protective equipment. This means using flame retardant clothing, using rubber insulated tools, and having a number of other different types of specialty equipment on hand.

NFPA 70E specifically states, "Employees shall wear arc rated clothing wherever there is a possible exposure to an electrical arc flash above the threshold incident energy for a second-degree burn (1.2 cal/cm2)." This often requires an arc flash risk assessment for calculating the potential incident energy of a piece of electrical equipment. Once that has been determined, then the employer can proceed with picking out the arc flash clothing that either meets the threshold limit or exceeds it.

Arc Flash & Shock Approach Boundaries

While the Limited Approach and Restricted Approach boundaries listed on the sample label do not apply directly to arc flash, it is helpful to see where these boundaries are located. Take a look at the diagram below.

Any workers who must enter these boundaries should receive appropriate training and wear required protective equipment. Depending on the situation, the arc flash boundary can be located inside or outside the limited approach boundary.



Label Requirements

Arc flash hazard labels must be placed on any piece of electrical equipment where workers might need to perform work while the equipment is still energized. This typically includes equipment such as panelboards, switchboards, and meter socket enclosures.

At the very least, all arc flash labels must contain the following three pieces of information:

- **Nominal system voltage**
- **Arc flash boundary**
- **At least one of the following:**
  - The available incident energy and the corresponding working distance
  - Minimum arc rating of clothing
  - Site-specific PPE requirements

Sample Label

This sample label serves as one option for presenting arc flash information using OSHA-based guidelines, but it is not the only option. Many workplaces choose to include additional information about shock hazards or arc flash above or on electrical devices not covered. This sample label considers optional shock information.

PPE CATEGORY 1	PPE CATEGORY 2	PPE CATEGORY 3	PPE CATEGORY 4
Minimum Arc Rating 4 cal/cm²	Minimum Arc Rating 8 cal/cm²	Minimum Arc Rating 25 cal/cm²	Minimum Arc Rating 40 cal/cm²
PPE CAT 1 represents the lowest level in which ArcRated PPE s required. Requiring a single layer of arc-rated PPE, workers need the following: •Leather shoes •Leather gloves/insulating gloves •Safety goggles or glasses •Hearing protection •Hard hat with arc rated face shield •A coverall or long-sleeved shirt and pants that are arc rated	PPE CAT 2 can likely be metwith a single layer ofArcRated PPE.In PPE CAT 2, workers need the following: •All PPE in category 1 •A balaclava	PPECategory3and 4 require additional layersof PPE.For PPE Category 3; workers need the following: •All PPE in category 2 •Multiple layers of fire-resistant clothing including undergarments •Arc flash suit jacket, suit pants, and suit hood rated at 25 cal/ cm² or above	The final PPE Categoryrequires AR clothing with aminimumrating of 40 cal/cm2. •All PPE in category 3, rated at 40 cal/cm2 rather than 25 •Additional PPE: Hard Hat, Eye Protection (Glasses, Goggles), Hearing Protection (inserts), Leather Footwear

uplix

WELDING PROTECTION

WELDING PROTECTION

Body Protection

EYP301

Welding Goggle

EYP331

Auto-Darkening Welding Helmets

EYP310

Welding Hand shield

BDP7903

Welding Tops

BDP7900

Welding Suit

BDP7901

Welding Back Suit

BDP7902

Welding Apron

HEP210

FR Balaclavas

HEP251

Welding Shawl

HDP306

Welding Sleeve

HDP305S1

Welding Sleeves

HDP303

Welding Gloves

FTP830

Welding Foot Cover

FTP151

Welding Shoes

uplix

FOOT PROTECTION

Foot Protection



Measuring instructions

- **Step 1** Place a piece of blank paper taped to the floor on a hard flat surface. Stand up straight and press your heel against the wall. Have someone mark the longest part of your foot (referred to as ''heel to toe length'') on the paper with a pen or pencil. Repeat the process with the other foot, as the right and left foot may differ.

Step 2

- Use a ruler or measuring tape to measure the ''heel to toe'' distance you marked for each foot. Determine your own shoe size with the foot sizing chart underneath.

Shoes SIZES CM

EU	UK	USA	Foot length
35	3	4	22
36	3.5	4.5	22.5
37	4 5	5 6	23.5
38	6	7	24
39	6.5	7.5	25
40	7	8	25.5
41	8 9	9 10	26
42	10	11	27
43	10.5	11.5	28
44	11	12	28.5
45	12	13	29
46			30
47			31
48			31.5
	13	14	

Foot Protection

FTP103

Safety Shoes
Upper: Cow Suede Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Dual Density PU
Injection molded one-piece toe bumper
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011

SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

FTP100

Safety Shoes
Upper: Embossed Cow Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Dual Density PU
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011

SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

FTP160

Safety Shoes
Upper: Embossed Cow Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Rubber
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011

SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

FTP143

Safety Shoes
Upper: Embossed Cow Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Dual Density PU
Injection molded one-piece toe bumper
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011

SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

FTP143RE

Safety Shoes
Upper: Embossed Cow Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Dual Density PU
Injection molded one-piece toe bumper
Additional reflective stripes to provide a safer condition
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011

SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

FTP144

Safety Shoes
Upper: Embossed Cow Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Goodyear Rubber.
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011

SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

FTP115

Safety Shoes
Upper: Cow Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Dual Density PU
Injection molded one-piece toe bumper
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011

SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

FTP142

Safety Boots
Upper: Nubuck Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Welt Construction Rubber
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011

SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

FTP151

Safety Shoes for Welder
Upper: Embossed Cowhide
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh Coated EVA
Outsole: Rubber
For welding use specially
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011

SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

Foot Protection

FTP200

Safety Boots
Upper: Embossed Cow Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Dual Density PU
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011
SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

FTP201

Safety Boots
Upper: Embossed Cow Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Dual Density PU
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011
SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

FTP210

Safety Boots
Upper: Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh Coated EVA
Outsole: Welt Construction Rubber
Size: EU 37-47#, UK 3-13#
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011
SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

FTP230

Safety Boots
Upper: High-cut buffalo leather
Lining: Breathable BK Air Mesh or warm lining for winter
Insole: Comfortable Mesh Coated EVA
Outsole: Dual Density PU
Toecap: Steel Toe/Composite Toe
Safety Standard: CE EN 20345:2011
SB/SBP/S1/S1P/S3
Size: EU 37-47#, UK 3-13#

FTP453

Occupational Leather Shoes
Upper: Soft Cow Leather
Lining: /
Insole: Comfortable leather laminated foam
Outsole: Rubber
Size: EU 35-40#, UK 1-8#

FTP450

Occupational Leather Shoes
Upper: Cow Leather
Lining: /
Insole : Comfortable leather laminated foam
Outsole: Rubber
Waxed shoelace
Size: EU 37-47#, UK 3-13#

FTP500

Tactical Boots
Upper: Cow Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Rubber
Side zipper
Size: EU 37-47#, UK 3-13#
Height: 28cm

FTP502

Tactical Boots
Upper: Cow Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Rubber
Size: EU 37-47#, UK 3-13#
Height: 30cm

FTP503

Tactical Boots
Upper: Cow Leather
Lining: Breathable Sandwich Mesh
Insole: Comfortable Mesh-covered EVA
Outsole: Rubber
Size: EU 37-47#, UK 3-13#
Height: 28cm

Foot Protection

FTP313

Rain Boots
Upper: PVC Material
Lining: Comfortable nylon/cotton fabric
Outsole: PVC Material
Middle cut for easy wearing
Size: EU 37-47#, UK 3-13#
Height: 30cm
Single color LOGO printing OK
Standard: CE EN ISO 20347:2012

BM103

White
Green
Yellow
Blue

Rain Boots
Upper: Seamless molded PVC
Lining: Comfortable nylon/cotton fabric
Outsole: PVC Material
Size: EU 37-47#, UK 3-13#
Height: 38cm
Single color LOGO printing OK
Standard: CE EN ISO 20347:2012

BM104

White
Green
Yellow
Blue

Rain Boots
Upper: PVC Material
Lining: Comfortable nylon/cotton fabric
Outsole: PVC Material
Size: EU 37-47#, UK 3-13#
Height: 38cm
Single color LOGO printing OK
Standard: CE EN ISO 20345:2011

FTP330

White
Green
Yellow
Blue

Safety Rain Boots
Upper: PVC Material
Lining: Comfortable nylon/cotton fabric
Outsole: PVC Material
Steel toe cap, steel midsole
Size: EU 37-47#, UK 3-13#
Height: 38cm
Features: steel top and steel bottom
Standard: CE EN ISO 20345:2011 S5

FTP331

White
Green
Yellow
Blue

Safety Rain Boots
Upper: PVC Material
Lining: Comfortable nylon/cotton fabric
Outsole: PVC Material
Steel toe cap, steel midsole
Size: EU 37-47#, UK 3-13#
Height: 38cm
Features: steel top and steel bottom
Standard: CE EN ISO 20345:2011 S5

FTP360

Insulating Rubber Boots 6KV
Upper: Rubber Material
Lining: Comfortable nylon/cotton fabric
Outsole: Rubber Material
Size: EU 37-47#, UK 3-13#
Height: 38cm
Specification: Insulation 6KV. Acid & alkali resistant, waterproof, anti-slip.

FTP352

Insulating Rubber Boots 20KV
Upper: Rubber Material
Lining: Soft Cotton Mesh
Outsole: Rubber Material
Size: EU 37-47#, UK 3-13#
Height: 30cm
Specification: Insulation 20KV
Contains cotton lining inside to keep breathable and comfortable.

FTP370

Firefighting Rain Boots
Upper Material: Flame/heat resistant rubber
Lining Material: Hard-wearing cotton canvas
Outsole Material: Flame, heat and chemical resistant rubber
Size: EU 39-47#
Height: 38cm
Standard: CE EN ISO 20345:2011

BM103R3

Waterproof Hip Waders
Material: Lightweight PVC construction
Adjustable Nylon Strap: Ensures a secure fit
High-Quality Anti-Slip PVC Boot: Provides stability and comfort （EN20347 standard）
Soft PVC Neck: Enhances waterproof function
Hot-Sealed Seams: Ensures maximum waterproofing
Height: 36-41cm for extensive coverage
Colors Available: Black, Green, Brown

uplix

FALL PROTECTION

Fall Arrest Equipment

FAHBK01

Full Body Safety Harness

- 45mm polyester webbing with min
- breaking strength 25kN
- Dorsal D-ring for fall protection
- Lanyard keeper
- Color: Yellow/Black.
- Capacity of hamess:100kgs.
  MEET EN361

FAHBK02

FullBody Safety Harness

- 45mm polyester webbing with min
- breaking strength 25kN
- Color: Yellow/Black.
- Soft back support length:760mm.
- Waistline adjustable from 850-1280mm.
- Capacity of hamess:100kgs.
  Quick release buckle on thigh strap for

  easy handing with min breaking strength 15KN.
- MEET EN361 & EN358

FAHBK03

Full Body Safety Harness

- 45mm polyester webbing with min
- breaking strength 25kN.
- Color: Yellow/Black.
- Soft back support length:760mm.
- Waistline adjustable from 850-1280mm.
- Capacity of hamess:100kgs.
  Quick release buckle on thigh strap for

  easy handing with min breaking strength 15KN.
- MEET EN361 & EN358

FAH100069

Full Body Safety Harness

- 45mm polyester webbing with min
- breaking strength 25kN.
- Color: Green/Black(Customizable).
- 1 pc dorsal attachment D-ring for fall arrest (EN361),with min breaking strength 25kN. Adjustable chest strap and thigh strap(3 adjustable points).

FAH100059

Full Body Safety Harness

- 45mm polyester webbing with min breaking
- strength 25kN.
- Color: Green/Black(Customizable).
- 1 pc dorsal attachment D-ring for fall arrest
- (EN361),with min breaking strength 25KN.
  Adjustable chest strap and thigh strap, waist strap (4adjustable points)
  Waistline adjustable from 810-1210mm

FAH100016

Work Positioning Belt

- Color: Black / Green (Customizable)
- Webbing width:45mm
- Waistline adjustable from 810-1210mm
- Metal buckle type waist strap
- 2pcs side D-ring on waist belt for work
- position purpose (EN358)
  Soft back support length :660mm

FAH300033

D Ring Waist Safety Belt Working at Height Safety Harness

- 2 D-rings:
- Webbing: Polyester
- Width: 58mm
- Length:1250mm
- Include rope and big hook
- Strength>22.2KN
- Package size:20pcs,26/25kg

  50x25.5x42.5cm

FALSRL-40

Vertical Workplace Self Retracting Lifeline

Part No	Material	Length	Weight	Braking force
SRL-1	Dyneema 20mm	1.5M	1.4kgs	4.0kN
SRL-2	Dyneema 20mm	2M	1.60kgs	4.0kN
SRL-2W	Dyneema 20mm	3M	1.7kgs	4.0kN
SRL-3	Dyneema 20mm	3M	1.7kgs	4kN
SRL-6	Cable 6mm steel	6M	4.8kgs	4kN
SRL-10	Cable 6mm steel	10M	6.1kgs	4kN
SRL-15	Cable 6mm steel	15M	7.15kgs	4kN
SRL-20	Cable 6mm steel	20M	10.2kgs	4kN
SRL-30	Cable 6mm steel	30M	16.95kgs	4kN
SRL-40	Cable 6mm steel	40M	20.75kgs	4kN

FAL3211

Guided type fall arrester including a flexible anchor line

MODEL	LENGTH	DIAMETER
FAP3211A03	3M	12mm
FAP3211A05	5M	12mm
FAP3211A10	10M	12mm
FAP3211A15	15M	12mm
FAP3211A20	20M	12mm
FAP3211B20	20M	12mm
FAP3211B30	30M	12mm

Fall Arrest Equipment

FAL300004

Big Hook Shock Absorbing Lanyard

- Single Karabiner
- Single forged large hook
- Twist polyester rope: 13mm
- Length:1570mmStrength:25KN/5600LBS
- Package size:25PCS,22/21KG
- 48X25X27cm
- Standard: CE EN354:2010

FALKB01

Big Hook Shock Absorbing Lanyard

- 1 carabiner
- 1 energy absorber
- 1forged large hook
- Twist rope diameter: 13mm
- Max Length:1900mm
- Package size: 20pcs,23/22kg
- 55x28x30cm
- Standard: CE EN362:2004

CE EN355:2002

FALKB02

Twin Shock Absorbing Lanyard

- Twin kernmantle rope: 12mm
- 1 energy absorber
- 2 pcs big hooks
- Max Length: 1800mm
- Package size:10pcs,18/14kg
- 48x25x25cm
  Standard: CE EN355:2002

FAL312205

Polyester Shock Absorber Lanyard

- 1 carabiner
- 1 energy absorber
- 2 forged large hooks
- Polyester webbing:45mm
- Max Length: 1800mm
- Package size:10pcs,17/16kg
- 40x26x25cm
  Standard: CE EN355:2002

FAL322204

Big Hook Shock Absorbing Lanyard

- 1 carabiner
- 1 energy absorber
- 1 forged large hook
- Polyester webbing:45mm
- Max Length: 1800mm
- Package size:20pcs,22/21kg
- 48x25x274cm
  Standard: CE EN355:2002

FAL300027

Webbing Shock Absorber Lanyard

- Material: polyester
- Color: Blue/Yellow(Customizable)
- Energy Absorber Width: 5m
- Webbing Width: 30mm,Length:1830mm
- Package size:15PCS,25/24KG
- 50x25x25cm
- Standard: ANSI Z359.13--2013

FAL300212

Twin Webbing Shock Absorber Lanyard

- Material: Polyester
- Color: Blue/Yellow Customizable)
- Energy Absorber Width: 45mm
- Webbing Width: 30mm, Length: 1830mm
- Package size:10PCS,25/24KG,
- 55X25X25cm
- Standard: ANSI Z359.13--2013

FAL800100

Trauma Strap

- Webbing Material: polyester
- Webbing Width:20mm
- Max Length: 1050mm +1200mm
- Package size: 20pcs,23/22kg,55x26x30cm

FAL700 Series

ROPE FOR CONSTRUCTION USE
Diameter: 12mm
Material: 100% polyester
Standard: EN354:2010

uplix

Emergency Equipment

Mosquito Net

MN-100-RA

Long lasting insecticide treated mosquito nets

- Material: 100% Polyester
- General Mesh: 156 HOLES/inch2,Diamond
- mesh
- DENIER: 100Denier Weight: 40+/-4 gsm
- WITHOUT DOOR
- Shrinkage: about 5%
- Size: 190*180*180cm
  Inner package: pre-printed heat sealed PVC package

MN-100-RA-G

Long lasting insecticide treated mosquito nets

- Material: 100% Polyester
- General Mesh: 156 HOLES/inch2,Diamond
- mesh
- DENIER: 100Denier Weight: 40+/-4 gsm
- WITHOUT DOOR
- Shrinkage: about 5%
- Size: 190*180*180cm
  Inner package: pre-printed heat sealed PVC package

MN-100-RB

Long lasting insecticide treated mosquito nets

- Material:100% Polyester
- Mesh:36F,156holes/inch2²
- Shape of Mesh: diamond
- Denier: 100D
- Weight: 36g/m²±10%
- Color: white
- Shrinking Stability: minus 5%
- Bursting stremgth:350kpa
- Open: no door
- Insecticide-treated: Deltamethrin(55mg/m²
  ±25%)

MN-75-CC

Circular Mosquito Net

- Material:100% Polyester
- Mesh:36F, 225 holes/inch2
- Shape of Mesh: Diamond
- Denier: 75D
- Weight: 30g/m2±10%
- Color: white
- Shrinking Stability: minus 5%
- Top: With one top loop
- Open: No door
- Insecticide-treated: Deltamethrin(55mg/m^2
- ±25%)
  Size: 850*220*65cm

MN-75-CD

Circular Mosquito Net

- Material:100% Polyester
- Mesh:36F, 225 holes/inch2
- Shape of Mesh: Diamond
- Denier: 75D
- Weight: 30g/m2±10%
- Color: white
- Shrinking Stability: minus 5%
- Top: With one top loop
- Open: No door
- Insecticide-treated: Deltamethrin(55mg/m^2
- ±25%)
  Size: 1050*220*65cm

MN-75-CA

Circular Mosquito Net

- Door: No door
- Material:100% polyester
- Denier:75D
- Mesh: diamond mesh
- Mesh size:156 holes/inch2
- Weight:30±3 g/m2
- Color: white
- Hook set: None
- Size: 56 X 230 X 850 cm

MN-3/-4

Insect Repellent Headgear

- Material:100% Polyester
- Color: blue/green
- Mesh:196holes/inch2
- Denier:50D
- Botton: adjustable
- Top:camouflage cloth

MN-1

Insect Proof Gloves & Footwear

- Material:100% Polyester
- Color:white/ black
- Mesh:196holes/inch2
- Denier:50D

MN-2

Insect Repellent Clothing

- Material:100% Polyester
- Color: blue/green/black
- Mesh:196holes/inch2
- Denier:50D

uplix

SPILL CONTROL

SPILL CONTROL

Oil-absorbing Protection

ABM01W

Oil Only Absorbent Mat

- Characteristic: Dimpled only/dimpled & laminated with spun bond fabric, wearproof and coriaceous.
- Suitable condition: large surface on ground, river, lake and sea; workshop; machine cleaning and so on

CODE	SIZE	THICKNESS
ABP01200W	40CM*50CM	2MM
ABP01300W	40CM*50CM	3MM
ABP01400W	40CM*50CM	4MM

ABM01Y

Dimpled Chemical & Hazardous Absorbent Mat

- Characteristic: Dimpled only/dimpled & laminated with spun bond fabric, wearproof and coriaceous.
- Suitable condition: chemical plant, laboratory.. etcsome chemical& hazardous spill areas, and clean the chemical & hazardous liquid

CODE	SIZE	THICKNESS
ABP01200Y	40CM*50CM	2MM
ABP01300Y	40CM*50CM	3MM
ABP01400Y	40CM*50CM	4MM

ABM01G

Perforated Universal/General Absorbent Mat

- Characteristic: Dimpled only/dimpled & laminated with spun bond fabric, wearproof and coriaceous.
- Suitable condition: workshop, chemical plant, laboratory.. etcany liquid spill areas, and scrub any fluid

CODE	SIZE	THICKNESS
ABP01200G	40CM*50CM	2MM
ABP01300G	40CM*50CM	3MM
ABP01400G	40CM*50CM	4MM

ABS01W

Oil Only Absorbent Sock

- Characteristic: soft, can be bended arbitrarily to
- put the right position, control the oil loak Suitable condition: around the tank truck, oil tank. oil pipelines, machines water surface and so on

CODE	SIZE	PACKING
ABS017612W	Ø 7.6cm*1.2m	20pcs/B
ABS017630W	Ø 7.6cm*3m	4pcs/B

ABS01Y

Chemical & Hazardous Absorbent Sock

- Characteristic: soft, can be bended arbitrarily to put the right position, control the spill of all kind of chemical & hazardous liquid
- Suitable condition: around the tank truck, chemical plant,laboratory..etcsome chemical & hazardous spill areas

CODE	SIZE	PACKING
ABS017612Y	Ø 7.6cm*1.2m	20pcs/B
ABS017630Y	Ø 7.6cm*3m	4pcs/B

ABS01G

Universal/GeneralAbsorbent Sock

- Characteristic: soft, can be bended arbitrarily to put the right position, control the spill of all kind of liquid
- Suitable condition: around the tank truck, workshop, warehouse, laboratory..etc any liquid spill areas

CODE	SIZE	PACKING
ABS017612G	Ø 7.6cm*1.2m	20pcs/B
ABS017630G	Ø 7.6cm*3m	4pcs/B

ABB01W

Oil Only Absorbent Boom

- Characteristic: soft, can be bended arbitrarily to put the right position, control the oil leak. connected each other with hook
- Suitable condition: around the tanker truck, oil tank, oil pipelines, machines, water surface and so on

CODE	SIZE	PACKING
ABB0112730W	Ø 12.7cm*3m	4pcs/B
ABB0120030W	Ø 20cm*3m	4pcs/B

ABB01Y

Chemical & Hazardous Absorbent Boom

- Characteristic: soft, can be bended arbitrarily to put the right place, control the spill of all kind of chemical & hazardous liquid
- Suitable condition: around the tank truck, chemical plant, laboratory, etcsome chemical & hazardous spill areas

CODE	SIZE	PACKING
ABB01127302Y	Ø 12.7cm*3m	4pcs/B
ABB0120030Y	Ø 20cm*3m	4pcs/B

ABB01G

Universal/General Absorbent Boom

- Characteristic: soft, can be bended arbitrarily to put the right position, control the spill of all kind of liquid
- Suitable condition: around the tank truck, workshop, warehouse. laboratory.. etcany liquid spill areas

CODE	SIZE	PACKING
ABB01127302G	Ø 12.7cm*3m	4pcs/B
ABB0120030G	Ø 20cm*3m	4pcs/B

Oil-absorbing Protection

ABR01W

Oil Only Absorbent Roll

- Characteristic: standard type, melt blown only,
- economical and practical
  Suitable condition: large surface on ground, river, lake and sea

CODE	SIZE	THICKNESS
ABR01200Y1	40CM*50CM	2MM
ABR01300Y1	40CM*50CM	3MM
ABR01400Y1	40CM*50CM	4MM

ABR01Y



Dimpled Chemical & Hazardous AbsorbentRoll

- Characteristic: dimpled only/dimpled & laminated with spun bond fabric, wearproof and coriaceous.
- Suitable condition: chemical plant,laboratory..etcsome chemical & hazardous spill areas, large surface on ground

CODE	SIZE	THICKNESS
ABR01200G1	40CM*50CM	2MM
ABR01300G1	40CM*50CM	3MM
ABR01400G1	40CM*50CM	4MM

ABR01G

Perforated Universal/General Absorbent Roll

- Characteristic: dimpled only/dimpled & laminated with spun bond fabric, wearproof and coriaceous.
- Suitable condition: workshop chemical plant. laboratory...etcany liquid spill areas, large surface on ground, and scrub any fluid

CODE	SIZE	THICKNESS
ABR01200G1	40CM*50CM	2MM
ABR01300G1	40CM*50CM	3MM
ABR01400G1	40CM*50CM	4MM

ABP01W

Oil Only Pillow

- Characteristic: Small but large absorbency,
- can be used with plastic tray
  Suitable condition: ground, under the bibcock, valve, machine or pipeline. .etc, or other rugged areas.

CODE	SIZE
ABP052025W	20cm*25m
ABP054050W	40cm*50m

ABP01Y

Chemical & Hazardous Absorbent Pillow

- Characteristic: Small but large
- absorbency, can be used with plastic tray
  Suitable condition: ground. under the bibcock, valve, machine or pipeline..etc, or other rugged areas.

CODE	SIZE
ABP052025Y	20cm*25m
ABP054050Y	40cm*50m

ABP01G

Universal/General Absorbent Pillow

- Characteristic: Small but large absorbency, can be used with plastic tray
- Suitable condition: ground, under the bibcock, valve, machine of pipeline. .etc, or other rugged areas.

CODE	SIZE
ABP052025G	20cm*25m
ABP054050G	40cm*50m

SKIT30LW

SKIT30LW	ITEM	QTY
DETAILS	absorbent mat 40cm*50cm	20pcs
	absorbent sock dia.7.6cm*1.2m	2pcs
	absorbent pillow 20cm*25cm	2pcs
	latex gloves	1pairs
	garbage bag&tie	2sets
	goggles	1pairs
	kits bag	1pcs
KITS ABSORBENCY	30L	

SKIT30LG

SKIT30LG	ITEM	QTY
DETAILS	absorbent mat 40cm*50cm	20pcs
	absorbent sock dia.7.6cm*1.2m	2pcs
	absorbent pillow 20cm*25cm	2pcs
	latex gloves	1pairs
	garbage bag&tie	2sets
	goggles	1pairs
	kits bag	1pcs
KITS ABSORBENCY	30L	

SKIT120LW

SKIT120LW	ITEM	QTY
DETAILS	absorbent mat 40cm*50cm	50pcs
	absorbent sock dia.7.6cm*1.2m	10pcs
	absorbent pillow 20cm*25cm	10pcs
	latex gloves	2pairs
	garbage bag&tie	8sets
	goggles	2pairs
	120L Kits drum/mobile bin	1pcs
KITS ABSORBENCY	120L	

AdultBodyBag

A2392H6T200W



AdultBodyBag

- Material: PEVA
- Thickness: 200microns
- Size: 230*92cm
- Color: White
- U zipper with sealing
- 6 strap handles
- With transparent face window

BBAGADULT400/300

AdultBodyBag

- Material: PEVA
- Thickness: 400microns/300microns
- Size: 230*100cm/250*120cm
- Color: White
- U zipper
- 6 padded handles
- ID pocket
- With absorbent pad

A2392T150

AdultBodyBag

- Material: PEVA
- Thickness: 150microns
- Size: 220*90cm
- Color: White
- U zipper
- Non-handles
- With ID pocket

C2210H6T500

AdultBodyBag

- Material: PVC
- Thickness: 500microns
- Size: 220*100cm
- Color: Black
- Straight zipper with seal
- 6 built-in handles
- With ID pocket

C2290T200

AdultBodyBag

- Material: PVC
- Thickness: 200microns
- Size: 220*90cm
- Color: White
- 4 straps Handles
- Straight zipper

C2210H6T300

AdultBodyBag

- Material: PVC
- Thickness: 300microns
- Size: 220*100cm
- Color: White
- U zipper
- 6 built-in handles
- With ID pocket

W22578H6T185CHILE

AdultBodyBag

- Material: Woven fabric
- Thickness: 185GSM
- Size: 200*90cm
- Color: Blue
- Nylon reinforced tooth double closure strap (N °
- 9).
- 6 grab handles with PVC handle covered with high-density foam
  The closure is in the entire contour of the bag, full 180 °opening Identification kit, outer 6 "x 6" ID tag

LDPE24413T500

AdultBodyBag

- Material: LDPE
- Thickness: 500microns
- Size: 244*130cm
- Color: White
- U zipper
- 8 built in handles
- With A4 document pocket
- 2 holes for ventilation

CEARE 15

AdultBodyBag

- Material: Non-Woven + PE
- Thickness: 158GSM
- Size: 215*80cm
- Color: Blue
- U zipper
- 6-straps handles

Child & Pet Body Bag

KA1510H4T300J

Child BodyBag

- Material: PEVA
- Thickness: 300microns
- Size: 150*100cm
- Color: White
- J zipper
- 4 built-in handles
- With ID pocket
- With absorbent pad

KA1510H6T200W

Child BodyBag

- Material: PEVA
- Thickness: 200microns
- Size: 150*100cm
- Color: White
- U zipper with seal
- 6 strap handles
- With ID pocket
- With face window

KC1510H6T300

Child BodyBag

- Material: PVC
- Thickness: 300microns
- Size: 220*100cm
- Color: White
- U zipper
- 6 built-in handles
- With ID pocket

WT120P

PetBodyBag

- Material :Wovencoated withPE
- Color:WhiteorCustomized
- Zipper : CZipper
- WithIDpocket
- Logo:Customized

Size	Model No.	Length	Width	Thickness
Small	W6038T120P	60cm	38cm	120μm
Medium	W9261T120P	92cm	61cm	120μm
Large	W12783T120P	127cm	83cm	120μm

WT120

PetBodyBag

- Material :Wovencoated withPE
- Color:WhiteorCustomized
- Zipper : CZipper
- Logo: Customized

Size	Model No.	Length	Width	Thickness
Small	W6038T120	60cm	38cm	120μm
Medium	W9261T120	92cm	61cm	120μm
Large	W12783T120	127cm	83cm	120μm

AT200

PetBodyBag

- Material :PEVA
- Color:WhiteorCustomized
- Zipper :CZipper
- Logo:Customized

Size	Model No.	Length	Width	Thickness
Small	A6038T200	60cm	38cm	200 Microns
Medium	A9261T200	92cm	61cm	200 Microns
Large	A12783T200	127cm	83cm	200 Microns

NT1203D

PetBodyBag

- Material : Non Woven Coated with PE
- Inside
- Color:NavyBlue orCustomized
- Feature:CZipper and3D stereoscopic
  Logo:Customized

Size	Model number	Length	Width	Thickness
Small	N3221T1203D	32cm	21cm	120μm
Medium	N6023T1203D	60cm	23cm	120μm
Large	N8036T1203D	80cm	36cm	120μm

NT120

PetBodyBag

- Material : Non Woven Coated with
- PE Inside
- Color:NavyBlue orCustomized
- Zipper :CZipper
  Logo:Customized

Size	Model No.	Length	Width	Thickness
Small	N6835T120	68cm	35cm	120μm
Medium	N9560T120	95cm	60cm	120μm
Large	N12080T120	120cm	80cm	120μm

NH4120

PetBodyBag

- Material : Non Woven Coated with
- PE Inside
- Color:Navyblue orCustomized
- Features : C Zipper and Carrying
  Handles
  Logo:Customized

Size	Model No.	Length	Width	Thickness
Small	N8036H4T120	80cm	36cm	120μm
Medium	N10449H4T120	104cm	49cm	120μm
Large	N13556H4T120	135cm	56cm	120μm

UPLIX Co., Ltd.

uplix

Personal Protective Equipment

2025 PPE Catalogue

uplix

2025 PPE Catalogue

Personal Protective Equipment