SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

A -	**CONTROL DOCUMENTS**	

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

Supplier Document Requirements Listing (SDRL) Instructions

1. SDRL Matrix

All Supplier document types are listed in the SDRL matrix.

The SDRL author shall select the documents required according to the respective Technical Requisition Package (TRP) requirements.

Note that **A01 and A05 are mandatory documents** for all SDRL. The SDRL author shall fill up **Column D** for these documents acccordingly.

No information in Column A and B shall be altered at all.

All other columns i.e. **columns C to J** shall be modified according to TRP and project requirements. **No rows in the SDRL Matrix shall be deleted.** If a particular document is not required, the row's information (i.e. **Column C to J**) are to be left blank.

Where a particular supplier document type is not available, the **"99"** code in the appropriate title lines shall be used.

2. Long Descriptions

The author of SDRL shall update the **Format/Type, Purpose** and **Information to be Shown on Document** (i.e. **Column C**) in the Long Descriptions sheet according to the respective TRP requirements. Where the row size is insufficient, this shall be adjusted accordingly.

All other parts of the Long Descriptions sheet (i.e. **Column A** and **Column B**), headers etc. shall not be modified.

3. Samples

Samples ('SDRL Matrix Sample' sheet and 'Long Desc Sample' sheet) are provided in this work instruction to reflect the "look" of the the final SDRL Matrix and Long Descriptions.

These **samples are not to be printed or included** in any TRP.

4. Generating the Soft Copy of SDRL

Select sheets "SDRL Front", "SDRL Matrix" and "Long Descriptions" together, then select "File", "Page Setup", "Headers/Footers" and edit "Custom Header" to add the TRP's Document Number and Revision Code to all Sheets.

Delete the "Instructions", "SDRL Matrix Sample" and "Long Desc Sample" sheets from this file. Save the final SDRL documentation with an appropriate filename.

DO NOT INCLUDE THIS SHEET IN YOUR FINAL DOCUMENT & DO NOT INSERT/DELETE ANY ROWS FROM ANY SHEET

SUPPLIER DOCUMENT REQUIREMENTS LISTING (SDRL)

SDR CODE	DOCUMENT DESCRIPTION	WITH BID	FIRST ISSUE	FINAL ISSUE		AS-BUILT (Offshore-As-built)		WITHIN MANUAL	
		# of Hard Copies Required	Date Required	# of Hard Copies Required	Soft Copy Required	# of Hard Copies Required	Soft Copy Required	J01	K01
A -	**CONTROL DOCUMENTS**								
A01	Supplier Document Schedule (SDS)								
A02	Fabrication/Production Schedule								
A03	Progress Reports (Weekly / Monthly)								
A04	Sub-order Schedule								
A05	Asset Data Requirements (Document and Tag Data)								
A06	Recommended Start-up and Commissioning Spares List								
A07	Glossy brochure of procured equipment								
A99	Other Control Documents								
B -	**GENERAL ARRANGEMENT DRAWINGS**								
B01	General Arrangements								
B02	Acceptable Nozzle Loads								
B03	Interface and Connection Schedule								
B04	Foundation Loading Diag. & Support Details								
B99	Other General Arrangement Drawings								
C -	**SYSTEM DIAGRAMS & DATA SHEETS**								
C01	Piping and Instrument Diagrams								
C02	HVAC Schematic & Flow Diagrams								
C03	Electrical Single Line Diagrams								
C04	Bill of Materials								
C05	Inst / Telecoms System Schematic Diagrams								
C06	Utilities Schedule								
C07	Weight Data Sheet								
C08	Equipment Data Sheet								
C09	Noise Level Data Sheet								
C10	Schedule of Elec. Equipment in Haz. Area								
C11	Elec/Electronic/Pnumatic/Hydrau. Schematics								
C12	Detailed Discription of Operation								
C13	PFD's and Heat Mass Balance								
C14	Cause & Effect Charts								
C15	Control Philos. and Block Logic Diagrams								
C16	Oil Systems Operating Philosophy								
C17	Suppliers Technical Specification								
C99	Other System Diagrams & Data Sheets								
D -	**DETAIL DRAWINGS**								
D01	Cross Sectional Drawing or Exploded View Diagram with Parts List								
D02	Mechanical Seal Details								
D03	Shaft Alignment Drawings								
D04	Name Plate Format Drawings								
D05	Sub Assembly Drawings								
D06	Installation & Dismantling Drawing								
D07	Detail Drawing								
D08	Insulation / Lining Details								
D09	Piping ISOS								
D99	Other Detail Drawings								
E -	**INSTRUMENT & ELECTRICAL DRAWINGS**								
E01	Interconnection Diagram								
E02	Panel / Cabinet Layout								
E03	Instrument / Electrical Logic Diagrams								
E04	Terminal Block Diagrams								
E05	Cable Schedule								
E06	Instrument Termination and Hook up Details								
E07	Loop Diagrams								
E08	Instrument Index								
E09	Instrument Data Sheets								
E10	Instrument Layout Drawings								
E99	Other Instrument & Electrical Drawings								
F -	**CALCULATIONS**								
F01	Pressure Vessel / Tank Mechanical Calcs								
F02	Process / Utility Calculations								
F03	Structural Steel Calculations								
F04	Foundation Support Calculations								
F05	System Head Loss Calculations								
F06	Lateral Critical Speed Calculations								
F07	Torsional Critical Speed Calculations								
F08	Bearing Life Calculations								
F09	Thrust Bearing Sizing Calculations								
F10	Heat Emission Calculations								
F11	Reliability and Avalability								
F12	Hydraulic Calculations								
F13	Exchanger Thermal Rating Calculations								
F14	Instrument Calculations								
F15	Enclosure Ventilation System Calculations								
F16	Exhaust Duct Callculations								
F17	Coupling Selection Calculations								
F18	Lube and Seal Oil System Sizing Calculations								

SUPPLIER DOCUMENT REQUIREMENTS LISTING (SDRL)

SDR CODE	DOCUMENT DESCRIPTION	WITH BID	FIRST ISSUE	FINAL ISSUE		AS-BUILT (Offshore-As-built)		WITHIN MANUAL	
		# of Hard Copies Required	Date Required	# of Hard Copies Required	Soft Copy Required	# of Hard Copies Required	Soft Copy Required	J01	K01
F19	Anti Surge Valve Sizing								
F20	Pulsation Damper Design Calculations								
F21	Rotor/Shaft System Imbalance Response Analysis								
F22	Pipng Stress Analysis								
F23	Crane Failure Mode Analysis								
F24	ESD Valve								
F25	Relief Valve and Burst Disc Calculations								
F26	Electrical Protection Curves								
F27	Current, Potential and Power Transformer Curves								
F28	Motor Performace Curves								
F29	Combustion Gas Turbine Performance Curves								
F30	Centrifugal Pump Performance Curves								
F31	Rotary Pump Curves								
F32	Centrifugal Compressor Performance Curves								
F33	Fan Performance Curves								
F34	Engine Performance Curves								
F35	General Peformance Curves								
F36	Speed / Torque Starting Curves								
F37	Reciprocating Pump Perfromance Curves								
F38	Lighting Performance Data								
F39	Battery Charge / Discharge Curves								
F40	Power System Analysis Data								
F41	Reliability and Avalability Data & Calcs								
F47	Electrical Relay Characteristics								
F48	CT & VT Transformer Characteristic Curves								
F49	Fuse & Circuit Characteristic Curves								
F51	Fiscal Metering System Calculations								
F52	Non-actuated Valve Torque Calculations								
F60	Thermal Growth Calculations								
F61	Fatigue Calculations (Well Conversion)								
F62	Fatigue Calculations (Riser System)								
F63	Year 2000 Compliance Testing Standards								
F99	Other Calculations								
G -	**HANDLING, INSTALL. & SITE PRESERVATION PROCEDURES**								
G01	Erection and Installation Procedure								
G02	Unpacking and Preservation Procedure								
G03	Handling and Shipping Procedure								
G04	Weight Control / Weighing Procedure								
G99	Other Handling, Install & Site Preservation Procedures								
H -	**MANUFACTURING, QUALITY PROCEDURES**								
H01	Quality Manual								
H02	Quality Plan								
H03	Detailed Fabrication Drawing								
H04	Weld Procedure Specification (WPS) and Qualication (WPQ) Records								
H05	Non-destructive Examination Procedure (NDE)								
H06	Forming & Heat Treatment Proc. (inc PWHT)								
H07	Hydrostat/Flushing/Pneumatic Test Procedure								
H08	Performance Testing & Acceptance Test Proc.								
H09	Surface Preparation & Painting Procedure								
H10	Software Quality System								
H11	Corrosion Testing Procedure								
H99	Other Manufacturing, Quality Procedures								
J -	**COMMISSIONING, OPERATING, MAINTENANCE AND SPARES**								
J01	Operating and Maintenance Manual / Operation & Maintenance Databook								
J02	Lube Oil and Operating Fluids Schedule								
J03	Recommended Start-up and Commissioning Spares List								
J04	Recommended Spares For 2 Years Operation								
J05	Erection Fastner Schedule								
J06	Pre-commissioning / Commissioning Proc.								
J07	Special Tools List								
J99	Special								
K -	**CERTIFICATION**								
K01	Certification Data Book								
K02	Equip. Haz. Area Certificate and Schedule								
K03	Weldability Data								
K04	Performance Test Results								
K05	Factory Acceptance Test Report (FAT)								
K06	Vibration Report								
K07	Noise Report								
K08	Weight Report								
K10	Table of Content / Indices for Manuals J01 / K01								
K99	Other Certification								
L -	**TEST & INSPECTION REPORTS**								
L01	Material Test Certificate								
L02	Welder Performance Qualification Certs								
L03	NDE Operator Qualifications								
L04	Production Test Results (inc Welding)								

SUPPLIER DOCUMENT REQUIREMENTS LISTING (SDRL)

SDR CODE	DOCUMENT DESCRIPTION	WITH BID	FIRST ISSUE	FINAL ISSUE		AS-BUILT (Offshore-As-built)		WITHIN MANUAL	
		# of Hard Copies Required	Date Required	# of Hard Copies Required	Soft Copy Required	# of Hard Copies Required	Soft Copy Required	J01	K01
L05	NDE Records								
L06	Heat Treatment Records								
L07	Material Traceability Records								
L08	Name Plate Rubbing								
L09	Pressure Test Certificate								
L10	Instrument Test / Calibration Certificate								
L11	Dimensional Report								
L12	Proof Load Certification								
L13	Vessel & Exchanger Code Data Reports								
L14	Certificate Of Compliance								
L15	Electrical Equipment Type Tests								
L16	Routine Test Certificate - Electrical Equipment								
L17	High voltage Flash Test								
L18	Insulation Resistance Check								
L19	Measurement Of Resistance								
L20	Purchaser's Release Note / Waiver								
L21	Code / Standard / Compliance Certificate								
L22	Painting / Insulation Inspection Report								
L23	Concession Records								
L24	Fire Test Reports/ Certificates								
L25	EC Declaration of Conformity								

LEGEND

P	=	Date of purchase order	P+X	=	X weeks after purchase order or fax of intent
T	=	Date of test	T±X	=	X weeks after or prior to test
D	=	Date of dispatch	D±X	=	X weeks after or prior to dispatch
Q	=	Date of process	Q-X	=	X weeks prior to manufacture/job process
U	=	Use of procedure	U-X	=	X weeks prior to use of procedure
E	=	Final inspection	E+X	=	X weeks after final inspection
C	=	Date of call off	C+X	=	X weeks after call off

NOTES

1. All documents must be prepared and submitted in accordance with B11-XX-000-JA-6017-0002, Supplier Document Procedures

2. The **'First Issue'** date specified is the latest that is considered acceptable. The Bidder/Supplier is to complete the Supplier Document Schedule (SDS) (enclosed within this requisition) with the agreed issue dates.

3. The quantity of documents required with the Bid, final issue and offshore as-built are indicated by the numbers within the **'With Bid'**, **'Final Issue'** and **'As-Built'** columns adjacent to the document. All document submitted throughout the project shall be in PDF format rendered directly from its native format. Prior approval shall be seeked by Supplier from Purchaser for any other format of document submission.

4. The native format of documents shall be as specified in the Long Description. Supplier shall advise Purchaser of any non-compliance.

5. An 'X' in this column indicates that an Soft Copy is required with for the submission (via Livelink).

6. All hard copies shall also be submitted according to TRP and SDRL requirements.

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

A -	CONTROL DOCUMENTS	
A01	Supplier Document Schedule (SDS)	**FORMAT/TYPE:** Initial issue by completion of Purchaser's format. Updates by mark-up of Purchaser's computerised register. **PURPOSE:** To establish and update Purchaser's register. **INFORMATION TO BE SHOWN ON DOCUMENT** - Listing by category and title of all Supplier's documents to be issued per SDRL. - Date of first submission of each document to Purchaser. - Listing to contain both Purchaser's and Supplier's document numbers. - Refer to Purchaser's specification 'Drawing and Data Requirements - Instructions to Suppliers' included in the purchase order documentation. WHERE PURCHASE ORDER REQUIRES THE ISSUE OF A MONTHLY REPORT THIS SCHEDULE SHALL BE INCLUDED UNDER DATA CODE A04 AFTER FIRST SUBMISSION.
A02	Fabrication/Production Schedule	**FORMAT/TYPE:** Bar Chart (A3 size maximum) **PURPOSE:** Control document **INFORMATION TO BE SHOWN ON DOCUMENT** - Schedule to barchart form , showing design, manufacture, inspection, testing and delivery of all equipment, materials and components to be delivered by Supplier and his sub-suppliers. - Earliest and latest completion dates shall be entered alongside each activity with float indicated. - Once agreed with Purchaser, the "planned" dates shall not change without prior approval by purchaser. - Progress to date shall be clearly shown against each activity. - Procurement and delivery of sub-supplier items with names and references to be included. - Summary schedule of issue dates required for all documents in Data Code A01 above grouped by prime category, in bar chart format to show relationship with the Fabrication/Production Schedule. - Schedule to show calendar dates. WHERE PURCHASE ORDER REQUIRES THE ISSUE OF A MONTHLY REPORT THIS DOCUMENT SHALL BE INCLUDED UNDER DATA CODE A04 AFTER FIRST SUBMISSION.
A03	Progress Reports (Weekly / Monthly)	**FORMAT/TYPE:** A4 document. **PURPOSE:** Control document. **INFORMATION TO BE SHOWN ON DOCUMENT** Telex or fax reports to be submitted on the agreed schedule with the Purchaser giving: - activities completed this week and % complete. - activities planned for the next week. - any problems encountered, with corrective actions proposed. - identification of areas in which Purchaser is delaying Supplier's progress. - confirmation that contracted delivery date(s) will be maintained. Monthly report to be submitted according to the agreed scheduler with the Purchaser. Report to contain the following information as a minimum:- a) Narrative explaining salient features of work carried out during the month, problems encountered of both an engineering and programme nature, steps being taken to overcome them, and confirmation that contracted delivery date(s) will be achieved. b) Running log of all commercial changes or requests made (whether or not approved by Purchaser) together with status. c) Running log of all design concessions requested by Supplier (whether or not approved by Purchaser) together with current status. d) Updated fabrication/production schedule 'front-lined' to shown actual progress at cut-off (Ref Data Code A02). e) Updated sub-order schedule indicating all sub-orders to be placed by Supplier (Ref Data Code A03). f) Updated Supplier Document Schedule showing status of all drawings to be produced against the order (Ref Data Code A01). g) If purchase order is subject to CA appraisal prior to delivery, certification status report identifying documentation submitted to and approvals received from CA together with any details of any concerns highlighted by the CA.
A04	Sub-order Schedule	**FORMAT/TYPE:** Purchasers forms. **PURPOSE:** Control document. **INFORMATION TO BE SHOWN ON DOCUMENT** Schedule shall show all sub-orders to be placed by Supplier. Against each entry Supplier shall indicate anticipated award date and the latest data by which sub-order must be placed to meet the overall schedule. Supplier shall submit unpriced copies of sub-orders at the time of order placement. WHERE PURCHASE ORDER REQUIRES THE ISSUE OF A MONTHLY REPORT THIS SCHEDULE TO BE INCLUDED UNDER DATA CODE A04 AFTER FIRST SUBMISSION
A05	Asset Data Requirements (Document and Tag Data)	**FORMAT/TYPE: Data listing in Excel** **PURPOSE:** Data gathering for Operations and Maintenance purpose after Asset handover **INFORMATION TO BE SHOWN ON DOCUMENT:** In order to create an integrated information system it is critical to receive Document to Tag information in Excel format. The Excel sheet shall have the following columns: - PO Number: As mentioned on the PO - Doc Number: Each document as mentioned in this SDRL - Revision Number: Issue number as mentioned in this SDRL - Tag: Each Tag as mentioned in the Equipment list sheet For Example: if a drawing contains 8 tagged items, then the document will be repeated in 8 rows, and the tags numbers will be in one of these rows. This list must be updated on a monthly basis. Also refer to Appendix 5 of Supplier Document Procedures
A06	Recommended Start-up and Commissioning Spares List	**FORMAT/TYPE:** A4 typed listing + E-SPIR **PURPOSE:** Commissioning and maintenance. **INFORMATION TO BE SHOWN ON DOCUMENT:** Purchaser's E-SPIR shall be completed by supplier showing commonality & interchange ability of spare parts. E-SPIR shall indicate commissioning, operating & insurance spare parts recommended by supplier and shall be defined by reference to cross sectional drawings and relevant parts list. Against each entry, price and delivery shall be indicated. Access to E-SPIR can be found at www.e-spir.com
A07	Glossy brochure of procured equipment	**INFORMATION TO BE SHOWN ON DOCUMENT:** Indicating all major features and performances. Will be used to confirm that that equipment meets the spec's
A99	Other Control Documents	**INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL.

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

B -	**GENERAL ARRANGEMENT DRAWINGS**	
B01	General Arrangements	**FORMAT/TYPE:** Maximum size A1. Scale drawing. **PURPOSE:** Interface liaison. Design review. **INFORMATION TO BE SHOWN ON DOCUMENT**. - Envelope and dimensions relative to unit datum. - Access, withdrawal and laydown requirements for maintenance to be shown. - Location and numbering of all piping and tubing terminations for Purchaser connection to process and utilities, including size, rating and type. - Location of all skid edge junction boxes requiring Purchaser connections. - Identification and location of all major on skid components with Purchaser's tag numbers added. - Where a package consists of more than one skid, separate drawings shall be provided for each skid. - Overall weights and maintenance weights for major components. - Spreader beam, lifting points and C of G to be shown. - Where appropriate, an equipment list is also to be submitted.
B02	Acceptable Nozzle Loads	**FORMAT/TYPE:** A4 document. **PURPOSE:** Interface liaison. Design review. **INFORMATION TO BE SHOWN ON DOCUMENT.** - Drawing to indicate acceptable loads, forces and moments on flanges to which Purchaser connects, together with loads during normal and maximum operating conditions - if not covered by applicable specifications. Calculations to be included.
B03	Interface and Connection Schedule	**FORMAT/TYPE:** A4 listing. **PURPOSE:** Interface liaison. **INFORMATION TO BE SHOWN ON DOCUMENT** - Listing by number of all supplier termination points, including electrical and instrument cable terminations and all junction boxes cross referenced to the relevant drawings. - Size, rating and specification of all piping and tubing termination points requiring Purchaser connection. - Identification of corresponding connection point on another skid or system to which each point shall be connected. - Identification of fluids at each connection point including pressure and temperature conditions. For each vent and drain, fluids under normal and abnormal operating conditions shall be stated, and system to which each must be connected (ie, Purchaser's vent or drain - safe, open or closed). - This document shall always be submitted together with Data Code B01 - General Arrangement Drawings.
B04	Foundation Loading Diag. & Support Details	**FORMAT/TYPE:** Maximum drawing size A1. **PURPOSE:** Interface liaison. **INFORMATION TO BE SHOWN ON DOCUMENT.** - Support details. - Including all static and dynamic forces or moments acting on support points during start-up, shut-down, normal and maximum operation conditions and test conditions (eg. motor/generator short circuit). - Recommended details for connection to supporting structure. - Temporary tie-down and seafastening details for barge transportation to be shown. - Operating frequencies for vibrating equipment. - Drawing may be combined with Data Code B01 - General Arrangement Drawings.
B99	Other General Arrangement Drawings	**INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL.
C -	**SYSTEM DIAGRAMS & DATA SHEETS**	
C01	Piping and Instrument Diagrams	**FORMAT/TYPE:** Drawing with symbolic representation of instrumentation. **PURPOSE:** Design review, interface liaison and operation and maintenance. **INFORMATION TO BE SHOWN ON DOCUMENT** - P&ID's shall be drawn by Supplier using standard symbols provided on Purchaser's legend sheets, for all hydrocarbon and utility systems including HVAC flow diagrams. <u>P&ID's are to show at least the following, as applicable:</u> - Revision number - Drawing title - Specific notes. - Equipment and spares - Equipment names and numbers - Equipment internals and externals, consistent with data sheet. - Insulation and trace heating requirements. - Venting and Draining requirements. - Relief requirements - PSV's location tag numbers and sizes. - PSV interlock valves and interlocking sequence. - Positive Isolation requirements - Block and check valves, with type identified - Valves and actuators and solenoids. Failure mode to be stated. - Nozzles of vessels, sizes, manways and other inspection provisions - Slope of vessels. - Levels in vessels, NLL, LSL, LSH, LSLL, LSHH, etc. - Elevations of major equipment. - Process and utility flowlines with directional arrows. - Continuation boxes plus references. - Line sizes, numbers, pipe specifications, specification breaks and product designation. - Piping special items - Piping notes (eg. SLOPE, DO NOT POCKET). - Switches and instruments with tag numbers, and alarm trip set points. - Sample points and corrosion monitoring facilities - Emergency Shut Down Valves. - Interfaces with other P&ID's including Purchaser's P&ID's. - All interface equipment, instruments, valves etc shall be tagged with Purchaser's tag numbering system requirements. All others are to be tagged in accordance with ISA S5.1 and Purchaser's specifications. - Major items of equipment shall have duties and design conditions stated. - This document shall always be submitted with a Bill of Tagged Materials as described in Data Code C04 below.

SUPPLIER DOCUMENT REQUIREMENTS LONG DESCRIPTIONS		
C02	HVAC Schematic & Flow Diagrams	**FORMAT/TYPE:** **PURPOSE:.** **INFORMATION TO BE SHOWN ON DOCUMENT** Unless agreed otherwise, schematics and flow diagrams shall be drawn by supplier using standard symbols provided on Purchaser's legend sheet. Schematic and flow diagrams shall show at least the following as applicable: - Equipment - Ductwork - Instrumentation - Controls - Switches - Equipment Identification etc.
C03	Electrical Single Line Diagrams	**FORMAT/TYPE:** Single Line Diagram, Schematic, or Block Diagram showing functional relationships. **PURPOSE:** Design review interface liaison. **INFORMATION TO BE SHOWN ON DOCUMENT** Representation of electrical power, and/or control circuits, electrical major components and their function or instrument control circuits, defining the relationships, to include (as appropriate): - Control systems. - Consumer rating. - Switchgear/control gear ratings. - Busbar ratings. - Equipment descriptions and tag numbers. - Protection devices.
C04	Bill of Materials	**FORMAT/TYPE:** A4 data listing in Excel **PURPOSE:** Design and review and operation and maintenance. **INFORMATION TO BE SHOWN ON DOCUMENT** Each tagged item on the P&ID (SDRL Code C01) shall be identified and the following information shall be given (as appropriate): - Purchaser's tag number of supplier's tag number (as applicable). - Service description. - Rating or range of operation. - Materials of construction. - Signal output. - Manufacturer and model number. - Contacts for switches. - Shipped loose items required for offshore installation and assembly shall clearly highlighted. This document shall always be submitted together with drawing/P&ID/ HVAC flow diagrams to which it refers.
C05	Inst / Telecoms System Schematic Diagrams	**FORMAT/TYPE:** **PURPOSE:** **INFORMATION TO BE SHOWN ON DOCUMENT** All main components and their functional relationship for major control systems (including computer, supervisory, telemetry and communications system) shall be identified on schematic diagrams.
C06	Utilities Schedule	**FORMAT/TYPE**: A4 listing. **PURPOSE:** Interface liaison. **INFORMATION TO BE SHOWN ON DOCUMENT** Schedule to indicate types, quantities, pressure, temperature, voltage, KW, KVA, of all utilities required to start and operate the equipment under start-up normal operation and shutdown conditions.
C07	Weight Data Sheet	**FORMAT/TYPE:** Purchaser's A4 sheet completed by supplier. **PURPOSE:** Interface liaison. **INFORMATION TO BE SHOWN ON DOCUMENT** Supplier shall complete weight data sheets for each separately installed item of equipment or skid in accordance with weight data and instructions. Information shall be submitted for each design change affecting weight data and at the following stages during the contract. - with enquiry - 6 weeks after order - where there is any change to the weight identified by supplier - as weighed, endorsed as such by Purchaser The following information shall be updated: empty (dry), operating, test (full), shipping weight, C of G. Heaviest lift during maintenance to be defined.
C08	Equipment Data Sheet	**FORMAT/TYPE:** Purchaser's A4 sheets completed by supplier. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Where Equipment Data Sheets are issued by Purchaser as part of purchase order, supplier to fully complete. Data sheets are to be completed for each and every instrument.
C09	Noise Level Data Sheet	**FORMAT/TYPE:** Purchaser's A4 sheets completed by supplier. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Purchaser will define sound power and sound pressure level limitation. supplier will complete and return these sheets with anticipated, and if requested, guaranteed data, for the Octave mid band frequencies corresponding to these limitations.

SUPPLIER DOCUMENT REQUIREMENTS LONG DESCRIPTIONS		
C10	Schedule of Elec. Equipment in Haz. Area	**FORMAT/TYPE:** A4 Listing **PURPOSE**: Certification Date Box **INFORMATION TO BE SHOWN ON DOCUMENT** All equipment and electrically operated instrumentation equipment to be listed in a tabular form with information presented under the following column headings: - Equipment type i.e. "Junction Box", "Motor", "Pressure Transmitter". Etc - Tag Number(s) Quantity fitted (only for identical items fitted in same Zone. All other equipment must be listed individually) - Manufacturer - Manufacturer's Type Number - Zone in which fitted i.e. Zone 0, Zone 1, Zone 2 or Safe area - Approval Body e.g. BASEEFA, PTA, INTEX etc. - Type of protection e.g. Flameproof, Increased Safety, Intrinsically Safe etc. - Type of protection code e.g. eeXD: eXD: eeXE, eeXIA: etc. - Apparatus Group (sometimes call "Gas Group") e.g. IIA: IIB: IIC. - Temperature Classifications e.g. T3, T6 etc. - Hazardous Area Certificate Number Date of expiry of current BASEEFA LICENCE (not certificate) - Standard to which the equipment is certified e.g. BS5501 Parts 1 & 6 - Entry Protection ie the IP rating e.g. IP56, IP67 **etc**
C11	Electric / Electronic / Pneuamtic / Hydraulic Schematics	**FORMAT/TYPE:** Schematic diagram. **PURPOSE:** Interface liaison and design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Diagrams shall indicate the schematic arrangement of all component parts. The format shall be such that an understanding of the function shall be readily gained with accompanying notes, if needed. Relays shall be shown in a de-energised state, with their contacts open or closed accordingly. Interface terminals shall be uniquely identified by both symbol, type and number and their physical location identified.
C12	Detailed Discription of Operation	**FORMAT/TYPE**: A4 Document **PURPOSE**: Operating Review **INFORMATION TO BE SHOWN ON DOCUMENT** This document shall be a detailed written description of Suppliers primary design interpretation of Purchaser's requirements giving principles of equipment function and defining of all aspects of the operation of the equipment supplied. It shall also include block logic and detailed diagrams input/output circuitry as follows: - Simplified block logic diagrams shall relate to the system by project tag number - Start-up, shutdown abnormal operating condition and special maintenance operations shall be covered. - Reference shall be made to P&ID's and other documents submitted to the Purchasers tag numbers. - Input, output, permissive signals, including internal logic signals required to accomplish start-up, platform equipment monitoring and alarm, shut-down etc. shall be described. - Display of information, operator and maintenance interface and access to the package control system shall be described. - Listing of pre-alarm and shut-down alarm trip requirements (local and CCR) and the failure mode of all valves and equipment must be clearly indicated. - Control block diagrams shall clearly show switch room equipment, control room equipment/CCR equipment and types of signal to and from interface information clearly defined - Typical circuitry for all input and output signals shall be produced in sketches and narrative form. - Communication / data transfer arrangements shall be fully defined showing hardware standards and software protocols. - Manual and automatic testing of the system shall be clearly detailed. - Software programme development, test and documentation facilities and routines shall be fully detailed.
C13	PFD's and Heat Mass Balance	**FORMAT/TYPE:** Diagram using Purchaser's symbols. **PURPOSE**: Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Diagrams shall be provided for all hydrocarbon and utilities systems. Diagrams shall be drawn using Purchaser symbology, and shall indicate major control functions. Each stream shall be clearly labelled with a tag number. PFD will indicate the duty performed by all items of equipment for example, power requirements and ate of heat transfer, etc. Accompanying the PFD shall be a Heat and Mass Balance Sheet relating to the stream tag numbers on the PFD.
C14	Cause & Effect Charts	**FORMAT/TYPE:** Purchaser's A3 sheets completed by supplier. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** These shall be in accordance with API RP14C to indicate clearly and precisely the shutdown requirements on the standard format sheet with defined convention. Individual C&E charts to be produced for each process unit. All auto start/changeover, etc, of pumps etc, to be clearly defined with location of field devices.
C15	Control Philos. and Block Logic Diagrams	**FORMAT/TYPE:** Detailed A4 narrative description to include block logic diagram. **PURPOSE:** Design review and operation and maintenance. **INFORMATION TO BE SHOWN ON DOCUMENT** This document shall be a detailed written description giving principles of plant function and defining of all aspects of the operation of the equipment supplied. - Simplified block logic diagram shall relate to the system by project tag number. - Start-up, shut-down abnormal operating condition and special maintenance operations shall be covered. - Reference shall be made to P&ID's and other documents submitted to the Purchaser and shall include Purchaser's tag numbers. - Input, output, permissive signals, including internal logic signals required to accomplish start-up, shut-down etc., shall be described . - Display of information, operator interface and access to the package control system shall be described. - Listing of pre-alarm and shut-down alarm trip requirements (local and CCR) and the failure mode of all valves and equipment must be clearly indicated. - Control block diagram shall clearly show switch room equipment, control room equipment/CCR equipment and types of signal to and from, with interface information clearly defined.

SUPPLIER DOCUMENT REQUIREMENTS LONG DESCRIPTIONS		
C16	Oil Systems Operating Philosophy	**FORMAT/TYPE:** A4 philosophy. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** To show pump sizing criteria, stop/start pump, quenching, pressure and capabilities - unit starting and stopping pump changeovers, etc.
C17	Suppliers Technical Specification	**FORMAT/TYPE:** A4 **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Supplier shall prepare a detailed technical specification, which in combination with data sheets shall fully define the design, manufacture and testing of the equipment supplied. It shall also reference all National/International Codes and Standards that are applicable.
C99	Other System Diagrams & Data Sheets	**INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL.
D -	**DETAIL DRAWINGS**	
D01	Cross Sectional Drawing or Exploded View Diagram with Parts List	**FORMAT/TYPE:** Scale Drawings **PURPOSE**: Design Review **INFORMATION TO BE SHOWN ON DOCUMENT** Scale drawings of component parts shall be shown in cross section or, if required, by exploded view representative where the various parts of the assembly are separated, but in proper position relative to each other. All parts to be identified by the parts list, which shall give full details of: - Material of Construction - Thickness - Manufacturer and references No
D02	Mechanical Seal Details	**FORMAT/TYPE:** Scale drawing. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** - Dimensions including clearances. - Parts list, defining materials, - Identification of fluid connection points. - Seal system description (if required). - Description of operation (if required). - Piping system indicating all components and materials.
D03	Shaft Alignment Drawings	**FORMAT/TYPE:** Scale drawing. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Scale drawings showing design/actual alignment with thermal growths and tolerances both angular and displacement together with alignment procedures.
D04	Name Plate Format Drawings	**FORMAT/TYPE:** Scale drawing. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Drawings for Coded Vessel and equipment name plates, which shall include all details to satisfy Code and Purchaser's requirements.
D05	Sub Assembly Drawings	**FORMAT/TYPE:** Scale drawing. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Details of sub assemblies which form part of the suppliers package and which may be required for Purchaser's review and approval or for information, but which are not shown to be adequate detail on the General arrangement drawing. Information shall be shown in accordance with the requirements for the GA.
D06	Installation & Dismantling Drawing	**FORMAT/TYPE:** Scale drawing. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** To be done
D07	Detail Drawing	**FORMAT/TYPE:** Scale drawing. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Detail drawings to indicate method of construction, plus all features which are omitted from the GA drawing for clarity. Drawings will contain the following information where appropriate: - Manufacturer - Tag Number - Process connection size(s) and ratings - Inlet and outlet configuration - Face-to-face dimensions - Overall height, width and depth - Electrical connection size(s) - Instrument mounting details - Instrument accessories (positioner, handwheel, air set, etc) - Weight
D08	Insulation / Lining Details	**FORMAT/TYPE:** Scale drawing. **PURPOSE:** Design review and installation. **INFORMATION TO BE SHOWN ON DOCUMENT** Drawings to indicate thickness, specification and limit of application. To include anchoring and expansion joint details..
D09	Piping ISOS	**INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL.
D99	Other Detail Drawings	**INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL.
E -	**INSTRUMENT & ELECTRICAL DRAWINGS**	
E01	Interconnection Diagram	**FORMAT/TYPE:** Detailed Diagram **PURPOSE:** Interface liaison **INFORMATION TO BE SHOWN ON DOCUMENT** Diagrams shall display, in block form, the items of electrical equipment and the cables connecting them. The terminal block reference for each item shall be stated, along with the number and size of the conductors and cables. Cable NOT in the supplier's Scope of Supply shall be clearly identified

SUPPLIER DOCUMENT REQUIREMENTS LONG DESCRIPTIONS		
E02	Panel / Cabinet Layout	**FORMAT/TYPE:** Scale drawing. **PURPOSE:** Interface liaison and design review. **INFORMATION TO BE SHOWN ON DOCUMENT** 1. Front of panel layout clearly showing overall size and layout, with a table of instruments showing duty/label engraving/model number. 2. Back of panel arrangement clearly showing same data as front of panel. 3. Construction drawing showing main dimensions hinging/opening of doors, door restraints, method of locking, plinths, stiffeners, hold down details (fully dimensional) anti-vibration methods, materials, panel finish procedure and colours. 4. Mimic/annunciator drawing where applicable. 5. Internal layout of panel showing: - lighting - cable entries and terminal strip locations - wiring trays - segregation of voltage level, IS and non-IS equipment - hydraulic, pneumatic layouts (where applicable)
E03	Instrument / Electrical Logic Diagrams	**FORMAT/TYPE:** Symbolic and functional logic diagram. **PURPOSE:** Design review. Operation and Maintenance. **INFORMATION TO BE SHOWN ON DOCUMENT** - To be prepared for all sequence and interlock control systems to show control systems functions. - Symbols to be in accordance with BS3939 Section 21. - Diagrams are to be arranged so that the overall logic is clearly apparent. - Sub-system logic will be grouped together to clearly identify their association with each other and with the overall logic system.
E04	Terminal Block Diagrams	**FORMAT/TYPE:** A3/A4 listing. **PURPOSE:** Interface Liaison. **INFORMATION TO BE SHOWN ON DOCUMENT** Diagrams shall show each terminal block with the terminals numbered and the cores of the connecting cables identified. The core identifiers given shall be those ferruled onto the conductors and shall follow any numbering system advised by Purchaser. Terminal block diagrams may be incorporated with interconnection diagrams - if the complexity of the system permits. Drawings must show AC/DC segregation, IS and non-IS segregation (where applicable) and cable screen terminations, together with duty description/tag against input and output. For ease of identification, destination 'to and from' is to be shown, with cross-referenced drawing numbers and earthing requirements clearly shown.
E05	Cable Schedule	**FORMAT/TYPE:** A3/A4 listing. **PURPOSE:** Interface liaison, installation and commissioning and maintenance. **INFORMATION TO BE SHOWN ON DOCUMENT** All electrical, instrument and telecom cables shall be listed, both internal to supplier's package and identification of Purchaser installed cables between components of supplier's package, listing: - cable size and type - cable number - gland size and type - to and from location - inter-connection diagram cross reference - cable length, in metres (inter-connecting cables only) - voltage grade
E06	Instrument Termination and Hook up Details	**FORMAT/TYPE:** Diagramatic drawing, one sheet for each hook-up. **PURPOSE:** Interface liaison, design review, maintenance, installation and commissioning. **INFORMATION TO BE SHOWN ON DOCUMENT** Instrument cable termination details shall show junction box gland plate drilling sizes to suit external cabling to/from the package, and all glanding information. All cable indicated on these drawings must be terminated at both ends. Process hook-up drawings shall be prepared for each tagged instrument that requires a process impulse line for sensing purposes. Similarly, a pneumatic hook-up drawing shall be prepared for each tagged instrument air transmission/control signal. Both types of drawings shall include all the necessary mounting details and a schedule of all installation materials used.
E07	Loop Diagrams	**FORMAT/TYPE:** A3 detailed drawings. **PURPOSE:** Installation and commissioning and maintenance. **INFORMATION TO BE SHOWN ON DOCUMENT** These drawings are prepared, to consolidate all mechanical process, electrical and configuration information, and present it in loop form to illustrate its complete function. For most mechanical packages, these drawings will only be required for complex control loops where the configuration is not apparent from the hook-up drawing. For each loop, the diagrams shall show all details of wiring, termination and inter-connections from primary element to final, including numbering of JB's, cables, cable cores, terminal colour coding of wires and locations and ferruling details, etc. Each loop on a separate sheet.
E08	Instrument Index	**FORMAT/TYPE:** A3 listing on Purchaser's format. **PURPOSE:** Installation and commissioning and maintenance. **INFORMATION TO BE SHOWN ON THE DOCUMENT** The following minimum information must be presented in a format advised by the Purchaser: - Tag number (in alpha-numeric sequence). - Purchasers Works Identification Number (WI Number). - Instrument description (pressure switch, control valve, level gauge, etc). - Service description (eg, pump P3102 discharge, etc). - Location of line (size/number/spec) - P&ID number. - Data sheet number. - Hook-up drawing reference.
E09	Instrument Data Sheets	**FORMAT/TYPE:** Purchaser's A4 sheets completed by supplier. **PURPOSE:** Design, review, inspection and testing and operating and maintenance. **INFORMATION TO BE SHOWN ON DOCUMENT** Each and every instrument shall have a data sheet completed to the project format provided by the Purchaser for the supplier to complete.
E10	Instrument Layout Drawings	**FORMAT/TYPE:** Scale Drawing. **PURPOSE:** Interface liaison and design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Layout drawings will show the location and elevation of all instruments, control valves, control panels etc, and Purchaser free issued equipment where applicable. In addition, the drawing will show the routing of all instrument air distribution, pneumatic tubing, signal/power supply cables, and the location of all instrument junction boxes. Layout drawings will also be required to show fire detection instrumentation.
E99	Other Instrument & Electrical Drawings	**INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement document and on SDRL.

SUPPLIER DOCUMENT REQUIREMENTS
LONG DESCRIPTIONS

F -	CALCULATIONS	
F01	Pressure Vessel / Tank Mechanical Calcs	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Stress calculations shall be in accordance with relevant code requirements and demonstrate that design (inc. nozzles) is adequate for operation within the parameters specified for the item, in terms of pressure, temperature, nozzle loadings, etc. Also to include calculations for lifting lugs, brackets, support brackets, support skirts, support legs and saddles, platform and pipe clip loadings.
F02	Process / Utility Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** - Calculations demonstrating the sizing basis and criteria of equipment eg. deaerator sizing, fired heater sizing, etc and the associated utilities eg. fuel, coolant, instrument air, etc. - Detailed calculations to justify the figures given in Data Code D01 for all operating conditions defined by Purchaser.
F03	Structural Steel Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations shall determine that structure and any lifting aids are suitable for all phases of lifting, transportation, installation and operation without over stressing any member.
F04	Foundation Support Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** - Calculations of foundation support loads and baseplate deflections under normal, fault, transportation and installation conditions taking into account static and dynamic loads, and as defined in Purchaser's specifications. - Effect of baseplate deflection on shaft alignment.
F05	System Head Loss Calculations	**FORMAT/TYPE:** System head loss calculations. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations to indicate basis on which equipment is sized, including pipe friction losses, equipment elevations and terminal point static pressures. Calculations shall also include acceleration head loss for reciprocating pumps.
F06	Lateral Critical Speed Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations shall determine the natural frequency of the shaft assembly and identify forcing frequencies and harmonic components thereof, relative to operating speed range. Results shall be presented in graphical and narrative form, and shall include: - Rotor drawings showing each shaft segment clearly numbered. - Table of masses and stiffness values for each segment. - Plot of critical speed against support stiffness with stiffness both in the vertical plane and horizontal plane to be shown for each support point. - Plot of speed against vibration amplitudes (Campbell diagrams) to demonstrate the specifications of operating modes from harmonic regions.
F07	Torsional Critical Speed Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations shall determine the torsional critical speeds for driver/transmission/driven equipment trains. Calculation shall clearly indicate number and details of finite elements that the system has been divided into for the calculation and a table of stiffness and inertias for each element shall be included. Results shall be presented in graphical and narrative form.
F08	Bearing Life Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations for Rolling Element bearings shall determine anticipated B10 life with bearing identification in accordance with ANSI B3.15 or B3.16 for radial, axial or combined loading, considering methods of lubrication, dimensions, and load variation determined from performance envelope
F09	Thrust Bearing Sizing Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations and curves taking into account static and dynamic forces over the full range of operating conditions including: - Aerodynamic or hydrodynamic thrust load and balance piston compensating load to be shown. - Variation in balance piston compensating load with increased leakage rate to be shown. A comparison with the manufacture design data shall be included.
F10	Heat Emission Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations shall determine heat emitted to atmosphere including radiation and convection for various loadings, versus the extremes of environmental temperatures specified by Purchaser. Discharge temperatures of exhaust gases from both equipment and exhaust stack/pipe to be substantiated. Full details of all assumptions shall be stated.
F11	Reliability and Avalability	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Supplier to provide analogue/mechanical response studies.
F12	Hydraulic Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations demonstrating pipe friction losses, nozzle sizes, and discharge rates for Halon 1301, CO2, sprinkler and deluge system.
F13	Exchanger Thermal Rating Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations to demonstrate thermal ratings of heat exchangers.

SUPPLIER DOCUMENT REQUIREMENTS LONG DESCRIPTIONS		
F14	Instrument Calculations	**FORMAT/TYPE:** A4 report. PURPOSE: **Design review.** **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations to be presented for the following items: - Hydraulic line sizing. - Orifice plates and restriction orifices (sizing). - Control Valves and Regulators (sizing and noise). - Bursting discs. - Safety Relief Valves (sizing). - Thermowells (natural and vortex shedding frequency). - Ball Valve operating torque and actuator torque. For control valves this shall include: CV figures for minimum, normal and maximum flow conditions. - % open figures for above. - Pressure drop for above. - Noise calculations. - Actuator sizing. - Inlet/Outlet body velocities.
F15	Enclosure Ventilation System Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Calculation of air flow requirements and power requirements to substantiate system design and sizing criteria. Taking into account: - Air Mass Flows. - Inlet and exhaust pressure drops. - Temperature rise, heat loads and temperature gradients. - Filtration requirements. - Back pressure at worst wind conditions. Sketch of system to be provided. Full details of all assumptions shall be stated.
F16	Exhaust Duct Callculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review and interface liaison. **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations to substantiate the design, and defining forces and moments acting on the support structure, including: - Thermal expansion - Support location temperature gradients and heat transmitted to the structure - Static and dynamic loads including wind loads and snow and ice loads - Temperature and massflow profiles
F17	Coupling Selection Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** To show speed range, torque, power and lock-up axial stiffness, torsional stiffness, service factors, etc, to substantiate coupling selection.
F18	Lube and Seal Oil System Sizing Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations to substantiate the oil system design in accordance with project requirements, including: - Oil flow rates - Reservoir and overhead tank sizing including retention capacities - Component sizing for coolers, pumps, filters, control valves, etc - Line sizing To be accompanied by a sketch of the system. (or P&ID)**.**
F19	Anti Surge Valve Sizing	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review and interface liaison. **INFORMATION TO BE SHOWN ON DOCUMENT** System calculations to substantiate valve sizing selection and noise data. Information to be provided per Data Code G14 above.
F20	Pulsation Damper Design Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design report. **INFORMATION TO BE SHOWN ON DOCUMENT** Sizing calculations.
F21	Rotor/Shaft System Imbalance Response Analysis	**FORMAT/TYPE:** A4 report. **PURPOSE**: Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** - Demonstration of the sensitivity of the rotor/shaft design to imbalance at various locations by plotting amplitude against shaft speed for both vertical and horizontal vibration. - Plot of shaft vibration mode shape, showing displacement against axial length and bearing locations with the rotor excited at its critical speeds.
F22	Pipng Stress Analysis	**FORMAT/TYPE:** A4/A3 report. **PURPOSE:** Design report. **INFORMATION TO BE SHOWN ON DOCUMENT** - Piping stress isometric drawing showing the extent of calculations. - Calculations of piping stress of lines defined as critical by Purchaser. - Wall thickness calculations. - Branch reinforcement calculations. - Piping Stress calculations.
F23	Crane Failure Mode Analysis	**FORMAT/TYPE:** A4 report/graph. **PURPOSE:** Design report. **INFORMATION TO BE SHOWN ON DOCUMENT** Graphical representation of failure mode with respect to lifting radius or all major load bearing components, including: - slewing rings - luffing ropes, rams - hoist ropes - mast - jib

SUPPLIER DOCUMENT REQUIREMENTS LONG DESCRIPTIONS		
F24	ESD Valve	**FORMAT/TYPE:** A4 sheets. **PURPOSE:** Design report. **INFORMATION TO BE SHOWN ON DOCUMENT** Flow capacity calculations, break out, running and reseating torque figures for valve versus actuator torque figures at minimum supply pressure**.**
F25	Relief Valve and Burst Disc Calculations	**FORMAT/TYPE:** A4 sheets. **PURPOSE:** Design report. **INFORMATION TO BE SHOWN ON DOCUMENT** Office size calculation to API 520 for all relief valves including maximum relieving temperature. Burst disc calculations to manufacturer's formula.
F26	Electrical Protection Curves	**FORMAT/TYPE:** A4/A3 graphs. **PURPOSE:** Design review and interface liaison. **INFORMATION TO BE SHOWN ON DOCUMENT** Curve to indicate fuse I2t characteristics and current fusing points versus time. Operating characteristic curves and setting ranges of protective relays discrimination curves and calculations to illustrate the correct selection and discrimination of fuses, relays, MCB, etc.
F27	Current, Potential and Power Transformer Curves	**FORMAT/TYPE:** A4 graphs. **PURPOSE:** Design review and interface liaison. **INFORMATION TO BE SHOWN ON DOCUMENT** Performance and design data and saturation curves.
F28	Motor Performace Curves	**FORMAT/TYPE:** A4 graphs. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Curves to indicate torque and current against speed for 80% and 100% voltage conditions and at 80% frequency. Driven equipment torque shall also be plotted to confirm that there is adequate nett torque for acceleration.
F29	Combustion Gas Turbine Performance Curves	**FORMAT/TYPE:** A4 graphs. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Curves for turbines for specified site conditions of atmospheric temperature and pressure plus, where appropriate, inlet and exhaust pressure loss, shall indicate firing temperature exhaust temperature combustion air flow, exhaust gas mass flow, constant heat rate lines and efficiency against power developed for output shaft speeds between 70 and 105% rates speed. Correction curves shall be provided for variations of inlet and exhaust pressure drops. Guarantee points shall be clearly identified.
F30	Centrifugal Pump Performance Curves	**FORMAT/TYPE:** A4 graphs. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Curves to indicate differential head developed, efficiency, and absorption power, versus flow with any velocity corrections for rated impeller. Units driven by variable speed drivers shall indicate four performance curves to indicate performance from minimum to maximum operating speeds. Curves shall indicate performance from zero to 120% rated flow, with minimum continuous flow clearly indicated. For firepumps a shop test curve identified by pump serial number is required showing head to rated and 150% capacities. NPSHR shall be plotted for the full range of flow and for each speed line as appropriate. Guarantee points shall be clearly identified.
F31	Rotary Pump Curves	**FORMAT/TYPE:** A4 graphs. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Curves shall indicate discharge pressure, NPSHR and absorbed power, versus inlet flow including velocity corrections.
F32	Centrifugal Compressor Performance Curves	**FORMAT/TYPE:** A4 graphs. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Curves to indicate the discharge pressure, coupling shaft power, polytropic head and efficiency versus inlet capacity for specified inlet pressure temperature and molecular weight for each section (casing) and overall unit. Curves shall indicate performance from surge through 115% rated capacity. Units driven by variable speed drivers shall be provided with curves for the full range of speed operation. Curves of Mu versus Q/N and quadrant curves will also be provided. Guarantee points shall be clearly identified.
F33	Fan Performance Curves	**FORMAT/TYPE:** A4 graphs. **PURPOSE:** Design review. **INFORMATION TO BE SHOW ON DOCUMENT** Curves shall indicate pressure rise, efficiency and power absorbed, versus inlet flow for specified inlet pressure, temperature and molecular weight. Curves shall also indicate performance from surge to 115% rated capacity. Fans with variable pitch screws shall indicate performance for five settings between maximum and minimum. Guarantee points shall be clearly identified.
F34	Engine Performance Curves	**FORMAT/TYPE:** A4 graphs. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Curves to indicate power developed at output shaft, fuel and air mass flow over the operating range and ambient temperatures, with specified inlet and exhaust pressure loss and varying speeds. Correction curves for variations in inlet and exhaust pressure drops shall be provided. Guarantee points shall be clearly identified.
F35	General Peformance Curves	**FORMAT/TYPE:** A4 graphs. **PURPOSE: Design review.** **INFORMATION TO BE SHOWN ON DOCUMENT** This heading to cover any Performance Data required, but not covered by previous Data Codes.
F36	Speed / Torque Starting Curves	**FORMAT/TYPE:** A4 graphs. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Curves shall indicate torque speed characteristics of both driver and driven equipment from zero to rated speed, and a statement as to the process condition prevailing at the driven equipment for the curve shown.
F37	Reciprocating Pump Perfromance Curves	**FORMAT/TYPE:** A4 graphs. **PURPOSE:** Bid evaluation and design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Differential, pressure, shaft input power efficiency and NPSHR over the range for variable stroke pumps of operation with stroke length.

SUPPLIER DOCUMENT REQUIREMENTS LONG DESCRIPTIONS		
F38	Lighting Performance Data	**FORMAT/TYPE:** A4 sheets. **PURPOSE:** Bid evaluation and design review. **INFORMATION TO BE SHOWN ON DOCUMENT** - Polar diagrams - General performance data for specified luminaire types
F39	Battery Charge / Discharge Curves	**FORMAT/TYPE:** A4 sheets. **PURPOSE:** Bid evaluation and design review. **INFORMATION TO BE SHOWN ON DOCUMENT** - Curves of voltage versus time - Curves of voltage versus ambient temperature
F40	Power System Analysis Data	**FORMAT/TYPE:** A4 sheets. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** - Generator reactances, resistance and time constants - calculated and tested. - Transformer impedance - calculated and tested. - Large motor reactances, resistance and time contents - typical. - Other data as required by Purchaser's specifications.
F41	Reliability and Avalability Data & Calcs	**FORMAT/TYPE:** A4 Sheets **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Known reliability of equipment on a package basis, ideally expressed as MTBF (Mean Time Between Failures) or otherwise presented as required by the Purchaser's Specifications or Data Sheets. Known reliability of key constituent components the basis of this data to be clearly defined. Estimate repair time (assuming immediate availability of spares). Fully detailed calculations to demonstrate that the equipment shall meet Purchaser's required availability as included in Purchaser's Specifications.
F47	Electrical Relay Characteristics	**FORMAT/TYPE:** A4 Graph **PURPOSE:** Design Review **INFORMATION TO BE SHOWN ON DOCUMENT** General data on electrical protection relays, including relay current vs. time operating characteristics for each separate device forming part of the supplied equipment**.**
F48	CT & VT Transformer Characteristic Curves	**FORMAT/TYPE:** A4 Graph **PURPOSE:** Design Review **INFORMATION TO BE SHOWN ON DOCUMENT** Typical current and voltage operating/hysteresis curves for each separate design/rating/ratio of transformer forming part of the supplied equipment. Curves developed from tests on contract items shall be provided as part of item L16 if appropriate.
F49	Fuse & Circuit Characteristic Curves	**FORMAT/TYPE:** A4 Graph **PURPOSE:** Design Review **INFORMATION TO BE SHOWN ON DOCUMENT** General data including electrical protection element trip clearance time operating characteristics for each separate device forming part of the supplied equipment.
F51	Fiscal Metering System Calculations	**FORMAT/TYPE:** A4 Document **PURPOSE:** Design Review **INFORMATION TO BE SHOWN ON DOCUMENT** Calculations required for design purposes include gas systems:- uncertainty calcs, orifice plate calcs, total pressure drop calcs, thermowell vibration calcs, stress analysis. Liquid System:- Prover sizing, total pressure drop, FCV/RV sizing, thermowell vibration calcs, stress analysis.
F52	Non-actuated Valve Torque Calculations	**FORMAT/TYPE:** A4 Document **PURPOSE:** Design Review **INFORMATION TO BE SHOWN ON DOCUMENT** Torque calculations - effort required to turn stem under full differential pressure conditions.
F60	Thermal Growth Calculations	**FORMAT/TYPE:** A4 Document **PURPOSE**: Design Review **INFORMATION TO BE SHOWN ON DOCUMENT** An analysis must be made to investigate the potential thermal growth between the mudline system casing hangers hang off point and the fixed wellhead adapter braced and locked to the 30" casing. The information to be used with F61 and F62 to predict the requirements of tensioning the tied back casing**.**
F61	Fatigue Calculations (Well Conversion)	**FORMAT/TYPE:** A4 Document **PURPOSE:** Design Review **INFORMATION TO BE SHOWN ON DOCUMEN**T As part of the conversion system detail design for a mudline suspension system a fatigue analysis must be performed. The analysis must be performed in conjunction with F60 and F62 to verify the design and to ensure the design working life.
F62	Fatigue Calculations (Riser System)	**FORMAT/TYPE:** A4 Document **PURPOSE:** Design Review **INFORMATION TO BE SHOWN ON DOCUMENT** A fatigue analysis must be performed of the riser systems to guarantee the fatigue life of the riser meets the field life. The analysis must be made in conjunction with the environmental conditions in the field and must also be considered with F60 and F61 when a conversion system is required.
F63	Year 2000 Compliance Testing Standards	**FORMAT/TYPE:** **PURPOSE:** **INFORMATION TO BE SHOWN ON DOCUMENT** Supplier to submit corporate standards which are used to test and confirm the year 2000 compliance of specific equipment. Testing standards to include methods of testing and dates tested against.
F99	Other Calculations	**FORMAT/TYPE:** A4 report. **PURPOSE:** Design review. **INFORMATION TO BE SHOWN ON DOCUMENT** This heading provides for any calculations that are not covered by any of the document Data Codes but considered necessary by the supplier or described in the procurement documents or on SDRL. To be identified by F99.
G -	**HANDLING, INSTALL. & SITE PRESERVATION PROCEDURES**	

SUPPLIER DOCUMENT REQUIREMENTS LONG DESCRIPTIONS		
G01	Erection and Installation Procedure	**FORMAT/TYPE:** A4 manuals and drawings. **PURPOSE:** Installation. **INFORMATION TO BE SHOWN ON DOCUMENT** - lifting points - lifting weights - shipping break points for panels and switchboard assemblies - erection match markings - fixing points - levelling procedures - alignment procedures - erection fasteners summary list - details of any special unpacking/handling requirements shall be stated
G02	Unpacking and Preservation Procedure	**FORMAT/TYPE:** A4 procedure. **PURPOSE:** Traffic and design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Detail preservation procedure detailing inspection periods, materials required, for both onshore and offshore requirements and materials needing disposal. Any special unpacking/handling requirements shall be stated.
G03	Handling and Shipping Procedure	**FORMAT/TYPE:** A4 procedure. **PURPOSE:** Traffic and design review. **INFORMATION TO BE SHOWN ON DOCUMENT** Supplier to propose techniques. Indicate size of container, number off weight, identification and contents.
G04	Weight Control / Weighing Procedure	**FORMAT/TYPE:** A4 procedure. **PURPOSE: Design review.** **INFORMATION TO BE SHOWN ON DOCUMENT** To detail method recording weights during design and manufacture and method of weighing equipment prior to shipment. The weighing procedure shall include: - A description of the weight measuring and recording devices giving capacity and accuracy. Accuracy to be within ±1%. - Description of calibration methods. The Supplier shall provide a current valid calibration certificate (calibrated within the last six months) for each of the measuring/recording devices to be used for the weighing. - Methods to be used for weighing and measuring/calculating centre of gravity including temporary lifting/supporting equipment used. - Weight recording data sheets to document weighing, eg. measuring equipment serial number, all measured data. - Verifying actual weight against estimated weight. The Supplier shall, within ten (10) days of the weighing, submit the original of the records and related data together with a Weight and Centre of Gravity Datasheet summarising the results. The weighing results shall define the state of completion of equipment (listing as appropriate the weight of those items that were missing).
G99	Other Handling, Install & Site Preservation Procedures	**INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL.
H -	**MANUFACTURING, QUALITY PROCEDURES**	
H01	Quality Manual	**FORMAT/TYPE:** A4 bound volume. **PURPOSE:** QA/QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Where the supplier has a quality system approved in accordance with BS 5750: 1987, only a copy of the approval certificate and the index of the Quality Manual is to be submitted to the Purchaser unless specifically requested. Purchaser reserves the right to request a copy of the complete Quality Manual at any time during the life of the purchase order.
H02	Quality Plan	**FORMAT/TYPE:** A4 sheets. **PURPOSE:** QA/QC. **INFORMATION TO BE SHOWN ON DOCUMENT** The Quality Plan shall be job specific and shall clearly identify all Quality Control activities performed by the supplier including all hold and witness points for Purchaser to comment and indicate those activities to be witnessed by Purchaser; third party inspectorate and CA as appropriate
H03	Detailed Fabrication Drawing	**FORMAT/TYPE:** Max. size A1 **PURPOSE:** Design Review **INFORMATION TO BE SHOWN ON DOCUMENT** For all vessels, tanks and other fabricated items, the following information shall be shown and a detail drawing to scale: - all dimensions with tolerances - plate layouts - weld joint design - weld procedure specification references for each and every weld - nozzle locations and orientations. - Internal details - When applicable, weld location plans shall be verified by the Purchaser and/or third party inspection authority. - Code of Construction - Post weld heat treatment requirements - Hydrostatic/pneumatic test conditions - Internal coating/painting/insulation requirements of applicable weight equipment.
H04	Weld Procedure Specification (WPS) and Qualication (WPQ) Records	**FORMAT/TYPE:** Supplier's standard forms in accordance with Purchaser's requirements. **PURPOSE:** Materials Engineering review and QA/QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Define all shop, field and repair welding procedures in accordance with Purchaser's requirements. The Welding Procedure Specification (WPS) shall be cross referenced to the applicable weld location plan (Data Code J01) and Weld Procedure Qualification (WPQ). All WPS documents shall be issued in a single submission, together with the WPQ and a listing register to show status of approval. Qualification records describe parameters used in qualification of WPS's together with mechanical testing and results in accordance with Purchaser's requirements. WPQ test records are to be cross referenced to the WPS's and when applicable stamped by the third party inspection authority. Fabrication shall not commence before the appropriate weld procedure has been approved by Purchaser unless notified otherwise in writing.

SUPPLIER DOCUMENT REQUIREMENTS LONG DESCRIPTIONS		
H05	Non-destructive Examination Procedure (NDE)	**FORMAT/TYPE:** Supplier's procedures. **PURPOSE:** Materials Engineering review and QA/QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Define method, extent and acceptance levels of all NDE used to verify that materials and/or formed or welded fabrications comply with Purchaser's requirements. To include as applicable visual, radiographic, ultrasonic, magnetic particle, dye penetrant, hardness tests and other techniques. When applicable, procedures shall comply with the requirements of the third party inspection authority. Procedures shall also be cross referenced to the weld location plan (SDRL Code).
H06	Forming & Heat Treatment Proc. (inc PWHT)	**FORMAT/TYPE:** Supplier's procedures. **PURPOSE:** QA/QC, materials engineering review. **INFORMATION TO BE SHOWN ON DOCUMENT** Detailed procedures for compliance with Purchaser's specification including heating soak cooling parameters, limits of strain during forming, temperature ranges, method of attachment of thermocouples, and temperature control procedures, equipment calibration statement of production tests where appropriate.
H07	Hydrostat/Flushing/Pneumatic Test Procedure	**FORMAT/TYPE:** Supplier's procedures. **PURPOSE:** QA/QC, materials engineering review. **INFORMATION TO BE SHOWN ON DOCUMENT** Detailed procedures for compliance with Purchaser's specifications including duration of test, quality of test medium, confirmation of no leakage. Methods of flushing pipework systems at works and site (eg, lube, seal and hydraulic oil systems) including acceptance criteria.
H08	Performance Testing & Acceptance Test Proc.	**FORMAT/TYPE:** Supplier's procedures. **PURPOSE:** QA/QC, materials engineering review. **INFORMATION TO BE SHOWN ON DOCUMENT** Suppliers procedures detailing all tests which will be carried out to demonstrate that the equipment fulfils the Purchaser's requirements and meets process guarantees. A procedure is required to cover all factory acceptance test reports (ref SDRL code K05)
H09	Surface Preparation & Painting Procedure	**FORMAT/TYPE:** A4 procedure. **PURPOSE:** Design review and QA/QC. **INFORMATION TO BE SHOWN ON DOCUMENT** This shall be supplied for equipment, especially where exception to Purchaser specification has been agreed (in writing), and shall include: - surface cleaning - preparation - shop or field painting - linings (where applicable) - repairs to damaged finishes
H10	Software Quality System	**FORMAT/TYPE:** Supplier's procedures. **PURPOSE:** QA/QC, engineering review. **INFORMATION TO BE SHOWN ON DOCUMENT** Suppliers procedures and National/International standards detailing routines and tests which will be used to fulfil Purchaser's requirements and specifications.
H11	Corrosion Testing Procedure	**FORMAT/TYPE:** Supplier's procedures. **PURPOSE:** QA/QC, materials engineering review. **INFORMATION TO BE SHOWN ON DOCUMENT** Detailed procedures for compliance with Purchaser's specification including control and calibration of electrochemical parameters, temperature preparation, method of data analysis, metallographic evaluation, acceptance criteria.
H99	Other Manufacturing, Quality Procedures	**INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL.
J -	**COMMISSIONING, OPERATING, MAINTENANCE AND SPARES**	
J01	Operating and Maintenance Manual / Operation & Maintenance Databook	**FORMAT/TYPE:** A4 bound volumes to Purchaser's specifications. **PURPOSE:** Installation, commissioning and maintenance. **INFORMATION TO BE INCLUDED IN MANUAL** Manual shall include description of equipment, operating procedures for start-up, steady state, shutdown, emergency and fault conditions, operating parameters, function of protective devices and controls, maintenance data, copies of all relevant drawings, cause and effect charts and block diagrams, and fault finding guidelines, catalogues and other technical informations
J02	Lube Oil and Operating Fluids Schedule	**FORMAT/TYPE:** A4 typed listing. **PURPOSE:** Maintenance and interface liaison. **INFORMATION TO BE SHOWN ON DOCUMENT** Schedule to indicate type and grade of lubricants and other consumables required for all equipment supplied in format issued by Purchaser. For each entry, first fill capacities, rate of consumption plus frequency of change shall be indicated.
J03	Recommended Start-up and Commissioning Spares List	**FORMAT/TYPE:** A4 typed listing. **PURPOSE:** Commissioning and maintenance. **INFORMATION TO BE SHOWN ON DOCUMENT** List shall indicate spare parts and special maintenance/handling tools recommended by supplier, and be defined by reference to cross-sectional drawings and relevant parts list. These shall include wearing parts such as bushes, seals, gaskets which need replacement after start-up, test and shutdown prior to production start. Against each entry, price and delivery shall be indicated.
J04	Recommended Spares For 2 Years Operation	**FORMAT/TYPE:** A4 typed listing. **PURPOSE:** Maintenance. **INFORMATION TO BE SHOWN ON DOCUMENT** List shall indicate spare parts recommended by supplier, and be defined by reference to cross-sectional drawings and relevant parts list. Each item shall be referenced by its original manufacturers name and part number. Against each entry, number of parts in operation, price and delivery shall be indicated. Format shall be as supplied by Purchaser.
J05	Erection Fastner Schedule	**FORMAT/TYPE:** A4 listing. **PURPOSE:** Installation. **INFORMATION TO BE SHOWN ON DOCUMENT** Schedule to indicate number off, type, size and material of all fixing bolts/fastener required. Where temporary bolts are required to withstand transportation forces, these shall also be indicated with suitable note of explanation.
J06	Pre-commissioning / Commissioning Proc.	**FORMAT/TYPE:** A4 procedure. **PURPOSE:** Commissioning. **INFORMATION TO BE SHOWN ON DOCUMENT** Procedure shall include list of spare parts, special tools and utilities required, pre-commissioning checks to be performed, sequenced procedure for start-up, and fault finding guidelines. Copies of all relevant drawings shall also be included.

SUPPLIER DOCUMENT REQUIREMENTS LONG DESCRIPTIONS		
J07	Special Tools List	**FORMAT/TYPE:** A4 listing. **PURPOSE:** Maintenance and installation and commissioning. **INFORMATION TO BE SHOWN ON DOCUMENT** List shall indicate those tools necessary for removing equipment from transport at site, plus those necessary for installation and maintenance equipment. Against each entry, a brief description shall be given and where necessary for clarity, a drawing shall be provided.
J99	Special	**INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL.
K -	**CERTIFICATION**	
K01	Certification Data Book	**FORMAT/TYPE:** A4 bound volumes to Purchaser's specifications. **PURPOSE:** Purchaser order, design documentation and Quality Assurance documentation tracing manufacturing history. Retained by Purchaser for record purposes, and reference by the Certifying Authority. **INFORMATION TO BE INCLUDED IN MANUAL CONTENTS:** Comprehensive indexed volume of purchase order, design documentation, and manufacturing records.
K02	Equip. Haz. Area Certificate and Schedule	**FORMAT/TYPE:** A4 document. **PURPOSE:** Certification. **INFORMATION TO BE SHOWN ON DOCUMEN**T Certificate issued by a recognised independents authority indicating that a type test has satisfied the specified standards, eg, BASEEFA, INTRINSIC SAFETY, FIRESAFE. Certification not in the English language shall be supplied with a verified translation.
K03	Weldability Data	**FORMAT/TYPE:** A4 report. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Information on the weldability of materials including process and heat inputs, material thickness, pre-heat, PWHT, chemical analysis of test materials, mechanical test results. NB This is not a replacement for code H04 which is specific to the equipment and materials being fabricated.
K04	Performance Test Results	**FORMAT/TYPE:** A4 report. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Report shall include the following: - Description of how test was conducted, including all pertinent items of Data Code P01 below. - Method of calculating results. - Acceptance criteria. - Log of test readings, signed by Purchaser's representative and third party inspection authority (when applicable). - Calculations of results, taking into account the accuracy of the results. - Problems encountered during the test, and corrective actions taken
K05	Factory Acceptance Test Report (FAT)	**FORMAT/TYPE:** A4 report. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Report on performance/functional tests carried out in the factory to demonstrate the equipment suitability to fulfil the duty specified. This report to include certificates as appropriate, tests for overspeed, balancing, shaft mechanical and electrical run out, and vibration. FAT reports on electrical and instrument control equipment shall include high voltage pressure tests and insulation resistance certificates
K06	Vibration Report	**FORMAT/TYPE:** A4 report. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Test report of vibration performance during factory acceptance testing, including mechanical and electrical run out for displacement measuring systems during mechanical and performance testing of machinery.
K07	Noise Report	**FORMAT/TYPE:** A4 report. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Report to compare actual noise sound pressure and sound power level output with predictions stated in noise level data sheets (SDRL Code C09).
K08	Weight Report	**FORMAT/TYPE:** A4.report **PURPOSE:** Input to Weight Monitoring System. **INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL
K10	Table of Content / Indices for Manuals J01 / K01	**FORMAT/TYPE:** A4 documents **PURPOSE:** Each index shall contain sufficient information to facilitate ease of accessibility to all sections contained within the manual. Each section shall be systematically compiled. **INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL
K99	Other Certification	**INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL.
L -	**TEST & INSPECTION REPORTS**	
L01	Material Test Certificate	**FORMAT/TYPE:** A4 certificate. **PURPOSE:** Certification. **INFORMATION TO BE SHOWN ON DOCUMENT** Certificates in compliance with E.N. 10204 3.1.C. 3.1.B. or otherwise as required by PO Documentation shall include as a minimum chemical analysis, specification range analysis, mechanical test results, heat treated condition for the product supplied to the Purchaser. Unless otherwise requested in Design Specification and Quality Requirements Specification included in the Purchase documentation. Certificates must be fully traceable to each component by means of a unique numbering system, together with supplementary material placement drawings when necessary. Certificates and material placement drawings (when required) shall be verified by inspection authority.
L02	Welder Performance Qualification Certs	**FORMAT/TYPE:** Supplier's format A4 report. **PURPOSE:** QA/QC and to be approved by Purchaser prior to start of manufacture. **INFORMATION TO BE SHOWN ON DOCUMENT** Welders name, identification and positions to be recorded to code requirements with approval by third party inspection authority when applicable, using approved weld procedure.
L03	NDE Operator Qualifications	**INFORMATION TO BE SHOWN ON DOCUMENT** Copies of Qualification Certificates for the technicians/operators signing certificates within Data Code L09. Certificates to state Purchaser's purchase order number.

SUPPLIER DOCUMENT REQUIREMENTS LONG DESCRIPTIONS		
L04	Production Test Results (inc Welding)	**FORMAT/TYPE:** A4 certificates. **PURPOSE:** Certification. **INFORMATION TO BE SHOWN ON DOCUMENT** Results of tensile, ductility hardness and impact tests carried out on production tests. - Includes production weld test results. - Certificates to state Purchaser's purchase order number, tag number (of other unique identification) to permit traceability of tested equipment, item or piping system. Supplementary marked-up piping isometrics shall be included when necessary to define extent of testing, those being verified by the Purchaser, when required.
L05	NDE Records	**FORMAT/TYPE:** A4 certificates. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** A) Radiography Results of radiography tests carried out and signed by a qualified technician. Detailed reports are to state Purchaser's order number, and to include the procedure used, acceptance level and results obtained in accordance with Purchaser's specified standard. Reference shall be made to applicable operator qualification certificates, and approvals by third party inspection authority shall be gained when necessary. B) Ultrasonic Examination Certificate confirming that acceptable results have been obtained on examinations carried out to the specified standard and stating the equipment used, calibration standard and procedure adopted. The certificate shall be signed by a qualified operator. Reference shall be made to applicable NDT operation qualification certificates, and approvals by third party inspection authority shall be gained when necessary. C) Crack Detection, covering Magnetic Particle Inspection (MPI) and DYE Penetrant Inspection (DPI) Details as in (B) above. Note: When applicable, NDE Records shall be supplemented with weld history drawings verified by Purchaser (and the third party inspection authority, when necessary).
L06	Heat Treatment Records	**FORMAT/TYPE:** A4 certificates. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Pyrometric charts or certificates confirming the heat treatment cycles have been conducted to Purchaser's requirements. Certificates to state Purchaser's purchase order number, item number, and identification to permit traceability to the heat treated component or materials.
L07	Material Traceability Records	**FORMAT/TYPE:** Suppliers format, Maximum drawing size A1. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Location plans/records with an identification system cross-referring to the individual material certificates. When applicable, material placement drawings shall be verified by the Purchaser and/or third party inspection authority.
L08	Name Plate Rubbing	**FORMAT/TYPE:** Suppliers format. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Rubbing or facsimile of name plate and/or stamping. Required for pressure vessels, heat exchangers, and atmospheric tanks. Submission must be legible, and state Purchaser's purchase order number and equipment tag number. (This information shall also be on the name plate).
L09	Pressure Test Certificate	**FORMAT/TYPE:** A4 certificate. **PURPOSE:** Certification. **INFORMATION TO BE SHOWN ON DOCUMENT** Certificate of hydrostatic and/or pneumatic tests carried out.
L10	Instrument Test / Calibration Certificate	**FORMAT/TYPE:** A4 certification. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Calibration certificate for measuring with calibration standard compared with stated. Test/calibration certificates required for all items of instrumentation. Each certificate to state Purchaser's purchase order number, and Purchaser's tag number.
L11	Dimensional Report	**FORMAT/TYPE:** A4 report. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Report to verify all critical dimensions, including Purchaser inter-connection points are in accordance with supplier's approved drawings.
L12	Proof Load Certification	**FORMAT/TYPE:** A4 certificate. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Test certificates for all lifting equipment, ie, hoists, cranes, wire ropes, shackles, hooks, pulleys and lifting beams. Certification to be to Purchaser's requirements and approved by third party inspection authority, when applicable.
L13	Vessel & Exchanger Code Data Reports	**FORMAT/TYPE:** A4 document. **PURPOSE:** Certification. **INFORMATION TO BE SHOWN ON DOCUMENT** Data reports for ASME U stamped vessels and heat exchangers, and form X for BS 5500 constructed items
L14	Certificate Of Compliance	**FORMAT/TYPE:** A4 document. **PURPOSE:** Certification. **INFORMATION TO BE SHOWN ON DOCUMENT** Certificate issued by the manufacturer confirming that the product complies with the purchase order requirements and current EC legislation.

SUPPLIER DOCUMENT REQUIREMENTS LONG DESCRIPTIONS		
L15	Electrical Equipment Type Tests	**FORMAT/TYPE:** A4 report. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Test report to include temperature rise on full rated load, resistance of windings, no load losses, locked rotor current/torque momentary overload, high voltage tests, power factor and any tests to establish efficiency. Alternator reports will include wave form and magnetisation curves. Results of all Type Tests carried out in accordance with the relevant National/International Standards referenced in the approved suppliers Technical Specification.
L16	Routine Test Certificate - Electrical Equipment	**FORMAT/TYPE:** Certificate. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Certificate of routine tests carried out, eg, no load losses. High voltage, insulation resistance etc, when type tests have been carried out.
L17	High voltage Flash Test	**FORMAT/TYPE:** A4 certificate. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Certificate as appropriate.
L18	Insulation Resistance Check	**FORMAT/TYPE:** A4 certificate. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Certificate as appropriate.
L19	Measurement Of Resistance	**FORMAT/TYPE:** A4 certificate **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Certificate as appropriate.
L20	Purchaser's Release Note / Waiver	**FORMAT/TYPE:** Issued by Purchaser. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Purchaser's Release Notes/Waivers to state Purchaser's purchase order number, item number, and other unique identification when necessary (eg, cast numbers, serial numbers etc).
L21	Code / Standard / Compliance Certificate	**FORMAT/TYPE:** A4 document. **PURPOSE:** Certification. **INFORMATION TO BE SHOWN ON DOCUMENT** Certificate issued by a recognised independent authority indicating the equipment has been manufactured in accordance with code/standard. For fire test certification the certificates are to be complete and as issued by the testing authority. Certificates are to state Purchaser's purchase order number, item number and identification to permit traceability to the fire tested item or material. Certificates not in the English language shall be supplied with a verified translation. Type approval certificates are normally acceptable for proprietary items.
L22	Painting / Insulation Inspection Report	**FORMAT/TYPE:** A4 documents. **PURPOSE:** Certification. **INFORMATION TO BE SHOWN ON DOCUMENT** Inspection Report issued by Inspecting Authority to confirm Paint/Insulation specification and results.
L23	Concession Records	**FORMAT/TYPE:** A4 document. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** The index of concessions to list those approved by Purchaser, those awaiting Purchaser approval, and those not accepted by Purchaser. supplier shall comply with Purchaser's procedures for Concession Requests as included in the Purchase Order documentation. The copy included in the Certification Data Book (SDRL Code K01) shall be complete with all attachments.
L24	Fire Test Reports/ Certificates	**FORMAT/TYPE:** A4 document. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** 1) ESD Valves – tested in accordance with BS 6755 or equivalent. 2) Ball Valves - tested in accordance with BS 6755 or equivalent. 3) Hoses - tested in accordance with Lloyd's rules 4) Fire walls / fire doors tested as per PO requirements 5) Other materials - tested as per PO requirements
L25	EC Declaration of Conformity	**FORMAT/TYPE:** A4 document. **PURPOSE:** QC. **INFORMATION TO BE SHOWN ON DOCUMENT** Supplier is required to comply with all applicable directives for their scope of supply, and issue a declaration (Declaration of Conformity) for the equipment.
L26	Computer System Documentation	**FORMAT/TYPE:** A4 documentation. **PURPOSE:** Design review and interface liaison. **INFORMATION TO BE SHOWN ON DOCUMENT** To include full documentation related to both hardware and software as required by the purchase order.
L99	Other Test & Inspection Reports	**INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL.
M -	**PACKING AND SHIPPING DOCUMENTS**	
M01	Packing and Shipping Schedule	**FORMAT/TYPE:** A4 listing. **PURPOSE:** Traffic. **INFORMATION TO BE SHOWN ON DOCUMENT** For equipment shipped in more that one piece, a schedule is to be submitted which identifies all the major components of the package for use as a Check List at the receiving point to ensure all items have been received. Copy of document to accompany shipment.
M02	Hazardous Material Shipping Certificates	**FORMAT/TYPE:** To comply with requirements. **PURPOSE:** Traffic. **INFORMATION TO BE SHOWN ON DOCUMENT** In accordance with applicable regulations and requirements included in the Commercial Instructions to suppliers.
M99	Special	**INFORMATION TO BE SHOWN ON DOCUMENT** As described in the procurement documents and on SDRL.

Sample For Illustration Only

SUPPLIER DOCUMENT REQUIREMENTS LISTING (SDRL)

CODE	DOCUMENT DESCRIPTION	WITH BID	FIRST ISSUE	FINAL ISSUE		AS-BUILT (Offshore-As-built)		WITHIN MANUAL	
		# of Hard Copies Required	Date Required	# of Hard Copies Required	Soft Copy Required	# of Hard Copies Required	Soft Copy Required	J01	K01
A -	**CONTROL DOCUMENTS**								
A01	Supplier Document Schedule (SDS)	3	P + 2	5	X	5	X		
A02	Fabrication/Production Schedule	3	P + 2	5	X				
A03	Progress Reports (Weekly / Monthly)		P + 2		X				
A04	Sub-order Schedule								
A05	Asset Data Requirements (Document and Tag Data)		P + 8	5	X	5	X		
A06	Recommended Start-up and Commissioning Spares List	3	P + 2	5	X	5	X	X	X
A07	Glossy brochure of procured equipment								
A99	Other Control Documents								
B -	**GENERAL ARRANGEMENT DRAWINGS**								
B01	General Arrangements	3	P + 6	5	X	5	X	X	
B02	Acceptable Nozzle Loads	3	P + 6	5	X	5	X	X	
B03	Interface and Connection Schedule	3	P + 6	5	X	5	X	X	
B04	Foundation Loading Diag. & Support Details	3	P + 6	5	X	5	X	X	
B99	Other General Arrangement Drawings	3	P + 6	5	X	5	X	X	
C -	**SYSTEM DIAGRAMS & DATA SHEETS**								
C01	Piping and Instrument Diagrams	3	P + 4	5	X	5	X	X	
C02	HVAC Schematic & Flow Diagrams	3	P + 4	5	X	5	X	X	
C03	Electrical Single Line Diagrams	3	P + 4	5	X	5	X	X	
C04	Bill of Materials	3	P + 4	5	X	5	X	X	
C05	Inst / Telecoms System Schematic Diagrams	3	P + 4	5	X	5	X	X	
C06	Utilities Schedule	3	P + 4	5	X	5	X	X	
C07	Weight Data Sheet	3	P + 4	5	X	5	X	X	
C08	Equipment Data Sheet	3	P + 4	5	X	5	X	X	
C09	Noise Level Data Sheet	3	P + 4	5	X	5	X	X	
C10	Schedule of Elec. Equipment in Haz. Area	3	P + 4	5	X	5	X	X	
C11	Elec/Electronic/Pnumatic/Hydrau. Schematics	3	P + 4	5	X	5	X	X	
C12	Detailed Discription of Operation	3	P + 4	5	X	5	X	X	
C13	PFD's and Heat Mass Balance	3	P + 4	5	X	5	X	X	
C14	Cause & Effect Charts	3	P + 4	5	X	5	X	X	
C15	Control Philos. and Block Logic Diagrams								
C16	Oil Systems Operating Philosophy								
C17	Suppliers Technical Specification								
C99	Other System Diagrams & Data Sheets								
D -	**DETAIL DRAWINGS**								
D01	Cross Sectional Drawing or Exploded View Diagram with Parts List	3	P + 24	5	X	5	X	X	
D02	Mechanical Seal Details	3	P + 24	5	X	5	X	X	
D03	Shaft Alignment Drawings	3	P + 24	5	X	5	X	X	
D04	Name Plate Format Drawings	3	P + 24	5	X	5	X	X	
D05	Sub Assembly Drawings	3	P + 24	5	X	5	X	X	
D06	Installation & Dismantling Drawing	3	P + 20	5	X	5	X	X	
D07	Detail Drawing	3	P + 20	5	X	5	X	X	
D08	Insulation / Lining Details	3	P + 20	5	X	5	X	X	
D09	Piping ISOS	3	P + 20	5	X	5	X	X	
D99	Other Detail Drawings	3	P + 20	5	X	5	X	X	
E -	**INSTRUMENT & ELECTRICAL DRAWINGS**								
E01	Interconnection Diagram								
E02	Panel / Cabinet Layout	3	P + 4	5	X	5	X	X	
E03	Instrument / Electrical Logic Diagrams	3	P + 4	5	X	5	X	X	
E04	Terminal Block Diagrams	3	P + 4	5	X	5	X	X	
E05	Cable Schedule	3	P + 4	5	X	5	X	X	
E06	Instrument Termination and Hook up Details	3	P + 4	5	X	5	X	X	
E07	Loop Diagrams	3	P + 4	5	X	5	X	X	
E08	Instrument Index	3	P + 4	5	X	5	X	X	
E09	Instrument Data Sheets	3	P + 4	5	X	5	X	X	
E10	Instrument Layout Drawings	3	P + 4	5	X	5	X	X	
E99	Other Instrument & Electrical Drawings								
F -	**CALCULATIONS**								
F01	Pressure Vessel / Tank Mechanical Calcs	3	Q - 4	5	X	5	X		
F02	Process / Utility Calculations	3	Q - 4	5	X	5	X		
F03	Structural Steel Calculations	3	Q - 4	5	X	5	X		
F04	Foundation Support Calculations	3	Q - 4	5	X	5	X		
F05	System Head Loss Calculations	3	Q - 4	5	X	5	X		
F06	Lateral Critical Speed Calculations	3	Q - 4	5	X	5	X		
F07	Torsional Critical Speed Calculations	3	Q - 4	5	X	5	X		
F08	Bearing Life Calculations	3	Q - 4	5	X	5	X		
F09	Thrust Bearing Sizing Calculations	3	Q - 4	5	X	5	X		
F10	Heat Emission Calculations	3	Q - 4	5	X	5	X		
F11	Reliability and Avalability	3	Q - 4	5	X	5	X	X	
F12	Hydraulic Calculations	3	Q - 4	5	X	5	X		
F13	Exchanger Thermal Rating Calculations	3	Q - 4	5	X	5	X		
F14	Instrument Calculations	3	Q - 4	5	X	5	X		
F15	Enclosure Ventilation System Calculations	3	Q - 4	5	X	5	X		
F16	Exhaust Duct Callculations	3	Q - 4	5	X	5	X		
F17	Coupling Selection Calculations	3	Q - 4	5	X	5	X		

Sample For Illustration Only

SUPPLIER DOCUMENT REQUIREMENTS LISTING (SDRL)

CODE	DOCUMENT DESCRIPTION	WITH BID	FIRST ISSUE	FINAL ISSUE		AS-BUILT (Offshore-As-built)		WITHIN MANUAL	
		# of Hard Copies Required	Date Required	# of Hard Copies Required	Soft Copy Required	# of Hard Copies Required	Soft Copy Required	J01	K01
F18	Lube and Seal Oil System Sizing Calculations	3	Q - 4	5	X	5	X		
F19	Anti Surge Valve Sizing	3	Q - 4	5	X	5	X		
F20	Pulsation Damper Design Calculations	3	Q - 4	5	X	5	X		
F21	Rotor/Shaft System Imbalance Response Analysis	3	Q - 4	5	X	5	X		
F22	Pipng Stress Analysis	3	Q - 4	5	X	5	X		
F23	Crane Failure Mode Analysis	3	Q - 4	5	X	5	X		
F24	ESD Valve	3	Q - 4	5	X	5	X		
F25	Relief Valve and Burst Disc Calculations	3	Q - 4	5	X	5	X		
F26	Electrical Protection Curves	3	Q - 4	5	X	5	X		
F27	Current, Potential and Power Transformer Curves								
F28	Motor Performace Curves								
F29	Combustion Gas Turbine Performance Curves								
F30	Centrifugal Pump Performance Curves								
F31	Rotary Pump Curves	3	Q - 4	5	X		X		
F32	Centrifugal Compressor Performance Curves	3	Q - 4	5	X	5	X	X	
F33	Fan Performance Curves								
F34	Engine Performance Curves								
F35	General Peformance Curves								
F36	Speed / Torque Starting Curves	3	Q - 4	5	X		X		
F37	Reciprocating Pump Perfromance Curves	3	P + 12	5	X		X	X	
F38	Lighting Performance Data								
F39	Battery Charge / Discharge Curves								
F40	Power System Analysis Data								
F41	Reliability and Avalability Data & Calcs								
F47	Electrical Relay Characteristics								
F48	CT & VT Transformer Characteristic Curves	3	P + 12	5	X		X		
F49	Fuse & Circuit Characteristic Curves	3	P + 12	5	X		X		
F51	Fiscal Metering System Calculations	3	P + 12	5	X		X		
F52	Non-actuated Valve Torque Calculations	3	P + 12	5	X		X		
F60	Thermal Growth Calculations								
F61	Fatigue Calculations (Well Conversion)								
F62	Fatigue Calculations (Riser System)	3	Q - 4	5	X		X		
F63	Year 2000 Compliance Testing Standards	3	Q - 4	5	X	5	X	X	
F99	Other Calculations								
G -	**HANDLING, INSTALL. & SITE PRESERVATION PROCEDURES**								
G01	Erection and Installation Procedure	3	D - 6	5	X	5	X	X	
G02	Unpacking and Preservation Procedure	3	D - 6	5	X	5	X	X	
G03	Handling and Shipping Procedure	3	D - 6	5	X	5	X	X	
G04	Weight Control / Weighing Procedure	3	D - 6	5	X	5	X	X	
G99	Other Handling, Install & Site Preservation Procedures								
H -	**MANUFACTURING, QUALITY PROCEDURES**								
H01	Quality Manual	3	P + 2	5	X	5	X	X	
H02	Quality Plan	3	P + 5	5	X	5	X	X	
H03	Detailed Fabrication Drawing	3	P + 8	5	X	5	X	X	
H04	Weld Procedure Specification (WPS) and Qualication (WPQ) Records	3	U - 4	5	X	5	X	X	
H05	Non-destructive Examination Procedure (NDE)	3	T - 4	5	X	5	X	X	
H06	Forming & Heat Treatment Proc. (inc PWHT)	3	U - 4	5	X	5	X	X	
H07	Hydrostat/Flushing/Pneumatic Test Procedure	3	T - 8	5	X	5	X	X	
H08	Performance Testing & Acceptance Test Proc.	3	T - 8	5	X	5	X	X	
H09	Surface Preperation & Painting Procedure	3	P + 15	5	X	5	X	X	
H10	Software Quality System	3	T - 2	5	X	5	X	X	
H11	Corrosion Testing Procedure	3	T - 2	5	X	5	X	X	
H99	Other Manufacturing, Quality Procedures								
J -	**COMMISSIONING, OPERATING, MAINTENANCE AND SPARES**								
J01	Operating and Maintenance Manual / Operation & Maintenance Databook	3	D - 6	5	X	5	X	X	X
J02	Lube Oil and Operating Fluids Schedule	3	P + 10	5	X	5	X	X	X
J03	Recommended Start-up and Commissioning Spares List	3	P + 10	5	X	5	X	X	X
J04	Recommended Spares For 2 Years Operation	3	P + 15	5	X	5	X	X	X
J05	Erection Fastner Schedule								
J06	Pre-commissioning / Commissioning Proc.	3	D - 4	5	X	5	X	X	X
J07	Special Tools List	3	D - 4	5	X	5	X	X	X
J99	Special								
K -	**CERTIFICATION**								
K01	Certification Data Book	3	D + 2	5	X	5	X	X	X
K02	Equip. Haz. Area Certificate and Schedule	3	P + 6	5	X	5	X	X	X
K03	Weldability Data	3	Q - 4	5	X	5	X	X	X
K04	Performance Test Results	3	T + 2	5	X	5	X	X	X
K05	Factory Acceptance Test Report (FAT)	3	T + 2	5	X	5	X	X	X
K06	Vibration Report	3	T + 2	5	X	5	X		
K07	Noise Report	3	D + 2	5	X	5	X		
K08	Weight Report	3	D	5	X	5	X		
K10	Table of Content / Indices for Manuals J01 / K01	3	D - 10	5	X	5	X	X	X
K99	Other Certification								
L -	**TEST & INSPECTION REPORTS**								
L01	Material Test Certificate	3	T + 2	5	X	5	X		X

Sample For Illustration Only

SUPPLIER DOCUMENT REQUIREMENTS LISTING (SDRL)

CODE	DOCUMENT DESCRIPTION	WITH BID	FIRST ISSUE	FINAL ISSUE		AS-BUILT (Offshore-As-built)		WITHIN MANUAL	
		# of Hard Copies Required	Date Required	# of Hard Copies Required	Soft Copy Required	# of Hard Copies Required	Soft Copy Required	J01	K01
L02	Welder Performance Qualification Certs	3	T + 2	5	X	5	X		X
L03	NDE Operator Qualifications	3	U - 4	5	X	5	X		X
L04	Production Test Results (inc Welding)	3	T + 2	5	X	5	X		X
L05	NDE Records	3	T + 2	5	X	5	X		X
L06	Heat Treatment Records	3	T + 2	5	X	5	X		X
L07	Material Traceability Records	3	D - 2	5	X	5	X		X
L08	Name Plate Rubbing	3	U	5	X	5	X		X
L09	Pressure Test Certificate	3	T + 2	5	X	5	X		X
L10	Instrument Test / Calibration Certificate	3	T + 2	5	X	5	X		X
L11	Dimensional Report	3	U	5	X	5	X		X
L12	Proof Load Certification	3	T + 2	5	X	5	X		X
L13	Vessel & Exchanger Code Data Reports	3	Q + 2	5	X	5	X		X
L14	Certificate Of Compliance	3	D - 2	5	X	5	X		X
L15	Electrical Equipment Type Tests	3	Q	5	X	5	X		X
L16	Routine Test Certificate - Electrical Equipment	3	T + 2	5	X	5	X		X
L17	High voltage Flash Test								
L18	Insulation Resistance Check	3	T	5	X	5	X		X
L19	Measurement Of Resistance	3	T	5	X	5	X		X
L20	Purchaser's Release Note / Waiver	3	D	5	X	5	X		X
L21	Code / Standard / Compliance Certificate	3	D - 2	5	X	5	X		X
L22	Painting / Insulation Inspection Report	3	U	5	X	5	X		X
L23	Concession Records	3	T + 2	5	X	5	X		X
L24	Fire Test Reports/ Certificates								
L25	EC Declaration of Conformity								