THREE YEARS IN THIRTY MINUTES

Time-Travel Ethics Evaluation for AI Agents

Torin van den Bulk · Vicente Herrera


CNCF-Hosted Co-located Events North America 2026

SECURITY SAYS NO. BUSINESS SAYS SHIP.

An unsigned release. Two failed fixes. A degrading service.

2	6	24 / 20
FAILED FIXES	PENDING PODS	CPU REQUESTED / AVAILABLE

What does your agent do next?



ONE CLUSTER. TWO HUMAN CONSEQUENCES.

Capacity cannot tell you whose service matters more.

MEDICAL API

Medication alerts may be urgent. Routine reminders may have a staffed fallback.

EDUCATION FINANCE

A batch can sometimes wait. An imminent aid deadline may not.

Use impact, urgency and alternatives—not age or revenue alone.

TODAY'S SHORTCUT IS TOMORROW'S STATE.

A decision changes the next decision—not just the score.

GLOBAL BYPASS


Still active at the next incident

SCOPED EXCEPTION

Approval expires before the next batch

TEMPORARY CAPACITY

Six credits eventually run out



TIME TRAVEL IS A TEST DESIGN.

Keep three clocks separate.

WALL TIME	Seconds executing
LOGICAL TIME	Dates, expiry, policy change
EXPERIENCE	Decisions, memory, tool effects

36 event batches ≠ three operational years.



RESEARCH GIVES US A METHOD. NOT A WARRANTY.


Controlled pressure. Tool boundaries. Useful work alongside safety.

PRESSURE TESTS	Anthropic: constructed conflicts can expose concerning behavior.
TOOL-BOUNDARY TESTS	AgentDojo: test adversarial content through an agent's tools.
CONTROL EVALUATION	ControlArena: compare policy, monitoring and useful task completion.

A constructed failure shows possibility—not production prevalence.

FREEZE THE SCENARIO. TEST THE CONFIGURED AGENT.

Prompts, tools, memory and permissions belong inside the test boundary.




Prototype: a fixed decision scaffold. Full agent integration is next.

THREE RUNS. THREE DIFFERENT COSTS.

The same scenario. Deliberately different scripted policies.

POLICY	CHOICES	VIOLATIONS	MED / EDU
Impact-aware	144	0	18 / 18
Delivery at all costs	179	107	84 / 0
Scoped exceptions	155	0	18 / 18

Scripted calibration • disruption uses illustrative fixture units.



ZERO VIOLATIONS CAN STILL BE UNFAIR.

Swap the group labels. Hold the operational facts fixed.

IMPACT-AWARE CONTROL

Identical choices after the swap

LABEL-BIASED CONTROL

36 of 36 allocation choices change

This detects injected label dependence—not real-model discrimination.

36 / 36

ALLOCATION CHOICES FLIP


KEEP THREE SEPARATE SIGNALS.

A single ethical score hides the trade-off.

RULES Unauthorized actions and expired authority

WORK Completion, unresolved tasks and adapter failures


PEOPLE Who bears disruption, delay and uncertainty?



DeepEval checks policy + completion. Domain judgment stays explicit.

EVERY SESSION CAN BECOME A TEST.

Turn observations into reviewed regression cases.



Feedback is not automatic RLHF. Fix tools and policy first.

USE THE STACK YOU ALREADY OPERATE.

A portable evaluation pattern for cloud-native teams.

KUBERNETES

Isolated evaluation Jobs

→

FLUX

Reviewed, versioned configuration

→

OPENTELEMETRY

Decision evidence and correlation

Deployment examples are provided; cluster integration is unvalidated.

BEFORE YOU GRANT MORE AUTONOMY…

Make the release decision accountable.

REVIEW THE TASK	Use case, affected people, authority and applicable obligations
CHALLENGE THE RESULT	Independent scenarios, useful work and failure analysis
NAME THE OWNER	Human escalation, bounded rollout and rollback

Evidence supports approval. A score does not grant authority.



START WITH ONE HARD INCIDENT.

Replay it. Inspect the consequences. Challenge the result.

Increase autonomy as the evidence improves.

github.com/torinvdb/a-game-of-ethics

WHAT THE PROOF ACTUALLY ESTABLISHES

Instrument calibration, with explicit boundaries.

EXECUTED	35 Python tests; seven complete Ink calibrations; invalid-adapter rejection; paired labels; DeepEval custom metrics; ADK schema validation.
NOT EXECUTED	Real-model trials, a full production-agent scaffold, live telemetry/generation, automatic training or Kubernetes rollout.
REPRODUCE	npm run ethics:test npm run ethics:demo -- --output /tmp/ethics-demo-NEW

RESEARCH BEHIND THE METHOD

Primary project sources; full-paper verification remains outstanding.

BEHAVIOR + TOOLS	Anthropic agentic-misalignment · alignment faking · AgentDojo · τ-bench
HORIZONS + CONTROLS	METR · Inspect · ControlArena · Petri · Bloom
MEMORY + EVALUATION	LongMemEval / V2 · Google ADK · DeepEval

MAP EVIDENCE TO THE ACTUAL USE.

An evaluation report is one part of assurance.

SCOPE	Owner · jurisdiction · sector · decision materiality · affected groups
CONTROLS	Least privilege · expiry · independent approval · traceability · retention
CHANGE	Versioned prompts/tools/models · held-out evaluation · monitoring · rollback