

### 

Compiled by: Antonius W.  $Torode^1$ 1. Applied Research Laboratories - University Of Texas: Austin Written in:  $\LaTeX$ 



### © 2023 Antonius Torode All rights reserved.

This work may be distributed and/or modified under the conditions of Antonius' General Purpose License (AGPL).

The original maintainer of this work is: Antonius Torode.

The current maintainer of this work is: Antonius Torode.

Chief Editor: Antonius Torode

Published by Antonius Torode.

Hosted at: https://torodean.github.io/

Github Repository: https://github.com/torodean/Antonius-Compendium

Torode, A.
Antonius' Compendium.
Applied Research Laboratories – 2023.
Volume I.
Version: 0.001

#### Preface

This document is a compilation of scratch work, derivations, useful formulas, definitions, constants, and general information used for my own studies as a reference while furthering self education. It's purpose is to provide a complete 'compendium' per say of various mathematical and significant ideas used often. The idea and motivation behind it is to be a quick reference providing easily accessible access to necessary information for either double checking or recalling proper formula for use in various situations due to my own shortcomings in matters of memorization. All the material in this document was either directly copied from one of the references listed at the end or derived from scratch. On occasion typos may exist due to human error but will be corrected when discovered.

The version number is updated every time the document is distributed, printed for distribution, or a major update is added. This ensures that there is no two copies with different information and similar version numbers. The latest update date is automatically set to the current date each time the document is edited. Please refrain from distributing this handbook without permission from the original author/compiler. This book is formatted for printing.

### Topics Covered In This Book

• topic 1 • topic 2

The information in this book is in no way limited to the topics listed above. They serve as a simple guideline to what you will find within this document. For more information about this book or details about how to obtain your own copy please visit:

https://torodean.github.io/

#### Disclaimer

This book contains formulas, definitions, and theorems that by nature are very precise. Due to this, some of the material in this book was taken directly from other sources such as but not limited to Wolfram Mathworld. This is only such in cases where a change in wording could cause ambiguities or loss of information quality. Following this, all sources used are listed in the references section and cited when used.

This page intentionally left blank. (Yes, this is a contradiction.)

# Contents

1	Constants and units	1
<b>2</b>	Geometry and Trigonometry	4
3	Statistics and Probability	5
4	Calculus	6
5	Linear Algebra	7
6	Classical Mechanics	8
7	Statistical Mechanics & Thermodynamics	9
8	Astrophysics	10
9	Electromagnetism	11
10	Quantum Mechanics	<b>12</b>
11	Relativity	13
<b>12</b>	Quantum Field Theory	14
13	Quantum Electrodynamics	15
14	Quantum Chromodynamics	16
15	resources	17
$R\epsilon$	eferences	17

# Constants and units

### 1.0.1: Physical Constants

Constant	Symbol	Value	Units
Speed of light in a vacuum	$c \equiv 1/\sqrt{\mu_0 \epsilon_0}$	$2.99792458 \times 10^{8}$	m/s
Elementary charge	e	$1.602176565(35) \times 10^{-19}$	C
Gravitational constant	G	$6.67384(80) \times 10^{-11}$	$m^3 kg^{-1}s^{-2}$
Avagadro's number	$N_a$	$6.02214129(27) \times 10^{23}$	$\text{mol} \cdot s^{-1}$
Planck constant	h	$6.62606872(52) \times 10^{-34}$	$J \cdot s$
		$4.135668 \times 10^{-15}$	eV·s
	hc	1239.84	eV·nm
Reduced planck constant	$\hbar \equiv h/2\pi$	$1.05 \times 10^{-34}$	$J \cdot s$
Permittivity of the vacuum	$\epsilon_0$	$8.854 \times 10^{-12}$	$C^2N^{-1}m^{-2}$
Permeability of the vacuum	$\mu_0$	$4\pi \times 10^{-7}$	$N/A^2$
Permeability of the vacuum	$\mu_0$	$4\pi \times 10^{-7}$	$N/A^2$
Boltzmann constant	$k_B$	$1.38064852 \times 10^{-23}$	J/K
		$8.61733 \times 10^{-5}$	$\mathrm{eV/K}$
Stefan-Boltzmann constant	$\sigma_{ m B}\equivrac{\pi^2k_B^4}{60\hbar^3c^3}$	$5.670367(13) \times 10^{-8}$	$W \cdot m^{-2} K^{-4}$
Thomson cross-section	$\sigma_e$	$6.652 \times 10^{-29}$	$m^2$
The Bohr Magneton	$\mu_B \equiv \frac{e\hbar}{2m}$	$5.788 \times 10^{-5}$	eV/T
		$9.274 \times 10^{-24}$	$\mathrm{Am^2}$
Mass of an electron	$m_e$	$9.10938291(40) \times 10^{-31}$	kg
		510.9989	$\mathrm{keV}/c^2$
Mass of a proton	$m_p$	$1.6726218 \times 10^{-27}$	kg
		938.27203	$MeV/c^2$
Mass of a neutron	$m_n$	$1.6749274 \times 10^{-27}$	kg
		939.56536	$MeV/c^2$
Unified amu	u	$1.660538782 \times 10^{-27}$	kg
		931.494028	$\mathrm{MeV/c^2}$

### 1.0.2: Stellar Data

Spectral Type	$T_{eff}$ (K)	$M/M_{\odot}$	$L/L_{\odot}$	$R/R_{\odot}$	$V_{mag}$
O5	44,500	60	$7.9 \times 10^{5}$	12	-5.7
B5	15,400	5.9	830	3.9	-1.2
A5	8,200	2.0	14	1.7	1.9
F5	6,440	1.4	3.2	1.3	3.4
G5	5,770	0.92	0.79	0.92	4.9
K5	4,350	0.67	0.15	0.72	6.7
M5	3,170	0.21	0.011	0.27	12.3

### 1.0.3: Astronomical Constants

Constant	Symbol	Value	Units
Mass of Earth	$M_{\oplus}$	$5.974 \times 10^{24}$	kg
Mass of Sun	$M_{\odot}$	$1.989 \times 10^{30}$	kg
Mass of Moon	$M_{\mathcal{O}}$	$7.36 \times 10^{22}$	kg
Equatorial radius of Earth	$R_{\oplus}$	$6.378 \times 10^{6}$	m
Equatorial radius of Sun	$R_{\odot}$	$6.6955 \times 10^{8}$	m
Equatorial radius of Moon	$R_{\mathfrak{C}}$	$1.737 \times 10^{6}$	m
Mean density of Earth		5515	$\mathrm{kg}\cdot\mathrm{m}^{-3}$
Mean density of Sun		1408	$\mathrm{kg}\cdot\mathrm{m}^{-3}$
Mean density of Moon		3346	$\mathrm{kg}\cdot\mathrm{m}^{-3}$
Earth-Moon distance		$3.84 \times 10^{8}$	m
Earth-Sun distance		$1.496 \times 10^{11}$	m
Luminosity of Sun	$L_{\odot}$	$3.839 \times 10^{26}$	W
Effective temp. of Sun		5778	K
Hubble constant	$H_0$	$70 \pm 5$	$\mathrm{km}\cdot\mathrm{s}^{-1}\mathrm{Mpc}^{-1}$
Parsec	pc	206264.81	AU
		$3.0856776 \times 10^{16}$	m
		3.2615638	ly
Astronomical Unit	AU	$1.496 \times 10^{11}$	m
Light year	ly	$9.461 \times 10^{15}$	m
1 year on Earth	yr	365.25	days
		$3.15576 \times 10^7$	S

### 1.0.4: Solar System

Planet	Symbol	Mass (kg)	Radius (m)	Sun-Distance (km)
Mercury	Ϋ́	$3.285 \times 10^{23}$	$2.44 \times 10^{6}$	$5.791 \times 10^{10}$
Venus	φ	$4.867 \times 10^{24}$	$6.052 \times 10^{6}$	$1.082 \times 10^{11}$
Mars	♂	$6.39 \times 10^{23}$	$3.390 \times 10^{6}$	$2.279 \times 10^{11}$
Jupiter	2+	$1.898 \times 10^{27}$	$3.83 \times 10^{11}$	$7.785 \times 10^{11}$
Saturn	ħ	$5.683 \times 10^{26}$	$5.8232 \times 10^{7}$	$1.429 \times 10^{12}$
Uranus	ô	$8.681 \times 10^{25}$	$2.5362 \times 10^{7}$	$2.871 \times 10^{12}$
Neptune	8	$1.024 \times 10^{26}$	$2.4622 \times 10^7$	$4.498 \times 10^{12}$
Pluto	P	$1.309 \times 10^{22}$	$1.187 \times 10^{6}$	$5.906 \times 10^{12}$

#### 1.0.5: Unit conversions

The International System of Units (SI) defines seven units of measure as a basic set from which all other SI units can be derived. These are [length](m), [time](s), [mass](kg),  $[electric current] \equiv [Ampere](A)$ , [temperature](K), [luminous intensity](cd), [amount of substance](mol).

Unit Symbol	Unit	Equivalence
С	[Coulomb]	[Ampere][time]
N	[Newton]	$[\text{mass}][\text{length}][\text{time}]^{-2}$
P	[Pascal]	$[\text{mass}][\text{length}]^{-1}[\text{time}]^{-2}$
J	[Joule]	$[\text{mass}][\text{length}]^2[\text{time}]^{-2}$
W	[Watt]	$[\text{mass}][\text{length}]^2[\text{time}]^{-3}$
		$[Ohm][Ampere]^2$
		$[\text{Volt}]^2[\text{Ohm}]^{-1}$
V	[Volt]	$[\text{mass}][\text{length}]^2[\text{time}]^{-3}[\text{Ampere}]^{-1}$
Wb	[Weber]	$[\text{mass}][\text{length}]^2[\text{time}]^{-2}[\text{Ampere}]^{-1}$
${ m T}$	[Tesla]	$[\text{mass}][\text{time}]^{-2}[\text{Ampere}]^{-1}$
${ m H}$	[henry]	$[\text{mass}][\text{length}]^2[\text{time}]^{-2}[\text{Ampere}]^{-2}$
$\Omega$	[Ohm]	$[\text{mass}][\text{length}]^2[\text{time}]^{-3}[\text{Ampere}]^{-2}$
$\mathbf{F}$	[Farad]	$[\text{mass}]^{-1}[\text{length}]^{-2}[\text{time}]^4[\text{Ampere}]^2$
$_{ m Hz}$	[Hertz]	$[\text{time}]^{-1}$

### 1.0.6: Number Sets $(i \equiv \sqrt{-1})$

Symbol	Set	Symbol	Set
$\mathbb{R}$	Real numbers	Ø	{}
$\mathbb{N} \equiv \mathbb{N}_1$	$\{1,2,3,4,\dots\}$	$\mathbb{Z}$	$\{\ldots,-2,1,0,1,2,\ldots\}$
$\mathbb{Z}^+ \equiv \mathbb{N}_0$	$\{0,1,2,3,\dots\}$	$\mathbb{Z}^-$	$\{0,-1,-2,-3,-4,\dots\}$
$\mathbb{C}$	$\{x+iy x,y\in\mathbb{R}\}$	$\mathbb{Q}$	$\left\{ \frac{x}{y}   x, y \in \mathbb{Z} \right\}$
${\mathbb I}$	$\{ix x\in\mathbb{R}\}$	$\mathbb{U}$	Universal Set <sup>a</sup>
$\mathbb{A}$	Algebraic Numbers $^b$		Transcendental Numbers <sup>c</sup>

<sup>&</sup>lt;sup>a</sup>Definition: The set containing all objects or elements and of which all other sets are subsets.

#### 1.0.7: Mathematical Notation

$\forall$	For all	∃	There exists	·:·	Because
$\in$	Is an element of	∉	Is not an element of	·:.	Therefore
$\Longrightarrow$	Implies	$\iff$	Bi conditional	$\approx$	Approximately
$\longrightarrow$	Mapped to	⊈	Is not a subset of	«	Much smaller than
$\subset$	Is a subset of	$\subseteq$	Is a subset or equal to	>>	Much greater than
$\propto$	Is proportional to	≡	Is equivalent to	U/N	Union/Intersection
$\perp$	Is perpendicular to		Is parallel to	: or	Such that

<sup>&</sup>lt;sup>b</sup>Any number that is a solution to a polynomial equation with rational coefficients.

<sup>&</sup>lt;sup>c</sup>Any number that is not an Algebraic Number.

## Geometry and Trigonometry

**Geometry** is a branch of mathematics that deals with the study of shapes, sizes, positions, and properties of space. It explores the relationships and properties of points, lines, angles, surfaces, and solids. In geometry, fundamental concepts include:

- 1. **Points**: Basic building blocks with no size or dimensions. They are represented by dots and are used to define other geometric elements.
- 2. **Lines**: Straight paths that extend infinitely in both directions. They are made up of an infinite number of points.
- 3. **Angles**: The measure of the rotation between two intersecting lines, rays, or line segments.
- 4. **Polygons**: Closed figures formed by connecting line segments to create shapes like triangles, quadrilaterals, pentagons, etc.
- 5. Circles: A set of points equidistant from a central point, forming a closed curve.
- 6. **Three-dimensional shapes**: Solids such as cubes, spheres, cylinders, pyramids, etc., with length, width, and height.
- 7. Higher-dimensional shapes or objects: In addition to the traditional two-dimensional and three-dimensional shapes, geometry also explores mathematical constructs extended to higher dimensions. These higher dimensions go beyond our familiar three-dimensional space and introduce concepts like 4D, 5D, and higher-dimensional shapes. For example, in 4D space, there could be hypercubes, 4D spheres, and other intriguing structures. While challenging to visualize, these higher-dimensional geometries play a crucial role in theoretical mathematics and various scientific fields, offering unique insights into the nature of space and dimensions beyond our immediate perception.

Geometry plays a significant role in various fields, including architecture, engineering, art, design, physics, and many other disciplines. It helps us understand the physical world and solve problems related to spatial relationships and measurements. Euclidean geometry, founded by the ancient Greek mathematician Euclid, is one of the most well-known and widely studied branches of geometry. However, there are also other types of geometries, such as non-Euclidean geometries, which explore different axioms and concepts, leading to intriguing and diverse mathematical systems.

## Statistics and Probability

**Probability** is a fundamental concept in mathematics and statistics that measures the likelihood of an event occurring. It is represented as a value between 0 and 1, where 0 indicates the event is impossible, 1 denotes certainty, and values between 0 and 1 represent various degrees of likelihood. In simple terms, probability quantifies how probable or likely it is for an event to happen based on the total number of possible outcomes. It helps us make informed decisions, predict outcomes, and understand uncertainty in various real-world scenarios, such as games of chance, weather forecasts, and medical diagnoses. To understand probability on a mathematical level, some definitions of terminology is needed.

A state (or outcome) is particular condition that something is in at a specific time. A system is an activity, experiment, process, or model with states or outcomes that are typically subject to uncertainty. A sample space of an system is the set of all possible states of a system. An event (also may be referred to as a trial or measurement) is any subset or collection of states contained in the sample space of a system. An event is a simple event if it consists of exactly one state and a compound event if it consists of more than one state.

#### Definition 3.0.1: Probability

An **probability** p can be defined as the asymptotic frequency of a system in the state s ( $s \in \Omega$ , where  $\Omega$  is the sample space of the system) by the total number of occurrences of that state  $N_s$  in the limit of an infinite number of events N.

$$p(s) = \lim_{N \to \infty} \frac{N_s}{N} \tag{3.0.1}$$

$$p(s) \in [0, 1] \forall s \in \Omega \tag{3.0.2}$$

For a system with n states, the total probabilities of all states must normalize to one.

$$\sum_{i=0}^{n} p(i) = \sum_{s \in \Omega} p(i) = \lim_{N \to \infty} \frac{1}{N} \sum_{i=0}^{n} N_i = 1$$
(3.0.3)

A Bayesian probability is defined as a person's knowledge of the outcome of a trial, based on the evidence at their disposal - often accompanied by an associated error. A model probability is an assumption or guess for the probability given the possibility of an infinite number of trials.

### Calculus

Calculus is a branch of mathematics that deals with the study of change and motion. It encompasses two main components: differentiation and integration.

- **Differentiation**: This involves finding the rate at which a quantity changes with respect to another variable. The derivative is a fundamental concept in calculus, representing the instantaneous rate of change of a function at a particular point. It helps analyze the behavior of functions, such as finding slopes of curves, determining maximum and minimum points, and understanding the concept of velocity and acceleration.
- Integration: Integration is the reverse process of differentiation. It involves calculating the accumulation or total amount of a changing quantity over an interval. The integral of a function represents the area under the curve of the function over a given range. It is used to solve problems involving areas, volumes, and quantities related to accumulation, such as calculating total distance traveled from a velocity function or finding the area of a region bounded by a curve.

Calculus has numerous real-world applications, ranging from physics and engineering to economics and biology. It provides essential tools for understanding how things change, predicting behavior, and solving complex problems that involve continuous change and motion. Developed independently by Isaac Newton and Gottfried Wilhelm Leibniz in the 17th century, calculus remains a fundamental and powerful branch of mathematics used in various scientific and practical domains.

# Linear Algebra

Linear algebra is a branch of mathematics that focuses on the study of vector spaces, linear transformations, and systems of linear equations. It provides a powerful framework for representing and solving problems involving linear relationships between variables. Key concepts in linear algebra include:

- **Vectors**: Vectors are mathematical objects that represent magnitude and direction. They can be represented as ordered lists of numbers and are used to describe quantities with both magnitude and direction, such as velocity and force.
- Vector Spaces: A vector space is a set of vectors that satisfy certain properties under addition and scalar multiplication. It forms the foundation of linear algebra and allows for the study of linear combinations and transformations.
- Matrices: Matrices are rectangular arrays of numbers or elements, organized into rows and columns. They are used to represent linear transformations and to solve systems of linear equations.
- Linear Transformations: Linear transformations are functions that preserve the structure of vector spaces. They map vectors from one vector space to another while maintaining properties like linearity and preservation of the origin.
- Eigenvalues and Eigenvectors: In linear algebra, eigenvalues and eigenvectors are associated with linear transformations. Eigenvectors are special vectors that remain in the same direction after a linear transformation, and eigenvalues represent how much the eigenvectors are scaled during the transformation.

Linear algebra finds applications in various fields, including physics, computer graphics, engineering, data science, and economics. It plays a fundamental role in solving systems of linear equations, understanding linear transformations, and providing tools to analyze complex systems with multiple variables and interactions. Moreover, it forms the basis for more advanced mathematical concepts and techniques in areas like optimization, machine learning, and numerical analysis.

## Classical Mechanics

Classical mechanics is a branch of physics that describes the motion of objects and systems under the influence of forces. It forms the foundation of mechanics before the advent of quantum mechanics and relativistic physics. Classical mechanics is based on Newton's laws of motion and the concept of conservation of energy and momentum. Key principles and concepts of classical mechanics include:

- Newton's Laws of Motion: Sir Isaac Newton formulated three fundamental laws that govern the motion of objects. The first law (Law of Inertia) states that an object at rest remains at rest, and an object in motion continues to move at a constant velocity unless acted upon by an external force. The second law describes how the acceleration of an object is directly proportional to the net force applied and inversely proportional to its mass. The third law states that for every action, there is an equal and opposite reaction.
- Conservation of Energy: The principle of energy conservation states that the total energy of an isolated system remains constant over time. Energy can transform from one form to another (e.g., kinetic energy to potential energy), but the total amount of energy remains unchanged.
- Conservation of Momentum: The principle of momentum conservation states that the total momentum of an isolated system remains constant, provided no external forces act on it. Momentum is the product of an object's mass and velocity.
- **Gravitation**: Classical mechanics includes the study of gravitational forces between objects, described by Newton's law of universal gravitation. This law explains how objects attract each other with a force proportional to their masses and inversely proportional to the square of the distance between them.
- Harmonic Motion: The study of harmonic motion involves oscillations and vibrations of systems, such as a pendulum or a mass-spring system. These motions follow simple harmonic motion equations and exhibit periodic behavior.

Classical mechanics provides accurate and practical predictions for a wide range of everyday scenarios and macroscopic systems. While it is highly effective in describing the behavior of objects at non-relativistic speeds, it becomes less accurate when dealing with extremely high speeds or microscopic particles, where quantum mechanics and relativistic physics are more appropriate. Nonetheless, classical mechanics remains a crucial and fundamental branch of physics, forming the basis for understanding the motion of everyday objects and engineering applications.

# Statistical Mechanics & Thermodynamics

**Statistical mechanics** is a branch of physics that aims to explain the macroscopic properties of a system (such as temperature, pressure, and entropy) by understanding the behavior and interactions of its microscopic constituents at the atomic or molecular level. It bridges the gap between the microscopic world of particles and the macroscopic world we observe in everyday life. Key concepts and principles of statistical mechanics include:

- Microstates and Macrostates: In statistical mechanics, a system's microstate refers to the specific arrangement and energy distribution of its individual particles. A macrostate, on the other hand, represents the observable properties of the system, such as its temperature, pressure, and volume. The goal of statistical mechanics is to determine the probabilities of different microstates leading to a given macrostate.
- Ensembles: Statistical mechanics uses ensembles, which are collections of similar systems, to study statistical properties. Common ensembles include the microcanonical ensemble (isolated system with constant energy), canonical ensemble (system in thermal contact with a heat reservoir), and grand canonical ensemble (system with exchange of energy and particles with a heat reservoir).
- **Boltzmann Distribution**: The Boltzmann distribution relates the probabilities of different energy states to their corresponding energies and the system's temperature. It allows us to predict how particles are distributed among different energy levels in a system.
- Entropy and Entropy Maximization: Entropy is a fundamental concept in statistical mechanics, representing the measure of a system's disorder or randomness. The second law of thermodynamics states that isolated systems tend to evolve toward states of higher entropy. Statistical mechanics provides a statistical interpretation of entropy and explains the tendency of systems to maximize their entropy over time.
- Statistical Thermodynamics: Statistical mechanics connects with thermodynamics, relating the macroscopic thermodynamic properties (e.g., internal energy, temperature, and heat capacity) to the statistical properties of microscopic constituents. This connection allows us to derive thermodynamic quantities from the statistical behavior of particles.

Statistical mechanics has wide-ranging applications in various scientific disciplines, including physics, chemistry, biology, and materials science. It is essential for understanding phase transitions, chemical reactions, and the behavior of matter under different conditions. Additionally, statistical mechanics forms the basis for exploring complex systems, such as gases, liquids, and solids, and plays a crucial role in the development of many modern technologies.

## Astrophysics

**Astrophysics** is a branch of astronomy that deals with the study of celestial objects, phenomena, and the physical processes that govern the universe. It combines principles of physics with observational data to understand the behavior, composition, and evolution of stars, galaxies, planets, and other cosmic entities. Key areas of study in astrophysics include:

- Stellar Astrophysics: This field focuses on the properties and life cycles of stars. It examines stellar formation, nuclear fusion processes that power stars, their structure, and the various stages of stellar evolution, including the final fate of stars as supernovae, white dwarfs, neutron stars, or black holes.
- Galactic Astrophysics: Galactic astrophysics explores the structure, dynamics, and evolution of galaxies, which are vast collections of stars, gas, dust, and dark matter. It investigates the formation of galaxies, their interactions, and the supermassive black holes at their centers.
- Cosmology: Cosmology studies the large-scale properties and evolution of the universe as a whole. It addresses questions about the universe's origin, its expansion, the distribution of galaxies, dark matter, dark energy, and the ultimate fate of the cosmos.
- Exoplanets and Planetary Systems: This area examines planets outside our solar system (exoplanets) and investigates planetary systems' formation and dynamics. It aims to find potentially habitable exoplanets and understand the diversity of planetary systems in the universe.
- **High-Energy Astrophysics**: High-energy astrophysics focuses on cosmic phenomena that involve extreme conditions, such as black hole accretion disks, active galactic nuclei, gamma-ray bursts, and cosmic rays. It explores high-energy emissions and their impact on the surrounding space.
- **Astrobiology**: Astrobiology is an interdisciplinary field that combines aspects of astronomy, biology, and chemistry to study the potential for life beyond Earth. It seeks to understand the conditions required for life to exist on other planets and moons in our solar system and beyond.

Astrophysicists use various observational and theoretical tools, such as telescopes, space missions, computer simulations, and mathematical models, to unravel the mysteries of the cosmos. Their research not only expands our knowledge of the universe's workings but also addresses fundamental questions about our place in the cosmos and the potential existence of life elsewhere in the universe.

## Electromagnetism

**Electromagnetism** is a branch of physics that deals with the study of electric and magnetic fields and their interactions with charged particles and currents. It unifies two important phenomena: **electricity** and **magnetism**, which were initially considered separate until the 19th century. Key concepts and principles of electromagnetism include:

- Electric Fields: Electric fields are regions around charged particles or objects where electric forces can influence other charged particles. They are represented by vectors, indicating the direction and strength of the force experienced by a test charge placed in the field.
- Magnetic Fields: Magnetic fields arise due to moving charges or currents. They also have a vector nature and affect magnetic objects, such as magnets and magnetic materials. Magnetic fields are created in closed loops and can be visualized using field lines.
- Electromagnetic Waves: Electromagnetic waves are a form of energy propagation resulting from oscillating electric and magnetic fields. These waves do not require a medium for transmission and travel at the speed of light. Light itself is an electromagnetic wave.
- Maxwell's Equations: These are a set of four fundamental equations that form the basis of classical electromagnetism. They describe how electric and magnetic fields are generated by charges and currents and how these fields interact with one another.
- Electromagnetic Induction: Electromagnetic induction is the process where a changing magnetic field induces an electric field, leading to the generation of an electric current in a conductor. This phenomenon is the foundation of electric generators and transformers.
- Electromagnetic Force: Electric and magnetic forces are fundamental forces in nature. Charged particles experience electric forces due to their electric charges, while moving charges experience magnetic forces in the presence of magnetic fields.

Electromagnetism has extensive applications in modern technology and everyday life. It is the basis for the operation of electrical circuits, power generation, telecommunications, and numerous electrical devices. Moreover, it plays a vital role in the understanding of light and optics, electromagnetic radiation, and the behavior of charged particles in magnetic fields, making it one of the fundamental pillars of modern physics. The study of electromagnetism is crucial for advancing technology and our understanding of the natural world.

### Quantum Mechanics

**Quantum mechanics** is a fundamental branch of physics that describes the behavior of matter and energy at the smallest scales, such as subatomic particles and photons. It provides a unique and revolutionary framework for understanding the peculiar and counterintuitive behavior of particles at the quantum level. Key concepts and principles of quantum mechanics include:

- Wave-Particle Duality: One of the central tenets of quantum mechanics is the wave-particle duality. It states that particles, such as electrons and photons, exhibit both particle-like and wave-like characteristics. They can be described by wave functions, which represent probabilities of finding a particle at different locations.
- Quantization of Energy: Quantum mechanics introduced the concept of quantized energy levels, where energy levels of particles are restricted to discrete values rather than continuous values. This is exemplified in the energy levels of electrons in an atom, resulting in the discrete emission and absorption of photons.
- Uncertainty Principle: The Heisenberg uncertainty principle states that it is impossible to simultaneously know both the position and momentum of a particle with absolute precision. The more accurately one quantity is known, the less precisely the other can be determined. This fundamental limitation is inherent in quantum mechanics.
- Quantum Superposition: Quantum systems can exist in a state of superposition, where they are in multiple states simultaneously. For example, an electron can exist in a superposition of spin-up and spin-down states until measured, at which point it collapses into one definite state.
- Quantum Entanglement: Quantum entanglement is a phenomenon where the properties of two or more particles become correlated in such a way that the state of one particle is directly related to the state of another, regardless of distance. This has profound implications for quantum information and potential applications in quantum computing.
  - Quantum Mechanics and Measurement: The process of measurement in quantum mechanics is non-deterministic. Upon measurement, the system's wave function collapses to a specific state corresponding to the observed measurement outcome, introducing inherent randomness into quantum events.

Quantum mechanics has revolutionized our understanding of the subatomic world and is the foundation for modern technologies such as transistors, lasers, and MRI machines. While it has proven to be highly successful in describing the behavior of particles on a small scale, it also challenges our classical intuition and raises profound philosophical questions about the nature of reality and our perception of the universe.

## Relativity

Relativity refers to two groundbreaking theories developed by Albert Einstein: **Special Relativity** and **General Relativity**. Both theories revolutionized our understanding of the universe and how it functions, especially at high speeds and in the presence of strong gravitational fields.

- Special Relativity: Introduced in 1905, Special Relativity deals with the behavior of objects moving at constant velocities, especially near the speed of light. It is based on two postulates: the principle of relativity (laws of physics are the same for all inertial observers) and the constancy of the speed of light in a vacuum. Key principles of Special Relativity include:
  - **Time Dilation**: Moving clocks appear to run slower compared to stationary clocks from the perspective of an observer at rest.
  - Length Contraction: Moving objects appear shorter in the direction of motion relative to a stationary observer.
  - Mass-Energy Equivalence:  $E = mc^2$ , where "E" is energy, "m" is mass, and "c" is the speed of light. This famous equation shows that mass and energy are interchangeable.
- General Relativity: Formulated in 1915, General Relativity is a theory of gravity that describes the curvature of spacetime caused by the presence of mass and energy. Unlike Newtonian gravity, which considers gravity as an attractive force between masses, General Relativity attributes gravity to the curvature of spacetime caused by massive objects. Key principles of General Relativity include:
  - Curved Spacetime: Massive objects like stars and planets curve the fabric of spacetime around them, and other objects move along the curved paths in response to this curvature.
  - Gravitational Time Dilation: Clocks in stronger gravitational fields (e.g., near massive objects) run slower compared to clocks in weaker fields.
  - Gravitational Waves: General Relativity predicts the existence of gravitational waves, ripples
    in spacetime caused by violent cosmic events.

Both Special and General Relativity have been confirmed through numerous experiments and observations, and they have far-reaching implications for our understanding of the cosmos. Special Relativity's effects become significant at high speeds, near the speed of light, while General Relativity is essential for describing gravity and the behavior of massive objects, such as stars, galaxies, and black holes. These theories have not only revolutionized fundamental physics but have also influenced technology, astronomy, and our perception of the nature of space, time, and the universe.

## Quantum Field Theory

Quantum Field Theory (QFT) is a theoretical framework that combines the principles of quantum mechanics with special relativity to describe the behavior of particles as quantized fields. It is one of the fundamental theories in modern theoretical physics and forms the basis for understanding particle interactions at both the microscopic and cosmological scales. Key aspects and principles of Quantum Field Theory include:

- Quantized Fields: In QFT, particles are described not as individual discrete entities but as quantized fields that pervade all of space and time. Each particle type corresponds to a specific field, and particles are represented as excitations or quanta of these fields.
- Lagrangian Formalism: QFT employs a Lagrangian formalism to construct the equations of motion and interactions for the fields. The Lagrangian describes the dynamics and symmetries of the system and allows for the derivation of fundamental equations, such as the equations of motion and scattering amplitudes.
- Creation and Annihilation Operators: QFT introduces creation and annihilation operators to describe particle creation and annihilation processes. These operators act on the field states to generate or destroy particles and provide a mathematical framework for quantized states.
- Feynman Diagrams: Feynman diagrams are a visual tool used in QFT to represent particle interactions and scattering processes. They provide a pictorial representation of complex particle interactions and are instrumental in calculating scattering amplitudes.
- Renormalization: Similar to Quantum Electrodynamics (QED), QFT encounters infinities in certain calculations. Renormalization is a method to remove these infinities and obtain finite, meaningful predictions.
- Gauge Theories: QFT includes gauge theories, which describe interactions involving force-carrying particles (gauge bosons). Examples of gauge theories include Quantum Electrodynamics (QED) and Quantum Chromodynamics (QCD).
- Quantum Electrodynamics (QED): QED is a specific example of Quantum Field Theory that describes the electromagnetic force and its interactions with charged particles through quantized electromagnetic fields and photons.

Quantum Field Theory has proven to be highly successful and is an essential framework for describing and understanding the behavior of elementary particles and their interactions. It is the foundation for the Standard Model of particle physics, which provides a comprehensive description of the known elementary particles and their interactions, except for gravity. Additionally, QFT plays a crucial role in studying fundamental questions about the nature of matter, energy, and the universe at the most fundamental level.

## Quantum Electrodynamics

**Quantum Electrodynamics** (QED) is a quantum field theory that describes the electromagnetic force and its interactions with charged particles, such as electrons and photons. It is considered one of the most successful and accurate scientific theories ever developed and is a cornerstone of modern particle physics. Key aspects and principles of Quantum Electrodynamics include:

- Quantization of Electromagnetic Fields: QED treats the electromagnetic field as a quantum field, where photons are the quantized particles representing the discrete packets of electromagnetic energy.
- Feynman Diagrams: Feynman diagrams are a powerful tool used in QED to visualize and calculate particle interactions. They depict the exchange of photons between charged particles, enabling precise predictions of scattering processes and particle interactions.
- Renormalization: QED encounters infinities in certain calculations due to the self-interactions of charged particles with their own electromagnetic fields. Renormalization is a technique used to remove these infinities, allowing meaningful and accurate predictions.
- Quantum Loops: In QED, particles can interact with each other through quantum loops, where virtual particles (e.g., virtual photons) briefly pop into existence and influence the interactions between charged particles.
- Gauge Invariance: QED exhibits gauge invariance, meaning that different mathematical representations of the theory lead to physically equivalent results. This property ensures that observable quantities are independent of the choice of mathematical description.
- Electron Self-Energy: QED accounts for the electron's self-energy, which arises from its interaction with its own electromagnetic field. This self-energy correction leads to subtle shifts in electron properties, such as its mass and magnetic moment.

Quantum Electrodynamics has been extensively tested through precise experiments and is one of the most accurate and well-validated theories in physics. It successfully explains a wide range of phenomena, including electromagnetic interactions between charged particles, the behavior of light and photons, and the fine structure of atomic spectra. Moreover, QED has been instrumental in the development of other quantum field theories, such as Quantum Chromodynamics (QCD) and the electroweak theory, which describe the strong and weak nuclear forces.

## Quantum Chromodynamics

Quantum Chromodynamics (QCD) is a fundamental theory in particle physics that describes the strong nuclear force, which is responsible for holding quarks together to form protons, neutrons, and other hadrons. QCD is a quantum field theory and is an essential component of the Standard Model, which describes the known elementary particles and their interactions. Key aspects and principles of Quantum Chromodynamics include:

- Quarks and Gluons: QCD postulates the existence of quarks, which are elementary particles that come in six flavors (up, down, charm, strange, top, and bottom). Quarks are bound together by exchanging gluons, which are the force-carrying particles of the strong nuclear force.
- Color Charge: In QCD, quarks carry a property called "color charge," which is analogous to electric charge in electromagnetism but comes in three types: red, green, and blue (plus their corresponding anticolors). Gluons, which also carry color charge, mediate the strong force between quarks.
- Asymptotic Freedom and Confinement: QCD exhibits two remarkable phenomena. At high energies or short distances, the strong force weakens, a property known as "asymptotic freedom." This allows for precise calculations in perturbation theory. However, at low energies or long distances, the force becomes strong, and quarks are confined within hadrons, making isolated quarks inaccessible in nature.
- Lattice QCD: Because QCD becomes strongly coupled at low energies, direct calculations become challenging. Lattice QCD is a numerical approach that uses a discrete space-time lattice to perform non-perturbative calculations of QCD phenomena.
- Hadronization and Hadron Structure: QCD governs the process of hadronization, where quarks and gluons combine to form color-neutral hadrons (e.g., mesons and baryons). QCD also provides insights into the structure and properties of hadrons, such as their masses and decay rates.
- Strong Interactions in Particle Colliders: QCD is crucial in understanding the strong interactions observed in high-energy particle colliders, where quarks and gluons are produced in energetic collisions. The study of these interactions helps test the predictions of QCD and explore new physics.

Quantum Chromodynamics is a fundamental theory in the Standard Model, working in conjunction with Quantum Electrodynamics (QED) and the Electroweak Theory to describe the behavior of elementary particles and their interactions. The study of QCD has led to significant advances in our understanding of the strong force, the nature of matter, and the dynamics of quarks and gluons within hadrons. QCD is also a subject of ongoing research and remains a key area of exploration in particle physics.

### References

- [1] Bauer, W., and Gary D. Westfall. University Physics with Modern Physics. 2nd ed. Vol. 2. New York, NY: McGraw-Hill Companies, 2014. Print.
- [2] http://www.dictionary.com
- [3] Griffiths, David J. Introduction to Electrodynamics. 4th ed. N.p.: Pearson India Education Services Pvt, 2015. Print.
- [4] Griffiths, David J. Introduction to Quantum Mechanics. 2nd ed. Harlow: Pearson, 2014. Print.
- [5] Haberman, R. "Applied Partial Differential Equations: with Fourier series and Boundary Value Problems." 4th ed. Upper Saddle River, New Jersey. 2004. Print.
- [6] Judson T. W. "Abstract Algebra: Theory and Applications." Stephen F. Austin State University. August 5, 2017.
- [7] Reitz, John Richard. Foundations of Electromagnetic Theory. 4th ed. N.p.: Addison-Wesley, 1992. Print.
- [8] Kittel, Charles, and Herbert Kroemer. Thermal Physics. San Francisco: W.H. Freeman, 1980. Print.
- [9] Ross, Kenneth A. Elementary Analysis: The Theory of Calculus 2<sup>nd</sup> edition.
- [10] Ryden, Barbara Sue., and Bradley M. Peterson. Foundations of Astrophysics. San Francisco: Addison-Wesley, 2010. Print.
- [11] "Table of Isotopic Masses and Natural Abundances." (n.d.): n. pag. NC State University. Web. "https://www.ncsu.edu/chemistry/msf/pdf/IsotopicMass\_NaturalAbundance.pdf".
- [12] Taylor, John R. Classical Mechanics. Sausalito, CA: U Science, 2005. Print.
- [13] "Wolfram|Alpha: Computational Knowledge Engine." N.p., n.d. Web. 2016 x
- [14] "Wolfram MathWorld: The Web's Most Extensive Mathematics Resource." Wolfram MathWorld. N.p., n.d. Web.
- [15] Zee, Dennis G. A first Course in Differential Equations with Modeling Applications." Edition 10. Book.
- [16] Taylor, John R. (John Robert), 1939. An introduction to error analysis I John R. Taylor.-2nd ed.

### Index

Angles, 4 Astrobiology, 10 Astrophysics, 10 Asymptotic Freedom and Confinement, 16

Bayesian probability, 5 Boltzmann Distribution, 9

Calculus, 6
Circles, 4
Classical mechanics, 8
Color Charge, 16
compound event, 5
Conservation of Energy, 8
Conservation of Momentum, 8
Cosmology, 10
Creation and Annihilation Operators, 14
Curved Spacetime, 13

Differentiation, 6

Eigenvalues, 7
Eigenvectors, 7
Electric Fields, 11
electricity, 11
Electromagnetic Force, 11
Electromagnetic Induction, 11
Electromagnetic Waves, 11
Electromagnetism, 11
Electromagnetism, 11
Electron Self-Energy, 15
Ensembles, 9
Entropy, 9
event, 5
Exoplanets and Planetary Systems,

Feynman Diagrams, 14, 15

Galactic Astrophysics, 10
Gauge Invariance, 15
Gauge Theories, 14
General Relativity, 13
Geometry, 4
Gluons, 16
Gravitation, 8
Gravitational Time Dilation, 13
Gravitational Waves, 13

Hadron, 16 Hadronization, 16 Harmonic Motion, 8 High-Energy Astrophysics, 10

Integration, 6

Lagrangian Formalism, 14 Lattice QCD, 16 Length Contraction, 13 Linear algebra, 7 Linear Transformations, 7 Lines, 4

Macrostates, 9 Magnetic Fields, 11 magnetism, 11 Mass-Energy Equivalence, 13 Matrices, 7 Maxwell's Equations, 11 Microstates, 9 model probability, 5

Newton's Laws of Motion, 8

Points, 4

Polygons, 4 Probability, 5 probability, 5

Quantization of Electromagnetic Fields, 15 Quantization of Energy, 12 Quantized Fields, 14 Quantum Chromodynamics, 16 Quantum Electrodynamics, 14, 15 Quantum Entanglement, 12 Quantum Field Theory, 14 Quantum Loops, 15 Quantum mechanics, 12 Quantum Superposition, 12 Quarks, 16

Renormalization, 14, 15

sample space, 5 simple event, 5 Special Relativity, 13 state, 5 Statistical mechanics, 9 Statistical Thermodynamics, 9 Stellar Astrophysics, 10 Strong Interactions, 16 system, 5

Three-dimensional shapes, 4 Time Dilation, 13

Uncertainty Principle, 12

Vector Spaces, 7 Vectors, 7

Wave-Particle Duality, 12