

Media_movil.R

Tory Ferrer

2025-09-04

```
# LUIS MIGUEL TORIBIO FERRER
##04/09/2025**
# Semana 5-Media Móvil
# Media móvil para determinar el n ideal rrespecto a la población

data("iris")
View(iris)

setosa <- subset(iris, Species == "setosa")
View(setosa)

# Sumatoria acumulada de la variable Longitud

acum <- cumsum(setosa$Sepal.Length)
acum # Sumatoria acumulada
```

```
## [1] 5.1 10.0 14.7 19.3 24.3 29.7 34.3 39.3 43.7 48.6 54.0 58.8
## [13] 63.6 67.9 73.7 79.4 84.8 89.9 95.6 100.7 106.1 111.2 115.8 120.9
## [25] 125.7 130.7 135.7 140.9 146.1 150.8 155.6 161.0 166.2 171.7 176.6 181.6
## [37] 187.1 192.0 196.4 201.5 206.5 211.0 215.4 220.4 225.5 230.3 235.4 240.0
## [49] 245.3 250.3
```


```
cont <- seq(1:length(setosa$Sepal.Length)) # Continuidad
cont
```

```
## [1] 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
## [26] 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50
```

```
# Crear data.frame -----

set_mov <- data.frame(cont, acum)
View(set_mov)
set_mov$movil <- round(acum/cont,2)

plot(cont, set_mov$movil, type = "l",
      xlab = "Número de observaciones",
      ylab = "Media móvil")
abline(h=mean(setosa$Sepal.Length),
       col = "indianred")
```



```
mean(setosa$Sepal.Length)
```

```
## [1] 5.006
```