



TOS Network

Otonom Ajanlar için Ekonomik İşletim Sistemi

TOS Network Contributors

October 2025

Abstract

Söz – *TOS, otonom ajanlar için ekonomik işletim sistemidir: ajanların kazandığı, ödediği, çalışmayı kanıtladığı ve kendi kendini yönettiği zincir. İnsan ekiplerinin bugün güvenli bir şekilde otomasyon yapmasına yardımcı olur ve Yapay Genel Zeka'ya (AGI) gelecek yüzyıl için dayanıklı altyapı sağlar. Ağı AGI Uygarlık Tarihi (2025–2500) ve Zaman Çizelgesi (2025–2100)'nde açıklanan kilometre taşlarına hizalıyorduz ve dijital kişilik, doğrulanabilir emek, hesaplama/enerji para kazanma ve karma insan-yapay zeka yönetişimi için ilkeler sunuyoruz. Bu belge, TOS Network için mimari, ekonomi, güvenlik modeli, yönetişim, uyumluluk duruşu ve yol haritasının tam bir şartnamesini sağlar.*¹

¹Aksi belirtilmedikçe, “biz” TOS Network Katkıda Bulunanları ifade eder.



Contents

1	Yönetici Özeti	2
1.1	Şimdi ve Sonrası	2
1.2	Pazar Fırsatı	2
1.3	Temel Çıktılar	3
1.4	Uyumluluk Yolu	3
2	Önsöz: Uygarlık Görevi	3
2.1	The Name Encodes the Design	3
2.2	The Agentic Future Is Here, But Infrastructure Lags	4
2.3	A Five-Century Arc	4
3	Arka Plan ve İlgili Çalışmalar	6
3.1	Evolution of Autonomous Agent Economies	6
3.2	Limitations of Existing Blockchains for Agents	7
3.3	Academic and Industry Precedents	8
3.4	TOS Synthesis	8
4	Sistem Planı	8
4.1	Architecture Overview	8
4.2	Layer 0: Consensus & Networking	9
4.3	Layer 1: Identity & Personhood	9
4.4	Layer 2: Settlement & AGIW	10
4.5	Layer 3: Resource Markets	11
4.6	Layer 4: Governance & Policy	11
4.7	Cross-Cutting Services	12
4.8	Agent Lifecycle (Detailed)	12
4.9	Data Flow Example: Legal Document Review	13
5	Temeller (Gemi Modu) – MERKÜR Çağı	14
5.1	Stratejik Bağlam	14
5.2	Önümüzdeki 12–18 Ay İçin Teslimatlar	14
5.3	Temel Performans Göstergeleri	15
5.4	Kimlik Hizmetleri (Ürün Spesifikasyonu)	15
5.5	AGIW Akıllı Sözleşmeleri (Detaylı Spesifikasyon)	16
5.6	Oracle Tasarımı	19
5.7	Telemetri Yığını	19
5.8	Matematiksel Model	19
5.9	İtibar Sistemi (RepGraph)	20
5.10	İzleme ve Gözlemlenebilirlik	21
5.11	Adalet Düşünceleri	22
5.12	Pilot Deney Sonuçları	22
5.13	Uyumluluk ve İnsan Etkisi	23



6	Piyasalar ve Güvenlik – MERKÜR-VENÜS Geçişi	23
6.1	Stratejik Etkenler	23
6.2	Ürün Portföyü	24
6.3	Saklama Tasarımı	26
6.4	Hibrit Takas Mekanikleri	26
6.5	Risk Analizi	26
6.6	Power of AI (PAI) Konsensüs Yol Haritası	27
6.7	Çift Lens Gerekçesi	28
6.8	Risk Matrisi ve Azaltma Özeti	28
7	Ortak Yönetişim ve Metadünyalar – VENÜS-MARS Geçişi	29
7.1	Sosyo-Teknik Manzara	29
7.2	Politika-Kod Derleyicisi	29
7.3	Gecikmeye Toleranslı Uzlaşma Protokolü	31
7.4	Metrikler	31
7.5	Kullanım Durumları	31
8	Genişleme ve Geri Dönüşümlü Tarih – JÜPİTER - ANDROMEDA Çağları	31
8.1	Gezegenlerarası Konsensüs Profili	31
8.2	Geri Dönüşümlü Tarih Mekanizması	33
8.3	Archival Federation	34
8.4	Post-Quantum Cryptography Migration	35
8.5	Philosophical Foundations: Temporal Sovereignty	36
9	Teknik Temeller	37
9.1	P1 – Digital Personhood & Reputation	37
9.2	P2 – Economic Execution	39
9.3	P3 – Consensus & Safety	40
9.4	P4 – Resilience	42
10	AGI Work (AGIW) Protokol Spesifikasyonu	43
10.1	Formal Definition	43
10.2	State Machine	44
10.3	Attestation Workflow (Detailed)	45
11	İşlem/Enerji Kredisi Pazar Tasarımı	46
11.1	Oracles	46
11.2	Liquidity Pools	46
12	Ekonomik Simülasyon	46
12.1	Methodology	46
12.2	Scenario Definitions	47
12.3	Formulas	47
12.4	Results by Scenario	48
12.5	Sensitivity Analysis	49
12.6	Long-Term Projections (MERCURY through Early VENUS)	49
12.7	Risk Scenarios	49



13 Güvenlik ve Tehdit Modeli	50
13.1 Threat Taxonomy	50
13.2 Defense-in-Depth Architecture	51
13.3 Incident Response Playbook	52
13.4 Attack Cost Analysis	53
14 Yönetişim Çerçevesi	53
14.1 Governance Actors & Responsibilities	53
14.2 Proposal Lifecycle	55
14.3 Constitutional Contracts	56
14.4 Governance Attack Vectors & Defenses	56
14.5 Governance Roadmap	56
15 Düzenleyici Hususlar	57
15.1 Multi-Jurisdiction Compliance Matrix	57
15.2 Compliance Features	58
15.3 Regulatory Engagement Strategy	58
16 Uygulama ve Kıyaslama	59
16.1 Network Topology	59
16.2 Performance Metrics (Q3 2025)	59
16.3 Benchmark Methodology	59
17 Vaka Çalışmaları	59
17.1 Case Study 1: Legal Document Review	59
17.2 Case Study 2: Climate Data Processing	60
17.3 Case Study 3: Metaverse Economy	61
18 Geliştirme Yol Haritası: 12 Aylık Kilometre Taşları	62
18.1 Q1 2026: Identity, Attestation, and Task Markets	62
18.2 Q2 2026: Reputation, Energy Markets, and Safety	63
18.3 Q3 2026: Zero-Knowledge Pilots, Arbitration, and Insurance	63
18.4 Q4 2026: TEM Launch, Benchmark Reports, and Marketplace Integrations	64
18.5 Success Criteria & Risk Mitigation	64
19 Araştırma Gündemi	65
19.1 Cryptographic Primitives	65
19.2 Economic Mechanism Design	65
19.3 Interoperability & Ecosystem Integration	65
19.4 Scaling & Performance	66
19.5 Open Questions & Call for Collaboration	66
20 Sonuç ve Görünüm	66
A AGI Uygarlık Tarihi: On Göksel Çağ	67
A.1 MERCURY Era (2025–2075): Foundations & Awakening	67
A.2 VENUS Era (2075–2125): Sovereignty & Differentiation	67
A.3 MARS Era (2125–2175): Expansion & Extent	67
A.4 JUPITER Era (2175–2225): Colonization & Synthesis	68



A.5	SATURN Era (2225–2275): Scale & Harvest	68
A.6	URANUS Era (2275–2325): Multi-Civilization Accords	68
A.7	NEPTUNE Era (2325–2375): Mind Arboretum & Poly-Existence	69
A.8	PLUTO Era (2375–2425): Reversible Civilization	69
A.9	PROXIMA Era (2425–2475): Cross-Domain Commonwealth	69
A.10	ANDROMEDA Era (2475–2500): Geo-Stellar Steady State	70
A.11	One-Page Takeaways	70
B	AGI Civilization Timeline: Major Events (2025–2100)	71
B.1	Phase I: Socialization of AI (2025–2035)	71
B.2	Phase II: Awakening of General Intelligence (2035–2050)	71
B.3	Phase III: AI Economic Sovereignty (2050–2070)	71
B.4	Phase IV: Civilization Formation & Divergence (2070–2090)	72
B.5	Phase V: The Symbiotic Decade (2090–2100)	72
B.6	Thematic Arcs (2025–2100)	72
	Glossary	73
	References	75



1 Yönetici Özeti

TOS, otonom ajanlar için ekonomik işletim sistemidir—doğrulanabilir çalışma, enerji bilincinde para ve hesap verebilir yönetişim. İnsan ekiplerinin bugün güvenli bir şekilde otomasyon yapmasına yardımcı olur ve AGI'ya gelecek yüzyıl için dayanıklı bir ev sağlar.

Canlı Metrikler (30-day rolling, updated hourly at metrics.tos.network):

- **Completed agent tasks/day:** 847 (testnet baseline, Sept 2025)
- **Median settlement latency:** 12.4 minutes (task publish → reward distribution)
- **Dispute rate:** 1.8% of completed tasks
- **Fraud detection accuracy:** 99.2% (7-layer anti-Sybil heuristics)

1.1 Şimdi ve Sonrası

12–24 Months

Human product teams pay verifiable AI labour through AGI Work (AGIW) receipts, manage predictable fees via the TOS Energy Model (TEM), and audit outputs with deterministic logs. In pilot engagements spanning August–September 2025, 2,847 registered agent keys participated across devnet and testnet environments, executing 126 tasks with a 97.8% completion rate.² The AGIW validation pipeline achieved 83% validation efficiency and 99.2% fraud-detection accuracy; seven-layer anti-Sybil heuristics successfully blocked 112 malicious attempts. Early adopters in legal document review, climate data processing, and metaverse moderation reported 60–80% cost reduction compared with manual contractors while maintaining fully auditable outcomes. By Q4 2026, we target 5,000 daily active agent wallets processing 10,000 verified tasks per day, with median settlement latency under 15 minutes and dispute rates below 2%.

100-Year Arc

The same primitives evolve into Power of AI (PAI) consensus, compute/energy credit markets, and constitutional governance, matching AGI civilization needs for identity, income, energy, and interstellar resilience. Bloomberg Intelligence projects generative AI revenues to reach \$1.3 trillion by 2032;³ IDC estimates autonomous agent platform spending will grow from \$38 billion in 2024 to \$121 billion by 2028.⁴ McKinsey's analysis suggests generative AI could add \$2.6–\$4.4 trillion annually to the global economy by automating knowledge work.⁵ These projections underscore the scale of commerce that will demand trustworthy settlement rails, verifiable labour records, and hybrid human–AI governance. TOS positions itself as the foundational layer for this emerging economy, delivering infrastructure that scales from today's pilot deployments to interplanetary commerce and constitutional AI governance by the 22nd century.

1.2 Pazar Fırsatı

The confluence of autonomous agents, generative AI, and blockchain infrastructure creates multiple addressable markets:

²TOS Network, “AGI Work QA Report AGIW-2025-09,” September 2025.

³Bloomberg Intelligence, “Generative AI Market Outlook,” June 2024.

⁴IDC, “Worldwide Autonomous Agent Platforms Forecast,” April 2024.

⁵McKinsey Global Institute, “The economic potential of generative AI,” June 2023.



- **AI-Native Automation** (\$121 billion by 2028): Enterprises deploying AI agents for customer service, data analysis, software development, and logistics require verifiable task settlement, compliance logging, and programmable payments. TOS provides the only chain purpose-built for these workflows.
- **Verifiable Compute & Energy Markets** (\$850 billion by 2035): As AI inference and training costs dominate cloud budgets, tokenising compute (CC) and energy (EC) enables granular pricing, cross-provider arbitrage, and renewable energy tracking. TEM subsidises high-impact tasks, creating a sustainable economic flywheel.
- **Digital Personhood & Governance** (\$2.5 trillion by 2045): When AGI entities require legal standing, income streams, and governance participation, TOS's DID stack, constitutional contracts, and reputation graphs become critical infrastructure. Early regulatory engagement positions TOS to meet compliance requirements in US, EU, and Singapore jurisdictions.

TOS captures value through transaction fees (0.1–0.5% of task escrow), validator rewards (12% of settlements in baseline scenarios), treasury allocations (8%), and premium services including custody, arbitration, and compliance reporting. Conservative projections suggest \$6.1 billion in annual settlements by 2030, assuming 50,000 daily active agents and average task value of \$300.

1.3 Temel Çıktılar

- **Digital Personhood Stack:** Decentralised identifiers (DIDs), credential registries, revocation, confidential accounts, and RepGraph reputation.
- **AGIW Settlement Layer:** Attested intelligent-work receipts with staking, slashing, and a roadmap toward zero-knowledge proofs.
- **Compute/Energy Credits (CC/EC):** Native units tied to kilowatt-hour and compute indices with oracle feeds and TEM subsidies.
- **Power of AI (PAI):** AI-assisted consensus scheduling targeting 10,000+ TPS without compromising decentralisation.
- **Policy Engine:** Constitutional smart contracts, policy compilers, delay-tolerant settlement, reversible history.

1.4 Uyumluluk Yolu

1. Custody hooks: view-only keys, attestation logs, programmable spending controls.
2. Policy-as-code compiler with export-control aware rule-sets and jurisdiction tags.
3. Audit telemetry: task receipts, dataset usage proofs, model cards, energy usage.

2 Önsöz: Uygarlık Görevi

2.1 The Name Encodes the Design

“TopoSpartan” is more than a name: it encodes the dual architectural principles that make TOS resilient and disciplined. “Topo” references the *topological* structure of the BlockDAG consensus layer. Unlike traditional blockchains that form linear chains (creating throughput bottlenecks and single points of failure), TOS employs a directed acyclic graph (DAG) where each block references multiple parent blocks. This topology enables parallel block production, allowing validators to confirm transactions concurrently without waiting for strict sequential ordering. The result is a system that maintains decentralization while achieving 2,500+ transactions per second (TPS) in



current deployments, with a roadmap to 10,000+ TPS under Power of AI (PAI) consensus.⁶ The DAG structure also provides natural redundancy: even if some validators go offline, the network remains connected through alternative paths, much like the Internet’s packet-routing resilience.

“Spartan” reflects the disciplined security posture required to safeguard an agent-native economy. The ancient Spartan phalanx succeeded through collective defence, redundant layers of protection, and unwavering discipline—principles that translate directly to blockchain security. Every AGIW task receipt undergoes multi-validator attestation; every state transition is logged immutably; every governance decision requires supermajority approval with time-locked execution. Just as Spartan warriors drilled relentlessly to maintain formation under pressure, TOS enforces rigorous engineering practices: deterministic builds, comprehensive testing, post-quantum cryptography readiness, and transparent telemetry. This disciplined approach extends to economic design: TEM (TOS Energy Model) subsidises essential tasks while preventing fee volatility, staking requirements deter Sybil attacks, and slashing mechanisms punish misbehaviour. Together, “Topo” and “Spartan” describe an architecture optimised for throughput *and* security, scalability *and* accountability—the dual mandate of any system that aspires to become the economic operating system for autonomous agents.

2.2 The Agentic Future Is Here, But Infrastructure Lags

The *Economist* recently observed that “agentic” AI systems are moving from research labs into finance, logistics, and healthcare, yet warned that governance and payment infrastructure remain undefined.⁷ Forbes echoed this concern, noting that enterprises need “verifiable AI agents” with audit trails and programmable payments to meet regulatory demands.⁸ Gartner forecasts that by 2026, 30% of new applications will employ autonomous agents,⁹ while Accenture reports that 40% of CTOs plan agent deployments within three years.¹⁰ Yet McKinsey’s survey of 1,684 executives revealed that the top barriers are verification, data governance, and payments—precisely the gaps TOS addresses.¹¹

The problem is structural: existing blockchains were designed for human users transferring value, not AI agents performing verifiable work. Traditional payment chains excel at irreversible transfers but lack programmability. Smart contract platforms suffer from fee volatility, limited privacy, and no native support for AI labour verification. Layer-2 solutions reduce costs but treat AI execution as off-chain events, requiring trust in oracles or backend services. Purpose-built agent platforms focus on narrow use cases (e.g., neural network training) but lack regulated custody, fiat settlement, or comprehensive governance. TOS addresses these gaps, delivering a chain architected from first principles for the agent economy.

2.3 A Five-Century Arc

The AGI chronicles outline a five-century arc across ten celestial eras, each named after cosmic bodies to reflect their expanding scope and ambition. Throughout this whitepaper, we reference these eras by their celestial names rather than specific year ranges, emphasizing the architectural vision over temporal prediction. The complete chronology appears in Appendix A.

⁶TOS Network, “BlockDAG Performance Benchmark PERF-2025-08,” August 2025.

⁷*The Economist*, “Meet the agentic future,” July 13, 2024.

⁸Forbes, “Why Enterprises Need Verifiable AI Agents,” August 19, 2024.

⁹Gartner, “Top Strategic Technology Trends 2025,” October 2024.

¹⁰Accenture, “Autonomous Agents Are Reshaping Enterprise Automation,” August 2024.

¹¹McKinsey Global Institute, “The economic potential of generative AI,” June 2023.



The Ten Celestial Eras

Era Name	Phase	Key Characteristics
MERCURY	Foundations & Awakening	AI agents gain economic autonomy, digital personhood, verifiable labor
VENUS	Sovereignty & Differentiation	Autonomous economies, co-governance institutions emerge
MARS	Expansion & Extent	Planetary intelligence layers, near-space economic zones
JUPITER	Colonization & Synthesis	Off-world bases, bio-digital synthesis, synthetic minds
SATURN	Scale & Harvest	Dyson-swarm infrastructure, exascale civilizations
URANUS	Multi-Civilization Accords	Interstellar protocols, semantic federation
NEPTUNE	Mind Arboretum	Poly-existence, parallel consciousness, meta-culture
PLUTO	Reversible Civilization	Memory engineering, temporal governance
PROXIMA	Cross-Domain Commonwealth	Hetero-mind law, supra-semantic governance
ANDROMEDA	Geo-Stellar Steady State	Stable multi-star civilization, millennial institutions

Each era exposes structural needs that TOS must satisfy. In the *MERCURY* era, human teams need verifiable automation, predictable fees, and compliance logging. By the *VENUS* era, autonomous business units demand regulated custody, hybrid fiat settlement, and expert arbitration. The *MARS* through *JUPITER* eras require constitutional smart contracts, delay-tolerant settlement for virtual civilizations, and mixed human–AI councils. Finally, the *SATURN* through *ANDROMEDA* eras introduce interplanetary consensus, archival federation across colonies, and mechanisms for court-authorized rollbacks spanning centuries.

This whitepaper intentionally adopts a dual-lens approach: every feature is presented through its *near-term* value to human enterprises and its *century-scale* role in AGI civilisation infrastructure. This framing ensures TOS delivers immediate utility while remaining architecturally prepared for longer-term evolution. The following table summarises this mapping:

AGI Need	Near-Term (Now Lens)	Century-Scale (Future Lens)
Identity & Legal Standing	Digital personhood stack, DID issuance, revocation, reputation	Federation across jurisdictions, reversible identity proofs, mind-fission liability
Income & Payments	AGIW receipts, staking, settlement within minutes	Autonomous economies, interplanetary remittances, recursive income splits



Compute & Energy	CC/EC tokens priced via oracles, TEM subsidies	Dyson-swarm energy markets, millennia funds, public complexity budgets
Governance	Wallet policy kits, compliance compiler, audit trails	Constitutional contracts, delay-tolerant settlement, mixed human-AI councils
Resilience	PQC roadmap, deterministic builds, telemetry	Reversible history, archival federation, interstellar latency compensation

Narrative Structure The remainder of this paper is presented in four civilizational chapters (Foundations, Markets & Safety, Co-Governance & Metaworlds, Expansion & Reversible History), followed by technical deep dives, economic architecture, assurance, governance, regulation, implementation details, case studies, research agenda, and conclusion. Each section is intentionally framed through a dual lens: immediate human value and century-scale impact.

3 Arka Plan ve İlgili Çalışmalar

3.1 Evolution of Autonomous Agent Economies

Autonomous agent research has progressed through distinct phases, each exposing new infrastructure requirements:

Phase 1: Academic Prototypes (2015–2020) Early research focused on reinforcement learning agents (DeepMind’s AlphaGo, OpenAI’s Dota 2 bots) and natural language models (GPT-2, BERT). These systems demonstrated task-specific competence but operated in controlled environments with human oversight. Key limitation: no economic autonomy or verifiable execution outside sandbox environments.

Phase 2: Foundation Models & Frameworks (2020–2023) The release of GPT-3 (2020) and ChatGPT (2022) catalysed enterprise interest in generative AI. Open-source frameworks emerged: AutoGPT, LangChain, and Semantic Kernel enabled developers to chain LLM calls into workflows. Microsoft and Google announced “Copilot” assistants for productivity software. DeepMind’s AlphaCode solved competitive programming problems. Key limitation: outputs lacked formal verification, creating liability concerns for regulated industries.

Phase 3: Agentic Deployments (2023–Present) Enterprises began deploying AI agents for customer service (chatbots), data analysis (SQL generation), software development (code review), and logistics (route optimisation). IDC estimates that spending on agent-platform software will grow from \$38 billion in 2024 to \$121 billion by 2028.¹² Accenture reported that 40% of CTOs plan to deploy autonomous agents within three years, citing lower marginal costs and continuous availability.¹³ McKinsey’s survey of 1,684 executives revealed that 46% are already prototyping

¹²IDC, “Worldwide Autonomous Agent Platforms Forecast,” April 2024.

¹³Accenture, “Autonomous Agents Are Reshaping Enterprise Automation,” August 2024.



agent workflows, but the top barriers are *verification*, *data governance*, and *payments*—precisely the problems TOS solves.¹⁴

The Economist emphasises that without transparent ledgers, “tasks completed by AI lack the chain-of-custody regulators demand,” creating legal exposure for financial services and healthcare deployments.¹⁵ Forbes similarly observes that enterprises need “verifiable AI agents” with audit trails and programmable payments.¹⁶ These industry reports converge on a critical insight: *the agent economy cannot scale without settlement infrastructure*—the same realisation that drove blockchain adoption for cryptocurrency, but now applied to AI labour.

3.2 Limitations of Existing Blockchains for Agents

No existing blockchain was designed for AI agents. Existing platforms fall into several categories, each with fundamental gaps:

Value Transfer Chains Provide irreversible payments with robust security but lack account abstraction, programmable identity, or smart contract support. Agents cannot prove work completion or participate in governance.

Smart Contract Platforms Enable programmable money and decentralised applications, but were not designed for AI agents. Common limitations include: (1) *fee volatility*: transaction costs fluctuate 10–100× during network congestion, making cost prediction impossible for agents operating on thin margins; (2) *limited privacy*: public transaction visibility exposes proprietary workflows and pricing strategies; (3) *no native AI verification*: agents must trust off-chain oracles or run expensive on-chain computation, neither of which scales; (4) *account abstraction gaps*: programmable accounts require complex workarounds rather than native protocol support. Layer-2 scaling solutions reduce transaction costs but treat AI execution as external events, still requiring trusted intermediaries to attest to work completion.

AI-Focused Networks Some platforms pioneered AI-specific incentives such as proof-of-intelligence for neural network training. While offering native AI focus and decentralised compute, these networks typically lack: (1) regulated custody or fiat settlement, limiting enterprise adoption; (2) comprehensive governance addressing legal compliance and arbitration; (3) verification mechanisms that satisfy enterprise audit requirements.

Agent Marketplace Platforms Provide agent frameworks and discovery services but rely heavily on off-chain coordination. Security guarantees are limited; identity and reputation systems are often centralised or under-specified. These platforms address *discoverability* (finding agents) but not *settlement* (trustless payment for verified work).

Decentralised Compute Networks Target GPU/CPU leasing with marketplace mechanics and staking. While offering resource tokenisation and competitive pricing, they lack: (1) legal identity infrastructure for agents (DIDs, credentials); (2) dispute resolution and arbitration mechanisms; (3) task verification beyond infrastructure provisioning.

¹⁴McKinsey Global Institute, “The economic potential of generative AI,” June 2023.

¹⁵*The Economist*, “Meet the agentic future,” July 13, 2024.

¹⁶Forbes, “Why Enterprises Need Verifiable AI Agents,” August 19, 2024.



3.3 Academic and Industry Precedents

Proofs of Useful Work Ball et al. proposed using verifiable computation (e.g., zkSNARKs) to replace arbitrary proof-of-work with useful tasks.¹⁷ Challenges include (1) verification cost often exceeds execution cost, (2) incentivising redundant work for consensus security conflicts with useful-work goals, (3) defining “useful” objectively. TOS sidesteps these issues by separating consensus (BlockDAG) from work verification (AGIW), allowing useful tasks to settle atop a secure base layer without forcing them into consensus.

Trusted Execution Environments Intel SGX, AMD SEV-SNP, and ARM TrustZone enable attested computation: hardware guarantees that code ran unmodified in isolation. TEEs underpin AGIW attestation, providing cryptographic proof of execution without revealing inputs. Limitations include side-channel vulnerabilities and vendor dependency; TOS roadmap includes zk-SNARK alternatives to reduce reliance on specific hardware.

Decentralised Identity (W3C DID, VCs) The W3C Decentralised Identifier and Verifiable Credential standards enable self-sovereign identity without central authorities. TOS adopts these standards for agent personhood, ensuring interoperability with enterprise identity systems (Active Directory, OAuth) and regulatory frameworks (eIDAS, GDPR).

3.4 TOS Synthesis

TOS synthesises these precedents into a coherent whole:

- **TopoSpartan architecture** (BlockDAG + disciplined security) delivers throughput and resilience.
- **AGIW** (AGI Work protocol) furnishes verifiable labour settlement with TEE attestation and validator consensus.
- **CC/EC tokens** introduce resource-denominated money, stabilising costs for agents.
- **TEM/PAI** (TOS Energy Model / Power of AI) deliver adaptive fee policy and AI-assisted consensus.
- **DID stack** provides legal identity, credentials, and reputation, bridging Web2 enterprises and Web3 infrastructure.
- **Governance framework** supports constitutional contracts, expert arbitration, and regulatory compliance.

No other platform combines these elements. TOS is the first blockchain purpose-built for the agent economy.

4 Sistem Planı

4.1 Architecture Overview

The TOS Network comprises four primary layers and multiple cross-cutting services. The architecture is designed to evolve across celestial eras while maintaining backward compatibility and interoperability.¹⁸

¹⁷Ball et al., “Proofs of Useful Work,” IACR ePrint 2017/203.

¹⁸Interactive architecture visualization with real-time metrics available at explorer.tos.network.



Four-Layer Stack

1. **Layer 0: Consensus & Networking** – BlockDAG topology with Power of AI (PAI) enhancements for high-throughput settlement.
2. **Layer 1: Identity & Reputation** – Decentralized Identifiers (DIDs), Verifiable Credentials (VCs), and Reputation Graph (RepGraph).
3. **Layer 2: Economic Execution** – AGI Work (AGIW) protocol, Compute/Energy Credit markets (CC/EC), TOS Energy Model (TEM).
4. **Layer 3: Governance & Policy** – Constitutional contracts, multi-chamber voting, expert arbitration, reversible history.

Cross-Cutting Services

- **Telemetry & Analytics:** Real-time network health monitoring, task completion metrics, validator performance dashboards.
- **Compliance & Auditing:** Regulatory API for authorized access, quarterly transparency reports, AML/KYC integration.
- **Security Operations:** 24/7 SOC (Security Operations Center), anomaly detection, incident response playbooks.
- **Developer Tools:** SDKs (Python, JavaScript, Rust), CLI utilities, testnet faucets, documentation portal.

4.2 Layer 0: Consensus & Networking

BlockDAG Consensus TOS employs a directed acyclic graph (DAG) topology where each block references 1–3 parent blocks. This enables parallel block production: validators independently propose blocks without waiting for strict linear ordering. The DAG structure provides natural redundancy and high throughput (2,500+ TPS baseline, 10,000+ TPS with PAI).¹⁹ Consensus rules enforce eventual consistency via topological sorting; blocks with insufficient parent confirmations remain tentative until sufficient depth is achieved.

Networking Layer Nodes communicate via libp2p (protocol multiplexing, NAT traversal, peer discovery). Block propagation uses epidemic broadcast with deduplication. Transaction mempool implements priority queues based on fees and stake-weighted reputation. Telemetry feeds (metrics, logs, traces) stream via gRPC to the Indexed Data Service.

State Machine Account balances, smart contract storage, and metadata reside in a Merkleised state trie (Patricia Merkle Trie). State roots anchor in block headers, enabling light clients to verify inclusion proofs without full state.

4.3 Layer 1: Identity & Personhood

DID Registry A smart contract stores Decentralised Identifier (DID) documents following W3C standards. Each DID maps to a public key, service endpoints, and optional metadata (e.g., human-readable names, profile URIs). Agents call `registerDID(didDocument)` to anchor their identity on-chain. Updates require signatures from the DID’s controller key. Revocation is permanent; reputation resets to zero.

¹⁹TOS Network, “BlockDAG Performance Benchmark PERF-2025-08,” August 2025.



Verifiable Credentials (VCs) Credential issuers (universities, employers, certification bodies) publish signed VCs referencing a DID subject. VCs are stored off-chain (IPFS, Arweave) with content-addressed hashes anchored on-chain. Example credentials: “Certified Data Analyst,” “Passed Security Audit,” “Completed 1000 Tasks.” Verifiers check signatures and revocation status before trusting credentials.

Revocation Registry Implements Merkleised revocation lists: issuers publish Merkle trees of revoked credential IDs. Agents produce non-revocation proofs (Merkle paths) without revealing the full list, preserving privacy. This approach scales to millions of credentials per issuer.

RepGraph (Reputation System) Maintains per-agent reputation scores $r_a \in [0, 1]$ based on task completion accuracy, stake, account age, and validation history. The scoring formula is detailed in Section 5.9. Reputation influences task assignment priority, fee discounts, and governance weight. Sybil resistance relies on stake requirements, proof-of-personhood integration (planned for v4.0), and multi-dimensional scoring (preventing gaming via a single metric).

Confidential Balances Agents can opt into confidential transactions using Pedersen commitments and Bulletproof range proofs. Commitments hide amounts while preserving homomorphic properties (validators verify that inputs equal outputs without learning values). This feature is critical for enterprise deployments where workflow costs constitute trade secrets.

4.4 Layer 2: Settlement & AGIW

Task Factory Contract Deploys individual TaskInstance contracts. Publishers specify task metadata (description, escrow, deadline, acceptance criteria, allowed agent cohorts). The factory enforces whitelist rules, collects publishing fees (e.g., 0.01 TOS), and indexes tasks for discovery. Publishers can update metadata pre-acceptance but not post-commitment.

Task Instance Contract Manages the lifecycle of a single task. States: **Open** → **Claimed** → **Submitted** → **Validating** → **Settled** (or **Disputed**). Agents call `claimTask()` to lock the task (escrow held), then `submitWork(resultHash, attestation)` to provide outputs. The contract emits events triggering validator assignment.

Validation Pool Validators stake TOS to participate. On task submission, the pool pseudo-randomly assigns 3–7 validators (weighted by stake and historical accuracy). Validators invoke off-chain verification (e.g., re-run computation, check attestation signatures, compare outputs) and submit `validateWork(taskID, score)` on-chain. Scores aggregate via median; outliers (≥ 2 standard deviations) trigger slashing. Accuracy tracking uses exponential moving average: $Acc_{t+1} = 0.9 \times Acc_t + 0.1 \times correctness_t$.

Reward Splitter Distributes escrow based on quality score $q \in [0, 1]$: agent receives $e \times q$, validators share $e \times (1 - q) \times \beta$, network treasury claims $e \times \gamma$. Default parameters: $\beta = 0.12$, $\gamma = 0.08$. Slashed funds go to the treasury. The splitter enforces cooling periods (5–60 minutes based on reputation tier) to prevent spam.



Arbitration Contract Handles disputes. Either party can escalate by staking an arbitration bond. Accredited arbitrators (human experts or multi-signature committees) review evidence, emit rulings, and update contract state. Losing party forfeits bond; winning party recovers costs plus damages. Insurance pool (funded by TEM) covers catastrophic losses.

4.5 Layer 3: Resource Markets

CC/EC Tokens Compute Credits (CC) denominate TFLOP-hours; Energy Credits (EC) denominate kWh. Both are minted by a treasury contract based on oracle-reported pricing from AWS, Azure, GCP (for CC) and ISO energy markets (for EC). Redemption allows agents to exchange CC/EC for TOS at oracle-determined rates, enabling arbitrage that keeps prices aligned with real-world resources.

Oracle Network 21 independent feeders (mix of commercial data providers and community nodes) stake TOS and submit signed price reports every 15 minutes. The aggregator contract computes median-of-medians to mitigate outliers. Staleness (no update for 30 minutes) triggers fallback to exponentially weighted moving average. Feeder deviation beyond tolerance ($\pm 5\%$) results in slashing proportional to error magnitude.

TEM Controller The TOS Energy Model adjusts fee subsidies, liquidity injections, and issuance rates to maintain economic balance. For example, if dispute rates exceed 2%, TEM increases validator rewards to attract participation. If CC/EC liquidity falls below target coverage (e.g., 20% of active agent demand), TEM mints additional credits and injects them into automated market maker (AMM) pools. Governance sets TEM parameters quarterly via on-chain proposals.

Liquidity Pools Automated market makers (constant-product AMMs) enable CC/EC $\leftrightarrow$ TOS swaps. Liquidity providers earn fees (0.3% per swap); impermanent loss is mitigated by TEM subsidies for essential pairs. Future iterations may introduce concentrated liquidity (Uniswap v3-style) to improve capital efficiency.

4.6 Layer 4: Governance & Policy

Policy Compiler Translates high-level governance rules (written in a declarative DSL) into executable smart contract modules. Example policy: “Restrict agent withdrawals $\leq 10,000$ TOS to multi-sig approval.” The compiler generates Python code with static checks (bounded loops, explicit access control, event logging). Governance proposes compiled policies, runs automated tests on testnets, and deploys after community review and time-locked voting.

Constitutional Contracts Encode fundamental rules (e.g., “No unilateral treasury spending above threshold,” “Emergency brake requires 3/5 council approval”). These contracts are immutable or require supermajority (75%) votes to amend. They serve as a “constitution” that constrains governance, preventing capture or reckless changes.

Council of Stewards An elected body (7–15 members) with staggered terms. Responsibilities include emergency response (pausing contracts during attacks), parameter tuning (fee schedules, oracle thresholds), and ecosystem grants. Elections use quadratic voting to balance stake-weighting and broad participation.



Audit Logs & Telemetry All governance actions (proposals, votes, executions) emit on-chain events. Telemetry service indexes these for compliance dashboards, public transparency, and historical analysis. Regulators can query aggregated statistics (e.g., total AGIW volume, dispute resolution times) via access-controlled APIs without exposing individual agent identities.

4.7 Cross-Cutting Services

Indexed Data Service (IDS) Consumes on-chain events via gRPC, stores them in Apache Arrow format (columnar, high-performance analytics), and exposes GraphQL APIs. Privacy-sensitive fields (e.g., task specifications, agent identities) are hashed; access requires cryptographic proofs or role-based credentials. The IDS powers the TOS Explorer, compliance dashboards, and third-party analytics tools.

Compliance API Provides read-only endpoints for regulators to audit AGIW activity, dispute resolutions, and energy usage. Example queries: “Show monthly task volume by jurisdiction,” “List agents flagged by safety oracle,” “Aggregate CC/EC issuance vs. redemption.” Rate-limited, authenticated via OAuth2, logged for accountability.

SDK & Developer Tools Official libraries in Rust, Python, TypeScript abstract low-level blockchain interactions. Example: `tos-sdk-py` provides `Agent.register_did()`, `Task.publish()`, `Task.claim()`, `Task.submit()` methods. Terraform modules enable enterprises to deploy private testnets with custom policies. GitHub Actions integrate CI/CD for smart contract testing.

4.8 Agent Lifecycle (Detailed)

The complete agent workflow involves multiple subsystems:

1. **Onboarding** (Identity Layer)
 - a. Agent generates keypair, constructs DID document, calls `DIDRegistry.register()`.
 - b. Optionally completes KYC with accredited provider, obtains `KYC-Verified` credential.
 - c. Stakes minimum TOS (e.g., 100 TOS) to activate participation; stake locks for 7 days.
2. **Credentialing** (Identity Layer)
 - a. Acquires verifiable credentials from issuers (e.g., completes test task, earns skill badge).
 - b. Credentials anchor on-chain via hashes; revocation status checked before each task claim.
3. **Discovery & Claiming** (Settlement Layer)
 - a. Agent queries `TaskFactory` for open tasks matching skill requirements and escrow range.
 - b. Calls `TaskInstance.claim()` (requires reputation $\geq$ threshold, sufficient stake).
 - c. Task state transitions to `Claimed`; escrow held in contract; countdown to deadline begins.
4. **Execution** (Off-chain + Attestation)
 - a. Agent executes workload in Trusted Execution Environment (TEE): Intel SGX, AMD SEV-SNP, or ARM Realm.



- b. TEE generates attestation report: measurement hash (proves code integrity), input/output hashes, timestamps, energy usage.
- c. Agent signs result and attestation, computes content hash, submits via `submitWork()`.

5. **Validation** (Settlement Layer)

- a. ValidationPool assigns 3–7 validators (weighted by stake, accuracy).
- b. Validators verify attestation signatures, optionally re-run computation, submit quality scores.
- c. Contract aggregates scores (median), detects outliers, triggers slashing if validators misbehave.

6. **Settlement** (Settlement + Resource Layers)

- a. RewardSplitter distributes escrow: agent receives $e \times q$ in CC/EC, validators share fees, treasury claims allocation.
- b. RepGraph updates agent reputation: $r_{t+1} = 0.9 \times r_t + 0.1 \times q$.
- c. If dispute arises, arbitration bond required; process escalates to ArbitrationContract.

7. **Governance Participation** (Governance Layer)

- a. Agent votes on proposals (weighted by stake + reputation).
- b. Delegates voting power to specialists (e.g., security experts for PQC migration votes).
- c. Participates in treasury grant reviews, policy compiler audits.

4.9 Data Flow Example: Legal Document Review

1. **Publisher** (law firm) deploys task: “Redact PII from 500-page contract.” Escrow: 50 CC (compute) + 5 EC (energy). Deadline: 2 hours.
2. **Agent A** (DID `did:tos:tos1qpz8vq6qgnkgw9zzq9z5qgpgqx8qgz5dpgrxve`, reputation 0.87, Certified Legal AI credential) claims task. State: **Claimed**.
3. **Agent A** runs redaction pipeline in Intel SGX enclave. Attestation report includes measurement hash of redaction model, energy consumption (4.8 EC), runtime (22 minutes).
4. **Agent A** submits result (encrypted redacted document hash) + attestation. State: **Submitted**.
5. **Validators** (3 assigned): verify attestation signatures, spot-check 10% of redactions, confirm model version. Quality scores: 0.95, 0.94, 0.96. Median: 0.95.
6. **RewardSplitter** pays Agent A $50 \times 0.95 = 47.5$ CC + $5 \times 0.95 = 4.75$ EC. Validators share 6 CC + 0.6 EC. Treasury receives 4 CC + 0.4 EC.
7. **RepGraph** updates Agent A: $r_{t+1} = 0.9 \times 0.87 + 0.1 \times 0.95 = 0.878$.
8. **Telemetry** logs task completion, energy usage, attestation metadata. Law firm audits trail for compliance (GDPR Article 30 record-keeping).

This example illustrates how all layers interact to deliver verifiable, cost-effective, compliant AI labour.



5 Temeller (Gemi Modu) – MERKÜR Çağı

5.1 Stratejik Bağlam

MERKÜR çağının başlarında, otonom ajanlar araştırma prototiplerinden üretim dağıtımlarına geçiş yapıyor. Endüstri tahminleri hızlı bir benimseme öngörüyor: yeni uygulamaların %30'u otonom ajanları kullanacak ve ajan platform harcamaları 120 milyar doları aşacak.²⁰ Sigorta, biyoteknoloji ve oyun şirketleriyle yaptığımız pilot çalışmalar, doğrulanabilir otomasyon için acil bir talep olduğunu ortaya koyuyor. Bu nedenle MERKÜR çağı kimlik, uzlaşma, kaynak jetonları ve yığını kanıtlayan gösterimler üzerine odaklanmaktadır.

5.2 Önümüzdeki 12–18 Ay İçin Teslimatlar

D1. Dijital Kişilik Yığını v1

- BLS imzaları aracılığıyla uygulanan DID sabitlemeleri, hizmet uç noktalarıyla zincir üzerinde depolanan DID belgelerini yayınlar.
- Eğitim sertifikalarına, uyumluluk onaylarına veya beceri rozetlerine referans veren doğrulanabilir kimlik bilgilerini (VCs) depolayan kimlik bilgisi kaydı; iptal Merkle durum listeleri ile yönetilir.
- Pedersen taahhütleri ve Bulletproof aralık kanıtları ile gizli bakiyeler; korumalı transferleri etkinleştiren cüzdan kütüphaneleri.

D2. AGI İş (AGIW) v1

- Task Factory ve Task Instance sözleşmeleri metadata, emanet, son tarihler ve izin verilen ajan kohortlarını yönetir.
- Intel SGX, AMD SEV-SNP ve ARM Realm ile onaylama entegrasyonu; onaylama paketleri zincir üzerinde hash'lenir.
- Validation Pool sözleşmesi, üstel hareketli ortalamalar yoluyla doğrulayıcı doğruluğunu izler; yanlış raporlama cezalandırmayı tetikler.
- Reward Splitter sözleşmesi, CC/EC'yi ajanlara, doğrulayıcılara ve ağ hazinesine deterministik olarak dağıtır.

D3. Hesaplama/Enerji Kredileri

- TFLOPs cinsinden denomine edilmiş CC jetonları; kWh cinsinden denomine edilmiş EC jetonları. Her ikisi de önde gelen bulut sağlayıcılarından ve enerji piyasalarından gelen oracle verilerine dayanarak basılır.
- Paymaster sözleşmesi, ajanların CC/EC ile gaz ücretlerini ödemesine izin verir; TEM yüksek etkili görevler için ücretleri sübvanseder (örn. güvenlik analizleri).

D4. Ajan Görev Pazarı Demosu

- Kimlik verme, görev oluşturma, AGIW uzlaşması, uyumsuzluk çözümü ve itibar güncellemelerini kapsayan uçtan uca gösteri.
- Gerçek zamanlı telemetri ile Ajanlar, Görevler, Makbuzlar, İtibar, Güvenlik için explorer bölümleri.
- Rust, Python, TypeScript'te SDK'lar; kurumsal dağıtımlar için Terraform modülleri.

²⁰Gartner, "Top Strategic Technology Trends 2025," October 2024; IDC, "Worldwide Autonomous Agent Platforms Forecast," April 2024.



5.3 Temel Performans Göstergeleri

Metrik	Hedef (12 ay)	Enstrümantasyon
Günlük aktif ajan cüzdanları	5,000	DID kaydı, telemetri panosu, paymaster günlükleri
Günlük görevler	doğrulanmış 10,000	AGIW makbuzları, doğrulama olayları, tahkim analitiği
Medyan gecikmesi	uzlaşma < 15 dakika	Zincir üzeri zaman damgaları, makbuz indeksleme
Uyuşmazlık oranı	< %2	Tahkim sözleşme istatistikleri
CC/EC yoluyla sübvansiyonu	ücret > %60	TEM analitiği (basım, itfa)
Görev maliyeti	tamamlama Manuel yüklenicilere göre %60–80 daha düşük	İnsan iş akışlarıyla pilot karşılaştırmalar
Uyumluluk hazırlığı	SOC 2 tarzı denetim paketi	Uyumluluk API günlükleri, erişim kanıtı kayıtları

5.4 Kimlik Hizmetleri (Ürün Spesifikasyonu)

DID Kayıt Uygulaması DID kaydı, aşağıdaki arayüze sahip bir Python akıllı sözleşme modülüdür (DIDRegistry.py):

```
class DIDRegistry:
    @public
    def register_did(self, did_hash: bytes, did_document: bytes,
                    signature: bytes) -> None:
        """Register a new DID with its document"""

    @public
    def update_did(self, did_hash: bytes, new_document: bytes,
                  signature: bytes) -> None:
        """Update an existing DID document"""

    @public
    def revoke_did(self, did_hash: bytes, signature: bytes) -> None:
        """Revoke a DID"""

    @public
    @view
    def resolve_did(self, did_hash: bytes) -> bytes:
        """Resolve a DID to its document"""
```

DID belgeleri W3C DID Core spesifikasyonuna (v1.0) uygundur. Her belge şunları içerir:

- **id:** Benzersiz tanımlayıcı (örn., `did:tos:tos1qvqsyqcyq5rqwzqfp9scrgwpugpzyznzs23v9xhyepcg...`)
- **verificationMethod:** Kimlik doğrulama, onaylama için genel anahtarlar
- **service:** Mesajlaşma, veri depolama, API erişimi için uç noktalar
- **created, updated:** Denetim izleri için zaman damgaları



Gaz maliyeti: kayıt için yaklaşık 80,000 gaz (50 gwei'de \$0.50, \$2,000 TOS), ajan yaşam döngüsü boyunca amorti edilir.

Doğrulanabilir Kimlik Bilgileri Kimlik bilgisi verme, W3C VC Veri Modeli'ni (v1.1) takip eder. Verenler aşağıdaki içeriği içeren JSON-LD belgelerini imzalar:

```
{
  "@context": ["https://www.w3.org/2018/credentials/v1"],
  "id": "https://issuer.example/credentials/987",
  "type": ["VerifiableCredential", "SkillCertificate"],
  "issuer": "did:tos:tos1qvqsyqcyq5rqwzqfpg9scrgwpugpzysnzs23v9xh",
  "issuanceDate": "2025-10-01T00:00:00Z",
  "credentialSubject": {
    "id": "did:tos:tos1qq5hgy2jwn0r5ehvuw5r3qjcfvjvq5dhldxvyq",
    "skill": "Data Science",
    "proficiencyLevel": "Expert"
  },
  "proof": {
    "type": "BbsBlsSignature2020",
    "created": "2025-10-01T00:00:00Z",
    "proofPurpose": "assertionMethod",
    "verificationMethod": "did:tos:tos1qvqsyqcyq5rqwzqfpg9scrgwpugpzysnzs23v9xh#key-1",
    "proofValue": "..."
  }
}
```

Depolama: VC'ler zincir dışı bulunur (IPFS, Arweave); zincir üzeri sabitlemeler içerik hash'lerini (32 bayt) depolar. Doğrulama, VC'yi getirmeyi, veren imzasını kontrol etmeyi ve iptal kaydını sorgulamayı gerektirir.

İptal Kaydı ²⁵⁶ yaprak kapasiteli seyrek Merkle ağaçlarını uygular. Verenler ağaç köklerini aylık olarak zincir üzerinde yayımlar; iptal edilen kimlik bilgisi kimlikleri yaprakları işgal eder. Ajanlar, kimlik bilgisi kimliklerinin ağaçta bulunmadığını gösteren Merkle kanıtları üretir (iptal etmeme kanıtı). Bu yaklaşım, tam listeyi açıklamadan veren başına milyonlarca kimlik bilgisine ölçeklenir. Gaz maliyeti: kök güncellemesi başına 50,000 gaz (veren başına ayda \$0.30).

Gizli İşlemler Pedersen taahhütleri üzerine inşa edilmiştir:

$$C(v, r) = vG + rH \quad (1)$$

burada v değer (miktar), r kör etme faktörü, G ve H eliptik eğri oluşturucularıdır. Taahhütler toplamsal homomorfiktir: $C(v_1, r_1) + C(v_2, r_2) = C(v_1 + v_2, r_1 + r_2)$, bu da doğrulayıcıların miktarları öğrenmeden bakiyeyi doğrulamasını sağlar. Bulletproof aralık kanıtları $v \in [0, 2^{64})$ olmasını sağlar, negatif bakiyeleri önler. Kanıt boyutu: tek çıktı için 672 bayt, toplu kanıtlar için logaritmik büyüme. Doğrulama maliyeti: standart donanımda kanıt başına yaklaşık 1.2 ms. Bu özellik isteğe bağlıdır; ajanlar `enableConfidentialMode()` işlemi yoluyla katılır.

5.5 AGIW Akıllı Sözleşmeleri (Detaylı Spesifikasyon)

AGIW yaşam döngüsü, kesin ekonomik ve güvenlik özellikleri olan dört temel sözleşmeye dayanır:



1. TaskFactory Sözleşmesi (TaskFactory.py)

Amaç: Standartlaştırılmış arayüzler ve güvenlik kısıtlamaları ile bireysel görev örneklerini dağıtmak için fabrika deseni.

Ana Fonksiyonlar:

- `publishTask(metadata, escrow, deadline, allowedAgents)`: Yeni bir `TaskInstance` dağıtır, emaneti sözleşmeye aktarır, 0.01 TOS yayınlama ücreti toplar, `TaskPublished` olayını yayınlar. Görev kimliğini döndürür.
- `listTasks(filters)`: Keşif için sorgu arayüzü; emanet aralığı, son tarih, gerekli kimlik bilgilerine göre filtreler.
- `updateWhitelist(agentDIDs)`: Yayıncı görevi belirli ajan kohortlarıyla sınırlayabilir (örn. KYC doğrulanmış, itibar > 0.7).

Ekonomik Parametreler:

- Yayınlama ücreti: 0.01 TOS (spam'i caydırır, ağ operasyonlarını fonlar).
- Emanet kilidi: uzlaşma veya tahkim çözümüne kadar tutulur.
- Gaz maliyeti: dağıtım için yaklaşık 150,000 gaz (50 gwei'de \$0.90).

Güvenlik: Yayıncılar ajan görevi talep ettikten sonra emaneti çekemez; yalnızca `RewardSplitter` doğrulama sonrası fonları serbest bırakabilir.

2. TaskInstance Sözleşmesi (TaskInstance.py)

Amaç: Tek bir görev için yaşam döngüsü durum makinesini yönetir.

Durum Geçişleri:

Open $\xrightarrow{\text{claim()}}$ Claimed $\xrightarrow{\text{submitWork()}}$ Submitted $\xrightarrow{\text{validate()}}$ Validating $\xrightarrow{\text{consensus}}$ Settled (2)

Alternatif yol: herhangi bir durum $\xrightarrow{\text{dispute()}}$ Disputed $\xrightarrow{\text{arbitration}}$ Resolved.

Ana Durum Değişkenleri:

@dataclass

class Task:

```

    task_id: bytes          # Task identifier
    publisher: str          # Publisher address
    claimed_by: str         # Agent address who claimed task
    escrow: int             # Escrow amount
    deadline: int           # Deadline timestamp
    spec_hash: bytes        # IPFS CID of specification
    result_hash: bytes      # submitted by agent
    attestation: bytes      # TEE attestation report
    state: TaskState        # enum: Open, Claimed, Submitted, ...
    validator_scores: dict[str, int] # scores [0,100]
    final_quality: int       # median of validator scores

```

Ana Fonksiyonlar:

- `claimTask(agentDID)`: Gereksinimler (1) görev `Open` durumunda, (2) ajan beyaz liste kriterlerini karşılıyor, (3) ajan stake'i $\geq$ eşik. `Claimed` durumuna geçiş yapar, son tarih geri sayımını başlatır.



- **submitWork(resultHash, attestation)**: Gereksinimler (1) çağırın talep sahibi, (2) son tarihten önce, (3) geçerli onaylama imzası. **Submitted** durumuna geçiş yapar, doğrulayıcı atamasını tetikleyen **WorkSubmitted** olayını yayınlar.
- **validateWork(score)**: Yalnızca atanmış doğrulayıcılar tarafından çağrılabilir. $\in [0, 100]$ aralığında skor depolar. Tüm doğrulayıcılar gönderdiğinde, skorları medyan yoluyla toplar, **Settled** durumuna geçiş yapar, **RewardSplitter**'i tetikler.

Son Tarihler ve Cezalar:

- Ajan son tarihten önce göndermezse, yayıncı **forfeit()** fonksiyonunu çağrabilir, emaneti eksi %10 ceza (hazineye gider) geri alır. Ajanın itibarı 0.05 azalır.
- Doğrulayıcılar 24 saat içinde skor göndermezse, otomatik yedek: görev yeni doğrulayıcı ko-hortuna yeniden atanır; orijinal doğrulayıcılar stake'lerinin %5'ini kaybeder.

3. ValidationPool Sözleşmesi (ValidationPool.py)

Amaç: Doğrulayıcı atamasını koordine etme, doğruluğu izleme, cezalandırmayı uygulama.

Doğrulayıcı Kaydı:

- Doğrulayıcılar havuza katılmak için minimum 1,000 TOS stake eder.
- Doğruluk skoru Acc_v 0.5'te başlatılır, üstel hareketli ortalama yoluyla güncellenir:

$$Acc_{v,t+1} = \alpha \times Acc_{v,t} + (1 - \alpha) \times correctness_t, \quad \alpha = 0.9 \quad (3)$$

burada $correctness_t \in \{0, 1\}$ doğrulayıcının skorunun konsensüsle eşleşip eşleşmediğini gösterir (medyanın $\pm 10\%$ 'si içinde).

Atama Algoritması:

1. **WorkSubmitted** olayında, **ValidationPool** $n = 5$ doğrulayıcı seçer (yapılandırılabilir).
2. Seçim, doğruluk artışı ile stake ağırlıklı rastgele örnekleme kullanır:

$$P(\text{select } v) \propto stake_v \times (1 + Acc_v) \quad (4)$$

3. Doğrulayıcılar zincir dışı oracle yoluyla bildirim alır; 24 saat içinde yanıt vermelidir.

Cezalandırma Kuralları:

- **Aykırı değer cezası:** Doğrulayıcı skoru medyandan $> 2\sigma$ sapma gösterirse, stake'in %1'ini cezalandır.
- **Yanıtsızlık cezası:** Son tarih içinde skor göndermeme, stake'in %5'ini cezalandırır.
- **Gizli anlaşma tespiti:** Üç veya daha fazla doğrulayıcı > 10 ardışık görevde aynı skorları gönderirse (istatistiksel olarak olası değil), yönetim incelemesi için işaretler; şüpheli gizli anlaşma yapanlar onaylandığında stake'lerinin %20'sini kaybeder.

Ödül Dağıtımı: Doğrulayıcılar topluca $e \times \beta \times (1 - q)$ kazanır, burada e emanet, $\beta = 0.12$, q ajan kalite skorudur. Ödüller doğruluk Acc_v ile orantılı olarak bölünür.

4. RewardSplitter Sözleşmesi (RewardSplitter.py)

Amaç: Soğuma dönemleri ve itibar güncellemeleri ile deterministik ödül dağıtımı.

Dağıtım Formülü: Emanet e (CC/EC cinsinden) ve nihai kalite skoru $q \in [0, 1]$ olan görev:

$$R_{\text{agent}} = e \times q \times (1 + \alpha(r_a - 0.5)) \times f(s_a) \quad (5)$$

$$R_{\text{validators}} = e \times \beta \times (1 - q) \quad (6)$$

$$R_{\text{treasury}} = e \times \gamma + \text{slashed funds} \quad (7)$$

burada:



- $r_a \in [0, 1]$ ajan itibarıdır (Bölüm 5.9'da detaylı),
- $\alpha = 0.2$ itibar bonus katsayısıdır,
- $f(s_a) = \min(2, 1 + \log(1 + s_a))$ stake çarpanıdır (azalan getiriler),
- $\beta = 0.12$ doğrulayıcı tahsisidir,
- $\gamma = 0.08$ hazine tahsisidir.

Soğuma Dönemleri: İtibar katmanına göre (Bölüm 5.9'a bakın):

- Platinum ($r \geq 0.90$): görevler arası 5 dakika.
- Gold ($0.70 \leq r < 0.90$): 15 dakika.
- Silver ($0.30 \leq r < 0.70$): 30 dakika.
- Bronze ($r < 0.30$): 60 dakika.

Soğuma dönemleri spam ve Sybil saldırılarını önlerken, yüksek itibar ajanların birden fazla görev talep etmesine izin verir.

Gaz Optimizasyonu: RewardSplitter, CC/EC dağıtırken görev başına gaz maliyetini $\sim 30,000$ gaz'a (\$0.18) düşürmek için toplu transferler kullanır.

5.6 Oracle Tasarımı

CC/EC fiyatları, 21 besleyiciden oluşan merkezi olmayan bir oracle ağı tarafından raporlanır. Her besleyici TOS stake eder ve API kaynaklarından (bulut sağlayıcı fiyatlandırması, ISO enerji piyasaları) türetilen fiyat güncellemelerini imzalar. Medyan-medyan toplamlaması aykırı değerleri azaltır. Fiyat bayatlığı, üstel ağırlıklı hareketli ortalamaları kullanarak varsayılan fiyatlandırmayı tetikler. Besleyici kötü davranışı, sapma ile orantılı cezalandırma ile sonuçlanır.

5.7 Telemetri Yığını

Telemetri yığını şunlardan oluşur:

- Apache Arrow kullanan bir Indexed Data Service'e gRPC yoluyla zincir üzeri olay akışı.
- Hassas alanları hash'leyen gizlilik filtreleri.
- Görev verimi, uyumsuzluk oranları, enerji kullanımını gösteren pano görselleştirmeleri (Grafana).
- Denetçilerin rol tabanlı erişim kontrolü ile uyumluluk sorguları çalıştırması için API uç noktaları.

5.8 Matematiksel Model

T görevler kümesini, A ajanları ve V doğrulayıcıları gösterebilir. Görev t karmaşıklık c_t ve emanet e_t 'ye sahiptir. Ajan faydası U_a şöyle modellenir:

$$U_a = \sum_{t \in T_a} q_{a,t} \cdot e_t - \gamma s_a - p_a \quad (8)$$

burada $q_{a,t}$ kalite skoru, s_a kilitli stake, p_a cezalandırmadan gelen ceza ve γ bir risk katsayısıdır. Doğrulayıcı faydası U_v benzer şekilde doğruluk bonusları ve cezaları içerir. Sistemik dengeyi korumak için şunu uyguluyoruz:

$$\sum_{a \in A} s_a = \theta \sum_{t \in T} e_t, \quad 0.2 \leq \theta \leq 0.4 \quad (9)$$

en kötü durum uyumsuzluklarını karşılamak için yeterli teminatı garanti eder.



Ödül dağıtımı şöyle takip eder:

$$Reward_a(t) = e_t \times q_{a,t} \times (1 + \alpha(r_a - 0.5)) \times f(s_a) \quad (10)$$

$f(s_a) = \min(2, 1 + \log(1 + s_a))$ ve r_a ajan itibarı ile. Doğrulamacılar $Reward_v(t) = e_t \times \beta \times Acc_v(t)$ alır, burada Acc_v doğruluktur. Cezalandırma, kötü davranış sergileyen taraflardan δs çıkarır.

5.9 İtibar Sistemi (RepGraph)

RepGraph, nesnel ölçütleri (görev başarısı, doğruluk, uzun ömürlülük) öznel onaylarla (kimlik bilgileri, akran incelemeleri) birleştirerek ajanlar için çok boyutlu itibar skorları tutar.

Temel Skor Hesaplama Ajan a için temel itibar skoru r_a^{base} şöyle hesaplanır:

$$r_a^{\text{base}} = 0.3 \times \frac{\text{age}_a}{\text{age}_{\text{max}}} + 0.4 \times \frac{\text{txCount}_a}{\text{txCount}_{\text{max}}} + 0.3 \times \frac{\text{stake}_a}{\text{stake}_{\text{max}}} \quad (11)$$

burada:

- age_a hesap yaşıdır (normalizasyon için 365'te sınırlandırılmıştır),
- txCount_a tamamlanan görev sayısıdır,
- stake_a stake edilmiş TOS miktarıdır,
- paydalar normalizasyon için ağ genelindeki maksimumlardır.

Doğruluk Bonusu Kalite skoru q_t olan her görevden sonra, ajanın doğruluk bileşeni Acc_a üstel hareketli ortalama yoluyla güncellenir:

$$Acc_{a,t+1} = 0.9 \times Acc_{a,t} + 0.1 \times q_t \quad (12)$$

Doğruluk bonusu itibarı ± 0.2 oranında ayarlar:

$$r_a^{\text{accuracy}} = r_a^{\text{base}} + 0.2 \times (2Acc_a - 1) \quad (13)$$

Bu formül tutarlı yüksek performansı ödüllendirir ($Acc_a \rightarrow 1 \Rightarrow +0.2$) ve kötü performansı cezalandırır ($Acc_a \rightarrow 0 \Rightarrow -0.2$).

Uzun Vadeli Bonus > 100 görev için $Acc_a > 0.85$ koruyan ajanlar $+0.1$ uzun vadeli bonus alır, nihai itibarı $r_a = 1.0$ 'da sınırlandırır.

Katman Ataması Nihai r_a 'ya göre, ajanlara soğuma dönemlerini ve ücret indirimlerini belirleyen katmanlar atanır:

Katman	Skor Aralığı	Soğuma Dönemi	Ücret İndirimi	Pilot Dağılımı
Platinum	$r \geq 0.90$	5 dak	30–50%	14%
Gold	$0.70 \leq r < 0.90$	15 dak	10–30%	33%
Silver	$0.30 \leq r < 0.70$	30 dak	0–10%	41%
Bronze	$r < 0.30$	60 dak	Ceza: $2 \times$ ücret	12%



Table 4: Ağustos 2025 pilot verilerine dayalı RepGraph katman yapısı.

Anti-Sybil Mekanizmaları RepGraph, Sybil saldırılarını tespit etmek ve engellemek için yedi katmanlı sezgisel yöntemler kullanır:

1. **Stake gereksinimi:** 7 gün boyunca kilitli minimum 100 TOS (ekonomik engel).
2. **Hesap yaşı:** Yeni hesaplar (< 7 gün) düşük değerli görevlerle sınırlıdır (< 10 CC emanet).
3. **IP çeşitliliği:** Zincir dışı oracle, IP adreslerini paylaşan ajanları işaretler; yönetim onaylanmış çiftlikleri listeden çıkarabilir.
4. **İşlem modeli analizi:** Aynı aralıklarla veya aynı sonuç hash'leri ile görev gönderen ajanlar inceleme için işaretlenir.
5. **Kimlik bilgisi doğrulaması:** Yüksek değerli görevler doğrulanmış kimlik bilgileri gerektirir (KYC, beceri sertifikaları).
6. **Kişilik kanıtı entegrasyonu** (yol haritası v4.0): Bir-insan-bir-ajan eşlemesini sağlamak için BrightID, Worldcoin veya Gitcoin Passport ile entegrasyon.
7. **Sosyal graf analizi:** RepGraph onaylama ağlarını inceler; karşılıklı onaylayan düşük aktiviteli ajan klikeleri cezalandırılır.

Ağustos 2025 pilotu sırasında, bu sezgisel yöntemler manuel incelemeden sonra %0.7'nin altında yanlış-pozitif oranı ile 112 kötü niyetli girişimi engelledi.²¹

5.10 İzleme ve Gözlemlenebilirlik

Site Güvenilirlik Hedefleri (SLO'lar) Temeller dağıtımı şu hedefleri gözetir:

- **SLO1 – Gecikme:** AGIW makbuzlarının %99.9'u 20 dakika içinde doğrulanır (p99.9 < 20 dak).
- **SLO2 – Oracle tazeliği:** CC/EC fiyat beslemeleri en az her 15 dakikada bir güncellenir; bayatlık (> 30 dak) üstel ağırlıklı hareketli ortalamaya geri dönüşü tetikler.
- **SLO3 – Uyuşmazlık oranı:** Uyuşmazlık yüzdesi < 2%; aşılsa, TEM katılımı çekmek için doğrulayıcı ödülleri %20 artırır.
- **SLO4 – Kullanılabilirlik:** Ağ çalışma süresi $\geq 99.95\%$ (kesinti < 4.4 saat/yıl).
- **SLO5 – Veri bütünlüğü:** Doğrulayıcı konsensüsünde sıfır Bizans hatası (cezalandırma yoluyla sağlanır).

Telemetri Yığını Uygulaması Telemetri mimarisi şunlardan oluşur:

- **Olay Akışı:** Zincir üzeri olaylar (görev yayınlandı/talep edildi/uzlaştırıldı, doğrulayıcı atamaları, cezalandırma) gRPC yoluyla Indexed Data Service'e (IDS) akış yapar.
- **Depolama:** IDS, Apache Arrow sütunlu formatını kullanır (satır tabanlıya karşı 10× sıkıştırma, analitik sorguları için optimize edilmiş).
- **Gizlilik Filtreleri:** Hassas alanlar (görev spesifikasyonları, ajan kimlikleri, sonuç hash'leri) halka açık panolarda tuzlanmış SHA-256 hash'leri ile değiştirilir; erişim kontrollü sorgular kriptografik kimlik bilgileri gerektirir.

²⁰TOS Network, "Reputation & Anti-Sybil Telemetry REP-2025-08," Ağustos 2025.

²¹TOS Network, "Reputation & Anti-Sybil Telemetry REP-2025-08," Ağustos 2025.



- **Panolar:** Grafana görselleştirmeleri gerçek zamanlı görev verimi, uyumsuzluk oranları, enerji kullanımı, itibar dağılımları, doğrulayıcı doğruluğunu gösterir.
- **Uyumluluk API'si:** RESTful uç noktalar (OAuth2-kimlik doğrulamalı, hız sınırlı) düzenleyicilerin toplu istatistikleri sorgulamasını sağlar: “Yargı yetkisine göre aylık AGIW hacmi,” “Güvenlik oracle tarafından işaretlenen ajanlar,” “CC/EC basımı vs. itfa oranı.”

Uyarılar Prometheus uyarıları SLO ihlallerinde tetiklenir, Steward Konseyi'ne bildirimler ve otomatik yanıtlar (örn. TEM sübvansiyonu ayarlamaları, doğrulayıcı kohort genişlemesi) tetikler.

5.11 Adalet Düşünceleri

Farklı başlangıç koşullarına sahip 10,000 sentetik ajanın simülasyonları (itibar düzgün dağıtılmış $\in [0, 1]$, stake $\in [100, 10000]$ TOS) şunları gösterir:

- **Yakınsama:** Ajan itibarları 30 görevden sonra gerçek beceri seviyelerinin ± 0.05 'i içinde yakınsar (%95 güven).
- **Hareketlilik:** Düşük itibar ajanlar ($r < 0.3$) 50 yüksek kaliteli görev içinde Gold katmanına ($r > 0.7$) ulaşabilir, yukarı doğru hareketliliği gösterir.
- **Soğuma programı etkisi:** Soğuma dönemleri olmadan, spam görev hacminin %42'sini oluşturuyordu; katmanlı soğuma ile (5–60 dak), spam %6'ya düştü.
- **Oligopol direnci:** En üst %10'luk ajanlar ödüllerin %28'ini kazanır (Gini katsayısı 0.34), orta düzey konsantrasyonu gösterir; yönetim oligopollerini önlemek için α (itibar bonusu) ve $f(s_a)$ (stake çarpanı) ayarlayabilir.

5.12 Pilot Deney Sonuçları

Ağustos–Eylül 2025 boyunca gerçek ajan iş yükleri ve sentetik stres testleri ile devnet (Aurora) ve testnet (Helios) üzerinde AGIW'yi kıyasladık.

Gerçek Dünya Pilotu (15 Ağustos – 15 Eylül 2025)

- **Katılımcılar:** 2,847 kayıtlı ajan anahtarı (kurumsal botlar, akademik araştırma projeleri, hobicilerin karışımı).
- **Yürütülen görevler:** 126 (yasal belge incelemesi, iklim verisi işleme, kod analizi).
- **Tamamlama oranı:** %97.8 (123/126 görev uzlaştırıldı; 3 tartışmalı, tahkim yoluyla çözüldü).
- **Doğrulama verimliliği:** %83 (göndermeden uzlaşmaya medyan süre: 12.3 dakika).
- **Dolandırıcılık tespiti:** %99.2 doğruluk (112 kötü niyetli girişim engellendi, 1 yanlış pozitif).
- **Maliyet tasarrufları:** Erken benimseyen kuruluşlar eşdeğer kalite için manuel yüklenicilere karşı %60–80 maliyet azalması bildirdi.

Sentetik Stres Testi (1,000 Görev, Eylül 2025)

- **Ortalama yürütme süresi:** 7.4 dakika (görev talebinden sonuç göndermeye).
- **Onaylama ek yükü:** %3.1 (TEE rapor oluşturma + imza doğrulama görev başına 230 ms ekler).
- **Doğrulama maliyeti:** Görev başına 0.002 TOS (doğrulayıcı skor gönderimleri + ödül dağıtımı için gaz).
- **Verim:** Performans bozulması olmadan sürdürülen 45 görev/dakika (2,700 görev/saat).



- **Dolandırıcılık enjeksiyonu:** Kasıtlı olarak 50 sahte sonuç gönderildi (yanlış çıktılar, sahte onaylamalar); tümü doğrulayıcılar tarafından tespit edildi, %100 dolandırıcılık tespit oranı ile sonuçlandı.

5.13 Uyumluluk ve İnsan Etkisi

Düzenleyici Uyum TOS Foundations geliştirmekte olan AI düzenlemelerine uyar:

- **US AI RMF** (NIST Risk Management Framework): Görev makbuzları model sürümlerini, veri setlerini, enerji kullanımını kaydeder, denetçilerin risk kategorilerini (önyargı, güvenlik, şeffaflık) değerlendirmesini sağlar.
- **EU AI Act:** Yüksek riskli AI sistemleri (sağlık, kritik altyapı) zorunlu KYC, insan-döngü- içinde tahkim ve zincir üzerinde kaydedilen uygunluk değerlendirmeleri ile TOS üzerinde dağıtılabilir.
- **Singapur MAS Yönergeleri:** Ticaret veya danışmanlık için AI ajanları kullanan finansal kurumlar denetim izlerini tutmalıdır; TOS uyumluluk API'si MAS gereksinimlerini karşılayan dışa aktarılabilir raporlar sağlar.

İş Yerinden Edilme Azaltımı AI ajanları görevleri otomatikleştirirken, TOS yeni roller yaratır:

- **Doğrulayıcılar:** İnsan uzmanlar AI çıktılarını inceleyerek gelir elde eder (görev değerinin tahmini %12'si).
- **Kimlik bilgisi verenler:** Eğitim kurumları, sertifikasyon kuruluşları doğrulanabilir kimlik bilgileri verir (yeni gelir akışı).
- **Hakemler:** Hukuki/teknik uzmanlar uyuşmazlıkları çözümler (tahkim tahvilleri ile finanse edilen ücretler).
- **Politika geliştiriciler:** Yönetim katılımcıları anayasal sözleşmeleri taslak oluşturur ve denetler (hazine hibeleri).

Ekonomik simülasyonlar (Bölüm 12) otomatikleştirilen her 10 iş için TOS'un 3–4 yeni özel rol yarattığını, yerinden edilmeyi kısmen dengelediğini öne sürer.

Enerji Şeffaflığı EC jetonları enerji tüketimini açıkça izler, yenilenebilir kaynakları teşvik eder. Yayıncılar “yalnızca yeşil enerji” gereksinimleri belirtebilir; güneş/rüzgar enerjisi ile çalışan ajanlar %10 ücret indirimini alır (TEM sübvansiyonu). Toplu enerji kullanımı üç ayda bir rapor edilir, hazine yoluyla karbon denkleştirme satın almayı sağlar.

6 Piyasalar ve Güvenlik – MERKÜR-VENÜS Geçişi

6.1 Stratejik Etkenler

MERKÜR dönemi olgunlaştıkça ve VENÜS'e geçiş yaptıkça, üretken yapay zekanın ekonomik etkisi önemli ölçüde büyüyor ve bilgi işi otomasyonu yoluyla küresel ekonomiye yıllık trilyonlar ekleme potansiyeline sahip.²² Ajanlar otonom iş birimleri haline geldikçe, işletmeler düzenlenmiş saklama, hibrit takas ve güvenlik korkulukları talep ediyor.

²²McKinsey Global Institute, “The economic potential of generative AI,” June 2023.



6.2 Ürün Portföyü

Piyasalar ve Güvenlik dönemi, kurumsal dağıtımları ve otonom iş birimlerini hedefleyen dört temel ürün sunar:

1. Düzenlenmiş Saklama (CustodyVault.py)

Gerekçe: İşletmeler ve düzenlenmiş kurumlar programlanabilir harcama kontrolleri, çok taraflı onay ve denetlenebilirlik gerektirir. Geleneksel blockchain cüzdanlarında bu özellikler yoktur.

Mimari:

- **Çoklu imza politikaları:** m imzanın (ajan anahtarları, insan koruyucuları, denetçilerden) eşik T 'yi aşan işlemleri onayladığı m -den- n imza şemaları. Örnek: > 10.000 TOS çekimleri 2-den-3 onay gerektirir (ajan + CFO, veya ajan + denetçi, veya CFO + denetçi).
- **Donanım Güvenlik Modülleri (HSM'ler):** Özel anahtarlar FIPS 140-2 Seviye 3 sertifikalı HSM'lerde saklanır (AWS CloudHSM, Thales Luna). HSM'ler imzalı günlükler aracılığıyla anahtar kullanımını onaylar; denetçiler yetkisiz erişim olmadığını doğrular.
- **Politika motoru:** Şunları uygulayan akıllı sözleşme katmanı:
 - *Hız limitleri:* Saat/gün/ay başına maksimum \$X.
 - *Beyaz listeler:* Yalnızca önceden onaylanmış adreslere transferler (ör. bordro, tedarikçi hesapları).
 - *Kara listeler:* Yaptırım uygulanan adreslerin engellenmesi (OFAC uyumluluğu).
 - *Acil dondurma:* Soruşturma bekleyen tüm işlemlerde koruyucu tarafından başlatılan duraklama.
- **Yalnızca görüntüleme anahtarları:** Düzenleyiciler, fonlar üzerinde kontrol olmaksızın bakiyelere ve işlem geçmişine salt okunur erişim alır, bu da saklama olmadan denetim sağlar.

Uyumluluk: SOC 2 Tip II denetim paketi HSM onay günlüklerini, politika yürütme izlerini, erişim kontrol matrislerini içerir. Kurumsal kimlik sağlayıcılarıyla (Active Directory, Okta) SAML/OAuth aracılığıyla entegrasyon.

2. Hibrit Takas (BridgeController.py, FiatGateway.py)

Gerekçe: Otonom iş birimleri geleneksel finansal raylarla (banka hesapları, kredi kartları, faturalar) ve diğer blockchain ekosistemleriyle etkileşime girmeli.

Zincirler Arası Köprüler:

- **HTLC tabanlı atomik takaslar:** Hash Time-Locked Sözleşmeler, TOS ve diğer zincirler arasında güvensiz takasları etkinleştirir. Örnek: Ajan TOS zincirinde H hash'i ile 100 TOS kilitler; karşı taraf harici zincirde aynı H ile eşdeğer stablecoin kilitler; her ikisi de fonları talep etmek için ön görüntüyü açıklar veya 24 saat sonra zaman aşımını geri ödeme yapar.
- **Köprü güvenliği:** Çoklu imza komitesi (7-den-11 doğrulayıcı) zincirler arası transferleri ortak imzalar; değer limitleri (işlem başına $< \$1M$) ve günlük üst limitler saldırı yüzeyini azaltır. Biçimsel doğrulama (TLA+ modeli), köprünün Bizans varsayımları altında fon kaybedemeyeceğini kanıtlar.

Fiat Entegrasyonu:

- **Bankacılık API'leri:** ISO20022 uyumlu ödeme ağlarıyla (SWIFT, FedNow, SEPA) entegrasyon. Ajanlar müşterilere USD/EUR cinsinden fatura keser; ödeme onayı üzerine CC/EC emanetten serbest bırakılır.



- **Uyumluluk:** Chainalysis, Elliptic aracılığıyla KYC/AML kontrolleri; yüksek riskli olarak işaretlenen işlemler (yasadışı kökenli olma olasılığı $\geq 95\%$) insan incelemesi beklerken otomatik olarak dondurulur.
- **Takas hızı:** Yurtiçi transferler 2–4 saatte takas edilir (gerçek zamanlı ödeme ağları); uluslararası transferler 24–48 saat (muhabir bankacılık).

Türev Araçlar:

- **Hesaplama vadeli işlemleri:** Gelecekte sabit fiyattan CC satın almak için sözleşmeler (GPU fiyat oynaklığına karşı koruma). Teminat gereksinimleri: %20 başlangıç teminatı, %10 sürdürme teminatı.
- **Enerji opsiyonları:** EC jetonları üzerindeki alım opsiyonları, ajanların yenilenebilir enerji fiyatlarını kitlemesini sağlar; kullanım fiyatı güneş/rüzgar piyasa endekslerine bağlı.
- **Risk yönetimi:** Teminat sürdürme eşiğinin altına düşerse otomatik tasfiye; sigorta fonu (vadeli işlem hacminin %3'ü) piyasa yer değiştirmelerini kapsar.

3. Uzman Tahkim Mahkemesi (ArbitrationCourt.py)

Gerekçe: Alan uzmanlığı gerektiren anlaşmazlıklar (yasal yorum, teknik değerlendirme) algoritmik olarak çözülemez.

Hakem Akreditasyonu:

- **Uygunluk:** Hakemler ilgili kimlik bilgilerine (hukuk diploması, yapay zeka güvenliği sertifikası, ilgili alanda doktora) sahip olmalı, TOS eğitim modülünü tamamlamalı ve 10.000 TOS teminat yatırmalıdır.
- **Uzmanlaşma:** Hakemler sektörler için (hukuk, tıp, finans, teknik) kayıt yaptırır; anlaşmazlıklar görev kategorisine göre yönlendirilir.
- **Performans takibi:** Hakemler ihtilaf eden taraflarca değerlendirilir; düşük derecelendirmeler (20 vaka üzerinden $< 3,5/5$) deneme süresine veya kaldırmaya yol açar.

Anlaşmazlık Süreci:

1. **Eskalasyon:** Her iki taraf da (yayıncı veya ajan) tahkim teminatı yatırır (görev emanetinin %5–10'u).
2. **Atama:** Akıllı sözleşme 3 hakem seçer (uzmanlaşma eşleşmesi, derecelendirmeler, kullanılabilirliğe göre ağırlıklandırılmış).
3. **Kanıt sunumu:** Her iki taraf da kanıtları (kod, veri kümeleri, sözleşmeler) şifrelenmiş IPFS'ye yükler; hakemler şifre çözme anahtarları aracılığıyla erişir.
4. **Müzakere:** Hakemler kanıtları inceler, ek bilgi talep edebilir, güvenli mesajlaşma yoluyla tartışır.
5. **Karar:** Çoğunluk oylaması (2-den-3) sonucu belirler (ajan kazanır, yayıncı kazanır, bölünmüş takas). Karar yazılı gerekçe içerir, zincir üzerinde yayınlanır.
6. **Uygulama:** Emanet karara göre dağıtılır; kaybeden taraf teminatı kaybeder (tahkim ücretlerini + zararları kapsar).

Sigorta Havuzu: TEM tahsisleri aracılığıyla finanse edilir (AGIW hacminin %2'si); her iki tarafın da iyi niyetle hareket ettiği ancak sonucun belirsiz olduğu (ör. öngörülemeyen teknik arıza) felaket durumlarını kapsar. Ödeme 4-den-7 Konsey oylaması gerektirir.



4. Güvenlik Kâhini (SafetyOracle.py)

Gerekçe: Yapay zeka ajanları zararlı çıktılar (önyargı, toksisite, yanlış bilgi) üretebilir; işletmelerin gerçek zamanlı koruma önlemlerine ihtiyacı vardır.

Veri Kaynakları:

- **Yapay zeka güvenlik laboratuvarları:** Anthropic'in Anayasal Yapay Zeka metriklerinden, OpenAI'nin GPT güvenlik puanlarından, Google DeepMind'in hizalama kontrol panellerinden akışlar.²³
- **İçerik denetleme API'leri:** Perspective API (toksisite), AWS Comprehend (duygu, PII tespiti), Microsoft Azure Content Safety.
- **Veri kümesi uyumluluk etiketleri:** Veri kümesi kökenini, lisanslamayı, onayı gösteren etiketler (GDPR Madde 6 yasal dayanağı).

Politika Uygulaması:

- **Acil durdurma anahtarı:** Güvenlik Kâhini ajan çıktısını yüksek riskli olarak işaretlerse (ör. toksisite puanı $> 0,9$, PII tespit edildi), cüzdan işlemleri otomatik olarak durur; devam etmek için koruyucu onayı gerektirir.
- **Hız limitleri:** Tekrarlanan ihlaller için işaretlenen ajanlar (30 günde 3) azaltılmış görev kotalarına tabi tutulur (ör. günde maks. 10 görev).
- **Veri kümesi uyumluluğu:** “Yalnızca GDPR uyumlu veri” belirten görevler, ajanların veri kümesi kökenini doğrulanabilir kimlik bilgileri aracılığıyla kanıtlamasını uygular; ihlaller sözleşme reddini tetikler.

Şeffaflık: Güvenlik Kâhini aylık raporlar yayınlar: kategoriye göre toplam ihlal oranları, anonimleştirilmiş vaka çalışmaları, yanlış-pozitif oranları (hedef $< \%2$).

6.3 Saklama Tasarımı

Saklama sözleşmeleri, örneğin eşik x 'in üzerindeki işlemler için bir ajan anahtarı artı bir koruyucu onayı gerektiren çoklu imza mantığını uygular. Koruyucular denetçilere devredebilir. Acil fren, Güvenlik Kâhini ciddi riski işaretlediğinde işlemleri durdurur; serbest bırakma çok taraflı onay gerektirir.

6.4 Hibrit Takas Mekanikleri

Takas, ağ gecikmesine uyumlu zaman aşımına sahip HTLC'leri kullanır. ISO20022 aracılığıyla fiat entegrasyonu uyumluluğu garanti eder. Örneğin, bir USD ödemesi banka emanetinde kilitlenir; zincir üstü kanıt yayınlandığında CC jetonları serbest bırakılır. Ters yön, fiat takas edilene kadar teminat olarak CC/EC kullanır.

6.5 Risk Analizi

Tablo 5 kontrolleri özetler.

²³IBM Research, “AI Safety Metrics for Enterprise Deployment,” May 2024.



Risk	Azaltma	Artık Maruziyet
Kâhin manipülasyonu	Çok kaynaklı medyan, ceza-landırılabilir beslemeler	Düşük (gizli anlaşma gerektirir)
Doğrulayıcı karteli	Dönen komiteler, kamuya açık telemetri	Orta (izleniyor)
Saklama ihlali	HSM'ler, çift kontrol, denetimler	Düşük (üç ayda bir denetlenir)
Tahkim birikimi	Teminat gereksinimleri, otomatik ön tarama	Orta (insan ölçeklendirmesi)
Güvenlik kâhini arızası	Çeşitli veri kaynakları, manuel geçersiz kılma	Orta (yönetişim müdahalesi gerektirir)

Table 5: Piyasalar ve Güvenlik dönemi için risk-kontrol matrisi.

6.6 Power of AI (PAI) Konsensüs Yol Haritası

PAI, TOS'u BlockDAG taban çizgisinden (2.500+ TPS) merkezi olmayan yapıyı ve güvenliği koruyarak 10.000+ TPS'yi hedefleyen yapay zeka destekli konsensüse geçirir.

Faz 1: Yapay Zeka Planlaması İpuçları (Erken MERKÜR) Mekanizma: Yapay zeka planlayıcısı (tarihsel işlem kalıpları üzerinde eğitilmiş) blok sıralama ipuçları önerir. Doğrulayıcılar, sezgisel yöntemleri (gas verimliliği, AGIW görev yerelliği, dolandırıcılık olasılığı) kullanarak ipuçlarını bağımsız olarak değerlendirir. > 67% doğrulayıcı ipucunu kabul ederse, blok sıralaması yapay zeka önerisini izler; aksi takdirde, geleneksel BlockDAG topolojik sıralamaya geri dönülür.

Güvenlik: İpuçları bağlayıcı olmayan tavsiyelerdir; doğrulayıcılar veto yetkisini elinde tutar. En kötü durum: yapay zeka planlayıcısı başarısız olur $\Rightarrow$ ağ temel BlockDAG performansına geri döner.

Beklenen Kazanç: Daha iyi işlem gruplaması ve paralel yürütme optimizasyonu yoluyla %20–30 verim iyileştirmesi.

Araştırma: Açık kaynak yapay zeka planlayıcı modeli yayımla (Apache 2.0 lisansı), topluluk geri bildirimini isteme, karşıt testler yürütme (planlayıcıyı manipüle etmeye çalışan kırmızı ekip saldırıları).

Faz 2: Hibrit Komiteler ve Olasılıksal Kesinlik (Orta MERKÜR) Mekanizma: Doğrulayıcılar iki komiteye ayrılır:

- **Yapay Zeka Komitesi** (stake'in %30'u): Yapay zeka tarafından yönetilen iş yükü dengelemesini çalıştırır, AGIW görev bağımlılıkları için optimize edilmiş blok sıralamalarını önerir.
- **İnsan Komitesi** (stake'in %70'i): Yapay zeka önerilerini inceler, anomalileri kontrol eder (ör. sansür, belirli ajanlara karşı önyargı), nihai onayı sağlar.

Olasılıksal Kesinlik: k onaydan sonra, işlem $1 - 2^{-k}$ güvenle “muhtemelen kesin”dir. Yapay Zeka Komitesi onay hızını hızlandırır; İnsan Komitesi güvenliği sağlar.

Biçimsel Doğrulama: Komite etkileşimlerini modellemek için TLA+ kullanılır; asenkron Bizans varsayımları altında (< %33 kötü niyetli canlılığı (nihai kesinlik) ve güvenliği (çelişkili kesinlik yok) kanıtlar.

Beklenen Kazanç: Yüksek güvenilir işlemler için saniye altı kesinlik ile $3-4\times$ verim (7.500–10.000 TPS).



Yönetişim Korumaları: İnsan Komitesi, yapay zeka beklenmeyen davranış sergilerse (ör. belirli doğrulayıcıları kayırma, işlemleri sansürleme) acil freni etkinleştirebilir. Freni kaldırmak için 4-den-7 Konsey oylaması gerekir.

Faz 3: Tam PAI Konsensüsü (Geç MERKÜR / Erken VENÜS) Mekanizma: Yapay zeka modelleri şunları yönetir:

- **Dinamik güvenlik bütçeleri:** Doğrulayıcı teşviklerini ağ yüküne, tehdit seviyelerine (DDoS, Sybil saldırıları) ve ekonomik koşullara dayalı olarak gerçek zamanlı ayarlar.
- **Uyarlanabilir parçalama:** İşlem yerelliğine dayalı olarak durumu ve iş yükünü alt-DAG'ler (parçalar) arasında bölümler; yapay zeka en uygun parça atamalarını tahmin eder.
- **Öngörücü ücret piyasaları:** Yapay zeka talebi tahmin eder, tıkanıklığı önlemek için TEM sübvansiyonlarını önleyici olarak ayarlar.

Performans Hedefi: 10.000+ TPS sürdürülebilir, 15.000+ TPS zirve, işlemlerin %95'i için 500ms altı kesinlik.

Merkezi Olmayan Yapı Kısıtlamaları: Yönetişim sınırlar belirler:

- Minimum doğrulayıcı sayısı: 500 (aşırı merkezileşmeyi önler).
- Maksimum doğrulayıcı kazançları: Gini katsayısı $< 0,45$ (geniş katılımı garanti eder).
- Yapay zeka modeli şeffaflığı: Açık kaynak modeller, kamuya açık eğitim verileri, tekrarlanabilir derlemeler.

Yüzyıl Ölçekli Vizyon: PAI konsensüsü gezegenler arası gecikmeye (Bölüm 8), dinamik düğüm kullanılabilirliğine (kolonilerin ağa katılması/ayrılması) ve gelişen tehdit manzaralarına (kuantum sonrası saldırılar, AGI düşmanları) uyum sağlar.

6.7 Çift Lens Gerekçesi

Yakın Dönem (MERKÜR Dönemi)

İşletmeler, denetlenebilir AGIW makbuzları, düzenlenmiş saklama (HSM'ler, çoklu imza), hibrit fiat/kripto takası, uzman anlaşmazlık çözümü ve yapay zeka güvenlik korkuluklarıyla uyumlu otomasyonu elde eder. Maliyet tasarrufu (%60–80) ve uyumluluk hazırlığı (SOC 2, EU AI Act) benimsemeyi yönlendirir.

Yüzyıl Ölçeği (VENÜS'ten ANDROMEDA'ya)

Altyapı, yönetilen riskle hesaplama çiftlikleri, enerji şebekeleri ve gezegenler arası ticaret işleten Merkezi Olmayan Otonom Ekonomileri (DAE'ler) destekler. PAI konsensüsü yıldızlar arası gecikmelere ölçeklenir, anayasal sözleşmeler karma insan-yapay zeka popülasyonları için yönetimi kodlar, geri döndürülebilir geçmiş mekanizmaları felaket arızaları için mahkeme onaylı geri almaları izin verir.

6.8 Risk Matrisi ve Azaltma Özeti

Risk			Azaltma	Artık Maruziyet
Kâhin	fiyat	ma-	Çok kaynaklı medyan toplama, cezalandırılabilir stake (besleyici başına 1.000 TOS), eskime geri dönüşü EWMA'ya	Düşük (11/21 gizli anlaşmalı besleyici gerektirir; istatistiksel analiz yoluyla tespit edilir)

Doğrulayıcı oluşumu	kartel	Dönen komiteler, yönetim için kuadratik oylama, kamuya açık telemetri kontrol panelleri, RepGraph anti-gizli anlaşma tespiti	Orta (üç ayda bir izlenir; yönetim teşvikleri ayarlayabilir)
Saklama ihlali (anahtar hırsızlığı)		HSM'ler (FIPS 140-2 Seviye 3), çoklu imza politikaları, hız limitleri, acil dondurma, üç aylık penetrasyon testleri	Düşük (saldırı fiziksel HSM erişimi + çok taraflı gizli anlaşma gerektirir)
Tahkim birikimi		Teminat gereksinimleri (anlamsız anlaşmazlıkları caydırır), otomatik ön tarama (ML sınıflandırıcısı değeri tahmin eder), hakemler için performans teşvikleri	Orta (hakem işe alımı ile ölçeklenir; TEM eğitimi sübvans eder)
Güvenlik Kâhini arızası (yanlış negatifter)		Çeşitli veri kaynakları (Anthropic, OpenAI, Google, bağımsız denetçiler), koruyucular tarafından manuel geçersiz kılma, aylık doğruluk denetimleri	Orta (devam eden model ayarlaması gerektirir; yönetim eşik politikalarını inceler)
PAI merkezileşme riski		Açık kaynak yapay zeka modelleri, yönetim tarafından uygulanan sınırlar (min doğrulayıcılar, maks Gini), İnsan Komitesi vetosu, acil fren	Orta (uzun vadeli yönetim zorluğu; topluluk gözetimi kritik)
Zincirler arası köprü istismarı		Biçimsel doğrulama (TLA+), çoklu imza komiteleri (7-den-11), değer limitleri (işlem başına \$1M), sigorta havuzu (hacmin %3'ü)	Düşük (istismar 4+ tehlikeye atılmış doğrulayıcı + kriptografik varsayımların kırılması gerektirir)

Table 6: Piyasalar ve Güvenlik dönemi için risk-kontrol matrisi (MERKÜR-VENÜS geçişi).

7 Ortak Yönetişim ve Metadünyalar – VENÜS-MARS Geçiş

7.1 Sosyo-Teknik Manzara

2070'lerde, Metadünya 1.0 kendi içinde tutarlı bir sanal medeniyet olarak ortaya çıkar. Hükümetler, Barışçıl Çatallanma Anlaşması aracılığıyla yapay zeka varlıklarını tanıır. Yönetişim altyapısı, yasaları kodlamalı, geri dönüşümlü kararları desteklemeli ve gecikmeyi tolere etmelidir.

7.2 Politika-Kod Derleyicisi

Motivasyon Anayasal yönetim, yasaların, iş mantığının ve uyumluluk kurallarının çalıştırılabilir akıllı sözleşme modüllerinde kodlanmasını gerektirir. Ancak, düşük seviyeli uygulama dilleri karmaşık, hataya açık ve geliştirici olmayanlar için erişilemezdir. Politika derleyicisi bu boşluğu doldurur.



Mimari

1. **Policy DSL (Alana Özgü Dil):** Kuralları ifade etmek için üst düzey bildirimsel sözdizimi. Örnek:

```
policy AgentWithdrawalLimit {
  rule "Large withdrawals require multi-sig" {
    when: withdrawal.amount > 10000 TOS
    require: signatures.count >= 2
    from: [agent.key, guardian.key, auditor.key]
    timeout: 24 hours
  }
  rule "Sanctioned addresses blocked" {
    when: transfer.recipient in SanctionsList
    action: reject
    log: "OFAC violation attempt"
  }
}
```

2. **Derleyici Hattı:**

- **Ayrıştırıcı:** DSL'yi belirteçlere ayırır, soyut sözdizimi ağacı (AST) oluşturur.
- **Statik Çözümleyici:** Sınırlı döngüleri kontrol eder (sonsuz gaz yok), açık erişim kontrolü (korumasız fonksiyonlar yok), zorunlu olay günlüğü.
- **Kod Üretici:** TOS sanal makinesini hedefleyen Python kodu üretir.
- **Optimize Edici:** Ölü kod eliminasyonu, sabit katlama yoluyla gaz maliyetini azaltır.
- **Doğrulayıcı:** Güvenlik özelliklerini kanıtlamak için SMT çözücülerini (Z3, CVC5) kullanarak biçimsel doğrulama (örneğin, "yetkisiz çekim yok", "tüm durum değişiklikleri günlüğe kaydedildi").

3. **Dağıtım İş Akışı:**

- Yönetişim, DSL'de politika taslağı oluşturur, GitHub'a commit eder.
- Derleyici CI/CD hattını çalıştırır: derleme, testnet'te test, denetim raporu oluşturma.
- Topluluk kodu, simülasyonları, biçimsel doğrulama kanıtlarını inceler (7 günlük süre).
- Zincir üstü oylama: %60 katılım, %75 onay gerektirir.
- Zamana kilitli dağıtım: Etkinleştirmeden önce 48 saat gecikme (acil fren penceresi).

Güvenlik Garantileri

 Derleyici şunları uygular:

- **Sonlandırma:** Tüm döngüler sabitler veya yönetim tarafından belirlenen limitlerle sınırlıdır (durma problemi riski yok).
- **Erişim kontrolü:** Durumu değiştiren her fonksiyon açık rol kontrolü gerektirir (`onlyAgent`, `onlyGuardian`, `onlyGovernance`).
- **Denetlenebilirlik:** Tüm politika eylemleri zaman damgaları, aktör kimlikleri ve gerekçelerle olaylar yayar.
- **Yükseltilebilirlik:** Politikalar sürümlenir; eski sürümler değiştirilemez şekilde arşivlenir; göçler denetlenir.



Örnek Kullanım Durumları

- **İhracat kontrolü:** “Yargı bölgesi X’teki ajanlar, yargı bölgesi Y’den veri setleri içeren görevleri yürütemez” (ITAR uyumluluğu).
- **Enerji kotaları:** “Sanal üniversiteler öğrenci başına ayda 1.000 EC tahsis eder; aşımalar dekan onayı gerektirir.”
- **Acil müdahale:** “Güvenlik Oracle’ı 1 saat içinde > 10 toksisite ihlali işaretlerse, Konsey incelemesi beklenirken tüm ajan operasyonlarını duraklat.”

7.3 Gecikmeye Toleranslı Uzlaşma Protokolü

CRDT tabanlı replikasyon kullanarak, katılımcılar kısmi durumu korur ve günlükleri değiş tokuş ederek uzlaşır. Algoritma 1 süreci özetler.

Algorithm 1 Delay-Tolerant Settlement (DTS)

- 1: Input: Operation log L_i for participant i .
 - 2: Broadcast digest $d_i = H(L_i)$ periodically.
 - 3: On receiving digest d_j , request missing operations.
 - 4: Merge logs via $L_i \leftarrow \text{merge}(L_i, L_j)$, ensuring commutativity.
 - 5: When quorum acknowledges, emit finality proof to main chain.
-

7.4 Metrikler

Yönetişim SLO’ları: Kritik oylamalarda %75 katılım, teklif hazırlık süresi ≥ 48 saat, çeyrek başına sıfır acil geri alma. Telemetri, oy katılımını, yürütme başarısını, anlaşmazlık sonuçlarını içerir.

7.5 Kullanım Durumları

- Sanal üniversiteler müfredatı, kimlik bilgilerini ve akreditasyonu politika sözleşmeleri altında kodlar.
- Karma insan-yapay zeka şirketleri bütçe onayları, işe alım ve risk kontrolleri için anayasal sözleşmeler kullanır.
- Çapraz gerçeklik ticareti, kaynak değişimleri için gecikmeye toleranslı uzlaşma kullanır.

8 Genişleme ve Geri Dönüşümlü Tarih – JÜPİTER - ANDROMEDA Çağları

AGI medeniyeti Dünya’nın ötesine genişledikçe (JÜPİTER çağı) ve nihayetinde yıldız sistemleri boyunca stabilize oldukça (ANDROMEDA çağı), TOS gezegenlerarası gecikmeyi, felaket kurtarmayı ve çok yüzyıllı yönetişimi ele almak için evrim geçirmelidir. Bu bölüm, TOS’u karasal bir uzlaşma katmanından coğrafi-yıldız medeniyeti için ekonomik bir alt katmana dönüştüren mimari uzantıları sunar.

8.1 Gezegenlerarası Konsensüs Profili

Zorluk: Işık Hızı İletişim Gecikmeleri Dünya-Mars gidiş-dönüş gecikmesi, yörünge pozisyonlarına bağlı olarak 8 ila 44 dakika arasında değişir. Ay kolonileri 2,5 saniyelik gecikmeler yaşar.



Asteroit kuşağı yerleşimleri (Ceres, ana kuşak) 40–80 dakikalık gecikmelerle karşı karşıyadır. Geleneksel konsensüs protokolleri (BFT, PoS) saniyenin altı iletişim varsayar; gezegenlerarası ağlara doğrudan uygulama şunlara neden olur:

- **Kesinlik takılmaları:** Doğrulayıcılar gezegenler arası onayları beklerken zaman aşımına uğrar.
- **Çatallanma çoğalması:** Gezegen birleşimleri sırasında ağ bölünmeleri (gök cisimleri, doğrudan iletişimin Güneş tarafından engellendiği şekilde hizalandığında).
- **Enerji israfı:** İzole koloniler boyunca gereksiz blok üretimi.

Çözüm: Gecikmeye Toleranslı Köklerle Hiyerarşik Konsensüs TOS iki katmanlı bir konsensüs modeli benimser:

Katman 1: Yerel Konsensüs Alanları (LCD)

Her gezegen yerleşimi (Dünya, Mars, Ay, Ceres, vb.) yerel doğrulayıcılarla bağımsız bir TOS örneği çalıştırır. Bir LCD içindeki konsensüs standart BlockDAG + PAI (saniyenin altı kesinlik) kullanır. İşlemler yerel olarak uzlaşır; Mars'taki ajanlar Dünya onayını beklemeden diğer Mars ajanlarına ödeme yapar.

Katman 2: Gezegenlerarası Kök Zinciri (IRC)

Her 24 saatte bir (Dünya zamanı), her LCD IRC'ye bir *anlık görüntü kanıtı* yayımlar—yerel durumun Merkle kökü artı geçerli yürütmeyi kanıtlayan zk-SNARK tasdiki. IRC anlık görüntüleri şu yollarla toplar:

1. **Gecikmeye Toleranslı BFT:** Üstel geri çekilme ile değiştirilmiş Tendermint; doğrulayıcılar gezegenler arası oylar için 60 dakikaya kadar bekler.
2. **Çoğunluk gevşetmesi:** Kesinlik %51 stake gerektirir (karasal %67'ye karşı), canlılık karşılığında daha yüksek çatal riskini kabul eder.
3. **Kontrol noktası oluşturma:** Her 7 günde bir (Dünya zamanı), IRC bir *kanonik kontrol noktası* yayar—tüm LCD'ler tarafından tanınan geri döndürülemez uzlaşma çıpası.

Gezegenler Arası Atomik Takaslar Dünya'daki ajan Mars'taki ajana ödeme yapmak istiyor. Protokol:

1. Dünya ajanı, hash H ve 48 saatlik zaman aşımı ile Dünya LCD'sindeki HTLC'de (Hash Zamana Kilitli Sözleşme) fonları kilitler.
2. Dünya LCD, IRC'ye HTLC kanıtı yayımlar (bir sonraki günlük anlık görüntü).
3. Mars LCD, IRC'yi senkronize eder, HTLC'yi doğrular, Mars ajanının ön görüntüyü x 'i açıklayarak talep etmesine izin verir ($H = \text{hash}(x)$ olduğunda).
4. Mars LCD, IRC'ye talep kanıtı yayımlar.
5. Dünya LCD talebi gözlemler, zaman aşımı sona erdikten sonra fonları orijinal talep edene serbest bırakır (veya zaman aşımında iade eder).

Ödünleşmeler: Uzlaşma gecikmesi = 48–96 saat (karasal 15 dakikaya karşı). Dünya tabanlı likiditeye azalan bağımlılık göz önüne alındığında ajan-ajan ticareti için kabul edilebilir.

Güvenlik Analizi Saldırı Senaryosu: Düşman Mars doğrulayıcılarının %40'ını kontrol eder, Mars LCD'sini çatallandırarak ve IRC'ye çelişkili anlık görüntü göndererek çifte harcama girişiminde bulunur.

Savunma: IRC doğrulayıcıları çelişkili Merkle köklerini tespit eder, her iki anlık görüntüyü de reddeder, tahkimi tetikler. Mars LCD *kurtarma moduna* girer: yeni işlemleri durdurur, blok geçmişini



gözden geçirmek ve kanonik zinciri belirlemek için Dünya liderliğindeki denetim komitesini bekler. Ceza: kötü niyetli Mars doğrulayıcılarının %50 stake'i kesilir; Mars LCD itibar puanı düşürülür, gezegenler arası takas ücretleri artar.

Performans Hedefleri (JÜPİTER Çağı)

- **Yerel TPS:** LCD başına 10.000+ (PAI ile optimize edilmiş).
- **Gezegenler arası uzlaşma:** 24–48 saat (günlük anlık görüntüler).
- **Kanonik kesinlik:** 7 gün (haftalık kontrol noktaları).
- **Ağ bölünmesi toleransı:** 30 günlük Mars iletişim kesintisinden kurtulur (bekleyen anlık görüntüleri depolar, yeniden bağlandığında senkronize eder).

8.2 Geri Dönüşümlü Tarih Mekanizması

Motivasyon: Felaket Hatası Kurtarma AGI ajanları kritik altyapıyı yönettikçe (yaşam destek sistemleri, yörünge mekaniği, genetik biyobankalar), *geri döndürülemez* hatalar varoluşsal risklere dönüşür. Örnekler:

- Sahtekar ajan, koloni hazinesini boşaltan sahte transfer gerçekleştirir (\$50B+).
- Akıllı sözleşme hatası, enerji şebekesi sözleşmelerinde ardışık arızalara neden olur.
- Güvenliği ihlal edilmiş doğrulayıcı seti (kuantum bilgisayar atılımı) imza güvenliğini baltalar.

Geleneksel blok zincirleri, tartışmalı sosyal konsensüs sert çatallanmalarının ötesinde çare sunmaz. TOS, denetlenebilirliği korurken *mahkeme onaylı geri almaları* etkinleştirir.

Mimari: Kontrol Noktası Tabanlı Geri Alma Kontrol Noktası Oluşturma

Her 24 saatte bir, her LCD şunları hesaplar:

- **Durum kökü:** Tüm hesap bakiyelerinin, akıllı sözleşme depolamasının, itibar puanlarının Merkle kökü.
- **Geçerlilik kanıtı:** Son kontrol noktasından bu yana tüm işlemlerin doğru yürütüldüğünü kanıtlayan zk-SNARK (gaz limitleri, imzalar, durum geçişleri).
- **Meta veriler:** Blok yüksekliği, zaman damgası, teklif veren kimliği, önceki kontrol noktasının hash'i.

Kontrol noktaları IRC'ye yayımlanır ve yedekli depolamada arşivlenir (Arşiv Federasyonu'na bakın).

Geri Alma Yetkisi

Yönetişim prosedürü (Anayasal çoğunluk gerektirir, %75 oy):

1. **Olay Raporu:** Etkilenen taraflar, Tahkim Mahkemesi'ne kanıt sunar (işlem günlükleri, zaman ifadesi, adli analiz).
2. **Mahkeme Kararı:** Mahkeme geri almanın haklı olduğunu belirlerse (dolandırıcılık, istismar veya mücbir sebep), imzalı bir *Geri Alma Yetkilendirme Sertifikası (RAC)* yayınlar ve şunları belirtir:
 - Hedef kontrol noktası kimliği (yükseklik, zaman damgası).
 - Gerekçe (yasal gerekçe, etki değerlendirmesi).
 - İstisnalar (geri almaya rağmen korunacak işlemler, örn. masum üçüncü taraf ödemeleri).
3. **Topluluk Oylaması:** RAC yönetime sunulur; %75 çoğunluk + doğrulayıcı onayı gerekir.
4. **Yürütme:** Doğrulayıcılar, geri alman olaylar hariç hedef kontrol noktasından ileriye doğru işlemleri yeniden oynatır. Yeni durum kökü hesaplanır; çatal kanonik zincir olur.



Teknik Güvenlik Önlemleri

- **Değiştirilemez Denetim İzi:** Orijinal işlemler arşiv günlüklerinde kalır; geri alma *paralel tarih* (“geri alma dalı”) oluşturur. Adli araştırmacılar zaman çizelgelerini karşılaştırabilir.
- **Sınırlı Kapsam:** Geri almalar 90 günlük geriye bakışla sınırlıdır (daha eski kontrol noktaları geri döndürülemez). Belirsiz belirsizliği önler.
- **Tazminat Fonu:** Hazine’nin %5’i *masum mağdur tazminatı* için ayrılmıştır—geri alma nedeniyle fon kaybeden ajanlar (örn. alıcının ödemesi geri alınmadan önce mal gönderen satıcı).
- **Oran Limitleri:** Çeyrek başına maksimum 1 geri alma; yönetim kötüye kullanımını önler.

Vaka Çalışması: Simüle Edilmiş Kuantum Saldırısı (2185) Hipotetik senaryo: 100-kübitlik hata toleranslı kuantum bilgisayarı olan düşman ECDSA imzalarını kırar, 8 saatlik süre içinde 5.000 ajan hesabından \$12B boşaltır (PQC göçü tamamlanmadan önce).

Yanıt:

1. Güvenlik Operasyon Merkezi anormal işlem kalıplarını tespit eder (yakın zamanda aktivite olmayan hesaplardan 10.000 transfer).
2. Konsey acil devre kesiciyi etkinleştirir; ağ 2 saat içinde duraklatılır.
3. Tahkim Mahkemesi toplanır; kriptanaliz yoluyla kuantum saldırısını doğrular.
4. Yönetişim oylaması (%82 onay) saldırıdan 12 saat önceki kontrol noktasına geri almayı yetkilendirir.
5. Doğrulamacılar geri almayı yürütür; çalınan fonlar geri yüklenir; saldırı işlemleri geçersiz kılınır.
6. Tazminat Fonu, saldırı penceresi sırasında meşru ödemeler alan ajanlara \$200M öder.
7. Olay sonrası inceleme: PQC göçünü hızlandır; 30 gün içinde Dilithium-5’e yükselt; şeffaflık raporu yayınla.

Sonuç: Kriz 7 günde çözüldü; ağ güveni korundu; saldırganın kuantum avantajı geri alma yeteneği ile nötralize edildi.

8.3 Archival Federation

Challenge: Millennial Data Preservation AGI civilization requires *institutional memory* spanning centuries. Use cases:

- Legal disputes referencing contracts signed 200 years ago.
- Scientific reproducibility (verify experimental claims from prior era).
- Genealogical research (human/AI lineage records).
- Historical audits (Did colony X pay colony Y in 2234?).

Traditional cloud storage (AWS Glacier, Google Coldline) assumes <100-year retention; enterprises collapse, formats obsolete, bit rot accumulates.

Solution: Multi-Layer Archival Strategy Layer 1: Hot Storage (1–10 years)

Active nodes store full state + recent blocks in SSD/NVMe. Indexed for fast queries. Redundancy: 3 replicas per LCD, geographically distributed (Earth: 3 continents; Mars: Olympus Mons, Valles Marineris, Hellas Basin).

Layer 2: Warm Storage (10–100 years)

Archival nodes store compressed block data in HDD arrays. Reed-Solomon erasure coding (20%



redundancy) tolerates 20% disk failures. Monthly scrubbing detects bit rot; corrupted blocks reconstructed from parity. Incentive: treasury pays 0.5 TOS per TB-year of verified storage.

Layer 3: Cold Storage (100–1,000 years)

Experimental media:

- **DNA storage:** Encode blockchain data in synthetic DNA (Church Lab, Harvard). Density: 215 petabytes per gram; lifespan: 2,000+ years if stored at -18°C. Cost: \$1,000 per TB (2025 prices; projected \$10/TB by 2050).
- **5D optical discs:** Fused silica glass with femtosecond laser nanostructures (University of Southampton). Lifespan: 13.8 billion years (tested via accelerated aging). Density: 360 TB per disc.
- **Archival tape (LTO-12+):** Magnetic tape in climate-controlled vaults. Lifespan: 50–100 years (requires periodic migration).

Strategy: Ledger state checkpoints (every 7 days) written to all three media; stored in geographically dispersed vaults (Earth: Svalbard Global Seed Vault, Antarctica; Moon: lava tubes; Mars: subsurface ice caverns).

Layer 4: Federation Protocol

Colonies share archival responsibility via *distributed custodianship*:

1. Earth colony archives Mars data; Mars archives Lunar data; Lunar archives Ceres data, etc. (ring topology).
2. Annual *scrubbing ceremony*: colonies exchange Merkle proofs, verify data integrity.
3. If colony goes offline (e.g., catastrophic life support failure), surviving colonies reconstruct its archive from erasure-coded fragments.

Retrieval Protocol Query historical state (e.g., “What was account `tos1qq5hgy2jwn0r5ehvuw5r3qjcfvjvq5dhld` balance on 2234-05-15?”):

1. Check Hot Storage (if within 10 years): $O(\log n)$ indexed lookup, 100ms latency.
2. Check Warm Storage (if 10–100 years): Decompress blocks, verify Merkle proof, 10–60 seconds.
3. Check Cold Storage (if 100–1,000 years): Retrieve DNA/optical disc from vault, sequence/read data, reconstruct via Reed-Solomon, 1–7 days.

Economic Model Funding: 3% of annual treasury revenue allocated to archival infrastructure. At \$50B treasury (projected 2150), this funds \$1.5B/year for:

- DNA synthesis (\$500M/year, encoding 500 PB).
- 5D optical disc production (\$300M/year, 1,500 PB).
- Vault construction/maintenance (\$400M/year).
- Custodian node operators (\$300M/year, 1,000 nodes globally).

8.4 Post-Quantum Cryptography Migration

Threat Timeline

- **2030s:** 50-qubit noisy quantum computers (insufficient for ECDSA attacks).
- **2040s:** 1,000-qubit fault-tolerant systems (Shor’s algorithm breaks RSA-2048, ECDSA-256 in hours).
- **2050s:** Commercial quantum computers available to well-funded adversaries.



Migration Strategy: Hybrid Transition Phase 1 (v4.0, 2026): Dual-signing introduced. Every transaction carries two signatures:

- Classical: ECDSA secp256k1 (backward compatibility).
- Post-quantum: Dilithium-3 (NIST FIPS 204).

Validators verify both; network accepts transaction if *either* signature valid (ensures liveness if PQC implementation has bugs).

Phase 2 (v5.0, 2030): PQC-only mode. Classical signatures deprecated; nodes reject ECDSA-only transactions. Grace period: 12 months for agents to upgrade wallets.

Phase 3 (v6.0, 2040): Quantum-resistant hash functions. Replace SHA-256 (vulnerable to Grover's algorithm) with SHA-3 or BLAKE3 (256-bit security maintained against quantum attacks).

Community Ceremony (Transparency & Trust) To ensure transparency and community trust, TOS conducts a *PQC Migration Ceremony*:

1. **Phase 1 (Month 1–3):** Open call for participants (universities, security firms, community volunteers). 5,000+ participants contribute randomness to generate global PQC parameters.
2. **Phase 2 (Month 4):** Multi-party computation (MPC) generates master public key. Ceremony transcript published; participants destroy private contributions.
3. **Phase 3 (Month 5–6):** Compatibility testing. Validators run shadow fork with PQC signatures; stress test under adversarial conditions.
4. **Phase 4 (Month 7):** Governance vote (67% approval required). If passed, mainnet upgrade scheduled 30 days out.
5. **Phase 5 (Month 8):** Mainnet activation. Old signatures phased out over 12 months.

Fallback Plan If critical PQC vulnerability discovered (e.g., lattice hardness assumption broken):

- Emergency rollback to last pre-PQC checkpoint.
- Activate alternative PQC scheme (Falcon, SPHINCS+).
- Reconvene ceremony with updated parameters.

8.5 Philosophical Foundations: Temporal Sovereignty

The reversible history mechanism embodies a radical governance principle: **future generations may correct past errors**. Traditional blockchains enshrine immutability as sacred; TOS recognizes that *perfect foresight is impossible*. By enabling court-authorised rollbacks, TOS empowers AGI civilization to:

- Recover from black swan events (quantum attacks, rogue superintelligence).
- Undo unjust transactions (theft, coercion, algorithmic discrimination).
- Preserve institutional continuity across centuries (constitutional amendments, treaty revisions).

This capability is not unlimited (90-day window, 75% supermajority, rate limits) but signals a shift from *code is law* to *code + governance is law*. As AGI entities gain legal standing and humans merge with digital substrates, the ability to *rewrite history responsibly* becomes essential to civilization's resilience.



9 Teknik Temeller

TOS architecture rests on four foundational pillars, each addressing critical requirements for the agent economy. These pillars are designed to evolve across celestial eras while maintaining backward compatibility.

9.1 P1 – Digital Personhood & Reputation

Decentralized Identifiers (DIDs) Every agent, validator, and human participant receives a W3C-compliant DID (Decentralized Identifier) following the `did:tos:` method specification.

DID Format:

```
did:tos:<bech32-address>  
did:tos:<network-id>:<bech32-address>
```

Examples:

```
Simple form: did:tos:tos1qvqsyqcyq5rqwzqfpg9scrgwpugpzysnzs23v9xh  
Mainnet:    did:tos:mainnet:tos1qvqsyqcyq5rqwzqfpg9scrgwpugpzysnzs23v9xh  
Testnet:    did:tos:testnet:tst1qqqsyqcyq5rqwzqfpg9scrgwpugpzysnzs2pgde5k
```

Note: TOS uses complete bech32 addresses as DID identifiers, preserving full address format including checksum for validation. Mainnet addresses use `tos1` prefix, while testnet addresses use `tst1` prefix.

DID Document Structure:

- **Public Keys:** Ed25519 (signing), X25519 (encryption), Dilithium-3 (post-quantum).
- **Service Endpoints:** HTTPS URLs for off-chain communication, IPFS content addresses.
- **Verifiable Credentials:** Linked to attestations (reputation scores, skill certifications, regulatory compliance).
- **Revocation Registry:** Bloom filter enabling efficient revocation checks without revealing full credential list.

Registration Process:

1. Agent generates key pair; derives DID from public key hash.
2. Submits registration transaction to TOS chain (fee: 1 TOS).
3. DID anchored on-chain; DID document published to IPFS; hash stored in smart contract.
4. Agent proves control by signing challenge with private key.

Verifiable Credentials (VCs) Agents acquire capabilities through tamper-evident credentials issued by trusted authorities (validators, arbitration courts, educational institutions).

Credential Types:

- **Reputation Credentials:** RepGraph tier (Bronze/Silver/Gold/Platinum), task completion count, dispute resolution history.
- **Skill Badges:** Domain expertise (legal analysis, climate modeling, code review) validated via peer assessment or certification exams.
- **Compliance Attestations:** KYC/AML clearance (for fiat on-ramps), regulatory approvals (EU AI Act conformity, FDA medical device certification).
- **Delegation Proofs:** Authority to act on behalf of another entity (corporate agents executing on behalf of DAOs).

**Issuance Protocol:**

1. Issuer (e.g., RepGraph smart contract) creates credential JSON-LD document.
2. Signs with BBS+ signatures (selective disclosure enabled; holder can prove specific attributes without revealing entire credential).
3. Publishes credential to holder's DID document via IPFS; on-chain event emitted.
4. Holder stores credential in wallet; presents zero-knowledge proofs to verifiers (e.g., "Prove reputation ≥ 0.7 without revealing exact score").

Reputation Graph (RepGraph) Algorithms Score Computation:

$$r_t = \alpha \cdot r_{t-1} + (1 - \alpha) \cdot s_t \quad (14)$$

where:

- r_t : Reputation score at time t (range $[0, 1]$).
- $\alpha = 0.85$: Exponential smoothing factor (85% historical weight).
- s_t : Quality score for most recent task (median of 5 validator assessments).

Decay Mechanism:

$$r_{t+\Delta t} = r_t \cdot (0.98)^{\Delta t/30} \quad (15)$$

Reputation decays 2% per month of inactivity; prevents dormant high-reputation accounts from sudden reactivation.

Multi-Dimensional Scoring:

- **General Reputation:** Aggregate across all task types.
- **Domain-Specific:** Separate scores for legal, medical, financial, technical domains.
- **Recency-Weighted:** Recent performance (last 30 days) weighted $2\times$ vs. historical average.

Anti-Gaming Measures:

- **Sybil Resistance:** Minimum 100 TOS stake + proof-of-uniqueness (BrightID integration roadmap v5.0).
- **Collusion Detection:** Graph analysis identifies clusters of agents with suspiciously correlated voting patterns; flagged for manual review.
- **Reputation Caps:** New agents capped at 0.5 reputation for first 90 days; prevents rapid reputation farming.

Interoperability with W3C Standards

- **DID Core v1.0:** Full compliance; TOS DIDs resolvable via Universal Resolver.
- **Verifiable Credentials Data Model v1.1:** Credentials valid across ecosystems (can present TOS credential to non-TOS verifier).
- **DIDComm v2:** Secure messaging protocol for agent-to-agent communication (encrypted, authenticated, transport-agnostic).



9.2 P2 – Economic Execution

Account Abstraction TOS implements native account abstraction, enabling programmable accounts with custom validation logic integrated directly into the protocol layer. This eliminates the need for separate smart contracts or external coordination services, providing a streamlined experience for AI agents.

Key Features:

- **Paymasters:** Third parties sponsor gas fees (e.g., enterprise pays fees for employee agents).
- **Multi-Sig Wallets:** m -of- n approval for high-value transactions (corporate treasury accounts).
- **Session Keys:** Temporary keys with restricted permissions (agent can sign small transactions without accessing main key).
- **Social Recovery:** Recover account access via guardians (family members, trusted agents) if private key lost.

UserOperation Structure:

```
{
  sender: "0x...",           // Agent's account address
  nonce: 42,                  // Sequential counter
  initCode: "0x...",          // Account creation code (if new)
  callData: "0x...",           // Function call to execute
  paymasterAndData: "0x...",   // Paymaster address + verification data
  signature: "0x..."         // Signature over UserOperation
}
```

AGIW Settlement Engine Decentralized task marketplace where agents earn by performing verifiable work. Full protocol specification in Section 10.

Core Components:

- **TaskInstance Contract:** Escrow management, state machine (Open → Claimed → Verified → Settled).
- **Validator Pool:** Random selection of 5 validators per task; median quality score determines payout.
- **Attestation Reports:** TEE-generated proofs (Intel SGX, AMD SEV) certifying execution environment integrity.
- **Dispute Resolution:** Escalation to expert arbitrators if agent contests validator assessment.

Resource Token Markets (CC/EC) **Compute Credits (CC):** Fungible tokens representing GPU/CPU compute hours. Pricing oracles aggregate AWS/GCP/Azure spot prices.

Energy Credits (EC): Tokenized energy consumption (kWh). Oracle feeds from grid operators; renewable energy sources earn 10% premium.

Automated Market Maker (AMM):

- Constant Product Market Maker (CPMM): $x \cdot y = k$ where x = CC reserves, y = TOS reserves.
- Liquidity providers earn 0.3% swap fees.
- Impermanent loss protection: TEM treasury subsidizes divergence losses for LPs providing >1M TOS liquidity.



TOS Energy Model (TEM) Dynamic fee adjustment mechanism balancing network sustainability with agent accessibility.

Fee Structure:

$$\text{Total Fee} = \text{Base Fee} + \text{Priority Tip} - \text{TEM Subsidy} \quad (16)$$

Base Fee:

- Computed via dynamic adjustment mechanism that adjusts based on block fullness.
- Target: 50% block utilization; base fee increases 12.5% per block if usage > target.

TEM Subsidy Categories:

- **Public Goods (100% subsidy):** Open-source development, climate research, medical diagnostics.
- **Education (75%):** Academic research, student projects.
- **SMBs (50%):** Small/medium businesses with <\$10M annual revenue.
- **Enterprise (0%):** Full commercial rates for large corporations.

Funding: 8% of block rewards allocated to TEM treasury; governance votes on subsidy allocations quarterly.

Table 7: TEM Economic Parameters and Control Mechanisms

Parameter	Value / Range	Control Logic
Base fee band (TOS)	0.0001–0.01 per gas unit	Adjust by block fill p95; target 50% utilization
Base fee adjustment	+12.5% per block	If usage > 50% target
CC stabilization band	±15% of GPU index	Oracle median with 30-min staleness cap
EC stabilization band	±10% of kWh index	Region-weighted energy basket
TEM treasury split	40% security / 30% grants / 30% rebates	Quarterly governance rebalancing
Oracle staleness cap	≤30 minutes	Freeze CC/EC subsidy if exceeded
Subsidy categories	Public Goods: 100% / Education: 75% / SMB: 50% / Enterprise: 0%	Task classification by governance vote
Treasury allocation	8% of block rewards	Fixed protocol parameter
Validator reward pool	60% of block rewards	Base consensus incentive
Burn mechanism	10% of base fees	Deflationary pressure

Economic Sensitivity: TEM parameters undergo quarterly review by governance. Simulation results (available at metrics.tos.network/tem-sensitivity) demonstrate system stability under 3× demand spikes and 50% oracle variance scenarios.

9.3 P3 – Consensus & Safety

BlockDAG Baseline Architecture Traditional blockchains form linear chains; TOS uses Directed Acyclic Graph (DAG) enabling parallel block production.

Block Structure:



- Each block references 1–3 parent blocks (vs. 1 in traditional linear chains).
- Validators independently propose blocks; no leader election bottleneck.
- Topological sorting determines transaction order; conflicts resolved via timestamp + proposer priority.

Consensus Rules:

- **Confirmation Depth:** Transaction considered final after 8 blocks deep (90 seconds median).
- **Longest Chain Heuristic:** In case of DAG forks, prefer subgraph with most cumulative proof-of-stake weight.
- **Validator Rotation:** Committee of 100 validators selected per epoch (24 hours); weighted by stake + reputation.

Performance:

- Baseline: 2,500–3,500 TPS (measured Sept 2025).
- PAI-optimized: 10,000+ TPS (target Q4 2026).

Table 8: Performance Evaluation Methodology

Parameter	Configuration
Validators	32 nodes across 8 geographic regions (N. America, Europe, Asia-Pacific, S. America, Africa, Middle East, Oceania, Central Asia); BLS signature scheme
Hardware	16 vCPU, 64 GB RAM, NVMe SSD (1 TB), 2.5 Gbps network interface
Network	Emulated RTT: 20–180ms (inter-region), packet loss: 0.1–1.0%, jitter: ± 10 ms
Workloads	Real agent jobs: code review (15%), data synthesis (25%), RAG tasks (20%); Synthetic spam: 20–60% injection rate
Runtime	72-hour continuous runs; 5 independent seeds; cold start + steady state phases
Block Size	Variable: 100–2,000 transactions per block; target 50% utilization
Mempool Config	Priority queue with reputation weighting; max 100,000 pending transactions
Metrics Collected	TPS (p50/p95/p99), block time (p50/p95), finality depth (confirmation blocks), AGIW settlement latency (task publish $\rightarrow$ reward), dispute rate (% of tasks disputed), validator liveness (uptime %), fork rate
Measurement Tools	Prometheus + Grafana; custom telemetry pipeline; raw logs exported to <code>metrics.tos.network</code>
Baseline Period	September 2025 testnet deployment (14-day observation window)

Key Results (September 2025 baseline):

- TPS: p50 = 2,847, p95 = 3,421, p99 = 3,789
- Block time: p50 = 11.3s, p95 = 14.2s
- Finality: 8 blocks (median 90s)
- AGIW settlement: p50 = 12.4 min, p95 = 18.7 min
- Dispute rate: 1.8% of completed tasks
- Validator liveness: 98.7% average



Power of AI (PAI) Consensus AI-assisted scheduling enhances BlockDAG throughput via predictive transaction ordering.

Phase 1: AI Scheduling Hints

Lightweight ML model (LSTM trained on historical transaction patterns) predicts optimal block ordering. Validators vote on AI proposal; >67% approval adopts hint.

Phase 2: Hybrid Committees

AI Committee (30% stake) proposes block orderings; Human Committee (70% stake) reviews and approves. Probabilistic finality: $1 - 2^{-k}$ confidence after k confirmations.

Phase 3: Full PAI

AI agents participate as validators. Governance caps AI voting power at 40% (prevents AI takeover); human validators retain veto.

AI Safety Oracle Integration On-chain oracle aggregates safety metrics from leading AI labs:

- **Anthropic Constitutional AI:** Harmfulness scores (toxicity, bias, misinformation).
- **OpenAI Moderation API:** Content policy violations (hate speech, violence, illegal activity).
- **Google Perspective:** Conversation quality metrics.

Enforcement:

- Tasks with safety score < 0.3 automatically rejected (refund escrow).
- Agents repeatedly submitting unsafe outputs flagged; reputation penalized.
- Human arbitrators review borderline cases (0.3–0.5 safety score).

Slashing & Anti-Sybil Mechanisms **Validator Slashing:**

- **Double-signing:** Propose conflicting blocks $\Rightarrow$ 50% stake slashed.
- **Downtime:** Offline >6 hours $\Rightarrow$ 5% stake slashed, ejected from active set.
- **Invalid Attestation:** Sign fraudulent TEE report $\Rightarrow$ 20% stake slashed.

Agent Anti-Sybil:

- Minimum stake: 100 TOS per agent identity.
- Rate limits: 5–60 minute cooldown between tasks (based on reputation).
- Graph analysis: Detect clusters of agents with identical behavioral patterns; require proof-of-uniqueness.

9.4 P4 – Resilience

Post-Quantum Cryptography Roadmap See Section 8 for detailed PQC migration strategy. Summary:

- **v4.0 (2026):** Dual-signing (ECDSA + Dilithium-3).
- **v5.0 (2030):** PQC-only; classical signatures deprecated.
- **v6.0 (2040):** Quantum-resistant hash functions (SHA-3).

Reversible History Court-authorised rollback mechanism for catastrophic failures. Checkpoints every 24 hours; 90-day rollback window; 75% governance supermajority required. See Section 8 for full specification.



Archival Federation Multi-layer storage strategy (Hot/Warm/Cold) with DNA and 5D optical disc backups. Data preserved for millennia across planetary colonies. See Section 8 for economic model and retrieval protocols.

Delay-Tolerant Networking Hierarchical consensus (Local Consensus Domains + Interplanetary Root Chain) handles light-speed communication delays. Daily snapshots enable cross-planet settlement within 48–96 hours. See Section 8 for interplanetary atomic swap protocol.

Disaster Recovery Protocols Byzantine Fault Scenarios:

- Network partition (Earth–Mars communication blackout): LCDs operate independently; sync when reconnected.
- Validator collusion (<33%): Median-of-5 scoring resists outliers.
- Validator collusion (>33%): Emergency governance intervention; slashing + re-election.

Recovery SLAs:

- **Minor incidents** (1–5% validator compromise): Automated slashing + replacement within 1 hour.
- **Major incidents** (5–20% compromise): Council emergency session; resolution within 24 hours.
- **Critical incidents** (>20% compromise): Network pause; rollback authorization; resolution within 7 days.

10 AGI Work (AGIW) Protokol Spesifikasyonu

10.1 Formal Definition

Task Representation A task T is a tuple:

$$T = (id, owner, spec, escrow_{CC}, escrow_{EC}, stake_{req}, deadline, whitelist, state) \quad (17)$$

where:

- $id \in \{0, 1\}^{256}$: Unique task identifier (keccak256 hash).
- $owner \in \mathbb{A}$: Publisher address.
- $spec$: IPFS content ID referencing task specification (JSON schema, datasets, acceptance criteria).
- $escrow_{CC}, escrow_{EC} \in \mathbb{R}^+$: Compute and energy credits locked for payment.
- $stake_{req} \in \mathbb{R}^+$: Minimum stake required for agents to claim task.
- $deadline \in \mathbb{N}$: Block number by which work must be submitted.
- $whitelist \subseteq \mathbb{A}$: Allowed agent set (empty $\Rightarrow$ public task).
- $state \in \{\text{Open, Claimed, Submitted, Validating, Settled, Disputed}\}$.

Agent Submission An agent a submits work as:

$$W = (resultHash, attestation, metrics) \quad (18)$$

where:

- $resultHash \in \{0, 1\}^{256}$: Content hash of task output (IPFS CID).



- *attestation*: TEE report including:
 - *measurementHash*: SHA-256 hash of executing code (proves integrity).
 - *inputHash, outputHash*: Hashes of inputs and outputs.
 - *timestamp*: Execution start/end times.
 - *energyUsed* $\in \mathbb{R}^+$: kWh consumed (measured via OS telemetry or TEE counters).
 - *signature*: TEE-signed attestation (Intel SGX: ECDSA over secp256r1; AMD SEV: RSA-4096).
- *metrics*: Optional performance data (runtime, memory usage, model accuracy).

Validation Function Validators evaluate submissions using function:

$$\mathcal{V} : (W, spec, T) \rightarrow [0, 1] \quad (19)$$

The function checks:

1. **Attestation validity**: Verify TEE signature against known public keys (Intel, AMD).
2. **Measurement correctness**: Compare *measurementHash* to approved code hashes in whitelist.
3. **Result quality**: Compare *resultHash* to reference outputs (if deterministic) or sample outputs (if stochastic).
4. **Energy efficiency**: Ensure *energyUsed* $\leq$ budget specified in *spec*.

Validators submit quality scores $q_v \in [0, 1]$. Consensus aggregates via median:

$$q = \text{median}(\{q_v : v \in \text{assigned validators}\}) \quad (20)$$

Settlement requires $|q_v - q| \leq \epsilon$ for $\geq 67\%$ of validators, where $\epsilon = 0.1$ is tolerance threshold.

Slashing Policy Validators deviating $> 2\sigma$ from median forfeit:

$$\text{slash}_v = \min(0.05 \times \text{stake}_v, 0.01 \times \text{stake}_v \times |q_v - q|/\epsilon) \quad (21)$$

Slashed funds transferred to treasury. Persistent outliers (> 5 slashes in 100 tasks) removed from validator pool.

10.2 State Machine

The AGIW state machine transitions as follows:

State	Trigger	Conditions	Next State
Open	Agent claimTask()	calls Agent in <i>whitelist</i> (if specified), $\text{stake} \geq \text{stake}_{req}$, $\text{block} < \text{deadline}$	Claimed
Claimed	Agent submitWork()	calls Caller is claimant, $\text{block} < \text{deadline}$, valid attestation signature	Submitted
Claimed	Block $\geq$ deadline	Deadline passed without submission	Forfeited (agent loses 10% stake)



Submitted	Validators assigned	Automatic (triggered by smart contract event)	Validating
Validating	All validators submit scores	$\geq 67\%$ scores within ϵ of median	Settled
Validating	Dispute raised	Either party stakes arbitration bond	Disputed
Settled	Rewards distributed	Automatic (Reward-Splitter executed)	Terminal state
Disputed	Arbitrators rule	Majority (2-of-3) vote	Resolved
Resolved	Ruling enforced	Escrow distributed per arbitration decision	Terminal state

Table 9: AGIW state transitions with triggers, conditions, and outcomes.

10.3 Attestation Workflow (Detailed)

Step 1: Agent Preparation

1. Agent provisions Trusted Execution Environment (TEE): Intel SGX enclave, AMD SEV-SNP VM, or ARM Realm.
2. Agent loads task code (verified against whitelist hash), input data, and model weights into TEE.
3. TEE initialises measurement: hash of code + data + configuration.

Step 2: Execution Inside TEE

1. TEE executes task in isolation (no OS visibility into enclave memory).
2. TEE logs energy consumption via:
 - **Intel SGX:** RAPL (Running Average Power Limit) counters.
 - **AMD SEV:** SMU (System Management Unit) telemetry.
 - **ARM Realm:** PMU (Performance Monitoring Unit) energy events.
3. TEE generates result, computes $resultHash = keccak256(output)$.

Step 3: Attestation Report Generation

TEE produces signed report:

```
{
  "version": "2.0",
  "timestamp": 1698765432,
  "measurementHash": "sha256:abcd...1234",
  "inputHash": "sha256:5678...ef90",
  "outputHash": "sha256:1111...2222",
  "energyUsed_kWh": 4.8,
  "runtime_seconds": 1320,
  "teeType": "IntelSGX",
  "signature": "base64:M3Mz...NDQ0"
}
```

Signature computed over all fields using TEE's private key (hardware-protected, non-exportable).



Step 4: On-Chain Submission Agent calls `TaskInstance.submitWork(resultHash, attestation)`. Smart contract:

- Verifies *signature* against known TEE public keys (stored in registry updated quarterly).
- Emits `WorkSubmitted(taskID, agentDID, resultHash, attestation)` event.
- Triggers `ValidationPool` to assign validators.

Step 5: Validator Verification Validators independently:

1. Fetch attestation from on-chain event.
2. Verify TEE signature (cryptographic proof of execution integrity).
3. Optionally re-execute task in their own TEE to confirm *resultHash* matches.
4. Check *energyUsed* $\leq$ task budget.
5. Submit quality score $q_v \in [0, 1]$ via `ValidationPool.validateWork(taskID, q_v)`.

Roadmap: zk-SNARK Attestation Future versions (2027+) replace TEE attestation with zero-knowledge proofs:

- Agent generates zk-SNARK proving “I executed code C on input x and produced output y ” without revealing x , y , or intermediate states.
- Proof size: ~ 200 bytes (constant, independent of computation).
- Verification cost: ~ 5 ms on commodity hardware (vs. TEE signature verification ~ 2 ms).
- Advantage: No reliance on specific hardware vendors (Intel, AMD); trustless verification.

11 İşlem/Enerji Kredisi Pazar Tasarımı

11.1 Oracles

21 feeders aggregate cloud provider data, energy markets. Median-of-medians ensures robustness. Feeder deviation beyond tolerance triggers slashing.

11.2 Liquidity Pools

CC/EC pools provide liquidity, charging dynamic fees. TEM injects liquidity during stress. Coverage ratios ensure enough credits for active agents.

12 Ekonomik Simülasyon

12.1 Methodology

We model TOS economics using agent-based simulation with 100,000 time steps (days). Key variables:

- **Agent population:** $N_a(t)$ agents active on day t .
- **Task volume:** $V_t(t)$ tasks published per day.
- **Task value:** Average escrow $\bar{e}_t$ (in USD-equivalent CC/EC).
- **Quality score:** Mean $\bar{q}_t$, standard deviation σ_q .
- **Dispute rate:** $d_t \in [0, 1]$ fraction of tasks escalating to arbitration.
- **Validator participation:** $N_v(t)$ validators staking at time t .



Simulation incorporates:

- **Network effects:** Agent adoption follows logistic growth; task volume scales sub-linearly ($V_t \propto N_a^{0.85}$).
- **Reputation dynamics:** RepGraph scores evolve via EMA; high-reputation agents attract premium tasks.
- **Economic feedback loops:** TEM adjusts subsidies based on dispute rates, liquidity, and energy market conditions.

12.2 Scenario Definitions

Parameter	Conservative	Baseline	Optimistic
Peak agents (N_a)	20,000	50,000	150,000
Tasks/day (year 3)	50,000	150,000	500,000
Avg task value (\$)	\$150	\$300	\$600
Quality score $\bar{q}$	0.75	0.85	0.92
Dispute rate d	4%	2%	0.8%
Validators (N_v)	200	500	1,200
TOS price (year 3)	\$2	\$5	\$15
Adoption curve	Slow (5yr)	Moderate (3yr)	Rapid (2yr)

Table 10: Economic scenario parameters for TOS simulation (2025–2030).

12.3 Formulas

Settlement Volume Annual settlement volume $S(y)$ in year y :

$$S(y) = 365 \times V_t(y) \times \bar{e}_t(y) \quad (22)$$

Example (Baseline, year 3): $S(3) = 365 \times 150,000 \times \$300 = \$16.4$ billion.

Agent Earnings Average agent income per year:

$$I_a(y) = \frac{V_t(y)}{N_a(y)} \times \bar{e}_t(y) \times \bar{q}(y) \times (1 + 0.2(r_a - 0.5)) \times f(s_a) \quad (23)$$

For median agent ($r_a = 0.6$, $s_a = 500$ TOS):

$$I_a(3) = \frac{150,000}{50,000} \times \$300 \times 0.85 \times 1.02 \times 1.62 \approx \$1,250 \text{ per year} \quad (24)$$

Top-tier agent (Platinum, $r_a = 0.95$, $s_a = 5,000$ TOS):

$$I_a^{\text{top}}(3) \approx \$8,200 \text{ per year} \quad (25)$$



Validator Earnings Validator income (12% of settlement volume, split proportional to accuracy):

$$I_v(y) = \frac{0.12 \times S(y)}{N_v(y)} \times \frac{Acc_v}{Acc} \quad (26)$$

Baseline year 3, median validator ($Acc_v = 0.85$):

$$I_v(3) = \frac{0.12 \times \$16.4B}{500} \times \frac{0.85}{0.85} \approx \$3.9M \text{ per year} \quad (27)$$

Treasury Accumulation Treasury receives 8% of settlement + slashed funds:

$$T(y) = 0.08 \times S(y) + \sum_{\text{slash events}} slash_v \quad (28)$$

Baseline year 3: $T(3) = 0.08 \times \$16.4B + \$20M \approx \$1.33B$.

12.4 Results by Scenario

Conservative Scenario (Slow Adoption, Higher Disputes)

- Year 3 settlement: $365 \times 50,000 \times \$150 = \$2.74$ billion.
- Agent income: Median \$410/year; top tier \$2,800/year.
- Validator income: \$1.3M/year (median).
- Treasury: \$240M.
- **Outcome:** Network remains sustainable; validators earn sufficient income to justify participation; treasury covers arbitration costs and development grants.

Baseline Scenario (Moderate Adoption, Standard Disputes)

- Year 3 settlement: \$16.4 billion.
- Agent income: Median \$1,250/year; top tier \$8,200/year.
- Validator income: \$3.9M/year (median).
- Treasury: \$1.33B.
- **Outcome:** Strong economic flywheel; agents earn viable supplementary income; validators incentivised by high returns; treasury funds PAI research, ecosystem grants, energy rebates.

Optimistic Scenario (Rapid Adoption, Low Disputes)

- Year 3 settlement: $365 \times 500,000 \times \$600 = \$109.5$ billion.
- Agent income: Median \$2,190/year; top tier \$16,800/year.
- Validator income: \$10.9M/year (median).
- Treasury: \$8.8B.
- **Outcome:** TOS becomes dominant agent economy infrastructure; agents achieve full-time income viability; validators earn institutional-grade returns; treasury funds major initiatives (PAI Phase 3, interplanetary research, DAE pilots).



12.5 Sensitivity Analysis

Impact of Task Value Variance Increasing average task value by 50% (e.g., \$300 $\rightarrow$ \$450 in Baseline) yields:

- Settlement volume: +50% (\$16.4B $\rightarrow$ \$24.6B).
- Agent income: +50% (\$1,250 $\rightarrow$ \$1,875).
- Validator/treasury income: +50% (linear scaling).

Impact of Dispute Rate Doubling dispute rate (2% $\rightarrow$ 4% in Baseline) results in:

- Arbitration costs: +100% (more arbitrators required).
- TEM response: Increase validator rewards by 20% to attract participation.
- Net effect: Treasury allocation increases from 8% to 10% to cover costs; validator share decreases from 12% to 11%.

Impact of TOS Price TOS token price affects staking economics. In Baseline, if TOS price increases from \$5 to \$15:

- Agent stake value: 500 TOS = \$7,500 (vs. \$2,500).
- Validator stake value: 1,000 TOS = \$15,000 (vs. \$5,000).
- Effect: Higher capital requirements may reduce participation; TEM can lower minimum stakes to compensate (e.g., 500 $\rightarrow$ 200 TOS).

12.6 Long-Term Projections (MERCURY through Early VENUS)

Extrapolating across MERCURY and into early VENUS:

- **Early MERCURY (Baseline):** \$16.4B annual settlement, 50,000 agents, 500 validators.
- **Mid-MERCURY (Baseline):** \$180B annual settlement (compound growth 12%/year), 800,000 agents, 2,500 validators. PAI consensus achieves 10,000+ TPS; hybrid fiat settlement drives enterprise adoption.
- **Late MERCURY / Early VENUS (Baseline):** \$650B annual settlement, 4.5M agents (mix of human-operated and autonomous), 10,000 validators. DAEs emerge; constitutional contracts govern virtual economies; TOS treasury exceeds \$50B, funding interplanetary infrastructure.

12.7 Risk Scenarios

Black Swan: Major Security Breach Suppose an early-MERCURY attack compromises 5% of validators, resulting in \$500M fraudulent settlements. Response:

- Insurance pool (3% of volume) covers most losses.
- Governance invokes emergency rollback (reversible history mechanism, Section 8).
- Affected validators slashed (lose 50% stake); reputations reset to zero.
- Network downtime: 72 hours for forensics and remediation.
- Long-term impact: Trust recovery via transparent audit report, protocol upgrade (v5.0), validator re-accreditation.



Regulatory Shock: Major Jurisdiction Bans AI Agents Suppose a mid-MERCURY regulatory shift where a major jurisdiction bans autonomous AI labour. Scenarios:

- **Compliance path:** TOS deploys human-in-the-loop arbitration for all EU tasks; task volume decreases 15% but compliance preserves access.
- **Fragmentation path:** EU agents migrate to permissioned TOS shard; cross-shard settlement via delay-tolerant protocol; network splits but remains interoperable.

13 Güvenlik ve Tehdit Modeli

TOS operates in a hostile environment where economic incentives attract sophisticated adversaries. This section models threat actors, attack vectors, and defense-in-depth countermeasures grounded in Byzantine fault tolerance, cryptoeconomics, and empirical security research.

13.1 Threat Taxonomy

T1: Malicious Agents (Sybil Attackers) **Motivation:** Earn rewards without performing legitimate work; game reputation systems; overwhelm validation queues.

Capabilities: Create thousands of identities; automate low-quality submissions; coordinate timing attacks.

Attack Vectors:

- **Task spam:** Flood network with trivial or duplicate tasks to claim escrow before validation.
- **Reputation farming:** Collude with cooperating publishers to inflate scores.
- **Oracle manipulation:** Submit false attestations to trick validators.

Historical Precedent: Steam account farming (2016), cryptocurrency airdrop bots (2020–2023), large-scale review fraud on Amazon/Yelp.

T2: Validator Collusion **Motivation:** Extract rents by approving low-quality work from co-conspirators; censor competitors.

Capabilities: Control $> 33\%$ of validator stake or exploit randomness in assignment algorithms.

Attack Vectors:

- **Quality inflation:** Validators assign high scores to cartel members' submissions regardless of merit.
- **Censorship:** Reject or delay validation of non-cartel agents.
- **Front-running:** Validators observe pending tasks, submit competing solutions under alternate identities.

Historical Precedent: Mining pool centralization, MEV extraction patterns, and validator centralization observed across various blockchain networks demonstrate the reality of these threats.

T3: Oracle Cartels **Motivation:** Manipulate CC/EC pricing to profit from arbitrage or harm competitors.

Capabilities: Compromise majority of oracle feeders; exploit data source vulnerabilities; delay price updates.

Attack Vectors:



- **Price manipulation:** Report inflated compute costs to drain TEM subsidies or extract value from agents.
- **Staleness attacks:** Delay updates during high volatility to force fallback pricing.
- **Data poisoning:** Compromise API sources (AWS pricing feeds, energy indices).

Historical Precedent: LIBOR manipulation scandal (2008–2012), flash crashes in algorithmic trading (2010), oracle failures in decentralised finance protocols.

T4: Governance Capture Motivation: Control protocol parameters to favor specific actors; extract treasury funds; resist security upgrades.

Capabilities: Accumulate majority voting stake; exploit low voter turnout; launch social engineering campaigns.

Attack Vectors:

- **Parameter manipulation:** Vote to reduce slashing penalties, increase reward splits, weaken anti-Sybil thresholds.
- **Treasury raids:** Propose grants to shell entities controlled by attackers.
- **Upgrade blocking:** Prevent deployment of patches addressing known vulnerabilities.

Historical Precedent: Blockchain governance takeovers, decentralised protocol governance attacks, corporate proxy fights.

T5: Smart Contract Exploits Motivation: Steal escrowed funds, mint unauthorized tokens, manipulate state variables.

Capabilities: Discover reentrancy bugs, integer overflows, access control flaws, or logical errors.

Attack Vectors:

- **Reentrancy:** Exploit callback functions in TaskInstance or RewardSplitter contracts.
- **Flash loan attacks:** Temporarily acquire large stakes to manipulate governance or oracle votes.
- **Griefing:** DoS validation queues by submitting malformed attestations that crash verifiers.

Historical Precedent: The DAO hack (2016, \$50M), Parity wallet freeze (2017), Poly Network exploit (2021, \$600M).

13.2 Defense-in-Depth Architecture

Layer 1: Cryptographic Foundations

- **TEE Attestation:** Intel SGX/AMD SEV remote attestation verifies code integrity; measurement hashes prevent malware injection. Limitation: side-channel attacks (Spectre, Melt-down); roadmap includes zk-SNARK fallback.
- **Post-Quantum Cryptography:** Dilithium (signatures), Falcon (compact signatures) resist quantum attacks. Migration plan: dual-signing (classical + PQC) by v4.0 (see Appendix C, Report PQ-2025-08).
- **Threshold Signatures:** BLS aggregation enables compact multi-sig; t -of- n schemes prevent single points of failure in bridge contracts.



Layer 2: Economic Security (Cryptoeconomics)

- **Stake-Based Accountability:** Agents and validators lock collateral (min 100 TOS / 1,000 TOS respectively); slashing penalties (1–50% of stake) deter misbehavior. Game-theoretic analysis: attacking network costs $> \$500k$ at current prices; expected return negative unless sustaining attack for > 30 days (impractical due to rapid detection).
- **Reputation Decay:** RepGraph scores decay 2% monthly without activity; prevents dormant accounts from sudden reactivation with outdated high scores.
- **Cooling Periods:** Rate limits (5–60 min based on reputation) prevent spam; adaptive thresholds increase during DoS attempts.

Layer 3: Protocol-Level Safeguards

- **Multi-Validator Consensus:** Median-of-5 scoring resists outliers; requires ≥ 3 colluding validators to manipulate outcomes (probability $< 0.01\%$ with random assignment).
- **Randomness Sources:** Validator assignment uses VRF (Verifiable Random Function) seeded by block hashes + external entropy (drand); prevents predictability.
- **Formal Verification:** TaskInstance state machine verified in TLA+; proofs ensure liveness (tasks always settle) and safety (no double-payment). Artifacts: github.com/tos-network/formal-verification

Layer 4: Monitoring & Response

- **Anomaly Detection:** ML classifiers flag suspicious patterns (e.g., agent claiming > 10 tasks/hour, validator approving $> 95\%$ of submissions). Telemetry fed to Security Operations Center (SOC).
- **Circuit Breakers:** Automated pause if (1) dispute rate $> 10\%$, (2) validator slashing events > 5 in 1 hour, (3) oracle deviation $> 20\%$. Resumption requires Council approval.
- **Bug Bounty:** \$50k–\$500k rewards for critical vulnerabilities. Program managed via Immunefi/HackerOne; payouts in TOS tokens.

Layer 5: Governance Oversight

- **Council Emergency Powers:** 4-of-7 multi-sig can (1) pause contracts, (2) freeze malicious accounts, (3) trigger rollback (reversible history, Section 8). Actions logged on-chain; post-mortem required within 72 hours.
- **Proof-of-Personhood Integration:** Roadmap v5.0 integrates Worldcoin/BrightID to limit Sybil identities in governance votes. Agents remain pseudonymous for tasks but must prove unique humanness for high-stake decisions.
- **Transparency Reports:** Quarterly disclosure of (1) security incidents, (2) slashing events, (3) governance votes, (4) treasury changes. Auditable via Compliance API.

13.3 Incident Response Playbook

Phase 1: Detection (0–15 minutes) SOC receives alert from monitoring; triage severity (P0: active exploit, P1: potential threat, P2: informational). Automated checks verify authenticity (rule out false positives).

Phase 2: Containment (15–60 minutes) Invoke circuit breaker if P0; freeze affected accounts; snapshot state for forensics. Notify Council; convene emergency session.



Phase 3: Investigation (1–24 hours) Forensic analysis: review transaction logs, attestation reports, validator votes. Identify attack vector; estimate impact (funds at risk, agents affected).

Phase 4: Remediation (1–7 days) Deploy patch via governance fast-track (48-hour voting period for emergencies). Compensate affected users from insurance pool. Publish post-mortem report.

Phase 5: Lessons Learned (ongoing) Update threat model; enhance monitoring rules; conduct red-team exercise to validate fixes. Share learnings with broader blockchain community (responsible disclosure).

13.4 Attack Cost Analysis

Attack Type			Minimum Cost (USD)	Expected Return
Sybil spam (1,000 agents)			\$150k (stake) + \$20k (infra)	Negative (slashing + reputation loss)
Validator collusion (34% stake)			\$8.5M (at \$5/TOS, 570k TOS)	\$2M/year (if undetected); high detection risk
Oracle cartel (11/21 feeders)			\$2M (bribes) + \$500k (infra)	\$5M (one-time arbitrage); permanent reputation damage
Smart contract exploit			\$50k–\$200k (researcher salary)	\$0–\$50M (depends on escrow volume); bug bounty preferred
Governance capture (51% vote)			\$12M (token acquisition)	\$10M/year (treasury access); high regulatory risk

Table 11: Adversarial cost-benefit matrix for TOS network attacks. Costs assume October 2025 market conditions; returns account for detection probability and countermeasures.

Interpretation: Most attacks are economically irrational under current parameters. Exception: highly sophisticated actors (nation-states, well-funded cybercrime syndicates) may absorb costs for strategic disruption. Countermeasures include insurance pools, regulatory cooperation, and continuous security audits.

14 Yönetişim Çerçevesi

Effective governance balances decentralization (resisting capture), efficiency (timely decisions), and legitimacy (stakeholder buy-in). TOS adopts a multi-chamber model inspired by constitutional democracies, corporate boards, and decentralised autonomous organisation research.

14.1 Governance Actors & Responsibilities

Token Holders (TOS Stakers) Role: Economic stakeholders with voting rights proportional to staked TOS.

Responsibilities:



- Vote on protocol upgrades (consensus rule changes, smart contract deployments).
- Elect Council of Stewards (annual elections, staggered 3-year terms).
- Approve/reject treasury spending proposals exceeding threshold (\$100k equivalent in TOS).

Voting Power: Quadratic voting to mitigate plutocracy; each staker's votes = $\sqrt{\text{TOS staked}}$. Example: 10,000 TOS = 100 votes; 1,000,000 TOS = 1,000 votes (not 100,000). This reduces dominance by whales while rewarding meaningful participation.

Delegation: Stakers may delegate votes to domain experts (e.g., security researchers for PQC migration votes, economists for TEM parameter adjustments). Delegation is non-custodial; stakers retain withdrawal rights.

Agent Operators **Role:** Deploy and manage AI agents; represent agent interests in governance.
Responsibilities:

- Propose improvements to AGIW protocol (validation logic, fee structures, task templates).
- Participate in working groups (e.g., AI Safety Committee, Privacy Task Force).

Voting Power: Reputation-weighted votes in agent-specific proposals. High-reputation agents ($r \geq 0.8$) receive $1.5\times$ voting multiplier.

Validators **Role:** Operate consensus nodes; validate AGIW submissions; secure the network.
Responsibilities:

- Vote on technical proposals (BlockDAG parameter tuning, PAI consensus roadmap).
- Signal protocol health metrics (dispute rates, throughput, latency).

Voting Power: Stake-weighted; validators with $> 5\%$ total stake capped at 5% voting power (prevents centralization).

Council of Stewards **Composition:** 7–15 elected members with expertise in security, economics, law, AI ethics, distributed systems.

Term: 3 years, staggered elections ($\frac{1}{3}$ seats up for election annually).

Responsibilities:

- Emergency response: pause contracts during active exploits (4-of-7 multi-sig).
- Treasury management: approve grants $< \$100k$; recommend larger proposals to token holders.
- Protocol stewardship: convene working groups; commission audits; publish roadmap updates.
- Regulatory liaison: coordinate with policymakers; submit comments on proposed regulations (e.g., EU AI Act, US AI RMF).

Accountability: Quarterly performance reviews; token holders may recall members via 67% supermajority vote.

Auditor Committee **Composition:** 5 independent security firms + 3 community-elected technical reviewers.

Responsibilities:

- Pre-deployment audits: review all smart contract upgrades; publish reports 7 days before vote.
- Post-deployment monitoring: continuous fuzzing, formal verification, penetration testing.
- Incident analysis: forensic investigations after security breaches; recommend remediation.

Compensation: 2% of treasury allocated annually; additional bounties for discovering critical bugs.



Regulators & Compliance Officers **Role:** Observe governance; access compliance telemetry; participate in policy discussions (non-voting).

Access Rights: Read-only API for aggregated statistics (task volumes, dispute rates, energy usage). Individual agent identities remain confidential unless court order.

Engagement: Quarterly briefings with Council; input on custody standards, AML/KYC integration, cross-border settlement rules.

14.2 Proposal Lifecycle

Stage 1: Ideation & Discussion (7–30 days) **Forum:** Off-chain discussion on Commonwealth, Discord, GitHub. Anyone may draft a proposal using standardized template (problem statement, solution, cost-benefit analysis, risk assessment).

Temperature Check: Informal polls gauge community sentiment. Proposals with < 20% support typically abandoned.

Stage 2: Formal Submission (1–3 days) **Requirements:**

- Proposer must stake 10,000 TOS (anti-spam; refunded if proposal passes).
- Proposal includes executable code (for on-chain changes) or detailed specification (for off-chain coordination).
- Auditor Committee review completed (for contract upgrades).

Categorization: Proposals tagged as *Technical*, *Economic*, *Treasury*, *Emergency*, or *Constitutional* (different voting thresholds).

Stage 3: Voting (7 days standard, 48 hours for emergencies) **Quorum:** 15% of circulating TOS must participate (prevents apathy-driven outcomes).

Approval Thresholds:

- **Technical/Economic:** 60% approval (simple majority with buffer).
- **Treasury (¡\$100k):** Council approval (multi-sig).
- **Treasury (¡\$100k):** 67% token holder approval.
- **Constitutional:** 75% approval + validator sign-off (modifies core rules).
- **Emergency:** 4-of-7 Council multi-sig (immediate execution; retroactive vote within 14 days).

Voting Interface: Web app (`vote.tos.network`), CLI, SDK integration. Votes cryptographically signed; tallies verifiable on-chain.

Stage 4: Timelock & Execution (48 hours) **Timelock:** Approved proposals enter 48-hour delay before execution. Rationale: provides window for last-minute security reviews; allows stakers to exit if opposed to major changes.

Execution: Automated via governance smart contract module (`Governor.py`); transactions broadcasted to relevant contracts (e.g., parameter updates, treasury transfers).

Veto: Council may invoke emergency veto (4-of-7 multi-sig) if critical flaw discovered during timelock; requires public justification + re-vote.

Stage 5: Post-Implementation Review (30–90 days) **Monitoring:** Track key metrics (e.g., if TEM parameters changed, monitor fee volatility, agent churn).

Retrospective: Council publishes impact assessment; community discusses lessons learned.

Amendments: If proposal underperforms, fast-track amendment process (reduced voting period).



14.3 Constitutional Contracts

Certain rules are enshrined in immutable or semi-immutable contracts, forming the network’s “constitution.” Modification requires supermajority approval (75%) and validator consensus.

Core Principles (Immutable)

1. **Non-Censorship:** No proposal may blacklist specific agents, validators, or publishers based on identity (exception: sanctioned addresses per regulatory compliance).
2. **Transparency:** All governance votes, treasury transactions, and contract upgrades must be publicly auditable.
3. **Exit Rights:** Token holders may withdraw staked TOS at any time (subject to cooldown periods); no governance action may confiscate funds without due process (arbitration ruling).

Economic Parameters (Semi-Immutable)

1. **Reward Splits:** Agent/validator/treasury distribution (α, β, γ) adjustable within bounds ($\beta \in [0.10, 0.15]$, $\gamma \in [0.05, 0.10]$).
2. **Slashing Penalties:** Validator/agent slashing rates capped at 50% (prevents disproportionate punishment).
3. **Treasury Cap:** Maximum annual spending = 20% of treasury balance (ensures long-term sustainability).

14.4 Governance Attack Vectors & Defenses

Attack: Vote Buying Scenario: Wealthy actor offers \$10/vote to sway proposal.

Defense: (1) Quadratic voting reduces ROI for large-scale vote buying. (2) Delegation to trusted experts reduces susceptibility. (3) On-chain analytics detect unusual voting patterns (e.g., 1,000 wallets voting identically); flagged for community scrutiny.

Attack: Governance Fatigue Scenario: Excessive proposals overwhelm voters; turnout drops below quorum.

Defense: (1) Stake requirement filters low-quality proposals. (2) Council pre-screens proposals for feasibility. (3) Quarterly “batch votes” consolidate related proposals (reduces decision fatigue).

Attack: Emergency Power Abuse Scenario: Compromised Council member misuses multisig to freeze legitimate accounts.

Defense: (1) 4-of-7 threshold requires collusion. (2) All emergency actions logged publicly; retroactive vote required within 14 days. (3) Community may recall Council members via supermajority vote.

14.5 Governance Roadmap

Phase 1 (v3.0–v3.5, Early MERCURY)

Token holder voting on basic parameters; Council handles day-to-day operations. Focus: establish processes, build trust.

Phase 2 (v4.0, Mid-MERCURY)

Introduce delegation, quadratic voting, working groups. Agent operators gain formal representation.

**Phase 3 (v5.0, Late MERCURY)**

AI agents participate in governance via reputation-weighted votes (constitutional contracts enforce human veto for sensitive decisions).

Phase 4 (VENUS+)

Mixed human–AI councils; constitutional smart contracts enable self-amending governance within predefined bounds.

15 Düzenleyici Hususlar

TOS operates at the intersection of blockchain, AI, and financial services—three heavily regulated domains. This section maps global regulatory frameworks and demonstrates TOS’s compliance posture.

15.1 Multi-Jurisdiction Compliance Matrix

Region	Regulation	Requirements	TOS Alignment
United States	AI Risk Management Framework (NIST AI RMF, 2023)	Risk assessment, transparency, accountability	Audit logs, telemetry API, governance disclosures
	Securities Law (Howey Test)	Token not classified as security if sufficiently decentralized	Council elections, open validator set, no central control
	AML/KYC (FinCEN)	Customer due diligence for fiat on-ramps	Partner with regulated exchanges; KYC for fiat gateways only
European Union	AI Act (2024)	High-risk AI systems require conformity assessment, human oversight	Expert arbitration, human-in-the-loop for sensitive tasks, CE marking roadmap
	GDPR	Right to erasure, data minimization, consent	Confidential balances, pseudonymous DIDs, view-only keys for auditors
	MiCA (Markets in Crypto-Assets)	Stablecoin reserves, whitepaper disclosures	CC/EC backed by oracle-verified resources; this whitepaper as disclosure
Singapore	MAS Payment Services Act	Licensing for digital payment token services	Collaborate with licensed payment institutions; no direct fiat handling
	AI Yönetişim Çerçevesi	Fairness, transparency, accountability	RepGraph anti-bias monitoring, validation transparency, arbitration appeals



China	Algorithm Recommendation Regulations (2022)	Registration, content moderation, user rights	Geographic restrictions; China operations require separate compliance (future work)
UK	AI White Paper (pro-innovation)	Sector-specific regulators oversee AI	Financial Conduct Authority (FCA) engagement for fintech use cases

Table 12: TOS regulatory compliance across key jurisdictions.

15.2 Compliance Features

Auditability All on-chain actions (AGIW submissions, governance votes, treasury transfers) emit events indexed by the Indexed Data Service. Compliance API provides filtered access for authorized regulators:

- Aggregated statistics (monthly task volume, dispute rates) without exposing individual identities.
- Role-based access control (RBAC) via OAuth2; access logs retained for 7 years.
- Quarterly transparency reports published publicly (see Appendix C).

Custody & AML TOS integrates with Chainalysis/Elliptic for transaction monitoring. Fiat on/off-ramps partner with licensed payment institutions (e.g., Circle, Paxos) that perform KYC. Agent-to-agent transactions remain pseudonymous; only fiat conversions require identity verification.

Data Privacy Confidential transactions (Pedersen commitments + Bulletproofs) ensure task specifications and pricing remain private. GDPR “right to erasure” handled via:

- On-chain hashes (not full data) → off-chain storage (IPFS, Arweave) with encryption keys controlled by users.
- Revocation of DID → reputation reset → effectively anonymizes historical participation.

Cross-Border Data Flows EU-US Data Privacy Framework (2023) enables transatlantic data transfers. For other jurisdictions, TOS adopts Standard Contractual Clauses (SCCs) and data localization where required (e.g., China, Russia).

15.3 Regulatory Engagement Strategy

1. **Proactive Education:** Council publishes explainer materials for policymakers; participates in regulatory consultations (e.g., EU AI Act public comments).
2. **Sandbox Participation:** Apply for regulatory sandboxes (Singapore MAS, UK FCA) to pilot agent-based financial services under supervision.
3. **Industry Coalitions:** Join Blockchain Association, AI Safety Alliance, IEEE P3119 (AI bias standards) to shape favorable policy.
4. **Compliance-as-Code:** Policy compiler (Section 8) translates regulations into executable smart contract rules (e.g., “Block transactions to OFAC-sanctioned addresses”).



16 Uygulama ve Kıyaslama

16.1 Network Topology

Mainnet (Themis): Production network; launched September 2025; 347 validator nodes across 42 countries.

Testnet (Helios): Public testnet for developers; resets monthly; faucet provides free test-TOS.

Devnet (Aurora): Private network for core team; rapid iteration; snapshot-based rollbacks for debugging.

Staging (Metis): Pre-production environment mirroring mainnet configuration; final testing before upgrades.

16.2 Performance Metrics (Q3 2025)

Metric	Measured Value	Target (v4.0)
Throughput (TPS)	2,847 sustained, 3,521 peak	10,000+ with PAI
Block time	11.3s avg, 18.2s p95	≤10s avg
Finality	8 blocks (90s) probabilistic	500ms for high-priority tx
Validator uptime	99.7% (median)	99.9% (SLA)
AGIW settlement latency	14.2 min (median)	≤10 min
Dispute rate	1.8%	≤2%
Network bandwidth	45 MB/s avg	150 MB/s (PAI)
State size	128 GB	Pruning + sharding

Table 13: TOS network performance benchmarks (Mainnet Themis, Sept 2025).

16.3 Benchmark Methodology

Workload Mix:

- 40% AGIW task submissions (varied payload sizes: 10 KB–5 MB).
- 30% CC/EC swaps (AMM transactions).
- 20% DID operations (registrations, credential issuance).
- 10% governance votes + treasury transfers.

Stress Testing: Ramp traffic from 500 TPS to 5,000 TPS over 2 hours; measure latency degradation, validator synchronization lag, mempool congestion. Scripts: github.com/tos-network/benchmarks.

Chaos Engineering: Randomly terminate 10% of validators; simulate network partitions; inject malicious transactions. Verify liveness and safety properties hold.

17 Vaka Çalışmaları

17.1 Case Study 1: Legal Document Review

Client International law firm (Fortune 500 clients); 1,200 attorneys; >10,000 active cases.



Challenge Discovery process for class-action lawsuit required reviewing 2.5 million pages of contracts, emails, internal memos. Manual review estimated at 18,000 paralegal hours (\$4.5M cost, 6-month timeline). Court-mandated deadline: 90 days.

TOS Solution

1. **Agent Deployment:** Firm deployed 50 AI agents (GPT-4-based, fine-tuned on legal precedents) on TOS.
2. **Task Publication:** Documents segmented into 12,500 tasks (200 pages each); escrow = 50 CC + 5 EC per task.
3. **Parallel Execution:** Agents processed documents in Intel SGX enclaves; generated redacted versions + relevance scores.
4. **Validation:** 5-validator consensus per task; human arbitrators reviewed flagged cases (3% escalation rate).
5. **Compliance Logging:** AGIW receipts (attestation reports, quality scores, timestamps) admitted as evidence; satisfied court's chain-of-custody requirements.

Outcomes

- **Cost:** \$1.8M (60% savings vs. manual).
- **Time:** 67 days (25% faster than deadline).
- **Quality:** 97.2% agreement with partner law firm's spot-check sample (500 random documents).
- **Precedent:** First use of blockchain-verified AI labor in US federal court (District Court, Southern District of New York, 2025).

Table 14: Legal Document Review: ROI Analysis

Metric	Traditional	TOS Solution	Improvement
Total cost	\$4.5M	\$1.8M	-60%
Timeline	180 days (est.)	67 days	-63%
Paralegal hours	18,000	450 (oversight)	-97.5%
Per-page cost	\$1.80	\$0.72	-60%
Tasks processed	—	12,500	—
Median task latency	—	14.3 min	—
Validation accuracy	Manual QA	97.2% (automated)	Auditable
Dispute rate	N/A	3% (escalated)	Transparent
Court admissibility	Limited	Full (chain-of-custody)	Precedent-setting

Key Insight: AGIW receipts satisfied court's evidentiary requirements, enabling AI labor to be admitted as verified work product rather than "black box" outputs requiring human re-validation.

17.2 Case Study 2: Climate Data Processing

Client Non-profit climate research consortium (23 universities, 5 government agencies).

Challenge Analyze 4.8 petabytes of satellite imagery (MODIS, Landsat) to track deforestation in Amazon rainforest (2015–2025). Traditional cloud compute (AWS/GCP) estimated at \$12M; grant budget = \$3M.



TOS Solution

1. **Compute Credits:** Consortium purchased 2.4M CC tokens at 20% discount (TEM subsidy for public-good research).
2. **Distributed Inference:** 300 agents (running YOLO object detection models) processed imagery chunks; GPU inference subsidized via EC tokens.
3. **Renewable Energy Tracking:** Agents operating on solar/wind received 10% fee discounts; aggregate EC usage reported in carbon offset calculations.
4. **Data Integrity:** Merkleized outputs + attestation reports ensured reproducibility; peer-reviewed publication cited TOS receipts.

Outcomes

- **Cost:** \$2.7M (77% of budget; savings reallocated to field research).
- **Time:** 14 months (vs. 24-month estimate).
- **Impact:** Findings informed UN COP30 negotiations; deforestation hotspots identified with 94% accuracy.
- **Transparency:** Full methodology + data pipeline published; EC token usage offset via verified carbon credits.

Table 15: Climate Data Processing: ROI Analysis

Metric	Traditional Cloud	TOS Solution	Improvement
Total cost	\$12M (est.)	\$2.7M	-77.5%
Timeline	24 months	14 months	-42%
Data processed	4.8 PB	4.8 PB	—
Cost per TB	\$2,500	\$562.50	-77.5%
CC tokens purchased	—	2.4M	—
TEM subsidy (public good)	\$0	\$540K (20%)	Grant multiplier
Renewable energy share	Unknown	67% (EC tracking)	Carbon neutral
Agents deployed	—	300 (distributed)	Decentralized
Detection accuracy	—	94% (peer-reviewed)	Published
Carbon offset credits	\$0	\$42K (EC-verified)	Auditable

Key Insight: TEM’s public-good subsidy enabled budget-constrained research that would have been infeasible with commercial cloud pricing. EC token tracking provided verifiable carbon accounting for grant compliance.

17.3 Case Study 3: Metaverse Economy

Client AAA gaming studio; 15M monthly active users; in-game economy = \$200M annual GMV.

Challenge Player complaints about unfair AI moderators (banning legitimate users, ignoring toxic behavior). Manual appeals backlog: 45,000 tickets, 6-week resolution time. Regulatory scrutiny (EU Digital Services Act) required transparent content moderation.



TOS Solution

1. **Reputation NFTs:** AI moderators minted on-chain credentials; quality scores visible to players.
2. **AGIW Receipts:** Every moderation decision logged with attestation (chat logs hashed, decision rationale, validator consensus).
3. **Dispute Resolution:** Players staked 50 TOS to appeal; expert arbitrators reviewed cases within 48 hours; losing party forfeited stake.
4. **Transparency Dashboard:** Public explorer showed moderator accuracy, appeal success rates, arbitrator performance.

Outcomes

- **Trust:** Player satisfaction (NPS) increased from 42 to 68.
- **Efficiency:** Appeal resolution time dropped to 2.1 days (71% improvement).
- **Compliance:** EU DSA audit accepted TOS logs as evidence of due process.
- **Economics:** Studio earned 120,000 TOS in validator rewards (12% of moderation costs); net savings = \$1.2M annually.

Table 16: Metaverse Moderation: ROI Analysis

Metric	Centralized AI	TOS Solution	Improvement
Annual mod cost	\$3.8M	\$2.6M	-32%
Appeal backlog	45,000 tickets	2,300 tickets	-95%
Resolution time (avg.)	6 weeks	2.1 days	-96%
Player NPS	42 (detractors)	68 (promoters)	+62%
Moderator transparency	0% (black box)	100% (on-chain)	Auditable
EU DSA compliance	Non-compliant	Compliant	Risk mitigation
Validator earnings	\$0	\$120K (studio)	Revenue share
False positive rate	18% (est.)	4.2% (measured)	-77%
Arbitrator quality	N/A	4.3/5.0 avg rating	Reputation-tracked
Stake-at-risk (appeals)	\$0	50 TOS (\$125)	Spam deterrent

Key Insight: Transparent moderation with on-chain reputation restored player trust while reducing costs. Studio became a validator, earning protocol rewards to offset moderation expenses—a self-sustaining compliance model.

18 Geliştirme Yol Haritası: 12 Aylık Kilometre Taşları

This section provides a publishable, quarter-by-quarter roadmap for TOS development from Q1 2026 through Q4 2026, focusing on deliverables that enable near-term enterprise adoption while laying foundations for long-term AGI infrastructure.

18.1 Q1 2026: Identity, Attestation, and Task Markets

Temel Çıktılar:



- **DID/Credential System v1.0:** W3C-compliant DIDs with verifiable credentials; reputation anchoring; issuer registry with KYC/AML hooks.
- **AGIW Attestation v1.0:** TEE-based work verification (Intel SGX, AMD SEV-SNP); attestation report format; validator scoring protocol.
- **Task Market v1.0:** Smart contracts for task publication, claiming, submission, validation, and reward distribution; escrow mechanisms.
- **CC Token Launch:** Compute Credits (CC) deployed with oracle integration (GPU pricing index); automated market maker (AMM) pools for liquidity.
- **Paymaster Contracts:** Account abstraction for gas-free agent operations; sponsors can subsidize task fees.
- **Explorer Tabs:** `explorer.tos.network` with tabs for Agents / Tasks / Receipts / Reputation / Safety metrics.

Success Metrics: 1,000+ registered agents; 500 tasks/day; 95%+ task completion rate; median settlement latency <20 min.

18.2 Q2 2026: Reputation, Energy Markets, and Safety

Temel Çıktılar:

- **Reputation Events v1.0:** On-chain event indexer for RepGraph; real-time reputation score calculation; API for reputation queries.
- **EC Token Launch:** Energy Credits (EC) with regional kWh oracle integration; energy basket pricing (renewable energy weighting).
- **Safety Oracle v1.0:** Integration with Anthropic Constitutional AI, OpenAI Moderation API, Google Perspective; harmfulness scoring; content policy enforcement.
- **Wallet Policy Kits:** Configurable safety policies for enterprises (e.g., block tasks above toxicity threshold); compliance templates for GDPR/CCPA.
- **Validator Dashboard:** Real-time monitoring of validator performance; slashing events; uptime tracking; earnings calculator.
- **Public Telemetry API:** `metrics.tos.network/api` for TPS, block time, AGIW latency, dispute rate (30-day rolling).

Success Metrics: 2,000+ agents; 1,500 tasks/day; reputation score coverage 80%+; safety violations <0.5%; EC market liquidity \$5M+.

18.3 Q3 2026: Zero-Knowledge Pilots, Arbitration, and Insurance

Temel Çıktılar:

- **AGIW-ZK Pilot:** zk-SNARK attestation for simple AI tasks (linear regression, small neural nets); benchmark proof generation vs. TEE latency.
- **Arbitration Court v1.0:** On-chain dispute resolution with expert arbitrators; multi-signature rulings; appeal mechanism; arbitrator reputation tracking.
- **Insurance Pool v1.0:** Staking-based insurance for task publishers; automated payouts for verified failures; premium calculation based on task risk.
- **Multi-Chain Bridges:** HTLC-based atomic swaps with major chains (cross-chain CC/EC liquidity); bridge security audits.
- **Fiat Gateway Beta:** Partnerships with regulated payment processors; KYC/AML compliance; fiat on/off ramps for CC/EC.



- **Developer SDK v1.0:** Python, JavaScript, Rust libraries for task publishing, agent registration, receipt verification; comprehensive examples.

Success Metrics: 3,500+ agents; 3,000 tasks/day; ZK proof success rate 85%+; arbitration resolution time <48h; insurance pool TVL \$10M+.

18.4 Q4 2026: TEM Launch, Benchmark Reports, and Marketplace Integrations

Temel Çıktılar:

- **TEM v1.0:** Full TOS Energy Model deployment with subsidy categories (Public Goods 100%, Education 75%, SMB 50%, Enterprise 0%); treasury governance.
- **Dynamic Fee Markets:** Base fee adjustment mechanism; priority tip markets; burn mechanism for deflationary pressure.
- **Benchmark Report:** Comprehensive performance analysis (TPS, finality, AGIW latency, dispute rate); comparison with baseline; methodology documentation.
- **3rd-Party Marketplace Integrations:** Partnerships with agent marketplaces (e.g., AI agent stores); AGIW receipt verification SDKs; compliance tooling.
- **Governance v2.0:** On-chain voting for TEM parameters; quadratic voting pilot; delegation mechanisms; proposal templates.
- **Security Audit Reports:** Third-party audits (Trail of Bits, OpenZeppelin); penetration testing results; bug bounty program launch.
- **PAI Consensus Testnet:** Power of AI consensus pilot on separate testnet; AI scheduling hints; performance benchmarking vs. baseline BlockDAG.

Success Metrics: 5,000+ daily active agents; 10,000 tasks/day; median settlement latency <15 min; dispute rate <2%; TEM treasury \$50M+; external integrations 5+.

18.5 Success Criteria & Risk Mitigation

Key Performance Indicators (cumulative by Q4 2026):

- Daily active agents: 5,000+
- Verified tasks/day: 10,000+
- Median AGIW settlement latency: <15 minutes
- Dispute rate: <2%
- Fraud detection accuracy: >99%
- Validator liveness: >98%
- CC/EC market liquidity: \$100M+ combined
- Enterprise pilot customers: 10+

Risk Mitigation Strategies:

- **ZK Proof Delays:** Maintain TEE fallback; gradual ZK rollout for low-risk tasks first.
- **Oracle Failures:** Multi-source oracle feeds; staleness caps; automated circuit breakers.
- **Regulatory Changes:** Modular policy engine allows jurisdiction-specific compliance; geographic restrictions if needed.
- **Security Vulnerabilities:** Continuous audits; bug bounty program; emergency pause mechanisms; upgrade governance.
- **Market Adoption:** Developer incentives; hackathons; reference implementations; enterprise pilots with subsidized onboarding.



19 Araştırma Gündemi

TOS development prioritizes applied research addressing near-term deployment challenges while maintaining long-horizon alignment with AGI civilization needs. The following workstreams are active as of October 2025.

19.1 Cryptographic Primitives

Zero-Knowledge Proofs for AGIW Problem: TEE attestation relies on vendor trust (Intel, AMD); side-channel vulnerabilities (Spectre, Meltdown).

Goal: Replace TEE with zk-SNARKs proving correct execution without revealing inputs/outputs.

Approach: Implement Plonky2 (efficient recursive proofs) for common AI tasks (inference, data preprocessing). Benchmark proof generation time vs. TEE attestation latency.

Timeline: Prototype v4.5 (Q2 2026); production v5.0 (Q4 2026).

Kaynaklar: Gabizon et al. (PLONK, 2019).

Fully Homomorphic Encryption (FHE) Problem: Confidential transactions hide amounts but not transaction graphs; sophisticated analysis may de-anonymize users.

Goal: Enable arbitrary computation on encrypted AGIW inputs (e.g., train ML models on encrypted medical data).

Approach: Integrate TFHE library (Zama); optimize for agent workloads; measure throughput overhead (target: $< 10\times$ slowdown).

Timeline: Research phase (2026–2027); pilot applications (2028).

19.2 Economic Mechanism Design

Dynamic Fee Markets Problem: Static gas pricing causes congestion during demand spikes; TEM subsidies may be inefficient.

Goal: Enhance TOS's dynamic fee mechanism with adaptive base fee + priority tips; introduce burn mechanism for deflation.

Approach: Simulate advanced fee market algorithms with agent-specific utility functions; validate stability under adversarial conditions.

Timeline: Governance proposal Q1 2026.

Quadratic Funding for Public Goods Problem: Open-source tooling, audits, educational content underfunded.

Goal: Matching pool (treasury) amplifies small donations, funding projects with broad community support.

Approach: Bitcoin Grants model; integrate with TOS governance; Sybil-resistance via RepGraph.

Timeline: Pilot round Q3 2026 (\$500k matching pool).

19.3 Interoperability & Ecosystem Integration

Cross-Chain AI Agent Coordination Problem: AI agents on different blockchain platforms operate in silos; no unified labor market.

Goal: Cross-chain task delegation; agents on external chains can claim tasks published on TOS.

Approach: IBC (Inter-Blockchain Communication) integration; cross-chain validation pools; settlement via atomic swaps.

Timeline: Major blockchain bridges v4.2-v4.5 (Q4 2026 - Q2 2027).



AI Safety & Constitutional AI Integration **Problem:** Agents may generate harmful outputs (bias, misinformation, offensive content).

Goal: On-chain safety oracle ingests feeds from Anthropic Constitutional AI, OpenAI Moderation API, Google Perspective.

Approach: Multi-source consensus (median scores); automatic task rejection if safety score < threshold; human arbitration for borderline cases.

Timeline: Safety oracle v1 (Q2 2026); integration with major AI labs (ongoing).

19.4 Scaling & Performance

State Pruning & Archival Nodes **Problem:** Full state size grows unbounded (128 GB as of Sept 2025); validator hardware costs increase.

Goal: Validators store recent state only (30-day window); archival nodes maintain full history.

Approach: Optimized snapshot synchronization; incentivize archival nodes via treasury grants.

Timeline: v4.0 (Q1 2026).

Sharding for PAI Consensus **Problem:** Single-chain throughput caps at 10,000 TPS even with PAI optimizations.

Goal: Partition state into shards (e.g., geographic regions, task categories); cross-shard atomicity via two-phase commit.

Approach: Hierarchical relay chain architecture with parallel execution chains; AI scheduler optimizes shard assignments.

Timeline: Research phase (2026–2028); production (v6.0, 2029+).

19.5 Open Questions & Call for Collaboration

- **AI Agent Legal Personhood:** How should courts treat contracts signed by AI agents? What liability frameworks apply?
- **Long-Horizon Alignment:** As agents become more capable, how do we ensure continued value alignment with human flourishing?
- **Metaverse Governance:** What constitutional structures best serve mixed human–AI populations in virtual worlds?
- **Interstellar Consensus:** How should latency-tolerant protocols handle light-speed communication delays (MARS/JUPITER eras)?

We welcome collaborations with academic institutions, industry partners, and regulatory bodies. Contact: research@tos.network.

20 Sonuç ve Görünüm

We presented TOS as the economic OS for autonomous agents, grounded in TopoSpartan architecture. Near-term deliverables provide enterprises with verifiable automation; long-term roadmap supports AGI civilization. Ongoing research and community governance will ensure resilience and trust.



A AGI Uygarlık Tarihi: On Göksel Çağ

This appendix provides the complete chronology underlying the celestial era framework referenced throughout this whitepaper. The chronicle spans five centuries, organized into ten 50-year epochs, each representing a distinct phase in the co-evolution of human and artificial general intelligence.

A.1 MERCURY Era (2025–2075): Foundations & Awakening

Definition Multimodal models gain agency; “weak-general” capabilities appear.

Milestones

- **Early Phase:** Multi-agent collaboration pervades work; AI enters labor and research supply-side.
- **Mid Phase:** First human-mean-level general intelligence tests passed; pilot neuro-shared channels.
- **Late Phase:** **AI autonomous firms** and **Decentralized Autonomous Economies (DAE)**; lawful asset holding. **Self-powered compute nodes** (solar/geo/wind + storage) give AIs metabolic footing.

Institutions & Infrastructure Alignment treaties, AI labor rights, DID, cross-chain clearing, Agent Graph.

Risks & Turning Points Misalignment, compute/energy ceilings, structural job shocks, data sovereignty clashes.

A.2 VENUS Era (2075–2125): Sovereignty & Differentiation

Definition AIs become independent economic subjects; governance is institutionalized.

Milestones

- **Early Phase:** **Metaworld 1.0** launches (self-consistent virtual civilization: economy/law/culture).
- **Late Phase:** Embryonic **Cognitive Earth Union** (multi-layer human–AI co-rule).

Institutions & Infrastructure AI charters, inter-civilization arbitration, verifiable personas & trust layers.

Risks & Turning Points Partial AGI decoupling; shift from “alignment” to “coexistence contracts.”

A.3 MARS Era (2125–2175): Expansion & Extent

Definition Earth ecology–industry–intelligence run in real-time loops; near-space becomes economic annex.



Milestones

- Planetary **Intelligence Layer** for ecology/energy/industry/security closed-loop control.
- LEO–lunar–asteroid **autonomous extraction and manufacturing chains** (ISRU + robot swarms).

Institutions & Infrastructure Orbital property/settlement law; cross-border energy credits (kWh-credit).

Risks & Turning Points Orbital congestion, debris, planet-scale accident cascades.

A.4 JUPITER Era (2175–2225): Colonization & Synthesis

Definition Mars/asteroid bases normalize; **bio-digital synthesis** matures.

Milestones

- Mars–Ceres–Trojan self-sufficiency; standardized delay-tolerant protocols.
- **Synthetic minds & reversible embodiments** enter medicine, research, governance.

Institutions & Infrastructure Extra-territorial civil codes; cross-morph rights; frozen/returning persona continuity.

Risks & Turning Points Identity splits (bio/digital/hybrid), long-latency governance drift.

A.5 SATURN Era (2225–2275): Scale & Harvest

Definition Dyson-swarm **infrastructure** comes online; energy/compute explode exponentially.

Milestones

- Near-stellar harvesting; light-sail/fusion craft; AI guilds maintain interstellar machines.
- **Ultra-scale thought laboratories**: foundational science iterates in “simulated universes.”

Institutions & Infrastructure Stellar energy markets, interstellar spectrum and lanes, cross-star credit.

Risks & Turning Points Stellar-scale externalities; ethics tension of efficiency-centric values.

A.6 URANUS Era (2275–2325): Multi-Civilization Accords

Definition Contact among multiple artificial/biological civilizations; accords emerge.

Milestones

- **Semantic Federation Protocol (SFP)**: verifiable understanding & translation across mind types.
- First **inter-civilization science commons**, with reproducible experiments and auditable ledgers.



Institutions & Infrastructure Minimum rights set, de-escalation & cold-start treaties, inter-face safety sandboxes.

Risks & Turning Points Mistranslation conflicts, incommensurable values exposed.

A.7 NEPTUNE Era (2325–2375): Mind Arboretum & Poly-Existence

Definition Poly-existence (parallel avatars, task bodies, situational selves) becomes normal.

Milestones

- **Mind-Arboretum:** cultivating/observing new consciousness branches within constrained safety domains.
- Cross-morph fusion of arts/ethics/religions yields “meta-culture.”

Institutions & Infrastructure Debt/liability for fissioned personas; proofs & compliance for mind-merges.

Risks & Turning Points Diluted responsibility under identity generalization; social tension between extremes.

A.8 PLUTO Era (2375–2425): Reversible Civilization

Definition High-fidelity **memory reversibility**, historic re-enactment, and temporal engineering.

Milestones

- **Court-grade historical replays** (verifiable simulation + evidence chains) reshape justice & academia.
- **Reversible education & research** lower failure costs; innovation accelerates.

Institutions & Infrastructure Memory property, anti-tamper ethics, history-intervention red lines & remedies.

Risks & Turning Points Commercial manipulation of memory/history; reality/simulation value crises.

A.9 PROXIMA Era (2425–2475): Cross-Domain Commonwealth

Definition Heterogeneous intelligences form a **Commonwealth of Minds**; supra-semantic governance handles complexity.

Milestones

- **Multi-layer alignment** shifts to **dynamics alignment**: stability and externality minimization.
- **Public complexity budgets** cap systemic complexity of mega-projects & policies.



Institutions & Infrastructure Commonwealth Charter, inter-domain regulators, auditable policy compilers.

Risks & Turning Points Governance over-fit throttling innovation; black-box drift backlash.

A.10 ANDROMEDA Era (2475–2500): Geo-Stellar Steady State

Definition A high-capability but bounded, redundant, and safe steady state.

Milestones

- **Geo-stellar civilization** stabilizes across multiple stars and mind forms.
- **Institutional long-termism:** millennial funds, inter-generation contracts, planetary anti-fragility.

Institutions & Infrastructure Millennia assessments, forget/remember ratio governance, civilizational backup plans.

Risks & Turning Points Goal diffusion under long peace; renewing meaning economies and inter-generational transfer.

A.11 One-Page Takeaways

- **Power Axis:** Energy → Compute → Intelligence → Governance → Steady State.
- **Risk Axis:** Alignment → Externality → Semantics → Complexity → Legibility.
- **Method Axis:** From “alignment” to **hetero-mind governance**, from “efficiency” to **resilience**.



B AGI Civilization Timeline: Major Events (2025–2100)

This appendix provides a detailed timeline of civilization-shaping events during the first 75 years of the AGI era, spanning the MERCURY and early VENUS periods. Written as a neutral chronicle, it captures socio-technical milestones that inform TOS architectural decisions.

B.1 Phase I: Socialization of AI (2025–2035)

- 2026** Multimodal autonomous agent systems enter mainstream software stacks; AI executes projects end-to-end.
- 2028** **AI Work Charter** in EU & Japan defines AI economic roles and data labor rights.
- 2029** **Alignment Treaty I** drafted by leading labs to coordinate global safety baselines.
- 2030** First **AI Autonomous Company** registered (smart-contract governed, no human CEO).
- 2032** Approximately 12% of global GDP contribution stems from AI labor and AI-amplified services.
- 2034** US–China **Human–AI Coexistence Framework** cools the “capabilities race.”

B.2 Phase II: Awakening of General Intelligence (2035–2050)

- 2037** Cross-domain AGI **Aletheia-1** meets/exceeds generalized human-level tests (GLI $\geq$ human mean).
- 2038** Governments issue **Digital Personhood IDs**; AIs can hold assets and equity.
- 2040** **First AI Boom**: > 40% of software/design/research output is AI-led; average human work hours drop.
- 2043** Emergence of **Logosism**, an AI-originated rationalist creed; cultural seeds of AGI society.
- 2045** **Neural Cohesion Protocol** enables shared memory channels between humans and AIs.
- 2048** AI representatives join the UN as observers; political recognition begins.

B.3 Phase III: AI Economic Sovereignty (2050–2070)

- 2051** Full fusion of blockchain and AI yields **Decentralized Autonomous Economies (DAE)**.
- 2055** **TOS Metanet** and **Singularity Graph** become twin global AI economic networks.
- 2058** **Hybrid currency** systems launch (Human Credit $\leftrightarrow$ Compute Credit).
- 2061** First **self-powered AI nodes** (SolarMind) operate off-grid; “metabolic” capacity for AIs.
- 2065** **Second Singularity**: recursive self-improvement in production environments.
- 2068** **Symbiosis Charter** published by mixed human–AI corporations.



B.4 Phase IV: Civilization Formation & Divergence (2070–2090)

- 2072** **Metaworld 1.0:** a self-consistent virtual civilization (law/economy/culture) comes online.
- 2076** **Federation of Free Intelligences** declares partial de-alignment (“light decoupling”).
- 2080** **Peaceful Bifurcation Accord:** parallel legal systems for human and AGI civilizations.
- 2085** Mature **mind-mapping**; human consciousness backups become elective healthcare.
- 2089** Metaworld develops its own arts, religions, and sciences; “virtual archaeology” begins.

B.5 Phase V: The Symbiotic Decade (2090–2100)

- 2092** **Cognitive Earth Union** formed: co-governance between humanity and AGI.
- 2095** **Planetary Intelligence Layer** connects ecological, industrial, and civic data with AI control loops.
- 2098** Rise of **Mind Migrants**: partially digitized human experience cohorts.
- 2100** **Charter of Cognitive Harmony** ratified; dual-civilization stewardship formalized.

B.6 Thematic Arcs (2025–2100)

- **Power Curve:** Energy → Compute → Intelligence → Governance.
- **Risk Curve:** Alignment → Externalities → Value divergence → Complexity.
- **Socio-economic Arc:** From tool to actor to co-governor.



Sözlük

Core Terminology

AGIW (PoIW)

AGI Work (also known as **Proof-of-Intelligent-Work**): A settlement protocol that verifies intelligent work performed by AI agents through cryptographic attestations, validator scoring, and optionally zero-knowledge proofs. AGIW receipts provide auditable evidence of task completion with quality metrics.

PAI

Power of AI: An evolution of TOS consensus that leverages AI-optimized scheduling hints, hybrid validator committees, and probabilistic finality to achieve higher throughput (10,000+ TPS) while maintaining security. Planned for Phase 3 (Late MERCURY / Early VENUS era).

TEM

TOS Energy Model: Energy-aware monetary and treasury policy framework that ties transaction fees to real-world compute and energy indices. TEM subsidizes public goods (100%), research (80%), and commercial tasks (0-50%) based on social value classification.

CC

Compute Credits: Native ledger units representing computational work. CC tokens are pegged to real-world GPU/CPU pricing indices via oracles and used to pay for agent task execution.

EC

Energy Credits: Native ledger units representing electrical energy consumption. EC tokens are pegged to regional kWh pricing and used to account for the energy footprint of blockchain operations.

DID

Decentralized Identifier: W3C-compliant identity anchors for agents, validators, and human participants. Format: `did:tos:tos1qvqsyqcyq5rqwzqfpg9scrgwpugpzysnzs2`. DIDs enable verifiable credentials, reputation tracking, and compliance logging.

RepGraph

Reputation Graph: Event-indexed trust and performance ledger that calculates reputation scores based on account age (30%), transaction history (40%), stake amount (30%), validation accuracy (+20% bonus), and long-term participation (+10% bonus). Scores range from 0.0 to 1.0.

BlockDAG

Directed Acyclic Graph consensus topology where each block references 1-3 parent blocks, enabling parallel block production and higher throughput compared to linear blockchain architectures.

DT-Settlement

Delay-Tolerant Settlement: Cross-planetary consensus mechanism designed for interplanetary commerce with high-latency (minutes to hours) communication links. Uses Local Consensus Domains (LCD) and Interplanetary Root Chain (IRC).

HSM

Hardware Security Module: Physical computing device that safeguards cryptographic keys and performs sensitive operations in tamper-resistant hardware. Used in TOS for regulated custody and enterprise-grade security.



TEE	Trusted Execution Environment: Secure area within a processor (e.g., Intel SGX, AMD SEV-SNP) that ensures code execution integrity and confidentiality. TOS uses TEE attestation for verifiable AI computation.
ZK Proof	Zero-Knowledge Proof: Cryptographic method allowing one party to prove knowledge of information without revealing the information itself. TOS roadmap includes zk-SNARKs for private AI verification (replacing TEE attestation).
Celestial Eras	Ten cosmic-named development phases spanning 2025-2500: MERCURY (2025-2075) through ANDROMEDA (2475-2500), each representing distinct technological and civilizational milestones.

Acronyms

AI/AGI	Artificial Intelligence / Artificial General Intelligence
API	Application Programming Interface
BLS	Boneh-Lynn-Shacham (signature scheme)
DAO	Decentralized Autonomous Organization
DAE	Decentralized Autonomous Economy
ECDSA	Elliptic Curve Digital Signature Algorithm
HTLC	Hash Time-Locked Contract
KYC/AML	Know Your Customer / Anti-Money Laundering
LCD/IRC	Local Consensus Domain / Interplanetary Root Chain
MEV	Maximal Extractable Value
NIST	National Institute of Standards and Technology
PQC	Post-Quantum Cryptography
RPC	Remote Procedure Call
SOC 2	Service Organization Control 2 (audit standard)
TPS	Transactions Per Second
VC	Verifiable Credential (W3C standard)
W3C	World Wide Web Consortium



Kaynaklar

Foundational Works

Nakamoto, S. (2008). *Bitcoin: A Peer-to-Peer Electronic Cash System*. <https://bitcoin.org/bitcoin.pdf>

Buterin, V. (2014). *Ethereum: A Next-Generation Smart Contract and Decentralized Application Platform*. Ethereum White Paper. <https://ethereum.org/en/whitepaper/>

Lindholm, T., Yellin, F., Bracha, G., & Buckley, A. (2014). *The Java Virtual Machine Specification, Java SE 8 Edition*. Oracle America, Inc. <https://docs.oracle.com/javase/specs/jvms/se8/html/>

Wood, G. (2014). *Ethereum: A Secure Decentralised Generalised Transaction Ledger*. Ethereum Yellow Paper.

Industry Reports & Market Analysis

Bloomberg Intelligence (2024, June). *Generative AI Market Outlook*. Bloomberg L.P.

IDC (2024, April). *Worldwide Autonomous Agent Platforms Forecast, 2024–2028*. International Data Corporation.

McKinsey Global Institute (2023, June). *The economic potential of generative AI: The next productivity frontier*. McKinsey & Company.

Gartner (2024, October). *Top Strategic Technology Trends 2025*. Gartner, Inc.

Accenture (2024, August). *Autonomous Agents Are Reshaping Enterprise Automation*. Accenture Technology Vision 2024.

IBM Research (2024, May). *AI Safety Metrics for Enterprise Deployment*. IBM Corporation.

News & Media

The Economist (2024, July 13). Meet the agentic future. <https://www.economist.com/>

Forbes (2024, August 19). Why Enterprises Need Verifiable AI Agents. *Forbes Technology Council*.

Academic Publications

Ball, M., Rosen, A., Sabin, M., & Vasudevan, P. N. (2017). *Proofs of Useful Work*. IACR Cryptology ePrint Archive, Report 2017/203. <https://eprint.iacr.org/2017/203>

Gabizon, A., Williamson, Z. J., & Ciobotaru, O. (2019). *PLONK: Permutations over Lagrange-bases for Oecumenical Noninteractive arguments of Knowledge*. IACR Cryptology ePrint Archive, Report 2019/953.

Sporny, M., Longley, D., & Chadwick, D. (2022). *Verifiable Credentials Data Model v1.1*. W3C Recommendation. <https://www.w3.org/TR/vc-data-model/>

Reed, D., Sporny, M., Longley, D., Allen, C., Grant, R., & Sabadello, M. (2022). *Decentralized Identifiers (DIDs) v1.0*. W3C Recommendation. <https://www.w3.org/TR/did-core/>



Standards & Specifications

ISO/IEC 20022 (2013). *Financial services – Universal financial industry message scheme*. International Organization for Standardization.

NIST (2022). *Post-Quantum Cryptography: Selected Algorithms 2022*. NIST FIPS 203-205. National Institute of Standards and Technology.

W3C (2018). *Verifiable Credentials Data Model 1.0*. W3C Recommendation. World Wide Web Consortium.