

**PARALLAX SCROLLING WEBSITE  
A MAJOR PROJECT REPORT**

SUBMITTED IN PARTIAL FULFILMENT OF THE  
REQUIREMENT FOR THE AWARD  
OF THE DEGREE OF  
BACHELOR OF COMPUTER APPLICATION  
( BACHELOR OF COMPUTER APPLICATION DEPARTMENT )

MAY 2024

SUBMITTED TO



GOVT POST GRADUATE COLLEGE UNA HP

SUBMITTED BY

TOSHALI SINGH                      21BCA006

AMANPREET KAUR                      21BCA046

RADHIKA KUMARI                      21BCA095

UNDER THE GUIDANCE OF

MRS. RITU PURI

PROFESSOR

BCA DEPARTMENT



HIMACHAL PRADESH UNIVERSITY SHIMLA

## ACKNOWLEDGEMENT

We, the members of **Parallax Website Project** would like to express our profound gratitude and appreciation to all those who have contributed for successful completion of this project.

First and foremost, we would like to express our special thanks to our mentor **Mrs. Ritu Puri** for her invaluable guidance, patience and expertise throughout the course of the project.

We are also grateful to our wonderful principal **Dr. Meeta Sharma**, who has created a nurturing and creative environment in our college.

We would also like to acknowledge the support of our families and friends, who provided encouragement, understanding and motivation throughout the duration of this project.

Lastly, we extend our gratitude to each other, the members of **Parallax Website Project**.

The project is done using HTML, CSS, JS on Sublime text platform.

## CERTIFICATE

This is to certify that the project entitled

**Parallax Scrolling Website**

submitted by

**Radhika, Toshali and Aman**

is an authentication work carried out  
for partial fulfillment of the requirements  
for the award of the degree of

**Bachelor of Computer Applications**

under the guidance of

**Prof Mrs. Ritu Puri.**

The project is original  
to the best of our knowledge and belief.  
This certificate is clarified by the principal,  
**Dr. Meeta Sharma**  
**Govt. P.G. College, Una.**

Guide

Prof. Mrs. Ritu Puri

Principal

Dr. Meeta Sharma

Date:

Place: Govt P.G. College, Una

## CERTIFICATE FROM THE MEMBERS

We, the members of this project, Amanpreet Kaur, Radhika Kumari and Toshali Singh, students of BCA(6<sup>th</sup>sem) with University Roll no. 6211100007, 6211100081, 6210500017 do hereby certify that the project Work titled “Parallax Scrolling Website” is bonafide work done by us.

Branch: BCA

University Roll No.

6211100007

Aman:

6211100081

Toshali:

6210500017

Radhika:

Signature of members

Date:

Place: Govt P.G. College, Una

## PREFACE

This project report has been prepared for partial fulfillment of the requirement for the award of the degree of “**Bachelor of Computer Applications**”.

This project report is prepared for the project completed during the course of BCA, 6<sup>th</sup> semester undertaken at Government Post Graduate College, Una, Himachal Pradesh under Himachal Pradesh University, Shimla.

The purpose of this project report file is to assemble under one cover a sufficient body of knowledge about management and development of a successful project.

In this project, HTML, CSS AND JS are used to create a user interactive as well as attractive website.

## TABLE OF CONTENTS

SR.NO.	CHAPTERS	PAGES
I.	INTRODUCTION	<b>7-9</b>
II.	IMAGE AND FILE MANAGING	<b>10-11</b>
III.	HTML SOURCE CODE	<b>12-31</b>
IV.	CSS SOURCE CODE	<b>32-47</b>
V.	JS SOURCE CODE	<b>48-49</b>
VI.	SNAPSHOTS	<b>50-52</b>
VII.	REFERENCE	<b>53</b>

## INTRODUCTION

The project is completed by collab efforts of all the three members of the project under the guidance of Prof. Mrs. Ritu Puri

We have tried our best to create a good website designing or website template. This project is all related to website designing using html, css and js.

Parallax scrolling feature is used in this project to make website look more attractive. Pictures and texts move as we scroll the website. This gives more attractive look to the website.

Even the different elements of an image moves as we scroll down the web page. There is Header and Footer in the webpage.

In the header of web page, there is a navigation bar which is created using html and designing is done using css.

In the top-left corner of the webpage, there is a logo of the website.

As we scroll the webpage, different elements of the image will move and one text moves vertically and the other text will move horizontally.

There are three cards placed horizontally. These cards are actually flip cards. When we point the cursor over any of them, the card will flip and the text behind that card will be shown. There are some hover effects on flip cards.

And the last but not least, there is a footer that have links to various parts of the website.



In the navigation bar and at footer, there is link to another file i.e. intro or Introduction. In this web page, there are 3 buttons to represent HTML CSS and JS. Clicking on any of the button will open a new page which will provide intro of that particular option which was selected. There are 4 buttons around the text which shows links to the home and intro page and other 2 buttons represent other options that introduction page had as buttons.

In the navigation bar and at footer, there is also a link to login or registration which got pop up feature. One can login or register themselves. The login page is made attractive as well with various css features. There is also another button to give link back to the homepage of the website

## IMAGE AND FILE MANAGING

The first important thing in this project is to get the required images and store them all in one folder efficiently.

The images used for parallax scrolling is actually one image. Image, we have used in this project is taken from freepik.com which provides images in .eps file format.

And the next step is to separate all the elements of that image and store them separately in .jpg format.

For this, there are numerous websites that provide this faculty over the internet. But, the mostly used is adobe photoshop.

After all the separation, save all images in .jpg format one by one and store them in a single folder for efficiency.

In this project, we made 6 html files, 3 css files and 1 js file. All 10 files are stored in same folder in which we saved other images.

There are also some other background images used in this website project. They are also saved in the same folder.

By saving all the files and images or other in one same folder gives more efficient and quick output.

# HTML SOURCE CODE

## parahome.html

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1">
    <link rel="stylesheet" type="text/css" href="parahomee.css">
    <title>parahome website</title>
</head>
<body>
<header>
    <h2 class="logo" id="whome">WeBeW</h2>
    <div class="toggle"></div>
    <ul class="navigation">
        <li><a href="parahome.html">HOME</a></li>
        <li><a href="#about">ABOUT</a></li>
        <li><a href="intro.html">INTRO</a></li>
        <li><a href="#contact">CONTACT</a></li>
        <li><a href="imgg.html">JOIN US</a> </li>
    </ul>
</header>
<section class="parallax">
    
```



```

</div>
<div class="row1">

    <div class="flip-card">
        <div class="flip-card-inner">
            <div class="flip-card-front">
                
            </div>

            <div class="flip-card-back">
                <h1>CSS</h1>
                <p>CASCADING STYLE SHEETS</p>
                <p></p>
            </div>
        </div>
    </div>
    <div class="row1">
        <div class="flip-card">
            <div class="flip-card-inner">
                <div class="flip-card-front">
                    
                </div>
                <div class="flip-card-back">

```

```

        <h1>JS</h1>

        <p>JAVA SCRIPT</p>
        <p></p>

        </div>

    </div>

    </div>
    <h3>THIRD COLUMN</h3>
    </div>

</div>
</section>
<footer>
    <section class="foot">
        <div class="foot1">
            <div class="foot2">
                <h2>QUICK LINKS</h2>
                <ul class="navigation">
                    <li><a href="#whome">HOME</a></li>
                    <li><a href="#about">ABOUT</a></li>
                    <li><a href="about.html">INTRO</a></li>
                    <li><a href="#contact">CONTACT</a></li>
                    <li><a href="imgg.html">JOIN US</a> </li>
                </ul>
            </div>
            <div class="foot2">
                <h2>SOCIAL ACCOUNTS</h2>
                <ul class="navigation">

```

```

        <span class="insta"><ion-icon name="logo-
twitter"></ion-icon></span><li><a href="#">TWITTER</a></li>

        <span class="insta"><ion-icon name="logo-
linkedin"></ion-icon></span><li><a href="#">LINKEDIN</a></li>

        <span class="insta"><ion-icon name="logo-
whatsapp"></ion-icon></span><li><a href="#">WHATSAPP</a></li>

        <span class="insta"><ion-icon name="logo-
facebook"></ion-icon></span><li><a href="#">FACEBOOK</a></li>

        <span class="insta"><ion-icon name="logo-
instagram"></ion-icon></span><li><a
href="https://www.instagram.com/">INSTAGRAM</a></li>

    </ul>

</div>

<div class="foot2" id="contact">

    <h2>CONNENT US</h2>

    <ul class="navigation">

        <li><a href="#">8748278934</a></li>

        <li><a href="#">3647694079</a></li>

        <li><a href="#">5759359478</a> </li>

        <li><a href="#">parahome90@gmail.com</a></li>

        <li><a href="#">fcgsdbjka@gmail.com</a></li>

    </ul>

</div>

<div class="foot2">

    <h2>COURSES</h2>

    <ul class="navigation">

        <li><a
href="intro.html">INTRODUCTION</a></li>

        <li><a href="html.html">BASICS OF HTML</a></li>

```



```

        <li><a href="ccss.html">BASICS OF CSS</a></li>
        <li><a href="jjss.html">BASICS OF
JAVASCRIPT</a></li>
    </ul>
</div>
</div><hr>
<div class="fot">
    <ul>
        <li><p>PRIVACY POLICY</p></li>
        <li><p>TERMS AND CONDITIONS</p></li>
    </ul>
</div>
</section>
</footer>
<script type="text/javascript" src="parahomeee.js"></script>
<script type="module"
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.esm.
js"></script>
<script nomodule
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.js"><
/script>
</body>
</html>

```

# intro.html

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1">
  <title>Introduction</title>
  <link rel="stylesheet" type="text/css" href="html.css">
</head>
<style type="text/css">
  body{
    display: flex;
    justify-content: center;
    align-items: center;
    height: 600px;
    background: url(purp1.jpg) no-repeat;
    background-size: cover;
    background-position: center;
    padding: 100px;
    overflow: hidden;
  }
```

```
</style>
<body>
  <div class="gg">
    <h1>INTRODUCTION SECTION</h1>
    <p>Get to know the intro only of html css and js.</p>
  </div>
  <a href="html.html"><button
class="btn2">HTML5</button></a>
  <a href="ccss.html"><button
class="btn2">CSS3</button></a>
  <a href="jjss.html"><button
class="btn2">JS</button></a>
</body>
</html>
```

# html.html

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1">
  <link rel="stylesheet" type="text/css" href="html.css">
  <title>HTML</title>
</head>
<body>
  <header>
    <h2>INTRO TO HTML</h2>
    <h3>HYPERTEXT MARKUP LANGUAGE</h3>
    <hr>
  </header>
  <a href="intro.html"><button class="btn3">INTRO</button></a>
  <a href="jjss.html"><button class="btnn">JS</button></a>
  <a href="ccss.html"><button class="btn1">CSS</button></a>
  <a href="parahome.html"><button class="btn4">HOME</button></a>
```

```
<section class="data">  
    <h4>HTML is the standard markup language for creating  
Web Pages.<br>  
        HTML describes the structure of Web Page.<br>  
        Tim Berners-Lee invented HTML in the year  
1991.<br>  
        The latest edition of HTML is HTML5.2<br>  
        HTML elements tells the browser how to display the  
content.<br>  
        HTML consists of a series of elements.<br>  
        HTML is primarily used for static websites.<br>  
        HTML can be combined with CSS(cascading style  
sheets) and JS(java script).<br>  
    </h4>  
</section>  
</body>  
</html>
```

# ccss.html

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1">
    <link rel="stylesheet" type="text/css" href="html.css">
    <title>HTML</title>
</head>
<body>
    <header>
        <h2>INTRO TO CSS</h2>
        <h3>CASCADING STYLE SHEETS</h3><hr>
    </header>
    <a href="intro.html"><button class="btn3">INTRO</button></a>
    <a href="html.html"><button class="btnn">HTML</button></a>
    <a href="jjss.html"><button class="btn1">JS</button></a>
    <a href="parahome.html"><button
class="btn4">HOME</button></a>
```

```
<section class="data">

    <h4>CSS is the language we use to style an HTML
document.<br>

    CSS describes how HTML elements should be
displayed.<br>

    CSS saves a lot of work.<br>

    CSS can control the layout of multiple web pages
all at one place.<br>

    Latest version of css is CSS5.<br>

    CSS provides powerful control over the
presentation of an HTML document.<br>

    CSS can be used in 3 approaches:Inline, Internal
and External.<br>

    CSS uses selectors to apply styles while HTML uses
tags.<br>

    </h4>

</section>

</body>

</html>
```

# jjss.html

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1">
    <link rel="stylesheet" type="text/css" href="html.css">
    <title>HTML</title>
</head>
<body>
    <header>
        <h2>INTRO TO JS</h2>
        <h3>JAVA SCRIPT</h3><hr>
    </header>
    <a href="intro.html"><button
class="btn3">INTRO</button></a>
    <a href="ccss.html"><button class="btnn">CSS</button></a>
    <a href="html.html"><button
class="btn1">HTML</button></a>
    <a href="parahome.html"><button
class="btn4">HOME</button></a>
```



```
<section class="data">
    <h4>Java Script is text based programming
    language.<br>
        Java Script allow you to create dynamic web
        applications.<br>
        Java Script allows you to make Web Pages
        interactive.<br>
        Java Script can be used both on client side and
        server side.<br>
        JS can be used to create animations and
        graphics.<br>
        JS can be used to send and receive data from
        sender.<br>
        JS can be used to create games,both complex
        and simple.<br>
        JS can be used to validate forms before they are
        submitted.<br>
    </h4>
</section>
</body>
</html>
```

## imgg.html

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1">
    <link rel="stylesheet" type="text/css" href="parahomee.css">
    <link rel="stylesheet" type="text/css" href="img.css">
    <title></title>
</head>
<style type="text/css">
    .btn4{
        color: #fff;
        background: transparent;
        border: 3px solid #fff;
        border-radius: 6px;
        width: 120px;
        height: 50px;
        cursor: pointer;

font-size: 1.1em;
font-weight: 500;
transition: .8s;
margin-top: 10px;
margin-right: -10px;
    }
```

```

        .btn4:hover{
            color: black;
            background: white;
        }
</style>
<body>
    <header>
        <h2 class="logo">Logo</h2>
        <div class="toggle"></div>
        <a href="parahome.html"><button
class="btn4">Home</button></a>
        <ul class="navigation">
            <li><button class="btnlogin-popup">Login</button></li>
        </ul>
    </header>
    <div class="container">
        <span class="close-icon">
            <ion-icon name="close-sharp"></ion-icon>
        </span>
        <div class="form-box content2">
            <h2>Login</h2>
            <form action="#">
                <div class="user-details">
                    <div class="input-box">
                        <span class="icon">
                            <ion-icon name="mail-sharp"></ion-icon>

```

```

    </span>
    <span class="details">Email</span>
    <input type="email" placeholder="Enter your email" required>
</div>
<div class="input-box">
    <span class="icon">
        <ion-icon name="lock-closed"></ion-icon>
    </span>
    <span class="details">Password</span>
    <input type="password" placeholder="Enter your password"
required>
</div>
<div class="remember-forgot">
    <label>
        <input type="checkbox">
        Remember me
    </label><br>
    <a href="#">Forgot password?</a>
</div>
<div class="button">
    <input type="submit" value="Login">
</div>
<div class="login-register">
    <p>Don't have an account?<a href="#"
class="register-link">Register</a></p>

```

```

    </div>
  </div>
</form>
</div>
<div class="form-box content1">
  <h2>Registration</h2>
  <form action="#">
    <div class="user-details">
      <div class="input-box">
        <span class="details">Full Name</span>
        <input type="text" placeholder="Enter your name" required>
      </div>
      <div class="input-box">
        <span class="details">Username</span>
        <input type="text" placeholder="Enter your username"
required>
      </div>
      <div class="input-box">
        <span class="details">Email</span>
        <input type="text" placeholder="Enter your email" required>
      </div>
      <div class="input-box">
        <span class="details">Phone Number</span>
        <input type="text" placeholder="Enter your number"
required>

```

```
</div>
<div class="input-box">
  <span class="details">Password</span>
  <input type="text" placeholder="Enter your password"
required>
</div>
<div class="input-box">
  <span class="details">Confirm Password</span>
  <input type="text" placeholder="Confirm your password"
required>
</div>
</div>
<div class="remember-forgot">
  <label>
    <input type="checkbox">I agree to terms & conditions
  </label>
</div>
<div class="button">
  <input type="submit" value="Register">
</div>
```

```
<div class="login-register">
    <p>Already have an account?<a href="#"
class="login-link">Login</a></p>
</div>
</form>
</div>
</div>
<script type="text/javascript" src="parahomeee.js"></script>
<script type="module"
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.es
m.js"></script>
<script nomodule
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.js"
></script>
</body>
</html>
```

## html.css

```
body{
    display: flex;
    justify-content: center;
    background: url(web.jpg) no-repeat;
    background-size: cover;
    background-size: 100%;
    background-attachment: fixed;
    background-position: center;
    padding: 10px;
}
header{
    justify-content: center;
    margin-left: 430px;
    justify-items: center;
    text-align: center;
}
h2{
    justify-content: center;
    font-family: cursive;
    font-size: 2.5em;
    color: #fff;
}
```



```
h3{
    margin-top: -20px;
    font-family: cursive;
    font-size: 1.6em;
    color: #fff;
}
hr{
    width: 750px;
    margin-top: 10px;
}
.btnn{
    background: transparent;
    color: #fff;
    margin-top: 75px;
    margin-left: -750px;
    width: 65px;
    height: 30px;
    border: 1px solid #fff;
    border-radius: 5px;
    outline: none;
    cursor: pointer;
    font-size: 0.9em;
    font-weight: 500;
    transition: .8s;
}
```

```
.btn1{
    background: transparent;
    color: #fff;
    margin-top: 75px;
    margin-left: -70px;
    width: 65px;
    height: 30px;
    border: 1px solid #fff;
    border-radius: 5px;
    outline: none;
    cursor: pointer;
    font-size: 0.9em;
    font-weight: 500;
    transition: .8s;
}

.btnn:hover{
    background: #fff;
    color: black;
}

.btn1:hover{
    background: #fff;
    color: black;
}

.btn2{
    background: transparent;
    color: #fff;
    border: 2px solid #fff;
```

```
padding: 2px;
font-size: 1em;
outline: none;
font-weight: 550;
margin: 20px;
border-radius: 5px;
width: 100px;
height: 50px;
transition: .6s;
cursor: pointer;
}
.btn2:hover{
    color: black;
    background: #fff;
}
.btn4{
    background: transparent;
    color: #fff;
    margin-top: 130px;
    margin-left: -70px;
    width: 65px;
    height: 30px;
    border: 1px solid #fff;
    border-radius: 5px;
    outline: none;
```

```
        cursor: pointer;
        font-size: 0.9em;
        font-weight: 500;
        transition: .8s;
    }
    .btn4:hover{
        color: black;
        background: #fff;
    }
    .btn3{
        background: transparent;
        color: #fff;
        margin-top: 130px;
        margin-left: -750px;
        width: 65px;
        height: 30px;
        border: 1px solid #fff;
        border-radius: 5px;
        outline: none;
        cursor: pointer;
        font-size: 0.9em;
        font-weight: 500;
        transition: .8s;
    }
    .btn3:hover{
```

```
        color: black;
        background: #fff;
    }
    .gg{
        color: #fff;
        font-family: cursive;
        padding-bottom: 200px;
        padding-right: 200px;
        padding-top: 100px;
    }
    .data{
        color: #fff;
        font-size: 20px;
        font-family: cursive ;
        margin-top: 300px;
        margin-right: 170px;
        margin-left: -700px;
        text-align: center;
        justify-content: center;
        justify-items: center;
        padding-right: 200px;
        align-content: center;
        align-items: center;
    }
```

## img.css

```
body{
    display: flex;
    justify-content: center;
    align-items: center;
    min-height: 100vh;
    background: url(pink.jpg) no-repeat;
    background-size: cover;
    background-position: center;
    padding: 10px;
}
.container{
    position: relative;
    margin-top: 100px;
    margin-bottom: 50px;
    overflow: hidden;
    width: 600px;
    height: 470px;
    background: transparent;
    border: 2px solid rgba(255, 255, 255, .5);
    border-radius: 20px;
    backdrop-filter: blur(20px);
    box-shadow: 0 0 30px rgba(0, 0, 0, .5);
    align-items: center;
    text-align: center;
    align-content: center;
```

```
    box-align: center;
    display: flex;
    /* padding: 600px;*/
    justify-content: center;
    overflow: hidden;
    transition: transform .5s ease, height .2s ease;
    transform: scale(0);

}

.container.active-popup{
    transform: scale(1.0);

}

.container.active{
    height: 550px;

}

.container .form-box{
    width: 100%;
    padding: 40px;
    /* overflow: hidden;*/
}

.container .form-box.content2{
    transition: transform .18s ease;
    transform: translateX(0);
    transition: none;
}
```

```
.container.active .form-box.content2{
  transition: none;
  transform: translateX(-600px);
}

.container.active .form-box.content1{
  transition: transform .18s ease;
  transform: translateX(0);
/* margin-left: 100px;*/

}

.container .form-box.content1{
  position: absolute;
  transform: translateX(600px);

/* margin-left: 40px;*/
/* transition: none;*/
}

.container .content2 h2{
  color: #fff;
  position: top;
  font-weight: 500;
  font-size: 35px;
  margin-top: 60px;
/*margin-bottom: 0px;*/
  margin-left: 0px;
  text-align: center;
}
```



```
.container .content1 h2{
  position: top;
  font-weight: 500;
  font-size: 35px;
  color: #fff;
  margin-top: 40px;
  padding-top: 30px;
  margin-left: 0px;
  padding-bottom: 0px;
  text-align: center;
}

.container .form-box.content2{
  margin-top: 0px;
  margin-bottom: 10px;
}

.content2 form .user-details{
  /* margin-top: 0px;*/
  /* display: flex;*/
  /* flex-wrap: wrap;*/
  /* justify-content: space-between;*/
  /* margin: 2px 0 12px 0;*/
  /*text-align: center;*/
}

.content1 form .user-details{
  display: flex;
  flex-wrap: wrap;
```

```
justify-content: space-between;
margin: 20px 0 12px 0;
}
.content1 form .user-details .input-box{
margin-bottom: 5px;
width: calc(100% / 2 - 20px);
background: transparent;
}
.content2 form .user-details .input-box{
margin-bottom: 10px;
/* text-align: center;*/
width: calc(100% / 2 - 20px);
background: transparent;
padding-left: 1px;
}
.content1 form .input-box span.details{
display: block;
font-weight: 500;
margin-bottom: 5px;
background: transparent;
color: #fff;
}
.content2 form .input-box span.details{
display: block;
font-weight: 500;
font-size: 20px;
```

```
margin-bottom: 5px;
background: transparent;
color: #fff;
margin-top: 0px;
padding-left: -60px;
margin-left: 10px;
text-align: left;

}
form{
margin-top: 40px;
}
.content1 .user-details .input-box input{
height: 30px;
width: 90%;
outline: none;
font-size: 16px;
border-radius: 3px;
text-align: center;
padding-left: 10px;
border: 1px solid #fff;
border-bottom-width: 2px;
transition: all 0.3s ease;
background: transparent;
color: black;
text-emphasis-color: #fff;
}
```

```
.content2 .user-details .input-box input{
    height: 30px;
    width: 500px;
    outline: none;
    font-size: 16px;
    border-radius: 3px;
    text-align: left;
    padding-left: 7px;
    /* padding-left: 100px;*/
    border: 1px solid #fff;
    border-bottom-width: 2px;
    transition: all 0.3s ease;
    background: transparent;
    color: #fff ;
    text-emphasis-color: #fff;
}
.user-details .input-box input:focus,
.user-details .input-box input:valid{
    border-color: #fff;
}
form input[type="radio"]{
    display: none;
}
form .button{
    height: 45px;
    margin: 20px 0
}
```

```
form .button input{
  height: 100%;
  width: 500px;
  border-radius: 7px;
  border: 2px solid #fdd5df;
  color: #fff;
  font-size: 18px;
  font-weight: 500;
  letter-spacing: 1px;
  cursor: pointer;
  transition: 0.8s;
  background: transparent;
}
form .button input:hover{
  /* transform: scale(0.99); */
  background: #fc94af;
}
@media(max-width: 584px){
  .container{
    max-width: 100%;
  }
form .user-details .input-box{
  margin-bottom: 15px;
  width: 100%;
}
form .category{
  width: 100%;
```

```
}

.content2 form .user-details{
  max-height: 300px;
  overflow-y: scroll;
}

.user-details::-webkit-scrollbar{
  width: 5px;
}

}

@media(max-width: 459px){
  .container .content .category{
    flex-direction: column;
  }
}

.content2 .remember-forgot{
  font-size: .9em;
  color: #fff;
  font-weight: 500;
  margin: -15px 0 15px;
  display: flex;
  justify-content: space-between;
}

.content2 .remember-forgot label input{
  color: #fff;
  margin-top: 30px;
  margin-right: 5px;
  margin-left: 20px;
```

```
.login-register p a::hover{
  text-decoration: underline;
}

.input-box span.icon{
  position: absolute;
  right: 8px;
  font-size: 1.2em;
  color: #fc94af;
  line-height: 105px;
  margin-right: 60px;
}

.container span.close-icon{
  position: absolute;
  top: 0px;
  font-size: 3em;
  right: 0px;
  color: #fc94af;
  /* line-height: -10px;*/
  width: 45px;
  height: 45px;
  border-bottom-left-radius: 20px;
  background: #fff;
  display: flex;
  justify-content: center;
  align-items: center;
  cursor: pointer;
  z-index: 1;
}
```



## parahomeee.js



```
let lmount = document.getElementById('lmount');
let home = document.getElementById('home');
let tree = document.getElementById('tree');
let rmount = document.getElementById('rmount');
let rmount2= document.getElementById('rmount2');
let mount= document.getElementById('mount');
let text = document.getElementById('text');
let text1 = document.getElementById('text1');
const toggleMenu = document.querySelector('.toggle');
const navigation = document.querySelector('.navigation');
toggleMenu.onclick=function () {
    toggleMenu.classList.toggle('active');
    navigation.classList.toggle('active');
}
window.addEventListener('scroll', () => {
    let value = window.scrollY;
    lmount.style.left = value * -0.5 + 'px';
    home.style.left = value * 0.5 + 'px';
    tree.style.left= value * 0.5+ 'px';
    rmount2.style.left= value * 0.5 + 'px';
    rmount.style.left = value * 0.3 + 'px';
    mount.style.top = value * 0.2+ 'px';
    text.style.top = value * 0.5 + 'px';
    text1.style.left =value*1.5 + 'px';
});
```




```
const container = document.querySelector('.container');
const loginlink = document.querySelector('.login-link');
const registerlink = document.querySelector('.register-link');
const btnpopup = document.querySelector('.btnlogin-popup');
const iconClose = document.querySelector('.close-icon');
registerlink.addEventListener('click', ()=>{
    container.classList.add('active');
});
loginlink.addEventListener('click', ()=>{
    container.classList.remove('active');
});
btnpopup.addEventListener('click', ()=>{
    container.classList.add('active-popup');
});
iconClose.addEventListener('click', ()=>{
    container.classList.remove('active-popup');
});
```

# SNAPSHOTS







## REFERENCES

Parallax image from:

[https://www.freepik.com/free-vector/hand-drawn-winter-landscape\\_10850368.htm](https://www.freepik.com/free-vector/hand-drawn-winter-landscape_10850368.htm)

login page background image:

[https://www.freepik.com/free-vector/flat-design-baby-shower-zoom-background\\_21907845.htm](https://www.freepik.com/free-vector/flat-design-baby-shower-zoom-background_21907845.htm)

Other background images:

Author: IDEAPAD 320

[https://downloadscdn5.freepik.com/download\\_vector/jpg/343/343694/34/34666/34666011\\_5\\_asfasw112.jpg?token=exp=1711196989~hmac=8c86d16299a6e2efb30597f62a6a2eab](https://downloadscdn5.freepik.com/download_vector/jpg/343/343694/34/34666/34666011_5_asfasw112.jpg?token=exp=1711196989~hmac=8c86d16299a6e2efb30597f62a6a2eab)

To edit .eps file:

<https://graphicsfamily.com/editor/>

