

```
mysql> insert into profiles values(1,'田中実','012-345-6789',30,'1994-02-01');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> show tables;
+-----+
| Tables_in_challenge_db |
+-----+
| profiles                |
+-----+
1 row in set (0.01 sec)
```

```
mysql> select * from profiles;
+-----+-----+-----+-----+-----+
| profilesID | name   | tell      | age | birthday |
+-----+-----+-----+-----+-----+
| 1 | 田中実 | 012-345-6789 | 30 | 1994-02-01 |
+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

```
mysql> insert into profiles values(2,'鈴木茂','090-1122-3344',37,'1987-08-12');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> select * from profiles;
+-----+-----+-----+-----+-----+
| profilesID | name   | tell      | age | birthday |
+-----+-----+-----+-----+-----+
| 1 | 田中実 | 012-345-6789 | 30 | 1994-02-01 |
| 2 | 鈴木茂 | 090-1122-3344 | 37 | 1987-08-12 |
+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

課題1

```
[mysql> select * from profiles;
+-----+-----+-----+-----+-----+
| profilesID | name   | tell      | age | birthday |
+-----+-----+-----+-----+-----+
| 1 | 田中実 | 012-345-6789 | 30 | 1994-02-01 |
| 2 | 鈴木茂 | 090-1122-3344 | 37 | 1987-08-12 |
| 3 | 鈴木実 | 080-5566-7788 | 24 | 2000-12-24 |
| 4 | 佐藤清 | 012-0987-6543 | 19 | 2005-08-01 |
| 5 | 高橋清 | 090-9900-1234 | 24 | 2000-12-24 |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql> █
```

```
mysql> insert into profiles values(3,'鈴木実','080-5566-7788',24,'2000-12-24');
```

Query OK, 1 row affected (0.00 sec)

```
mysql> select * from profiles;
```

profilesID	name	tell	age	birthday
1	田中実	012-345-6789	30	1994-02-01
2	鈴木茂	090-1122-3344	37	1987-08-12
3	鈴木実	080-5566-7788	24	2000-12-24

3 rows in set (0.00 sec)

```
mysql> insert into profiles values(4,'佐藤清','012-0987-6543',19,'2005-08-01');
```

Query OK, 1 row affected (0.00 sec)

```
mysql> select * from profiles;
```

profilesID	name	tell	age	birthday
1	田中実	012-345-6789	30	1994-02-01
2	鈴木茂	090-1122-3344	37	1987-08-12
3	鈴木実	080-5566-7788	24	2000-12-24
4	佐藤清	012-0987-6543	19	2005-08-01

4 rows in set (0.00 sec)

```
mysql> insert into profiles values(5,'高橋清','090-9900-1234',24,'2000-12-24');
```

Query OK, 1 row affected (0.01 sec)

```
mysql> select * from profiles;
```

profilesID	name	tell	age	birthday
1	田中実	012-345-6789	30	1994-02-01
2	鈴木茂	090-1122-3344	37	1987-08-12
3	鈴木実	080-5566-7788	24	2000-12-24
4	佐藤清	012-0987-6543	19	2005-08-01
5	高橋清	090-9900-1234	24	2000-12-24

5 rows in set (0.00 sec)

```
mysql>
```

課題2

```
mysql> select * from profiles where profilesID=3;
```

profilesID	name	tell	age	birthday
3	鈴木実	080-5566-7788	24	2000-12-24

```
1 row in set (0.00 sec)
```

```
[mysql> select * from profiles where profilesID=3;
```

profilesID	name	tell	age	birthday
3	鈴木実	080-5566-7788	24	2000-12-24

```
1 row in set (0.00 sec)
```

課題3

```
mysql> select * from profiles where name='高橋清';
```

```
+-----+-----+-----+-----+
| profilesID | name   | tell   | age | birthday |
+-----+-----+-----+-----+
|          5 | 高橋清 | 090-9900-1234 | 24 | 2000-
```

```
12-24 |
```

```
+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

```
mysql> select * from profiles where name='高橋清';
```

```
+-----+-----+-----+-----+
| profilesID | name   | tell   | age | birthday |
+-----+-----+-----+-----+
|          5 | 高橋清 | 090-9900-1234 | 24 | 2000-12-24 |
+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

課題4

```
mysql> select * from profiles where age=24;
```

```
+-----+-----+-----+-----+
| profilesID | name   | tell      | age | birthday |
+-----+-----+-----+-----+
|          3 | 鈴木実 | 080-5566-7788 | 24 | 2000-
```

12-24 |

```
|          5 | 高橋清 | 090-9900-1234 | 24 | 2000-
```

12-24 |

```
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> select * from profiles where age=24;
```

```
+-----+-----+-----+-----+-----+
| profilesID | name       | tell           | age | birthday       |
+-----+-----+-----+-----+-----+
|          3 | 鈴木実     | 080-5566-7788 | 24  | 2000-12-24     |
|          5 | 高橋清     | 090-9900-1234 | 24  | 2000-12-24     |
+-----+-----+-----+-----+-----+
```

```
2 rows in set (0.00 sec)
```

課題5

```
mysql> select * from profiles where age >=25;
```

```
+-----+-----+-----+-----+
| profilesID | name   | tell   | age | birthday |
+-----+-----+-----+-----+
|          1 | 田中実 | 012-345-6789 | 30 | 1994-02-
```

```
01 |
|          2 | 鈴木茂 | 090-1122-3344 | 37 | 1987-
08-12 |
```

```
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> select * from profiles where age >=25;
```

```
+-----+-----+-----+-----+-----+
| profilesID | name       | tell           | age | birthday       |
+-----+-----+-----+-----+-----+
|          1 | 田中実     | 012-345-6789   | 30  | 1994-02-01     |
|          2 | 鈴木茂     | 090-1122-3344   | 37  | 1987-08-12     |
+-----+-----+-----+-----+-----+
```

```
2 rows in set (0.00 sec)
```

```
mysql> select * from profiles where name like '%実%';
+-----+-----+-----+-----+
| profilesID | name   | tell      | age | birthday |
+-----+-----+-----+-----+
|          1 | 田中実 | 012-345-6789 | 30 | 1994-02-01 |
|          3 | 鈴木実 | 080-5566-7788 | 24 | 2000-12-24 |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

課題6

```
mysql> select * from profiles where name like '%実%';
+-----+-----+-----+-----+-----+
| profilesID | name      | tell          | age | birthday      |
+-----+-----+-----+-----+-----+
|          1 | 田中実    | 012-345-6789 | 30  | 1994-02-01    |
|          3 | 鈴木実    | 080-5566-7788 | 24  | 2000-12-24    |
+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

課題7

```
mysql> update profiles set name = '吉田茂'where  
profilesID =2;
```

Query OK, 1 row affected (0.00 sec)

Rows matched: 1 Changed: 1 Warnings: 0

```
mysql> select * from profiles where profilesID=2;
```

profilesID	name	tell	age	birthday
2	吉田茂	090-1122-3344	37	1987-

08-12

profilesID	name	tell	age	birthday
2	吉田茂	090-1122-3344	37	1987-

1 row in set (0.00 sec)

```
mysql> update profiles set name = '吉田茂 'where profilesID =2;
```

Query OK, 1 row affected (0.00 sec)

Rows matched: 1 Changed: 1 Warnings: 0

```
mysql> select * from profiles where profilesID=2;
```

profilesID	name	tell	age	birthday
2	吉田茂	090-1122-3344	37	1987-08-12

1 row in set (0.00 sec)

課題8

```
mysql> delete from profiles where birthday='2000-12-24';  
Query OK, 2 rows affected (0.00 sec)
```

```
mysql> select * from profiles;
```

profilesID	name	tell	age	birthday
1	田中実	012-345-6789	30	1994-02-01
2	吉田茂	090-1122-3344	37	1987-08-12
4	佐藤清	012-0987-6543	19	2005-08-01

3 rows in set (0.00 sec)

```
mysql> delete from profiles where birthday='2000-12-24';  
Query OK, 2 rows affected (0.00 sec)
```

```
mysql> select * from profiles;
```

profilesID	name	tell	age	birthday
1	田中実	012-345-6789	30	1994-02-01
2	吉田茂	090-1122-3344	37	1987-08-12
4	佐藤清	012-0987-6543	19	2005-08-01

3 rows in set (0.00 sec)