

Ooki Grader

Comprehensive test report

Testing: 18-19 September 2026 | Asia/Tokyo

Source fix, complete automated rerun, installed baseline, update retention, AI capabilities and School Manager automation.

AUTOMATED PASSES	FAILED	SKIPPED
1,256	0	7

Overall assessment: partial validation complete

The source fix passed automated validation. The populated-data update, post-update retention comparison, successful live Gemini workflows and live School Manager automation remain incomplete.

What was completed

Fixed the Gemini 3.8 Flash thinking policy, added regression coverage, regenerated the School Manager API client, ran the backend and frontend suites, and built a checksum-verified Windows package. The code and evidence were pushed to origin/main as **93686af**.

What the screenshots show

Three authentic pre-update artifacts show the initial setup screen, the seeded instance login screen, and the rendered synthetic result PDF. Each figure states what it proves and what it does not prove. No reconstructed or simulated application screenshots are used.

Release and installed state

Item	Recorded state
Installed service	0.9.8 with populated synthetic test data
Fixed local package	0.9.15-local.1; self-contained win-x64; unsigned test build
Update attempt	Windows UAC launch canceled; fixed package not installed
Live dependencies	Gemini provider unavailable; School Manager test account absent

Evidence cutoff: the recorded testing session and the subsequent verified push. Creating this PDF did not rerun product tests or change the installed application.

Scope, method and provenance

Dimension	Test context
Repository	toshizo-link/upgraded-ooki-grader; branch main
Base source	9e2490aaeab3018846e39f5afdc5678a0bd85406
Published change	93686af24fda1d9c6db01bcd81ff5740d87e815
Host / application	Windows; OokiGrader.Host service; https://ooki-grader.test
Build / test stack	.NET 10 Release; Vitest 4.1.10; TypeScript checks and Vite build
AI connection	Gemini Direct; gemini-3.8-flash; credential stored encrypted
Test data	Synthetic school, students, questions and completed answer sheet

Evidence levels

Automated: unit, integration and provider-contract tests run against the source. External-provider responses are substituted where the test defines them.

Installed baseline: authenticated HTTPS API operations on 0.9.8, plus downloaded output validation.

Live service: actual Gemini requests; no successful live School Manager session was established.

Visual evidence: two browser captures and one rendered exported PDF page.

Sequence of work

Stage	Recorded action
1. Synchronize	Discarded the original local changes and synchronized to origin/main.
2. Initial update	An empty-data 0.9.8 to 0.9.14 update succeeded. This was insufficient for retention testing.
3. Restore and seed	Restored the complete 0.9.8 cold snapshot with its matching executable; verified 12 file hashes; seeded through supported APIs.
4. Diagnose and fix	Observed rejected MINIMAL thinking; implemented LOW policy for 3.8 and added regression cases.
5. Retest and package	Completed automated rerun and built 0.9.15-local.1; verified all 513 package files.
6. Attempt update	The new UAC launch was canceled. Populated-data retention remains pending.
7. Publish	Pushed the source fix and recorded evidence to main; verified the ZIP download hash.

Automated results and build checks

The complete .NET solution and frontend suite were run. The totals below are derived from the saved TRX result records and frontend log; the seven skipped cases are not counted as passes.

Suite / assembly	Passed	Failed	Skipped
Application.Tests	137	0	0
Domain.Tests	204	0	0
Infrastructure.Tests	47	0	0
IntegrationTests	467	0	0
Preprocessing.Tests	33	0	1
ProviderContract.Tests	97	0	6
Reports.Pdf.Tests	6	0	0
SchoolManager.Tests	16	0	0
Tool.Tests	71	0	0
Frontend / 26 files	178	0	0
TOTAL	1256	0	7

Additional verification

Check	Result and evidence
Frontend type checking	Passed, including after regenerating the API client.
Frontend production build	Passed. Existing bundle-size warning: 570.20 kB JS asset before gzip; threshold 500 kB.
OpenAPI client drift	Passed after regenerating School Manager settings and delivery endpoints.
Installer script parsing	Passed. This does not imply a completed installed upgrade.
Whitespace / diff check	git diff --check passed.
Local release package	Built 0.9.15-local.1; all 513 files passed checksum validation.

The updated suite added ten passing cases relative to the prior 1,246-pass run. The 25 School Manager checks are included in the totals above, not added a second time. The 24 installed-baseline API checks are recorded separately.

Installed baseline feature coverage

These operations ran against the restored 0.9.8 installation before the fixed update. They establish a meaningful populated baseline for later retention comparison.

Feature	Executed operation and observed result
Setup and authentication	Created synthetic administrator retention.admin and school settings; authenticated requests used normal CSRF controls.
Student management	Created Test Alice, Bob and Carol (RET-001 through RET-003), grade 5 / English / Retention A, plus one romanized alias.
Template authoring	Created an English template with three 10-point questions; attached blank and answer images; published a version.
Session and roster	Publishing created an open test session; all three synthetic students were rostered.
Upload and preprocessing	Uploaded one completed paper and produced one preprocessed page. A contrast_low warning was recorded; local alignment was 9851 basis points.
Name review	Assigned the submission to Test Alice through teacher review.
Teacher grading	Provider-free results required review; teacher overrides awarded 10, 10 and 0 points.
Finalization and reports	Finalized 20/30; downloaded the one-page result PDF, matched its SHA-256 to the export record and visually inspected it.
Administration and security	22 authenticated read checks passed, plus anonymous-access rejection (401) and invalid-CSRF rejection (403).
AI connection	Saved the supplied credential encrypted with gemini-3.8-flash. The old probe failed; successful AI profile activation is not claimed.

Limits of baseline coverage

These are API and output checks, not a completed browser walkthrough of every feature. Browser typing/CDP operations were unreliable; the login screenshot does not prove a successful browser session. No post-update feature pass is inferred from the baseline.

Visual record: initial setup

Action: inspected the locally installed application before populating its data. The initial administrator form was visible at the local HTTPS address.




Figure 1. Original browser capture, 18 September 2026. Credential fields are empty. Edge extension notices obscure part of the upper screen; the original capture is preserved.

Evidence interpretation

This establishes the initial setup screen observed during the session. It does not show a completed administrator creation or prove that a populated upgrade retained data. Setup and seeding were subsequently performed through authenticated application APIs.

Visual record: seeded instance login

Action: opened the restored, seeded instance for a browser login check. The synthetic administrator username is visible and the password field is empty.




Figure 2. Actual pre-update login screen, 18 September 2026. No API key, password or session cookie is visible.

Evidence interpretation

The application presents its staff login page. The synthetic data described on page 4 were created and verified through HTTPS APIs. This screenshot is not evidence of a completed browser login, access to student records through the UI, or successful retention after the fixed update.

Visual record: exported result

Action: finalized the synthetic paper, downloaded its PDF, checked its hash against the export record and rendered it for visual review.

Ooki Grader Test School

採点結果

RETENTION English Grade 5

生徒 Test Alice (RET-001)

実施日 2026年9月18日 採点基準 第1版

合計

20 / 30 点

得点率 66.7%

現在の訂正済み結果

番号	問題	解答	得点	判定
1	Write the plural of cat.	cats	10 / 10	正解 訂正済
2	Choose the opposite of hot: cold / tall.	cold	10 / 10	正解 訂正済
3	Complete: I ___ a student. (am / is)	is	0 / 10	不正解 訂正済

この帳票は確定済みの現在結果から作成されています。答案画像は含まれません。

帳票ID: 01M2TDZ2ZFG81PW0EB1EHC1B7AX

作成: 2026-09-18 14:16 UTC

1 / 1

Figure 3. Render of the actual exported baseline PDF. Test Alice scored 20/30 after teacher corrections: cats = 10, cold = 10, is = 0. This is provider-free teacher grading, not an AI accuracy result.

The page was checked for clipping, missing glyphs, score consistency and single-page layout. Its unchanged bytes remain a planned post-update retention assertion.

Gemini 3.8 thinking fix and live AI

Failure observed before the fix

The old capability probe used MINIMAL thinking for Gemini 3.8 Flash. A direct synthetic-image request returned HTTP 400 indicating that MINIMAL was unsupported. Comparison requests using LOW returned HTTP 503 due to provider demand.

Implemented behavior

Path / behavior	Verified change
Model-family classification	Recognizes gemini-3.8-flash, version/preview suffixes and case-insensitive names; retains explicit 3.7-family classification.
Capability probes	Shared policy selects LOW for affected 3.8 image and batch capability probes.
Automatic task setup	New non-template profiles use LOW; template extraction retains MEDIUM.
Credential retention contract	Changing a saved connection to 3.8 is tested without replacing its stored API key.
Regression coverage	Seven outgoing HTTP payload cases plus expanded setup/model-change theories; ten added passing cases in total.

Recorded live result after the fix

The external harness referenced the newly compiled Gemini provider DLL and received the key through standard input. It recorded **supportsMinimal=false**, state **failed**, and safe error **gemini_provider_unavailable**. Image input, structured output and usage metadata were false. A later retry timed out without a captured result.

Live functionality remains unverified

No successful live template extraction, rotation analysis, name transcription, grading, adjudication or batch workflow is established. The provider adapter reported authentication/model-availability flags, but a failed capability probe is not proof of successful current inference or accuracy.

The default model constant was not globally changed. The configured test connection targets gemini-3.8-flash. The passing setup tests use simulated provider responses; they do not activate the installed connection.

Reference: [Google Gemini 3.8 Flash documentation](#)

School Manager: unit and persistence checks

17 passing cases: 16 unit cases plus one persistence case. The table maps every recorded case to its tested behavior; repeated grade-normalization inputs are counted separately.

ID	Area	Behavior - all PASS
01	Persistence	Encrypted settings, imports and privacy-safe delivery queue persist.
02	Target selection	Reject missing or ambiguous target.
03	Grade normalization	Canonicalize Japanese high-school year 3 label.
04	Client validation	Reject unexpected origin before launching browser.
05	Delivery scheduling	Allow the first pass/fail update immediately.
06	Workbook validation	Reject workbook lacking required identity columns.
07	Privacy validation	Reject sensitive data in distributable cells.
08	Daily limit	Limit pass/fail updates to once per Tokyo day.
09	Recipient matching	Fail closed on ambiguous or mismatched student.
10	Workbook validation	Reject free-form result values.
11	PDF rendering	Produce verified landscape PDF for a wide table.
12	Grade normalization	Canonicalize Japanese elementary-school year 6 label.
13	Client validation	Reject non-PDF attachment before launching browser.
14	Grade normalization	Canonicalize Japanese middle-school year 1 label.
15	Privacy projection	Keep only target class and redact every identifier.
16	Workbook parsing	Find header and drop name/unnamed columns.
17	Recipient matching	Require exactly one matching student.

Source: school-manager-test-results.json and matching TRX records. Passing validation before browser launch does not test the current external website or its selectors.

School Manager: automation integration

8 additional passing cases bring School Manager coverage to 25. Integration tests substitute the external School Manager client.

ID	Recorded integration case	Result
18	Import creates one privacy-safe delivery per matched student.	PASS
19	Finalized result without its original PDF is not queued.	PASS
20	Eligible finalized result queues one combined PDF and one delivery.	PASS
21	Invalid workbook is recorded and does not block the next workbook.	PASS
22	Unknown pass/fail send reserves the daily limit.	PASS
23	Interrupted pass/fail send reserves the daily limit.	PASS
24	Dry run validates once without marking delivery sent.	PASS
25	Activation boundary excludes historical finalized results.	PASS

What has not been exercised live

No dedicated School Manager test credentials or dummy student/guardian were supplied. Therefore live login, current page selectors, guardian lookup, attachment upload, actual dry-run behavior and sending remain unverified. No guardian message was sent.

Completion procedure

Step	Required evidence
1. Configure test account	Dedicated account and known dummy student/guardian; captured settings with secrets hidden.
2. Confirm recipient	Exact identity match and rejection of a deliberately ambiguous or wrong target.
3. Exercise dry run	Dummy finalized result/import reaches the expected queue; validates once without a sent marker.
4. Inspect attachment	Correct combined PDF and pass/fail table; appropriate redaction and recipient.
5. Optional real delivery	Only to an explicitly authorized dummy recipient; verify external receipt and duplicate/daily-limit handling.

These are pending acceptance steps, not recorded successes.

Update and data retention

The first empty-data update to 0.9.14 succeeded. It was followed by a controlled restoration of the complete 0.9.8 snapshot and matching executable so meaningful records could be created before a new update. All 12 restored file hashes matched.

Baseline inventory and planned comparisons

Data category	Recorded baseline / intended post-update assertion
Administrator and school	Same administrator login and school settings.
Students and alias	Three stable IDs, student fields and romanized alias retained.
Template and roster	Published three-question version, accepted answers, total points and three roster entries retained.
Source files	Blank/answer/completed sheet files remain accessible with unchanged original bytes.
Submission and grading	Assignment, preprocessing record, three corrections and finalized 20/30 result retained.
Export	Existing one-page PDF remains accessible with the same SHA-256.
AI credentials	Existing encrypted credential remains decryptable; live authentication/capability must be checked separately.
Database and objects	Compare pre/post row hashes and file hashes; integrity checks and stable original columns.

Prepared updater procedure

The helper checks for populated fixture tables, stops the service, enters maintenance using the official offline tool, inventories rows/files, creates a protected cold checkpoint and verifies its hashes. It then invokes the documented updater for 0.9.15-local.1 and records post-update state. A separate helper verifies retained records, downloaded bytes, API behavior and security rejection checks.

Not executed for the populated instance

Windows returned "The operation was canceled by the user" for the UAC launch. The installed service remained on 0.9.8. No seeded before/after retention comparison or fixed-version installed smoke test is available.

A cold snapshot with matching binaries is not a test of the application's native encrypted-backup restore feature. Checksums establish package integrity, not successful installation or production signing.

Findings and remaining acceptance gates

Finding	State	Impact / next action
MINIMAL rejected by 3.8	FIXED IN SOURCE	LOW policy and regression cases pass. Install the fixed package before claiming installed resolution.
Generated API client drift	FIXED IN SOURCE	School Manager endpoints regenerated; api:check and type checks pass.
Fixed updater elevation	BLOCKED	UAC canceled. A newly approved launch is required to install and measure retention.
Live Gemini availability	BLOCKED	Provider-unavailable result; retry when available and run each AI workflow.
Live School Manager access	NOT RUN	Provide dedicated credentials and dummy recipient; start with dry run.
Browser typing / CDP	LIMITATION	Reads worked but input was unreliable. API checks do not substitute for a full browser walkthrough.
Frontend bundle size	WARNING	Build passes; existing minified JS chunk exceeds the 500 kB threshold.
Seven optional live/fixture tests	SKIPPED	Supply their environment prerequisites and external fixtures before counting them as executed.

Completion criteria

1. Install the fixed package through the documented updater and verify the running version.
2. Complete seeded row/file and functional retention comparisons, including PDF bytes and encrypted credential reuse.
3. Complete successful live Gemini template, name, rotation, grading, adjudication and batch workflows on synthetic input.
4. Complete School Manager live dry-run and recipient/attachment checks.
5. Capture post-update UI evidence and repeat affected checks after any further fix.

Readiness conclusion

The automated run supports the source fix and internal automation logic. It does not establish end-to-end readiness of the installed update or either external service. No all-features-passed conclusion is justified by the current record.

Appendix A: installed API checks

All 24 checks below passed on the seeded 0.9.8 baseline. A successful authenticated read establishes endpoint availability for that session; it does not prove every mutation or UI path in the feature.

#	Endpoint or rejection check	Result
01	/api/v1/auth/me	PASS
02	/api/v1/students?search=RET-002	PASS
03	/api/v1/students?class=Retention%20A	PASS
04	/api/v1/templates	PASS
05	/api/v1/test-sessions	PASS
06	/api/v1/submissions	PASS
07	/api/v1/review/counts	PASS
08	/api/v1/review/name	PASS
09	/api/v1/review/grading	PASS
10	/api/v1/review/finalize	PASS
11	/api/v1/reports/pass-fail-matrix	PASS
12	/api/v1/staff	PASS
13	/api/v1/roles	PASS
14	/api/v1/admin/health	PASS
15	/api/v1/admin/storage	PASS
16	/api/v1/admin/jobs	PASS
17	/api/v1/admin/audit-events	PASS
18	/api/v1/admin/ai-task-profiles	PASS
19	/api/v1/admin/settings/budgets	PASS
20	/api/v1/admin/usage	PASS
21	/api/v1/admin/ai-metrics	PASS
22	/api/v1/admin/backups	PASS
23	anonymous student access rejected	PASS / HTTP 401
24	invalid CSRF rejected	PASS / HTTP 403

Evidence: baseline-api-checks.json from 18 September. These checks are separate from the 1,256 automated passes and have not been repeated on the fixed installed package.

Appendix B: skipped tests and rerun commands

Skipped case	Missing opt-in prerequisites
External handwriting preprocessing	External handwritten exam and Japanese fixture root.
Gemini structured-image probe	Gemini live-test key environment variable.
Gemini full-page grading schema	Gemini key and completed exam image.
Gemini interwoven question extraction	Gemini key and interleaved-layout image.
Gemini Japanese handwriting	Gemini key and external fixture root.
Gemini grading-accuracy evaluation	Gemini key, fixture root and evaluation media directory.
OpenRouter structured-image capability	OpenRouter key and configured model ID.

The general suite did not inject the real credential into live tests. A separately executed fixed-provider probe did use the supplied key securely and failed with provider unavailable. Skips and that failed live probe are distinct evidence.

Reproducible automated commands

Repository root

```
dotnet test OokiGrader.slnx --configuration Release
--no-restore --logger trx --results-directory <evidence>/test-results
```

src/OokiGrader.Web

```
npm test
npm run check
npm run build
npm run api:generate
npm run api:check
```

Source and package validation

```
git diff --check
installer/New-OokiGraderReleasePackage.ps1 -Version 0.9.15-local.1
-SourceRoot <repo> -OutputRoot <evidence>/releases -Confirm:$false
```

Package validation additionally used Assert-OokiReleasePackage with AllowUnsignedDevelopmentBuild and checked 513 files. Installed updater execution is a separate operation requiring Windows elevation.

Test-harness observations

An initial source-attachment response-shape mismatch was corrected and resumed without duplicating seed records. Repeated logins triggered the normal five-per-15-minute limiter; after waiting, the harness reused a Windows-DPAPI-protected session cookie. The limiter was not disabled. These harness events are not product feature passes.

Appendix C: evidence and traceability

[Published source commit 93686af](#)

[Download the original full test evidence ZIP](#)

[Read the published Markdown report](#)

Evidence	Purpose
test-results/*.trx (9 files)	Individual backend outcomes, names and skip prerequisites.
dotnet-test.log / frontend-*.log	Suite execution summaries, type checks and build output.
school-manager-test-results.json	All 25 relevant passing case names.
live-fixed-probe.json	Recorded provider-unavailable result after the thinking fix.
package-verification.json	Local version, platform, self-contained status and 513-file validation.
thinking-fix.patch	Source delta used to build the local fixed installer.
seeded-data.json / *-before.json	Synthetic baseline records and report/roster/export references.
retention-result-before.pdf	Actual one-page teacher-corrected result.
screenshots/*.png	The three original visual artifacts reproduced in this PDF.
Update-Fixed-WithCheckpoint.ps1	Prepared updater/checkpoint helper; not executed successfully.
Test-Installed-AfterUpdate.ps1	Prepared retention and installed-feature checks; not executed.

Integrity references

Original evidence ZIP: 48 files; 897,668 bytes. Its remote download was verified against the local archive.

ZIP SHA-256:

70cf57f6b8fad38cf907a20f34354a7cd4a94c518d9a047d2636963672bdd5b2

Baseline result PDF SHA-256:

416a98dcd7498d5395b2d2cd9e57615ffeffbdc71298e6c0dde972b7837482a6

Evidence handling

The original archive excludes credentials, session cookies, installed databases and release binaries. This PDF also excludes those secrets. The baseline API checklist and recovery summary were read from the earlier local evidence directory; their relevant results are transcribed here. The downloadable archive predates this PDF and does not contain it.

All screenshots in this report are historical records from 18 September. No screenshot, test count or result in this document is presented as a new execution during PDF authoring.