

TOURISM PACKAGE

PROJECT REPORT

Submitted in fulfilment for the J Component of ITA1007 – Web Development

CAL COURSE

in

B.C.A

by

ADITHYA. G (18BCA0077)

RUDRAGANESH. R (18BCA0084)

SUDHARSUN. M (18BCA0086)

Under the guidance of

Dr. Brindha.K

SITE



VIT[®]

Vellore Institute of Technology

(Deemed to be University under section 3 of UGC Act, 1956)

School of Information Technology and Engineering

Winter Semester 2017-18


TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO.
1.	Abstract	3
2.	System Design	4
3.	Software Requirement Specifications	5
4.	Implementation	
	4.1 Source code	6
5.	TEST RESULTS	
	5.1. Screenshots	85

1. Abstract

The recent past showed a greater interest in recommender techniques. Now-a-days there are many travel packages existing from different websites to almost all the places over the world. A customer finds it very difficult to search for the best package as he/she has to browse multiple websites, contact many travel agents and etc. which is a tedious process and is time consuming. There should be a system where the user should find the best package on the Internet with a single click. To address this issue, we adopt Travel Package Recommendation System which offers the best package among all the other packages that are on the web. This project will help tourist to suggest the best Travel Package among all the package deals on the web. On multiple demands of tourist that is, a customer will select a travel package for a particular place based on the recommendations provided by the previous customers who had experience with the package. Therefore, according to the personalized recommendations, he/she will choose the best package that is on the web. Initially, we will evaluate the particular characteristics of the current traveling packages and we mine the data on the tourists rating and the intrinsic features i.e., locations, travel seasons etc. Based on the data collected after mining, we will generate a list for personalized travel package recommendations. Furthermore, we will extract the data based on the tourist's relation with the area and season. This project will help to suggest the best Travel package among all the package deals on the web. In this, a customer will select a travel package for a particular place based on the recommendations provided by the previous customers who had experience with the package. This makes easy for the user to choose the best package deal. The user can select the best package in short amount of time (instead of navigating to other websites). Finally, the goal of the project is to make an efficient system which is effective in terms of cost and money.

2. System Design



3. Software Requirement Specifications

Languages Used:

- Hyper Text Markup Language (HTML)
- CSS (Cascading Style Sheets)
- Javascript
- Hypertext Preprocessor (PHP)
- MySQL (Structured Query Language)

Softwares Used:

- Notepad
- Chrome Web Browser

4. Implementation

A) Main menu

toolbar.html

```
<!DOCTYPE html>
<html>
<head>
    <title>TO-TOOR</title>
    <link rel="stylesheet" href="bottnav.css">
    <link rel="stylesheet" href="offdis.css">
    <link rel="stylesheet" href="toolbar.css">
    <link rel="stylesheet" href="slideshow.css">
</head>
<body bgcolor="black" style="background-image: url(abbac.png); background-size: cover;">

<div class="topnav">
    <a class="logo" href="toolbar.html"></a>
    <a href="signup1.html">Signup</a>
    <a href="login1.html">Login</a>
    <a class="active" href="toolbar.html">Home</a>
</div>

<br><br><br>

<div class="slideshow-container">

<div class="mySlides fade">
    <div class="numbertext">1 / 2</div>
    <a href="opensc1.html"></a>
    <div class="text">SRI LANKA</div>
</div>

<div class="mySlides fade">
    <div class="numbertext">2 / 2</div>
    <a href="opensc.html"></a>
    <div class="text">RAJASTHAN</div>
</div>
```

#10094;

#10095;

</div>

<div style="text-align:center">

</div>

<script src="slideshow.js"></script>

<h1 align="center" class="white">SPECIAL OFFERS FOR INDIA </h1>

<div>

<div class="column">

</div>

<div class="column">

</div>

<div class="column">

</div>

</div>

<div>

<div class="column">

</div>

<div class="column">

</div>

<div class="column">

</div>

</div>

```

<div>
<h2 align="center" style="font-size: 20px;color: white;background-color: grey">INDIA
  TOUR PACKAGES
</h2>
<p style="color: white" align="center">India, a land of glorious past and an extraordinary
  future. The air of India will swing you in each way and make you a part of its soil, in some
  way or the other. India Tourism holds an odyssey of diverse terrain that starts with snow-
  covered elevations to tropical delights, satisfies your soul with all the twist, turns and
  swirls. We're here to help you sort the best India tourist destinations. This is a gist of what
  this humongous country has to offer, so get ready to fall in love with India all over again.
  India is abundantly rich when it comes to culture and rooted traditions. With culture
  changing tremendously in every state, it is a potpourri of customs, which in the end, are
  connected as one. Tourism in India holds a special place for Taj Mahal. Sitting royally on
  the bank of Yamuna River in Agra, it is a symbol of love. It was built during the Mughal
  rule and is still remembered for its marvellous architecture. The white marbles strikingly
  merge well with the amber sky. Indeed, beauty at its best. Among many of the other
  architectural wonders, India is home to ancient ruins and world heritage sites. Swim across
  the oceans in the south amidst spine-chilling aquatic life, trek the mighty Himalayas in the
  north, seek the royal and larger than life lifestyle in the west, lose yourself in nature's bliss
  in the ultimately beautiful east; India is gorgeous to the core. Dramatic climatic conditions
  and welcoming people are not to miss out on. Grab yourself an India tourism guide and
  explore the rugged terrains, hidden jewels and soothing soil of great India.</span></p>
</div>
<script src="read.js"></script>

<div class="footer">
<a href="about.html"><b>ABOUT US</b></a>
<a href="feba.html"><b>FeedBack</b></a>
<a href="#about"><b>Facebook</b></a>
<a href="#about"><b>Instagram</b></a>
<a href="#about"><b>Twitter</b></a>
<a href="FAQ.html"><b>FAQ</b></a>
<a href="CUS.html"><b>Contact Us</b></a>
</div>
</body>
</html>

```

Bottnav.css

```

.footer{
  bottom: 10%;
  padding: 10px;
  text-align: center;
  background-color: darkgrey ;
}

```



```
.footer a{
    float: left;
    color: #f2f2f2;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
    font-size: 17px;
    border-color:black;
}
.footer a:hover{
    background-color: black;

}
}
```

Toolbar.css

```
body {

    margin: 0;
    font-family: Arial, Helvetica, sans-serif;
}
.white{
    color: white;
}
.topnav a.logo {
    padding:10px;
    float: left;
    font-weight: bold;
}

.topnav {

    overflow:hidden;
    background-color:grey;
    border-color:black;
}

.topnav a {
```

```

float: right;
color: #f2f2f2;
text-align: center;
padding: 14px 16px;
text-decoration: none;
font-size: 17px;
border-color: black;
}

.topnav a:hover {
  background-color: black;
color: white;

}

.topnav a.active {
  background-color: black;
color: white;
}

```

Offdis.css

```

* {
  overflow: auto;
  box-sizing: border-box;
}

.column {
  float: left;
  width: 33.33%;
  padding: 4px;
}

.row::after {
  content: "";
  clear: both;
  display: table;
}

* {box-sizing: border-box}

```

```
body {font-family: Verdana, sans-serif; margin:0}
.mySlides {display: none}
img {vertical-align: middle;}
```

```
.slideshow-container {
  max-width: 1000px;
  position: relative;
  margin: auto;
}
```

Slideshow.css

```
.prev, .next {
  cursor: pointer;
  position: absolute;
  top: 50%;
  width: auto;
  padding: 16px;
  margin-top: -22px;
  color: white;
  font-weight: bold;
  font-size: 18px;
  transition: 0.6s ease;
  border-radius: 0 3px 3px 0;
  user-select: none;
}
```

```
.next {
  right: 0;
  border-radius: 3px 0 0 3px;
}
```

```
.prev:hover, .next:hover {
  background-color: rgba(0,0,0,0.8);
}
```

```
.text {  
  color: #f2f2f2;  
  font-size: 15px;  
  padding: 8px 12px;  
  position: absolute;  
  bottom: 8px;  
  width: 100%;  
  text-align: center;  
  background-color: grey;  
}
```

```
.numbertext {  
  color: #f2f2f2;  
  font-size: 12px;  
  padding: 8px 12px;  
  position: absolute;  
  top: 0;  
}
```

```
.dot {  
  cursor: pointer;  
  height: 15px;  
  width: 15px;  
  margin: 0 2px;  
  background-color: #bbb;  
  border-radius: 50%;  
  display: inline-block;  
  transition: background-color 0.6s ease;  
}
```

```
.active, .dot:hover {  
  background-color: #717171;  
}
```

```
.fade {  
  -webkit-animation-name: fade;  
  -webkit-animation-duration: 1.5s;
```

```
    animation-name: fade;
    animation-duration: 1.5s;
}
```

```
@-webkit-keyframes fade {
    from {opacity: .4}
    to {opacity: 1}
}
```

```
@keyframes fade {
    from {opacity: .4}
    to {opacity: 1}
}
```

```
@media only screen and (max-width: 300px) {
    .prev, .next, .text {font-size: 11px}
}
```

```
/* Fading animation */
```

```
.fade {
    -webkit-animation-name: fade;
    -webkit-animation-duration: 1.5s;
    animation-name: fade;
    animation-duration: 1.5s;
}
```

```
@-webkit-keyframes fade {
    from {opacity: .4}
    to {opacity: 1}
}
```

```
@keyframes fade {
    from {opacity: .4}
    to {opacity: 1}
}
```

```
/* On smaller screens, decrease text size */
```

```
@media only screen and (max-width: 300px) {
    .text {font-size: 11px}
```

```
}
```

Slideshow.js

```
var slideIndex = 0;
showSlides();

function showSlides() {
    var i;
    var slides = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("dot");
    for (i = 0; i < slides.length; i++) {
        slides[i].style.display = "none";
    }
    slideIndex++;
    if (slideIndex > slides.length) { slideIndex = 1 }
    for (i = 0; i < dots.length; i++) {
        dots[i].className = dots[i].className.replace(" active", "");
    }
    slides[slideIndex-1].style.display = "block";
    dots[slideIndex-1].className += " active";
    setTimeout(showSlides, 4000);
}
```

B) LOGIN

login1.html

```
<!DOCTYPE html>
<html>
<head>
    <title>log in</title>
    <style>
        button{
            border:none;
            padding: 12px;
            background-color: green;
            color: white;
        }
        button:hover{
            cursor: pointer;
        }
        body{
```

```

        background :black ;
        background-size: cover;
    }
    th{border-color: transparent;
        color: white;
    }
    td{
        border-color: transparent;
        color: white;
    }
    .al{
top: 50%;
left: 50%;

    }
    table{
        position: fixed;
        top: 15%;
        left: 35%;
        background-image: url(bgimglin.jpg);
        border-collapse: collapse;
        background-size: cover;
        border-color: rgb(255,255,255);

    }


    .ul{
        font-size: 20px;
        color:white;
        font-weight: bold;
    }

</style>
<link rel="stylesheet" href="lgin1.css">
</head>

```

```

<body style="background-image: url(login12.jpg);">
    <div class="topnav">
        <a class="logo" href="toolbar.html"></a>
        <a href="signup1.html">Signup</a>
        <a class="active" href="login1.html">Login</a>
        <a href="toolbar.html">Home</a>

    </div>
    <div class="al">
        <table align="center" height="75%" border="3" cellspacing="5" cellpadding="15">
            <form name="ree">
                <tr>
                    <td colspan="2">
                        &nbsp;
                    </td>
                </tr>
                <tr>
                    <th colspan="2" class="ul"><u>USER LOGIN</u></th>
                </tr>
                <tr>
                    <td><b>
                        Name:</b>
                    </td>
                    <td>
                        <input type="text" name="Username" placeholder="Enter User name"
                        required pattern="[A-Za-z]{4,}" title="characters(greater than 4) only allowed ">
                    </td>
                </tr>
                <tr>
                    <td>
                        <b>Password:</b>
                    </td>
                    <td>
                        <input type="Password" name="pass" placeholder="Enter Password"
                        required pattern="{2,}" title="Password Must Required">
                    </td>
                </tr>
                <tr>
                    <td colspan="2" align="center"><button onclick="rev()"><font size="5"

```


[illegible]

```

        alert('LoggedIn succeafully Thanks for be with us !!')
    }
}
</script>
</body>
</html>

```

C) SIGNUP

Signup1.html

```

<!DOCTYPE html>
<html>
<head>
    <title>log in</title>
    <style>
        button{
            border:none;
            padding: 12px;
            background-color: green;
            color: white;
        }
        button:hover{
            cursor: pointer;
        }
        body{
            background :black ;
            background-size: cover;
        }
        th{border-color: transparent;
            color: white;
        }
        td{
            border-color: transparent;
            color: white;
        }
        .al{
top: 50%;
left: 50%;

        }
        table{

```

```

        position: fixed;
        top: 10%;
        left: 35%;
        background-image: url(signup.jpg);
        border-collapse: collapse;
        background-size: cover;
        border-color: rgb(255,255,255);
    }

```

```

    .ul{
        font-size: 20px;
        color:white;
        font-weight: bold;
    }

```

```

</style>
<link rel="stylesheet" href="login1.css">
</head>
<body style="background-image: url(signup12.jpg);">
    <div class="topnav">
        <a class="logo" href="toolbar.html"></a>
        <a class="active" href="signup1.html">Signup</a>
        <a href="login1.html">Login</a>
        <a href="toolbar.html">Home</a>
    </div>
    <div class="al">
        <table align="center" height="75%" border="3" cellspacing="5" cellpadding="15">
            <form name="ree">
                <tr>
                    <td colspan="2">
                        &nbsp;
                    </td>
                </tr>
            </form>
        </table>
    </div>

```

```

<tr>
    <th colspan="2" class="ul"><u>Signup</u></th>
</tr>
<tr>
    <td><b>
        Name:</b>
    </td>
    <td>
        <input type="text" name="Username" placeholder="Enter User name"
required pattern="[A-Za-z]{4,}" title="Username should greater than 4 character .">
    </td>
</tr>
<tr>
    <td><b>E-Mail ID:</b></td>
    <td><input type="text" name="E-Mail" placeholder="Enter E-Mail ID"
pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,}" title="XXXXXXXX123@gmail.com"
required></td>
</tr>
<tr>
    <td>
        <b>Password:</b>
    </td>
    <td>
        <input type="Password" name="pass" placeholder="Enter Password"
required
        pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{8,}" title="Must contain at
least one number and one uppercase and lowercase letter, and at least 8 or more
characters">
    </td>
</tr>
<tr>
    <td colspan="2">
        <input type="checkbox" name=".." required>Agree to
        <a href="#tc" style="color: white; font-weight: bold;font-size:
15px;">terms and conditions</a>
    </td>
</tr>
<tr>
    <td colspan="2" align="center"><button onclick="rev()"><font

```

[illegible]

D) ABOUT US.

About.html

```
<!DOCTYPE html>
<html>
<head>
    <style>
.white{
    color: white;
    text-align: center;
    font-size: 20px;

}
</style>
    <title>About Us</title>
    <link rel="stylesheet" href="bottnav.css">
    <link rel="stylesheet" href="offdis.css">
    <link rel="stylesheet" href="toolbar.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
</head>
<body bgcolor="#545151" style="background-image: url(abbac.png);">

<div class="topnav">
    <a class="logo" href="toolbar.html"></a>
    <a href="signup1.html">Signup</a>
    <a href="login1.html">Login</a>
    <a href="toolbar.html">Home</a>
</div>

<h1 class="white" align="center"><font size="30">ABOUT <b> TO - TOOR
    </b></u>(TOUR)</font></h1><hr>
<hr>
<br><br><br><hr>
<p class="white">
    <b>ABOUT US :</b><br>
    Offering hassle-free travel experiences to millions of travelers, <a href="toolbar.html"
    style="color: skyblue;">To Toor</a> is one of the leading online marketplaces in India
    that serves as the best platform for the travelers to connect with country's top travel agents
    of various destinations. A successful product of Holiday Triangle Travel Pvt. Ltd, To Toor
```

thrives each day to empower travelers by delivering the best of both international and domestic vacation deals. With a strong network of about 650+ local experts who serve across 65+ destinations worldwide, To Toor has been more than successful in catering to the needs of 10Lac+ travelers by crafting happy and hassle-free travel experiences. Providing some of the best-selling international tour packages and domestic tour holidays,
 To Toor enhances travel experiences by letting the travelers customize their own package as per their needs and interests at the time of booking itself. Be it a backpacker, a leisure traveler, a honeymooner, or a budget traveler, To Toor caters to the needs of every type of traveler. Fit for families, friends, couples, solo travelers, and even groups, travelers can find suitable tour packages that can further be tailor-made as per their preferences
. From flights to accommodation, local transfers to delicious food, and sightseeing to adventurous activities, let To Toor do all the planning for you while you get to embark on a relaxed, laid-back, memorable, and a hassle-free journey.
 Be it the famous international destinations like Maldives, Mauritius, Dubai, Singapore, Malaysia, Europe, and more or popular domestic escapades like Kerala, Leh-Ladakh, Kashmir, and so on, experience the world of travel by making To Toor your ideal travel buddy!

</p>

<div class="footer">

ABOUT US

FeedBack

Facebook

Instagram

Twitter

FAQ

Contact Us

</body>

</html>

E) FEEDBACKS

Feba.html

<!DOCTYPE html>

<html>

<head>

<title>hdhd</title>

<link rel="stylesheet" type="text/css" href="form.css">

<link rel="stylesheet" href="bottnav.css">

<link rel="stylesheet" href="offdis.css">

<link rel="stylesheet" href="toolbar.css">

</head>

<body style="background-image: url(feed.jpg); background-size: cover;">

<div class="topnav">


```

<a href="signup1.html">Signup</a>
<a href="login1.html">Login</a>
<a href="toolbar.html">Home</a>
</div>
<div class="fc">
  <div class="al">
    <form name="ree">
      <h1>Feedback</h1>
      <p>please provide your feedback below:</p><br>
      <p><b>How do you rate your overall experience ?</b></p>
      <input type="radio" name="bad">Bad <input type="radio" name="avg">Average<input
      type="radio" name="gd">Good
      <br>
      <p><b>Comments:</b></p><br><textarea class="w" style="height: 100px;"
      placeholder="your Comments"></textarea><br>
      <p><b>Your Name:</b></p><br><input class="w" style="height:25px;" type="text"
      name="yn" required pattern="[A-Za-z]{3,}"><br>
      <p><b>E-mail</b></p><br><input class="w" style="height:25px;" type="text" name="em"
      pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,}" title="XXXXXXXX123@gmail.com"
      required>
      <br><br><p align="center"><button style="color:white ;border:none; background-color:
      green; width: 100px; height:45px;" onclick="rev()" >Post</button></p></form></div>
    </div>
    <script>
      function rev() {
        var x=document.forms['ree']['yn'].value;
        var y=document.forms['ree']['em'].value;
        if(x=="||y=="||x==' '||y==' ')
        {
          alert('Please Fill Up The Form')
        }
        else{
          alert('Thanks For Your Feedback :) ');
        }
      }
    </script>
  </body>
</html>

```


F) CONTACT US.

CUS.html

```
<!DOCTYPE html>
<html>
<head>
  <title>CU</title>
  <style >
    .white{
      color: white;

    }
    .po{

      position: relative;
      top: 30%;
      left: 40%;
      padding: 20px;

    }
    .fl{
      height: 40px;
      width: 300px;

    }
  </style>
  <link rel="stylesheet" type="text/css" href="toolbar.css">
  <link rel="stylesheet" type="text/css" href="bottnav.css">
  <link rel="stylesheet" href="offdis.css">

</head>
<body bgcolor="#545151" class="white" style="background-image: url(abbac.png);
  background-size: cover;">
  <div class="topnav">
    <a class="logo" href="toolbar.html"></a>
    <a href="signup1.html">Signup</a>
    <a href="login1.html">Login</a>
    <a href="toolbar.html">Home</a>
  </div>

  <h1 align="center">Contact Us</h1>
```



```

        var y=document.forms['ree']['nos'].value;
        if(x=="||y=="||x==' ||y==' ')
        {
            alert('Please Fill Up The Form')
        }
        else{
            alert('Thanks For Your Feedback :) ');
        }
    }
</script>
</body>
</html>

```

G)FREQUENTLY ASKED QUESTIONS.

FAQ.html

```

<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="bottnav.css">
<link rel="stylesheet" href="offdis.css">
<link rel="stylesheet" href="toolbar.css">
<style>
.accordion {
    background-color:#545151;
    color: white;
    cursor: pointer;
    padding: 18px;
    width: 100%;
    border: none;
    text-align: left;
    outline: none;
    font-size: 15px;
    transition: 0.4s;
}

.active, .accordion:hover {
    background-color: grey;
}

```

```

.panel {
padding: 0 10px;
display: none;
background-image:url(panelbg.jpg);
overflow: hidden;
}
.white{
color: white;
}
</style>
</head>
<body bgcolor="black" style="background-image: url(abbac.png);">
<div class="topnav">
<a class="logo" href="toolbar.html"></a>
<a href="signup1.html">Signup</a>
<a href="login1.html">Login</a>
<a href="toolbar.html">Home</a>
</div>

<h2 align="center" class="white">FAQ's</h2>

<button class="accordion">What Travel Documents Do I Need ?</button>
<div class="panel">
<p class="white">One must possess a passport which is valid for minimum 6 months from
the date of entry into India. Many countries have been included in the list of countries
whose citizens are provided E-Visa facility provided they apply 72 hours in advance. Other
nationals need to obtain Indian visa in advance to enter India.</p>
</div>

<button class="accordion">Do I Need an International Certificate of Vaccination ?
</button>
<div class="panel">
<p class="white">There is no need of any vaccination except for travellers coming from
Africa, South America need yellow fever vaccinations.</p>
</div>

<button class="accordion">What Is the Best Time to Visit India ?</button>
<div class="panel">
<p class="white">It depends on which part of India if you wish to visit. In case you are
interested in visiting Ladakh or other parts of Himalaya then summer season is the best

```

time. If you want to visit Rajasthan, other parts of North India or South India then winter season (October till March) is ideal period. Even travelling during monsoon months (July – September) is also not a bad idea to visit Rajasthan and other places it presents a good tourism opportunity during this time as one can stay at Luxury or Palace hotels without spending a fortune during those months.</p>

</div>

<button class="accordion">How Should I Travel Around in India ?

</button>

<div class="panel">

<p class="white">The best way to travel within India is to travel by road as this offers you an opportunity to have a glimpse of real INDIA as you can visit en-route villages and small forts at your own pace which is not possible by air or by train. But, if you are travelling to long distance, then taking a flight or trains can be more convenient and to save time.</p>

</div>

<button class="accordion">Do I Need Medical/travel Insurance ?

</button>

<div class="panel">

<p class="white">The best way to travel within India is to travel by road as this offers you an opportunity to have a glimpse of real INDIA as you can visit en-route villages and small forts at your own pace which is not possible by air or by train. But, if you are travelling to long distance, then taking a flight or trains can be more convenient and to save time.</p>

</div><button class="accordion">How Should I Travel Around in India ?

</button>

<div class="panel">

<p class="white">Yes. It is advisable that you buy a comprehensive medical / travel insurance in advance from your country before travelling to India.</p>

</div><button class="accordion">If at All, I Have to Use a Travel Agent / Tour Operator, Why State Express ?

</button>

<div class="panel">

<p class="white">State Express, born in 1980, is one of the leading and most reputed travel agencies specializing in inbound tours. We are approved by department of Tourism, (Government of India). We are member of prestigious Association IATO (INDIAN ASSOCIATION OF TOUR OPERATORS) and TAAI (TRAVEL AGENTS ASSOCIATION OF INDIA) PATA. We are IATA (14 3 52542) approved travel agency and have our own fleet of cars and coaches with experience drivers. We have multi lingual executives to ensure that our guests do not have any language problem.</p>

</div><button class="accordion">What Services Do We Offer ?

</button>

<div class="panel">

<p class="white">We are a one stop travel shop and provide every kind of travel related services for any occasion – business or pleasure or both. We organize all arrangements for conferences, trade fairs, exhibitions and events. We specialise in incentive tours, weddings and honeymoons, health tourism, pilgrimage tours, adventure tours or any special interest tours anywhere in India and also to neighbouring countries. You can read in detail about

```

    our services by Clicking Here.</p>
</div>
<button class="accordion">How Do I Plan My Tour ?
</button>
<div class="panel">
    <p class="white">It is simple with us. You may get details of well designed tour packages in
        our digital brochure. if want a particular tailor made tour, let us know your requirements
        and we can help you designing your trip keeping in mind your specifications and
        budget.</p>
</div>
<button class="accordion">How Can I Book My Tour with You ?
</button>
<div class="panel">
    <p class="white">If you are interested in booking any of our brochure tours, you may, You
        may simply send us an email giving us your details.</p>
</div>
<button class="accordion">What Is Included in Your Tour Cost ?
</button>
<div class="panel">
    <p class="white">Our tour cost usually includes hotel accommodations with breakfast, all
        transfers, city tours and excursions by private air-conditioned car / van / coach depending
        on number of persons with as per itinerary, train fare if applicable, local English speaking
        or other foreign language speaking guides if available for city tours, entrances fee to
        monuments, our assistance on arrival and during the tour, Our cost may also include some
        special attractions viz elephant ride, camel safari, boat ride and all taxes. We can also
        include lunches & dinner, domestic flights and other services on request. at supplement
        cost.</p>
</div>
<button class="accordion">What about Payment Terms ?
</button>
<div class="panel">
    <p class="white">We normally need an advance amount once we are able to confirm you
        arrangements for the tour. The amoutn depends on the services you may require for the
        tour. This can be paid through bank transfer (before arrival) credit card, traveller's cheques
        or cash. We need balance payment before arrival. The exact terms will be given at the time
        of reservation.</p>
</div>
<div class="footer">
    <a href="about.html"><b>ABOUT US</b></a>
    <a href="feba.html"><b>FeedBack</b></a>
    <a href="#about"><b>Facebook</b></a>
    <a href="#about"><b>Instagram</b></a>
    <a href="#about"><b>Twitter</b></a>

```

```

    <a href="FAQ.html"><b>FAQ</b></a>
    <a href="CUS.html"><b>Contact Us</b></a>
</div>
<script>
var acc = document.getElementsByClassName("accordion");
var i;

for (i = 0; i < acc.length; i++) {
    acc[i].addEventListener("click", function() {
        this.classList.toggle("active");
        var panel = this.nextElementSibling;
        if (panel.style.display === "block") {
            panel.style.display = "none";
        } else {
            panel.style.display = "block";
        }
    });
}
</script>

</body>
</html>

```

Opensc.html

```

<!DOCTYPE html>
<html>
<head>
    <title></title>
    <link rel="stylesheet" href="bottnav.css">
    <link rel="stylesheet" href="offdis.css">
    <link rel="stylesheet" href="toolbar.css">
    <style>
        .container {
            position: relative;
            text-align: center;
            color: white;
        }

        .centered1 {

```

```

position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
}

```

```

        .centered {
font-size: 40px;
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
}

```

```

.tab{
    color: white;
    display: block;
    background-image: url(panelbg.jpg);
    width: 75%;
    padding: 50px;
    position: absolute;
    top: 70%;
    left: 10%;
}
.tab button:hover{cursor: pointer;
}

```

```

</style>

```

```

</head>

```

```

<body bgcolor="grey" style="background-image: url(abbac.png); background-size:cover;">

```

```

    <div class="topnav">

```

```

    <a class="logo" href="toolbar.html"></a>

```

```

    <a href="signup1.html">Signup</a>

```

```

    <a href="login1.html">Login</a>

```

```

    <a class="active" href="toolbar.html">Home</a>

```

```

</div>

```

```

    <div class="container">

```

```

```

```

    <div class="centered">RAJASTHAN TOUR PACKAGES</div>

```

```

</div>

```



```

<div class="tab">
  <table cellpadding="20px" cellspacing="20px">
    <tr><th>Packages</th><th>Price</th><th>Nights</th><th>Inclution</th><th></th></tr>
    <tr><td>Amazing heritage of jaipur and udaipur</td><td>Rs 9,999</td><td>4
    nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><a
    href="opencad.html"><button style="background-color: green; border:none;color :white ;
    width: 100px; height: 30px;">View details</button></a></td></tr>
    <tr><td>Two timeless desert cities</td><td>Rs 11,999</td><td>4
    nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><button
    style="background-color: green; border:none;color :white ; width: 100px; height:
    30px;">View details</button></td></tr>
    <tr><td>Royalty of rajasthan in 5 days</td><td>Rs 12,149</td><td>4
    nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><button
    style="background-color: green; border:none;color :white ; width: 100px; height:
    30px;">View details</button></td></tr>
    <tr><td>3 Amazing desert and fort cities </td><td>Rs 12,999</td><td>4
    nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><button
    style="background-color: green; border:none;color :white ; width: 100px; height:
    30px;">View details</button></td></tr>

  </table>
</div>

```

```

</body>
</html>

```

Opencad.html

```

<!DOCTYPE html>
<html>
<head>
  <title>.</title>
  <link rel="stylesheet" href="gisd.css">
  <link rel="stylesheet" href="bottnav.css">
  <link rel="stylesheet" href="offdis.css">
  <link rel="stylesheet" href="toolbar.css">
  <style>
    input[type=text], input[type=password] {
      width: 100%;
      padding: 12px 20px;
      margin: 8px 0;
      display: inline-block;
      border: 1px solid #ccc;

```

```

    box-sizing: border-box;
}

/* Set a style for all buttons */
button {
    background-color: #4CAF50;
    color: white;
    padding: 14px 20px;
    margin: 8px 0;
    border: none;
    cursor: pointer;
    width: 100%;
}

button:hover {
    opacity: 0.8;
}

/* Extra styles for the cancel button */
.cancelbtn {
    width: auto;
    padding: 10px 18px;
    background-color: #f44336;
}

/* Center the image and position the close button */

.container {
    padding: 16px;
}

.ord{
    position: absolute;
    left: 80%;
    bottom: 70%;
}

span.psw {

```

```
float: right;
padding-top: 16px;
}
```

```
.modal {
display: none;
position: fixed;
z-index: 1;
left: 0;
top: 0;
width: 100%; /* Full width */
height: 100%; /* Full height */
overflow: auto; /* Enable scroll if needed */
background-color: rgb(0,0,0); /* Fallback color */
background-color: rgba(0,0,0,0.4); /* Black w/ opacity */
padding-top: 60px;
}
```

```
/* Modal Content/Box */
```

```
.modal-content {
background-image: url(abbac.png);
margin: 5% auto 15% auto; /* 5% from the top, 15% from the bottom and centered */
border: 1px solid #888;
width: 50%; /* Could be more or less, depending on screen size */
}
```

```
/* The Close Button (x) */
```

```
.close {
position: absolute;
right: 25px;
top: 0;
color: #000;
font-size: 35px;
font-weight: bold;
}
```

```
.close:hover,
.close:focus {
color: red;
}
```

```

    cursor: pointer;
}

/* Add Zoom Animation */
.animate {
    -webkit-animation: animatezoom 0.6s;
    animation: animatezoom 0.6s
}

@-webkit-keyframes animatezoom {
    from {-webkit-transform: scale(0)}
    to {-webkit-transform: scale(1)}
}

@keyframes animatezoom {
    from {transform: scale(0)}
    to {transform: scale(1)}
}

/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
    span.psw {
        display: block;
        float: none;
    }
    .cancelbtn {
        width: 100%;
    }
}
.mySlides {display:none}
</style>
</head>
<body style="background-image: url(abbac.png); background-size: cover;color: white; ">
<div class="topnav">
    <a class="logo" href="toolbar.html"></a>
    <a href="signup1.html">Signup</a>
    <a href="login1.html">Login</a>
    <a class="active" href="toolbar.html">Home</a>
</div>

```

```

<br><br>
<h1>&nbsp; Amazing Heritage of Jaipur and Udaipur</h1>
<div class="ord"><button onclick="document.getElementById('id01').style.display='block'"
    style="background-color: red; width:auto;">Book Now</button></div>

<p>&nbsp; &nbsp; &nbsp; Starts from Rs.9,999</p>
<div class="w3-content" style="max-width:800px">
    
    
    
    
</div>
<div class="w3-center">
    <div class="w3-section">
        <button style="width: auto;" class="w3-button w3-light-grey" onclick="plusDivs(-1)"><
            Prev</button>
        <button style="width: auto;" class="w3-button w3-light-grey" onclick="plusDivs(1)">Next
            > </button>
    </div>
    <button style="width: auto;" class="w3-button demo" onclick="currentDiv(1)">1</button>
    <button style="width: auto;" class="w3-button demo" onclick="currentDiv(2)">2</button>
    <button style="width: auto;" class="w3-button demo" onclick="currentDiv(3)">3</button>
    <button style="width: auto;" class="w3-button demo" onclick="currentDiv(4)">4</button>
</div>
<h2><font size="20px">&nbsp;Overview</font></h2>
<p style="padding: 10px">Known for its grand structures, serene temples, tranquil lakes, and
    magical aura, Rajasthan mesmerizes your senses and transports you to a land of ancient
    traditions and legendary charms. If you wish to experience the magic of this enchanting
    land, join us on this 5-day tour to the amazing cities of Jaipur and Udaipur, both of which
    boast of a rich heritage. Your trip starts at Jaipur, a charming city that is painted pink. You
    can explore centuries-old forts, palaces, and temples. Also, visit the enthralling city of
    Udaipur – a city of lakes and hills. So, book your package with Yatra right away, and get
    ready to explore one amazing destination after another, while we take care of all your
    travel arrangements.</p>
<p style="font-size: 20px; padding: 10px;">
    <b>Inclution</b>
</p>
<ul><li>Accommodation in a well appointed room</li>
<li>Meals as per hotel plan</li>
<li>All transfers and sightseeing as per the itinerary in an air-conditioned vehicle.</li>
<li>All Toll taxes, Parking & State Tax.</li></ul>
<br>

```

```

<p style="font-size: 20px; padding: 10px;">
  <b>Exclution</b></p>
  <ul>
    <li>GST 5%</li>
    <li>Anything not mentioned under 'Package Inclusions'</li>
  </ul>
  <li>All personal expenses, optional tours and extra meals</li>
  <li>Camera fees, alcoholic/non-alcoholic beverages, mineral water and starters</li>
  <li>Vehicle service on leisure days for sightseeing not included in the itinerary</li>
  <li>Entrance fees at all monuments and museums mentioned in the itinerary</li>
  <li>Medical and travel insurance</li>
  <li>Tips, laundry and phone calls</li>
</ul>
<p style="font-size: 20px; padding: 10px;">
  <b>Payment policy</b></p>
  <ul>Advanced booking Fee
    <li>
      30 days or more before date of departure: 25% of total cost</li>
      <li>29 - 20 days before date of departure: 50% of total cost</li>
      <li>19 days or less before date of departure: 100% of total cost</li>
      <li><b>Important:</b> The booking stands liable to be cancelled if 100% payment is not
        received less than 20 days before date of departure.</li>
    </ul>
    <div class="footer">
      <a href="about.html"><b>ABOUT US</b></a>
      <a href="feba.html"><b>FeedBack</b></a>
      <a href="#about"><b>Facebook</b></a>
      <a href="#about"><b>Instagram</b></a>
      <a href="#about"><b>Twitter</b></a>
      <a href="FAQ.html"><b>FAQ</b></a>
      <a href="CUS.html"><b>Contact Us</b></a>
    </div>
    <div id="id01" class="modal">

    <form class="modal-content animate" action="/action_page.php" method="post">
      <div class="imgcontainer">
        <span onclick="document.getElementById('id01').style.display='none'" class="close"
          title="Close Modal">&times;</span>

```

```

<div class="container">
  <label for="uname"><b>Username</b></label>
  <input type="text" placeholder="Enter Username" name="uname" required>

  <label for="psw"><b>E-mail ID</b></label>
  <input type="text" placeholder="Enter E-mail Id" name="mail" required>
  <p>Number of Members :</p>
  <label for="psw"><b>Adults(18-45)</b></label>
  <input type="text" placeholder="Enter Members" name="ad" required>
  <label for="psw"><b>Childs(0-17)</b></label>
  <input type="text" placeholder="Enter Members" name="child" required>
  <label for="psw"><b>Olds(45+)</b></label>
  <input type="text" placeholder="Enter Members" name="old" required>
  <button type="submit">Book Now</button>
  <label>
    <input type="checkbox" checked="checked" name="remember"> accepted to the terms
    and condition
  </label>
</div>

<div class="container" style="background-color:#f1f1f1">
  <button type="button" onclick="document.getElementById('id01').style.display='none'"
  class="cancelbtn">Cancel</button>
  <span class="psw">Forgot <a href="#">password?</a></span>
</div>
</form>
</div>
<script>

var modal = document.getElementById('id01');

window.onclick = function(event) {
  if (event.target == modal) {
    modal.style.display = "none";
  }
}
var slideIndex = 1;
showDivs(slideIndex);

```

```

function plusDivs(n) {
    showDivs(slideIndex += n);
}

function currentDiv(n) {
    showDivs(slideIndex = n);
}

function showDivs(n) {
    var i;
    var x = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("demo");
    if (n > x.length) { slideIndex = 1 }
    if (n < 1) { slideIndex = x.length }
    for (i = 0; i < x.length; i++) {
        x[i].style.display = "none";
    }
    for (i = 0; i < dots.length; i++) {
        dots[i].className = dots[i].className.replace(" w3-red", "");
    }
    x[slideIndex-1].style.display = "block";
    dots[slideIndex-1].className += " w3-red";
}
</script>

</body>
</html>

```

```

</body>
</html>

```

Opensc1.html

```

<!DOCTYPE html>
<html>
<head>
    <title></title>
    <link rel="stylesheet" href="bottnav.css">
    <link rel="stylesheet" href="offdis.css">
    <link rel="stylesheet" href="toolbar.css">
    <style>

```



```

        .container {
position: relative;
text-align: center;
color: white;

}

        .centered1 {
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
}

        .centered {
font-size: 40px;
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
}
.tab{
    color: white;
    display: block;
    background-image: url(panelbg.jpg);
    width: 75%;
    padding: 50px;
    position: absolute;
    top: 70%;
    left: 10%;
}
.tab button:hover{
    cursor: pointer;
}

</style>

</head>
<body bgcolor="grey" style="background-image: url(abbac.png); background-size:cover;">
    <div class="topnav">
        <a class="logo" href="toolbar.html"></a>

```

```

<a href="signup1.html">Signup</a>
<a href="login1.html">Login</a>
<a class="active" href="toolbar.html">Home</a>
</div>

<div class="container">

<div class="centered">SRILANKA TOUR PACKAGES</div>
</div>

<div class="tab">
<table cellpadding="20px" cellspacing="20px">
<tr><th>Packages</th><th>Price</th><th>Nights</th><th>Inclution</th><th></th></tr>
<tr><td>Srilankan Wonders</td><td>Rs 39,999</td><td>4
nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><a
href="openscad1.html"><button style="background-color: green; border:none;color :white
; width: 100px; height: 30px;">View details</button></a></td></tr>
<tr><td>Srilanka beach and heritage</td><td>Rs 24,999</td><td>4
nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><a
href="sri1.html"><button style="background-color: green; border:none;color :white ;
width: 100px; height: 30px;">View details</button></td></tr>

</table>
</div>

</body>
</html>

Openscad1.html
<!DOCTYPE html>
<html>
<head>
<title>.</title>
<link rel="stylesheet" href="gisd.css">
<link rel="stylesheet" href="bottnav.css">
<link rel="stylesheet" href="offdis.css">
<link rel="stylesheet" href="toolbar.css">
<style>
input[type=text], input[type=password] {
width: 100%;
padding: 12px 20px;
margin: 8px 0;

```

```

display: inline-block;
border: 1px solid #ccc;
box-sizing: border-box;
}

button {
background-color: #4CAF50;
color: white;
padding: 14px 20px;
margin: 8px 0;
border: none;
cursor: pointer;
width: 100%;
}

button:hover {
opacity: 0.8;
}

.cancelbtn {
width: auto;
padding: 10px 18px;
background-color: #f44336;
}

.container {
padding: 16px;
}

.ord{
position: absolute;
left: 80%;
bottom: 70%;
}

span.psw {
float: right;
padding-top: 16px;
}

```

```
.modal {  
  display: none;  
  position: fixed;  
  z-index: 1;  
  left: 0;  
  top: 0;  
  width: 100%;  
  height: 100%;  
  overflow: auto;  
  background-color: rgb(0,0,0);  
  background-color: rgba(0,0,0,0.4);  
  padding-top: 60px;  
}
```

```
.modal-content {  
  background-image: url(abbac.png);  
  margin: 5% auto 15% auto;  
  border: 1px solid #888;  
  width: 50%;  
}
```

```
.close {  
  position: absolute;  
  right: 25px;  
  top: 0;  
  color: #000;  
  font-size: 35px;  
  font-weight: bold;  
}
```

```
.close:hover,  
.close:focus {  
  color: red;  
  cursor: pointer;  
}
```

```
.animate {
```

```

    -webkit-animation: animatezoom 0.6s;
    animation: animatezoom 0.6s
}

```

```

@-webkit-keyframes animatezoom {
    from {-webkit-transform: scale(0)}
    to {-webkit-transform: scale(1)}
}

```

```

@keyframes animatezoom {
    from {transform: scale(0)}
    to {transform: scale(1)}
}

```

```

/* Change styles for span and cancel button on extra small screens */

```

```

@media screen and (max-width: 300px) {
    span.psw {
        display: block;
        float: none;
    }
    .cancelbtn {
        width: 100%;
    }
}

```

```

.mySlides {display:none}

```

```

</style>

```

```

</head>

```

```

<body style="background-image: url(abbac.png); background-size: cover;color: white; ">

```

```

<div class="topnav">

```

```

    <a class="logo" href="toolbar.html"></a>

```

```

    <a href="signup1.html">Signup</a>

```

```

    <a href="login1.html">Login</a>

```

```

    <a class="active" href="toolbar.html">Home</a>

```

```

</div>

```

```

<br><br>

```

```

<h1>&nbsp;Srilankan Wonders</h1>

```

```

<div class="ord"><button onclick="document.getElementById('id01').style.display='block'"
    style="background-color: red; width:auto;">Book Now</button></div>

```

```

<p>&nbsp; &nbsp; &nbsp; Starts from Rs.39,999</p>
<div class="w3-content" style="max-width:800px">
  
  
  
</div>
<div class="w3-center">
  <div class="w3-section">
    <button style="width: auto;" class="w3-button w3-light-grey" onclick="plusDivs(-1)"><
      Prev</button>
    <button style="width: auto;" class="w3-button w3-light-grey" onclick="plusDivs(1)">Next
      > </button>
  </div>
  <button style="width: auto;" class="w3-button demo" onclick="currentDiv(1)">1</button>
  <button style="width: auto;" class="w3-button demo" onclick="currentDiv(2)">2</button>
  <button style="width: auto;" class="w3-button demo" onclick="currentDiv(3)">3</button>
</div>
<h2><font size="20px">&nbsp;Overview</font></h2>
<p style="padding: 10px">The ‘Teardrop Isle’ of Sri Lanka has a great deal to offer travellers
  – from stunning coastline and beaches to the lush green highlands of the interior, ancient
  cultures and delicious cuisine. Having been directly in the path of the trade routes even
  before the days of the spice trade, it’s a multi-faceted country that will keep you fascinated,
  particularly with its wealth of ancient sites. Here are some of our favourite World Wonders
  from Sri Lanka. All that’s left to do is wrap your tongue around the place names!The
  Ancient City of PolonnaruwaFeaturing the ruins of Parakramabahu I dating from the 12th
  Century, Polonnaruwa was Sri Lanka’s second capital city Sigiriya Site of the famous
  ‘Lion Mountain’, Sigiriya has been inhabited since the 3rd century BC, and was
  established as King Kassapa’s capital in the 5th Century AD. and many things also</p>
<p style="font-size: 20px; padding: 10px;">
  <b>Inclution</b>
</p>
<ul><li>Accommodation in a well appointed room</li>
<li>Meals as per hotel plan</li>
<li>All transfers and sightseeing as per the itinerary in an air-conditioned vehicle.</li>
<li>All Toll taxes, Parking & State Tax.</li></ul>
<br>

<p style="font-size: 20px; padding: 10px;">
  <b>Exclution</b></p>
  <ul>
    <li>GST 5%</li>
    <li>Anything not mentioned under ‘Package Inclusions’</li>

```

- All personal expenses, optional tours and extra meals
- Camera fees, alcoholic/non-alcoholic beverages, mineral water and starters
- Vehicle service on leisure days for sightseeing not included in the itinerary
- Entrance fees at all monuments and museums mentioned in the itinerary
- Medical and travel insurance
- Tips, laundry and phone calls

<p style="font-size: 20px; padding: 10px;">

Payment policy</p>

Advanced booking Fee

30 days or more before date of departure: 25% of total cost

29 - 20 days before date of departure: 50% of total cost

19 days or less before date of departure: 100% of total cost

Important: The booking stands liable to be cancelled if 100% payment is not received less than 20 days before date of departure.

<div class="footer">

ABOUT US

FeedBack

Facebook

Instagram

Twitter

FAQ

Contact Us

</div>

<div id="id01" class="modal">

<form class="modal-content animate" action="/action_page.php" method="post">

<div class="imgcontainer">

×

<div class="container">

<label for="uname">Username</label>

<input type="text" placeholder="Enter Username" name="uname" required>

<label for="psw">E-mail ID</label>

<input type="text" placeholder="Enter E-mail Id" name="mail" required>

```

    <p>Number of Members :</p>
    <label for="psw"><b>Adults(18-45)</b></label>
    <input type="text" placeholder="Enter Members" name="ad" required>
    <label for="psw"><b>Childs(0-17)</b></label>
    <input type="text" placeholder="Enter Members" name="child" required>
    <label for="psw"><b>Olds(45+)</b></label>
    <input type="text" placeholder="Enter Members" name="old" required>
    <button type="submit">Book Now</button>
    <label>
        <input type="checkbox" checked="checked" name="remember"> accepted to the terms
        and condition
    </label>
</div>

<div class="container" style="background-color:#f1f1f1">
    <button type="button" onclick="document.getElementById('id01').style.display='none'"
    class="cancelbtn">Cancel</button>
    <span class="psw">Forgot <a href="#">password?</a></span>
</div>
</form>
</div>
<script>

var modal = document.getElementById('id01');

window.onclick = function(event) {
    if (event.target == modal) {
        modal.style.display = "none";
    }
}
var slideIndex = 1;
showDivs(slideIndex);

function plusDivs(n) {
    showDivs(slideIndex += n);
}

function currentDiv(n) {
    showDivs(slideIndex = n);

```



```

}

function showDivs(n) {
    var i;
    var x = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("demo");
    if (n > x.length) { slideIndex = 1 }
    if (n < 1) { slideIndex = x.length }
    for (i = 0; i < x.length; i++) {
        x[i].style.display = "none";
    }
    for (i = 0; i < dots.length; i++) {
        dots[i].className = dots[i].className.replace(" w3-red", "");
    }
    x[slideIndex-1].style.display = "block";
    dots[slideIndex-1].className += " w3-red";
}
</script>

```

```

</body>
</html>

```

```

</body>
</html>

```

Adam.html

```

<!DOCTYPE html>
<html>
<head>
    <title></title>
    <link rel="stylesheet" href="bottnav.css">
    <link rel="stylesheet" href="offdis.css">
    <link rel="stylesheet" href="toolbar.css">
    <style>
        .container {
            position: relative;
            text-align: center;
            color: white;
        }
    </style>

```

```

        .centered1 {
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
}

```

```

        .centered {
font-size: 40px;
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
}

```

```

.tab{
    color: white;
    display: block;
    background-image: url(panelbg.jpg);
    width: 75%;
    padding: 50px;
    position: absolute;
    top: 70%;
    left: 10%;
}

```

```

.tab button:hover{
    cursor: pointer;
}

```

```

</style>

```

```

</head>

```

```

<body bgcolor="grey" style="background-image: url(abbac.png); background-size:cover;">

```

```

    <div class="topnav">

```

```

        <a class="logo" href="toolbar.html"></a>

```

```

        <a href="signup1.html">Signup</a>

```

```

        <a href="login1.html">Login</a>

```

```

        <a class="active" href="toolbar.html">Home</a>

```

```

    </div>

```

```

        <div class="container">

```

```

```

```
<div class="centered" style="background-color: black; opacity:0.5" >ANDAMAN TOUR
PACKAGES</div>
```

```
</div>
```

```
<div class="tab">
```

```
<table cellpadding="20px" cellspacing="20px">
```

```
<tr><th>Packages</th><th>Price</th><th>Nights</th><th>Inclution</th><th></th></tr>
```

```
<tr><td>Experience andaman with Neil Island</td><td>Rs 27,999</td><td>4
nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><a
href="adam1.html"><button style="background-color: green; border:none;color :white ;
width: 100px; height: 30px;">View details</button></a></td></tr>
```

```
<tr><td>Honeymoon-Andaman magic Moments</td><td>Rs 49,999</td><td>4
nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><a
href="adam2.html"><button style="background-color: green; border:none;color :white ;
width: 100px; height: 30px;">View details</button></td></tr>
```

```
</table>
```

```
</div>
```

```
</body>
```

```
</html>
```

Adam1.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>.</title>
```

```
<link rel="stylesheet" href="gisd.css">
```

```
<link rel="stylesheet" href="bottnav.css">
```

```
<link rel="stylesheet" href="offdis.css">
```

```
<link rel="stylesheet" href="toolbar.css">
```

```
<style>
```

```
input[type=text], input[type=password] {
```

```
width: 100%;
```

```
padding: 12px 20px;
```

```
margin: 8px 0;
```

```
display: inline-block;
```

```
border: 1px solid #ccc;
```

```
box-sizing: border-box;
```

```
}
```

```
button {  
  background-color: #4CAF50;  
  color: white;  
  padding: 14px 20px;  
  margin: 8px 0;  
  border: none;  
  cursor: pointer;  
  width: 100%;  
}
```

```
button:hover {  
  opacity: 0.8;  
}
```

```
.cancelbtn {  
  width: auto;  
  padding: 10px 18px;  
  background-color: #f44336;  
}
```

```
.container {  
  padding: 16px;  
}
```

```
.ord{  
  position: absolute;  
  left: 80%;  
  bottom: 70%;  
}
```

```
span.psw {  
  float: right;  
  padding-top: 16px;  
}
```

```
.modal {  
  display: none;  
  position: fixed;  
  z-index: 1;  
  left: 0;
```

```
top: 0;
width: 100%;
height: 100%;
overflow: auto;
background-color: rgb(0,0,0);
background-color: rgba(0,0,0,0.4);
padding-top: 60px;
}
```

```
.modal-content {
background-image: url(abbac.png);
margin: 5% auto 15% auto;
border: 1px solid #888;
width: 50%;
}
```

```
.close {
position: absolute;
right: 25px;
top: 0;
color: #000;
font-size: 35px;
font-weight: bold;
}
```

```
.close:hover,
.close:focus {
color: red;
cursor: pointer;
}
```

```
.animate {
-webkit-animation: animatezoom 0.6s;
animation: animatezoom 0.6s
}
```

```
@-webkit-keyframes animatezoom {
```

```

    from {-webkit-transform: scale(0)}
    to {-webkit-transform: scale(1)}
}

```

```

@keyframes animatezoom {
    from {transform: scale(0)}
    to {transform: scale(1)}
}

```

```

/* Change styles for span and cancel button on extra small screens */

```

```

@media screen and (max-width: 300px) {
    span.psw {
        display: block;
        float: none;
    }
    .cancelbtn {
        width: 100%;
    }
}

```

```

.mySlides {display:none}

```

```

</style>

```

```

</head>

```

```

<body style="background-image: url(abbac.png); background-size: cover;color: white; ">

```

```

<div class="topnav">

```

```

    <a class="logo" href="toolbar.html"></a>

```

```

    <a href="signup1.html">Signup</a>

```

```

    <a href="login1.html">Login</a>

```

```

    <a class="active" href="toolbar.html">Home</a>

```

```

</div>

```

```

<br><br>

```

```

<h1>&nbsp;   Experience andaman with Neil Island</h1>

```

```

<div class="ord"><button onclick="document.getElementById('id01').style.display='block'"
    style="background-color: red; width:auto;">Book Now</button></div>

```

```

<p>&nbsp;   &nbsp;   Starts from Rs.27,999</p>

```

```

<div class="w3-content" style="max-width:800px">

```

```

```

```

```

```

```

```

</div>
<div class="w3-center">
  <div class="w3-section">
    <button style="width: auto;" class="w3-button w3-light-grey" onclick="plusDivs(-1)"><
      Prev</button>
    <button style="width: auto;" class="w3-button w3-light-grey" onclick="plusDivs(1)">Next
      > </button>
  </div>
  <button style="width: auto;" class="w3-button demo" onclick="currentDiv(1)">1</button>
  <button style="width: auto;" class="w3-button demo" onclick="currentDiv(2)">2</button>
  <button style="width: auto;" class="w3-button demo" onclick="currentDiv(3)">3</button>
</div>
<h2><font size="20px">&nbsp;Overview</font></h2>
<p style="padding: 10px">The ‘Teardrop Isle’ of Sri Lanka has a great deal to offer travellers
  – from stunning coastline and beaches to the lush green highlands of the interior, ancient
  cultures and delicious cuisine. Having been directly in the path of the trade routes even
  before the days of the spice trade, it’s a multi-faceted country that will keep you fascinated,
  particularly with its wealth of ancient sites. Here are some of our favourite World Wonders
  from Sri Lanka. All that’s left to do is wrap your tongue around the place names!The
  Ancient City of PolonnaruwaFeaturing the ruins of Parakramabahu I dating from the 12th
  Century, Polonnaruwa was Sri Lanka’s second capital city Sigiriya Site of the famous
  ‘Lion Mountain’, Sigiriya has been inhabited since the 3rd century BC, and was
  established as King Kassapa’s capital in the 5th Century AD. and many things also</p>
<p style="font-size: 20px; padding: 10px;">
  <b>Inclution</b>
</p>
<ul><li>Accommodation in a well appointed room</li>
<li>Meals as per hotel plan</li>
<li>All transfers and sightseeing as per the itinerary in an air-conditioned vehicle.</li>
<li>All Toll taxes, Parking & State Tax.</li></ul>
<br>

<p style="font-size: 20px; padding: 10px;">
  <b>Exclution</b></p>
  <ul>
    <li>GST 5%</li>
    <li>Anything not mentioned under ‘Package Inclusions’</li>
  </ul>
  <li>All personal expenses, optional tours and extra meals</li>
  <li>Camera fees, alcoholic/non-alcoholic beverages, mineral water and starters</li>
  <li>Vehicle service on leisure days for sightseeing not included in the itinerary</li>
  <li>Entrance fees at all monuments and museums mentioned in the itinerary</li>
  <li>Medical and travel insurance</li>

```

```

<li>Tips, laundry and phone calls</li>
</ul>
<p style="font-size: 20px; padding: 10px;">
<b>Payment policy</b></p>
<ul>Advanced booking Fee
    <li>
30 days or more before date of departure: 25% of total cost</li>
<li>29 - 20 days before date of departure: 50% of total cost</li>
<li>19 days or less before date of departure: 100% of total cost</li>
<li><b>Important:</b> The booking stands liable to be cancelled if 100% payment is not
    received less than 20 days before date of departure.</li>
</ul>
<div class="footer">
<a href="about.html"><b>ABOUT US</b></a>
<a href="feba.html"><b>FeedBack</b></a>
<a href="#about"><b>Facebook</b></a>
<a href="#about"><b>Instagram</b></a>
<a href="#about"><b>Twitter</b></a>
<a href="FAQ.html"><b>FAQ</b></a>
<a href="CUS.html"><b>Contact Us</b></a>
</div>
<div id="id01" class="modal">

<form class="modal-content animate" action="/action_page.php" method="post">
<div class="imgcontainer">
    <span onclick="document.getElementById('id01').style.display='none'" class="close"
    title="Close Modal">&times;</span>

<div class="container">
    <label for="uname"><b>Username</b></label>
    <input type="text" placeholder="Enter Username" name="uname" required>

    <label for="psw"><b>E-mail ID</b></label>
    <input type="text" placeholder="Enter E-mail Id" name="mail" required>
    <p>Number of Members :</p>
    <label for="psw"><b>Adults(18-45)</b></label>
    <input type="text" placeholder="Enter Members" name="ad" required>
    <label for="psw"><b>Childs(0-17)</b></label>
    <input type="text" placeholder="Enter Members" name="child" required>

```



```

<label for="psw"><b>Olds(45+)</b></label>
<input type="text" placeholder="Enter Members" name="old" required>
<button type="submit">Book Now</button>
<label>
  <input type="checkbox" checked="checked" name="remember"> accepted to the terms
  and condition
</label>
</div>

<div class="container" style="background-color:#f1f1f1">
  <button type="button" onclick="document.getElementById('id01').style.display='none'"
  class="cancelbtn">Cancel</button>
  <span class="psw">Forgot <a href="#">password?</a></span>
</div>
</form>
</div>
<script>

var modal = document.getElementById('id01');

window.onclick = function(event) {
  if (event.target == modal) {
    modal.style.display = "none";
  }
}
var slideIndex = 1;
showDivs(slideIndex);

function plusDivs(n) {
  showDivs(slideIndex += n);
}

function currentDiv(n) {
  showDivs(slideIndex = n);
}

function showDivs(n) {
  var i;
  var x = document.getElementsByClassName("mySlides");

```

```

var dots = document.getElementsByClassName("demo");
if (n > x.length) { slideIndex = 1 }
if (n < 1) { slideIndex = x.length }
for (i = 0; i < x.length; i++) {
  x[i].style.display = "none";
}
for (i = 0; i < dots.length; i++) {
  dots[i].className = dots[i].className.replace(" w3-red", "");
}
x[slideIndex-1].style.display = "block";
dots[slideIndex-1].className += " w3-red";
}
</script>

</body>
</html>

```

```

</body>
</html>

```

Himc.html

```

<!DOCTYPE html>
<html>
<head>
  <title></title>
  <link rel="stylesheet" href="bottnav.css">
  <link rel="stylesheet" href="offdis.css">
  <link rel="stylesheet" href="toolbar.css">
  <style>
    .container {
      position: relative;
      text-align: center;
      color: white;
    }

    .centered1 {
      position: absolute;
      top: 50%;
      left: 50%;

```

```

    transform: translate(-50%, -50%);
}

.centered {
font-size: 40px;
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
}
.tab{
    color: white;
    display: block;
    background-image: url(panelbg.jpg);
    width: 75%;
    padding: 50px;
    position: absolute;
    top: 70%;
    left: 10%;
}
.tab button:hover{
    cursor: pointer;
}
</style>

```

```

</head>

```

```

<body bgcolor="grey" style="background-image: url(abbac.png); background-size:cover;">

```

```

    <div class="topnav">

```

```

    <a class="logo" href="toolbar.html"></a>

```

```

    <a href="signup1.html">Signup</a>

```

```

    <a href="login1.html">Login</a>

```

```

    <a class="active" href="toolbar.html">Home</a>

```

```

</div>

```

```

    <div class="container">

```

```

```

```

    <div class="centered" style="background-color: black; opacity:0.9" >HIMACHAL TOUR
    PACKAGES</div>

```

```

</div>

```

```

<div class="tab">

```

```

<table cellspacing="20px" cellpadding="20px">
  <tr><th>Packages</th><th>Price</th><th>Nights</th><th>Inclution</th><th></th></tr>
  <tr><td>Memorable Manali - Utopia Resort (Volvo Package)</td><td>Rs
23,199</td><td>4 nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><a
href="himc1.html"><button style="background-color: green; border:none;color :white ;
width: 100px; height: 30px;">View details</button></a></td></tr>
  <tr><td>
Memorable Manali lifestyle (Volvo Package)</td><td>Rs 39,999</td><td>4
nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><a
href="himc2.html"><button style="background-color: green; border:none;color :white ;
width: 100px; height: 30px;">View details</button></td></tr>

</table>
</div>

```

```

</body>
</html>

Himc1.html
<!DOCTYPE html>
<html>
<head>
  <title>.</title>
  <link rel="stylesheet" href="gisd.css">
  <link rel="stylesheet" href="bottnav.css">
  <link rel="stylesheet" href="offdis.css">
  <link rel="stylesheet" href="toolbar.css">
  <style>
    input[type=text], input[type=password] {
      width: 100%;
      padding: 12px 20px;
      margin: 8px 0;
      display: inline-block;
      border: 1px solid #ccc;
      box-sizing: border-box;
    }

    button {
      background-color: #4CAF50;
      color: white;
      padding: 14px 20px;

```

```
margin: 8px 0;
border: none;
cursor: pointer;
width: 100%;
}

button:hover {
  opacity: 0.8;
}

.cancelbtn {
  width: auto;
  padding: 10px 18px;
  background-color: #f44336;
}

.container {
  padding: 16px;
}

.ord{
  position: absolute;
  left: 80%;
  bottom: 70%;
}

span.psw {
  float: right;
  padding-top: 16px;
}

.modal {
  display: none;
  position: fixed;
  z-index: 1;
  left: 0;
  top: 0;
  width: 100%;
  height: 100%;
  overflow: auto;
```

```
background-color: rgb(0,0,0);
background-color: rgba(0,0,0,0.4);
padding-top: 60px;
}
```

```
.modal-content {
background-image: url(abbac.png);
margin: 5% auto 15% auto;
border: 1px solid #888;
width: 50%;
}
```

```
.close {
position: absolute;
right: 25px;
top: 0;
color: #000;
font-size: 35px;
font-weight: bold;
}
```

```
.close:hover,
.close:focus {
color: red;
cursor: pointer;
}
```

```
.animate {
-webkit-animation: animatezoom 0.6s;
animation: animatezoom 0.6s
}
```

```
@-webkit-keyframes animatezoom {
from {-webkit-transform: scale(0)}
to {-webkit-transform: scale(1)}
}
```

```
@keyframes animatezoom {
  from {transform: scale(0)}
  to {transform: scale(1)}
}
```

```
/* Change styles for span and cancel button on extra small screens */
```

```
@media screen and (max-width: 300px) {
```

```
span.psw {
    display: block;
    float: none;
}
```

```
.cancelbtn {
  width: 100%;
}
```

```
}
.mySlides {display:none}
```

</head>

```
<body style="background-image: url(abbac.png); background-size: cover;color: white; ">
```

<div class="topnav">

[!\[\]\(d0262bbe9d2356661a2e89321dfcc781_img.jpg\)](toolbar.html)

`Signup`


```
<a href="login1.html">Login</a>
```

[Home](toolbar.html)

Memorable Manali - Utopia Resort (Volvo Package)

```
<div class="ord"><button onclick="document.getElementById('id01').style.display='block'"
  style="background-color: red; width:auto;">Book Now</button></div>
```

Starts from Rs.23,199



QUESTION

What are the two main types of ...?

<button style="width: auto;" class="w3-button w3-light-grey" onclick="plusDivs(-1)"><

```

Prev</button>
<button style="width: auto;" class="w3-button w3-light-grey" onclick="plusDivs(1)">Next
  > </button>
</div>
<button style="width: auto;" class="w3-button demo" onclick="currentDiv(1)">1</button>
<button style="width: auto;" class="w3-button demo" onclick="currentDiv(2)">2</button>

</div>
<h2><font size="20px">&nbsp;Overview</font></h2>
<p style="padding: 10px">The ‘Teardrop Isle’ of Sri Lanka has a great deal to offer travellers
– from stunning coastline and beaches to the lush green highlands of the interior, ancient
cultures and delicious cuisine. Having been directly in the path of the trade routes even
before the days of the spice trade, it’s a multi-faceted country that will keep you fascinated,
particularly with its wealth of ancient sites. Here are some of our favourite World Wonders
from Sri Lanka. All that’s left to do is wrap your tongue around the place names!The
Ancient City of PolonnaruwaFeaturing the ruins of Parakramabahu I dating from the 12th
Century, Polonnaruwa was Sri Lanka’s second capital city Sigiriya Site of the famous
‘Lion Mountain’, Sigiriya has been inhabited since the 3rd century BC, and was
established as King Kassapa’s capital in the 5th Century AD. and many things also</p>
<p style="font-size: 20px; padding: 10px;">
  <b>Inclution</b>
</p>
<ul><li>Accommodation in a well appointed room</li>
<li>Meals as per hotel plan</li>
<li>All transfers and sightseeing as per the itinerary in an air-conditioned vehicle.</li>
<li>All Toll taxes, Parking & State Tax.</li></ul>
<br>

<p style="font-size: 20px; padding: 10px;">
  <b>Exclution</b></p>
  <ul>
    <li>GST 5%</li>
    <li>Anything not mentioned under ‘Package Inclusions’</li>
  <li>All personal expenses, optional tours and extra meals</li>
  <li>Camera fees, alcoholic/non-alcoholic beverages, mineral water and starters</li>
  <li>Vehicle service on leisure days for sightseeing not included in the itinerary</li>
  <li>Entrance fees at all monuments and museums mentioned in the itinerary</li>
  <li>Medical and travel insurance</li>
  <li>Tips, laundry and phone calls</li>
  </ul>
  <p style="font-size: 20px; padding: 10px;">
    <b>Payment policy</b></p>

```



```

        <ul>Advanced booking Fee
            <li>
30 days or more before date of departure: 25% of total cost</li>
<li>29 - 20 days before date of departure: 50% of total cost</li>
<li>19 days or less before date of departure: 100% of total cost</li>
<li><b>Important:</b> The booking stands liable to be cancelled if 100% payment is not
        received less than 20 days before date of departure.</li>
        </ul>
        <div class="footer">
<a href="about.html"><b>ABOUT US</b></a>
<a href="feba.html"><b>FeedBack</b></a>
<a href="#about"><b>Facebook</b></a>
<a href="#about"><b>Instagram</b></a>
<a href="#about"><b>Twitter</b></a>
<a href="FAQ.html"><b>FAQ</b></a>
<a href="CUS.html"><b>Contact Us</b></a>
</div>
        <div id="id01" class="modal">

<form class="modal-content animate" action="/action_page.php" method="post">
<div class="imgcontainer">
    <span onclick="document.getElementById('id01').style.display='none'" class="close"
        title="Close Modal">&times;</span>

<div class="container">
    <label for="uname"><b>Username</b></label>
    <input type="text" placeholder="Enter Username" name="uname" required>

    <label for="psw"><b>E-mail ID</b></label>
    <input type="text" placeholder="Enter E-mail Id" name="mail" required>
    <p>Number of Members :</p>
    <label for="psw"><b>Adults(18-45)</b></label>
    <input type="text" placeholder="Enter Members" name="ad" required>
    <label for="psw"><b>Childs(0-17)</b></label>
    <input type="text" placeholder="Enter Members" name="child" required>
    <label for="psw"><b>Olds(45+)</b></label>
    <input type="text" placeholder="Enter Members" name="old" required>
    <button type="submit">Book Now</button>
</div>

```

```

        <input type="checkbox" checked="checked" name="remember"> accepted to the terms
        and condition
    </label>
</div>

<div class="container" style="background-color:#f1f1f1">
    <button type="button" onclick="document.getElementById('id01').style.display='none'"
    class="cancelbtn">Cancel</button>
    <span class="psw">Forgot <a href="#">password?</a></span>
</div>
</form>
</div>
<script>

var modal = document.getElementById('id01');

window.onclick = function(event) {
    if (event.target == modal) {
        modal.style.display = "none";
    }
}
var slideIndex = 1;
showDivs(slideIndex);

function plusDivs(n) {
    showDivs(slideIndex += n);
}

function currentDiv(n) {
    showDivs(slideIndex = n);
}

function showDivs(n) {
    var i;
    var x = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("demo");
    if (n > x.length) { slideIndex = 1 }
    if (n < 1) { slideIndex = x.length }
    for (i = 0; i < x.length; i++) {

```

```

        x[i].style.display = "none";
    }
    for (i = 0; i < dots.length; i++) {
        dots[i].className = dots[i].className.replace(" w3-red", "");
    }
    x[slideIndex-1].style.display = "block";
    dots[slideIndex-1].className += " w3-red";
}
</script>

```

```

</body>
</html>

```

```

</body>
</html>

```

Utk.html

```

<!DOCTYPE html>
<html>
<head>
    <title></title>
    <link rel="stylesheet" href="bottnav.css">
    <link rel="stylesheet" href="offdis.css">
    <link rel="stylesheet" href="toolbar.css">
    <style>
        .container {
            position: relative;
            text-align: center;
            color: white;

        }
    
```

```

        .centered1 {
            position: absolute;
            top: 50%;
            left: 50%;
            transform: translate(-50%, -50%);
        }
    
```

```

        .centered {
            font-size: 40px;
        }
    
```

```

position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
}
.tab{
    color: white;
    display: block;
    background-image: url(panelbg.jpg);
    width: 75%;
    padding: 50px;
    position: absolute;
    top: 70%;
    left: 10%;
}
.tab button:hover{
    cursor: pointer;
}
</style>

```

```

</head>

```

```

<body bgcolor="grey" style="background-image: url(abbac.png); background-size:cover;">

```

```

    <div class="topnav">

```

```

        <a class="logo" href="toolbar.html"></a>

```

```

        <a href="signup1.html">Signup</a>

```

```

        <a href="login1.html">Login</a>

```

```

        <a class="active" href="toolbar.html">Home</a>

```

```

    </div>

```

```

        <div class="container">

```

```

```

```

            <div class="centered" style="background-color: black; opacity:0.7" >UTTARAKHAND
            TOUR PACKAGES</div>

```

```

        </div>

```

```

<div class="tab">

```

```

    <table cellpadding="20px" cellspacing="20px">

```

```

        <tr><th>Packages</th><th>Price</th><th>Nights</th><th>Inclution</th><th></th></tr>

```

```

        <tr><td>Corbett and Nainital Tour with Mussoorie</td><td>Rs 29,999</td><td>4
        nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><a

```

```

href="utk1.html"><button style="background-color: green; border:none;color :white ;
width: 100px; height: 30px;">View details</button></a></td></tr>

<tr><td>Classical Uttarakhand</td><td>Rs 31,999</td><td>4
nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><a
href="utk2.html"><button style="background-color: green; border:none;color :white ;
width: 100px; height: 30px;">View details</button></td></tr>

</table>
</div>

```

```

</body>
</html>

```

Utk1.html

```

<!DOCTYPE html>
<html>
<head>
  <title>.</title>
  <link rel="stylesheet" href="gisd.css">
  <link rel="stylesheet" href="bottnav.css">
  <link rel="stylesheet" href="offdis.css">
  <link rel="stylesheet" href="toolbar.css">
  <style>
    input[type=text], input[type=password] {
      width: 100%;
      padding: 12px 20px;
      margin: 8px 0;
      display: inline-block;
      border: 1px solid #ccc;
      box-sizing: border-box;
    }

    button {
      background-color: #4CAF50;
      color: white;
      padding: 14px 20px;
      margin: 8px 0;
      border: none;
      cursor: pointer;
      width: 100%;

```

```

}

button:hover {
  opacity: 0.8;
}

.cancelbtn {
  width: auto;
  padding: 10px 18px;
  background-color: #f44336;
}

.container {
  padding: 16px;
}

.ord{
  position: absolute;
  left: 80%;
  bottom: 70%;
}

span.psw {
  float: right;
  padding-top: 16px;
}

.modal {
  display: none;
  position: fixed;
  z-index: 1;
  left: 0;
  top: 0;
  width: 100%;
  height: 100%;
  overflow: auto;
  background-color: rgb(0,0,0);
  background-color: rgba(0,0,0,0.4);
  padding-top: 60px;
}

```

```

.modal-content {
  background-image: url(abbac.png);
  margin: 5% auto 15% auto;
  border: 1px solid #888;
  width: 50%;
}

.close {
  position: absolute;
  right: 25px;
  top: 0;
  color: #000;
  font-size: 35px;
  font-weight: bold;
}

.close:hover,
.close:focus {
  color: red;
  cursor: pointer;
}

.animate {
  -webkit-animation: animatezoom 0.6s;
  animation: animatezoom 0.6s
}

@-webkit-keyframes animatezoom {
  from {-webkit-transform: scale(0)}
  to {-webkit-transform: scale(1)}
}

@keyframes animatezoom {
  from {transform: scale(0)}
  to {transform: scale(1)}
}

```

```

/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
  span.psw {
    display: block;
    float: none;
  }
  .cancelbtn {
    width: 100%;
  }
}
.mySlides {display:none}
</style>
</head>
<body style="background-image: url(abbac.png); background-size: cover;color: white; ">
<div class="topnav">
  <a class="logo" href="toolbar.html"></a>
  <a href="signup1.html">Signup</a>
  <a href="login1.html">Login</a>
  <a class="active" href="toolbar.html">Home</a>
</div>
<br><br>
<h1>&nbsp;Corbett and Nainital Tour with Mussoorie</h1>
<div class="ord"><button onclick="document.getElementById('id01').style.display='block'"
  style="background-color: red; width:auto;">Book Now</button></div>

<p>&nbsp; &nbsp; &nbsp; Starts from Rs.29,999</p>
<div class="w3-content" style="max-width:800px">
  
  

</div>
<div class="w3-center">
  <div class="w3-section">
    <button style="width: auto;" class="w3-button w3-light-grey" onclick="plusDivs(-1)"><
      Prev</button>
    <button style="width: auto;" class="w3-button w3-light-grey" onclick="plusDivs(1)">Next
      > </button>
  </div>

```


<button style="width: auto;" class="w3-button demo" onclick="currentDiv(1)">1</button>
<button style="width: auto;" class="w3-button demo" onclick="currentDiv(2)">2</button>

</div>

<h2> Overview</h2>

<p style="padding: 10px">The ‘Teardrop Isle’ of Sri Lanka has a great deal to offer travellers – from stunning coastline and beaches to the lush green highlands of the interior, ancient cultures and delicious cuisine. Having been directly in the path of the trade routes even before the days of the spice trade, it’s a multi-faceted country that will keep you fascinated, particularly with its wealth of ancient sites. Here are some of our favourite World Wonders from Sri Lanka. All that’s left to do is wrap your tongue around the place names!The Ancient City of PolonnaruwaFeaturing the ruins of Parakramabahu I dating from the 12th Century, Polonnaruwa was Sri Lanka’s second capital city Sigiriya Site of the famous ‘Lion Mountain’, Sigiriya has been inhabited since the 3rd century BC, and was established as King Kassapa’s capital in the 5th Century AD. and many things also</p>

<p style="font-size: 20px; padding: 10px;">

Inclusion

</p>

Accommodation in a well appointed room

Meals as per hotel plan

All transfers and sightseeing as per the itinerary in an air-conditioned vehicle.

All Toll taxes, Parking & State Tax.

<p style="font-size: 20px; padding: 10px;">

Exclusion</p>

GST 5%

Anything not mentioned under ‘Package Inclusions’

All personal expenses, optional tours and extra meals

Camera fees, alcoholic/non-alcoholic beverages, mineral water and starters

Vehicle service on leisure days for sightseeing not included in the itinerary

Entrance fees at all monuments and museums mentioned in the itinerary

Medical and travel insurance

Tips, laundry and phone calls

<p style="font-size: 20px; padding: 10px;">

Payment policy</p>

Advanced booking Fee

30 days or more before date of departure: 25% of total cost

```

<li>29 - 20 days before date of departure: 50% of total cost</li>
<li>19 days or less before date of departure: 100% of total cost</li>
<li><b>Important:</b> The booking stands liable to be cancelled if 100% payment is not
    received less than 20 days before date of departure.</li>
</ul>
<div class="footer">
<a href="about.html"><b>ABOUT US</b></a>
<a href="feba.html"><b>FeedBack</b></a>
<a href="#about"><b>Facebook</b></a>
<a href="#about"><b>Instagram</b></a>
<a href="#about"><b>Twitter</b></a>
<a href="FAQ.html"><b>FAQ</b></a>
<a href="CUS.html"><b>Contact Us</b></a>
</div>
<div id="id01" class="modal">

<form class="modal-content animate" action="/action_page.php" method="post">
<div class="imgcontainer">
<span onclick="document.getElementById('id01').style.display='none'" class="close"
    title="Close Modal">&times;</span>

<div class="container">
<label for="uname"><b>Username</b></label>
<input type="text" placeholder="Enter Username" name="uname" required>

<label for="psw"><b>E-mail ID</b></label>
<input type="text" placeholder="Enter E-mail Id" name="mail" required>
<p>Number of Members :</p>
<label for="psw"><b>Adults(18-45)</b></label>
<input type="text" placeholder="Enter Members" name="ad" required>
<label for="psw"><b>Childs(0-17)</b></label>
<input type="text" placeholder="Enter Members" name="child" required>
<label for="psw"><b>Olds(45+)</b></label>
<input type="text" placeholder="Enter Members" name="old" required>
<button type="submit">Book Now</button>
<label>
<input type="checkbox" checked="checked" name="remember"> accepted to the terms
and condition
</label>

```

```

</div>

<div class="container" style="background-color:#f1f1f1">
  <button type="button" onclick="document.getElementById('id01').style.display='none'"
  class="cancelbtn">Cancel</button>
  <span class="psw">Forgot <a href="#">password?</a></span>
</div>
</form>
</div>
<script>

var modal = document.getElementById('id01');

window.onclick = function(event) {
  if (event.target == modal) {
    modal.style.display = "none";
  }
}
var slideIndex = 1;
showDivs(slideIndex);

function plusDivs(n) {
  showDivs(slideIndex += n);
}

function currentDiv(n) {
  showDivs(slideIndex = n);
}

function showDivs(n) {
  var i;
  var x = document.getElementsByClassName("mySlides");
  var dots = document.getElementsByClassName("demo");
  if (n > x.length) { slideIndex = 1 }
  if (n < 1) { slideIndex = x.length }
  for (i = 0; i < x.length; i++) {
    x[i].style.display = "none";
  }
  for (i = 0; i < dots.length; i++) {

```

```

        dots[i].className = dots[i].className.replace(" w3-red", "");
    }
    x[slideIndex-1].style.display = "block";
    dots[slideIndex-1].className += " w3-red";
}
</script>

```

```

</body>
</html>

```

```

</body>
</html>

```

Asmeg.html

```

<!DOCTYPE html>
<html>
<head>
    <title></title>
    <link rel="stylesheet" href="bottnav.css">
    <link rel="stylesheet" href="offdis.css">
    <link rel="stylesheet" href="toolbar.css">
    <style>
        .container {
            position: relative;
            text-align: center;
            color: white;
        }

        .centered1 {
            position: absolute;
            top: 50%;
            left: 50%;
            transform: translate(-50%, -50%);
        }

        .centered {
            font-size: 40px;
            position: absolute;
            top: 50%;
            left: 50%;

```

```

    transform: translate(-50%, -50%);
}
.tab{
    color: white;
    display: block;
    background-image: url(panelbg.jpg);
    width: 75%;
    padding: 50px;
    position: absolute;
    top: 70%;
    left: 10%;
}
.tab button:hover{
    cursor: pointer;
}
</style>

```

```
</head>
```

```

<body bgcolor="grey" style="background-image: url(abbac.png); background-size:cover;">
    <div class="topnav">
        <a class="logo" href="toolbar.html"></a>
        <a href="signup1.html">Signup</a>
        <a href="login1.html">Login</a>
        <a class="active" href="toolbar.html">Home</a>
    </div>
    <div class="container">
        
        <div class="centered" style="background-color: black; opacity:0.7" >SHILLONG TOUR
            PACKAGES</div>
    </div>

```

```

<div class="tab">
    <table cellpadding="20px" cellspacing="20px">
        <tr><th>Packages</th><th>Price</th><th>Nights</th><th>Inclution</th><th></th></tr>
        <tr><td>
            Wonders Of Assam And Meghalaya</td><td>Rs 51,999</td><td>4
            nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><a
            href="asmeg1.html"><button style="background-color: green; border:none;color :white ;
            width: 100px; height: 30px;">View details</button></a></td></tr>
        <tr><td>Explore Shillong</td><td>Rs 53,999</td><td>4

```

```

nights</td><td>Meals,accumodation,transfer,sightseeing</td><td><a
href="asmeg2.html"><button style="background-color: green; border:none;color :white ;
width: 100px; height: 30px;">View details</button></td></tr>

</table>
</div>

```

```

</body>
</html>

```

Asmeg1.html

```

<!DOCTYPE html>
<html>
<head>
    <title>.</title>
    <link rel="stylesheet" href="gisd.css">
    <link rel="stylesheet" href="bottnav.css">
    <link rel="stylesheet" href="offdis.css">
    <link rel="stylesheet" href="toolbar.css">
    <style>
        input[type=text], input[type=password] {
            width: 100%;
            padding: 12px 20px;
            margin: 8px 0;
            display: inline-block;
            border: 1px solid #ccc;
            box-sizing: border-box;
        }

        button {
            background-color: #4CAF50;
            color: white;
            padding: 14px 20px;
            margin: 8px 0;
            border: none;
            cursor: pointer;
            width: 100%;
        }
    </style>

```

```

button:hover {

```

```

    opacity: 0.8;
}

.cancelbtn {
    width: auto;
    padding: 10px 18px;
    background-color: #f44336;
}

.container {
    padding: 16px;
}

.ord{
    position: absolute;
    left: 80%;
    bottom: 70%;
}

span.psw {
    float: right;
    padding-top: 16px;
}

.modal {
    display: none;
    position: fixed;
    z-index: 1;
    left: 0;
    top: 0;
    width: 100%;
    height: 100%;
    overflow: auto;
    background-color: rgb(0,0,0);
    background-color: rgba(0,0,0,0.4);
    padding-top: 60px;
}

.modal-content {

```

```
background-image: url(abbac.png);
margin: 5% auto 15% auto;
border: 1px solid #888;
width: 50%;
}
```

```
.close {
  position: absolute;
  right: 25px;
  top: 0;
  color: #000;
  font-size: 35px;
  font-weight: bold;
}
```

```
.close:hover,
.close:focus {
  color: red;
  cursor: pointer;
}
```

```
.animate {
  -webkit-animation: animatezoom 0.6s;
  animation: animatezoom 0.6s
}
```

```
@-webkit-keyframes animatezoom {
  from {-webkit-transform: scale(0)}
  to {-webkit-transform: scale(1)}
}
```

```
@keyframes animatezoom {
  from {transform: scale(0)}
  to {transform: scale(1)}
}
```

```
/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
```



```

span.psw {
    display: block;
    float: none;
}
.cancelbtn {
    width: 100%;
}
}
.mySlides {display:none}
</style>
</head>
<body style="background-image: url(abbac.png); background-size: cover;color: white; ">
<div class="topnav">
    <a class="logo" href="toolbar.html"></a>
    <a href="signup1.html">Signup</a>
    <a href="login1.html">Login</a>
    <a class="active" href="toolbar.html">Home</a>
</div>
<br><br>
<h1>&nbspWonders Of Assam And Meghalaya</h1>
<div class="ord"><button onclick="document.getElementById('id01').style.display='block'"
    style="background-color: red; width:auto;">Book Now</button></div>

<p>&nbsp &nbsp &nbsp Starts from Rs.51,999</p>
<div class="w3-content" style="max-width:800px">
    
    

</div>
<div class="w3-center">
    <div class="w3-section">
        <button style="width: auto;" class="w3-button w3-light-grey" onclick="plusDivs(-1)"><
            Prev</button>
        <button style="width: auto;" class="w3-button w3-light-grey" onclick="plusDivs(1)">Next
            > </button>
    </div>
    <button style="width: auto;" class="w3-button demo" onclick="currentDiv(1)">1</button>
    <button style="width: auto;" class="w3-button demo" onclick="currentDiv(2)">2</button>

```

</div>

<h2> Overview</h2>

<p style="padding: 10px">The ‘Teardrop Isle’ of Sri Lanka has a great deal to offer travellers – from stunning coastline and beaches to the lush green highlands of the interior, ancient cultures and delicious cuisine. Having been directly in the path of the trade routes even before the days of the spice trade, it’s a multi-faceted country that will keep you fascinated, particularly with its wealth of ancient sites. Here are some of our favourite World Wonders from Sri Lanka. All that’s left to do is wrap your tongue around the place names!The Ancient City of PolonnaruwaFeaturing the ruins of Parakramabahu I dating from the 12th Century, Polonnaruwa was Sri Lanka’s second capital city Sigiriya Site of the famous ‘Lion Mountain’, Sigiriya has been inhabited since the 3rd century BC, and was established as King Kassapa’s capital in the 5th Century AD. and many things also</p>

<p style="font-size: 20px; padding: 10px;">

Inclution

</p>

Accommodation in a well appointed room

Meals as per hotel plan

All transfers and sightseeing as per the itinerary in an air-conditioned vehicle.

All Toll taxes, Parking & State Tax.

<p style="font-size: 20px; padding: 10px;">

Exclution</p>

GST 5%

Anything not mentioned under ‘Package Inclusions’

All personal expenses, optional tours and extra meals

Camera fees, alcoholic/non-alcoholic beverages, mineral water and starters

Vehicle service on leisure days for sightseeing not included in the itinerary

Entrance fees at all monuments and museums mentioned in the itinerary

Medical and travel insurance

Tips, laundry and phone calls

<p style="font-size: 20px; padding: 10px;">

Payment policy</p>

Advanced booking Fee

30 days or more before date of departure: 25% of total cost

29 - 20 days before date of departure: 50% of total cost

19 days or less before date of departure: 100% of total cost

Important: The booking stands liable to be cancelled if 100% payment is not received less than 20 days before date of departure.

```

</ul>
<div class="footer">
<a href="about.html"><b>ABOUT US</b></a>
<a href="feba.html"><b>FeedBack</b></a>
<a href="#about"><b>Facebook</b></a>
<a href="#about"><b>Instagram</b></a>
<a href="#about"><b>Twitter</b></a>
<a href="FAQ.html"><b>FAQ</b></a>
<a href="CUS.html"><b>Contact Us</b></a>
</div>
<div id="id01" class="modal">

<form class="modal-content animate" action="/action_page.php" method="post">
<div class="imgcontainer">
<span onclick="document.getElementById('id01').style.display='none'" class="close"
title="Close Modal">&times;</span>

<div class="container">
<label for="uname"><b>Username</b></label>
<input type="text" placeholder="Enter Username" name="uname" required>

<label for="psw"><b>E-mail ID</b></label>
<input type="text" placeholder="Enter E-mail Id" name="mail" required>
<p>Number of Members :</p>
<label for="psw"><b>Adults(18-45)</b></label>
<input type="text" placeholder="Enter Members" name="ad" required>
<label for="psw"><b>Childs(0-17)</b></label>
<input type="text" placeholder="Enter Members" name="child" required>
<label for="psw"><b>Olds(45+)</b></label>
<input type="text" placeholder="Enter Members" name="old" required>
<button type="submit">Book Now</button>
<label>
<input type="checkbox" checked="checked" name="remember"> accepted to the terms
and condition
</label>
</div>

<div class="container" style="background-color:#f1f1f1">
<button type="button" onclick="document.getElementById('id01').style.display='none'"

```

```

        class="cancelbtn">Cancel</button>
        <span class="psw">Forgot <a href="#">password?</a></span>
    </div>
</form>
</div>
<script>

var modal = document.getElementById('id01');

window.onclick = function(event) {
    if (event.target == modal) {
        modal.style.display = "none";
    }
}
var slideIndex = 1;
showDivs(slideIndex);

function plusDivs(n) {
    showDivs(slideIndex += n);
}

function currentDiv(n) {
    showDivs(slideIndex = n);
}

function showDivs(n) {
    var i;
    var x = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("demo");
    if (n > x.length) {slideIndex = 1}
    if (n < 1) {slideIndex = x.length}
    for (i = 0; i < x.length; i++) {
        x[i].style.display = "none";
    }
    for (i = 0; i < dots.length; i++) {
        dots[i].className = dots[i].className.replace(" w3-red", "");
    }
    x[slideIndex-1].style.display = "block";
}


```

```
dots[slideIndex-1].className += " w3-red";  
}  
</script>
```


```
</body>  
</html>
```

```
</body>  
</html>
```

5. TEST RESULT HOMEPAGE:



LOGIN:




The screenshot shows a web browser window with the address bar displaying the URL: `D:/fall%202019/web%20development/project/pro/head/pro%201/FINL%20PRJT%20WD/login1.html`. The page features a dark background with a large, semi-transparent login form in the center. The form is titled "USER LOGIN" and contains the following elements:

- Name:** A text input field with the placeholder "Enter User name".
- Password:** A text input field with the placeholder "Enter Password".
- Login:** A large green button.
- cancel:** A small red button.
- Forget Password?:** A link.
- Don't Have An Account ?** A text prompt.
- SignUp:** A green button.

The browser's taskbar at the bottom shows various application icons, including a file explorer, a PDF reader, and a web browser. The system clock indicates the time is 6:32 AM on 10/31/2019.

Signup:



The screenshot shows a web browser window with the address bar displaying the URL: `D:/fall%202019/web%20development/project/pro/head/pro%201/FINL%20PRJT%20WD/signup1.html`. The page features a dark background with a large, semi-transparent signup form in the center. The form is titled "Signup" and contains the following elements:

- Name:** A text input field with the placeholder "Enter User name".
- E-Mail ID:** A text input field with the placeholder "Enter E-Mail ID".
- Password:** A text input field with the placeholder "Enter Password".
- Agree to terms and conditions:** A checkbox.
- Signup:** A large green button.
- Cancel:** A small red button.
- Have An Account ?** A text prompt.

The browser's taskbar at the bottom shows various application icons, including a file explorer, a PDF reader, and a web browser. The system clock indicates the time is 6:33 AM on 10/31/2019.

