Centre universitaire de santé McGill

McGill University Health Centre

X HME MCH X HGM MGH X HRV RVH
X HNM MNH X ITM MCI X HL LH

* F M U - 3 3 3 8 *

Ordonnances Médicales

Medical Orders

ALLERGIES _____

Poids / Weight (kg) _____ **Taille** / Height (cm) _____ **Surface corporelle / BSA (m^2)** _____

DATE-(AAYY/MM/JD) HEURE/TIME (00:00)	**ORDONNANCES DU PRESCRIPTEUR/** PRESCRIBER'S ORDERS **Le prescripteur doit indiquer son nom en lettres moulées, apposer sa signature et son N° de permis** Prescriber must write name in print letters, sign and write license No.	**Initiales de l'infirmier(ère) notées** Nurse's initials **noted**

CONTRAST MEDIA ALLERGY PREMEDICATION (IODINATED/GADOLINIUM)

Scheduled exam date (yyyy/mm/dd): _____ **Time** (hh:mm): _____

IMPORTANT: If a prior severe allergic reaction or anaphylactic shock is suspected, consult the radiologist in charge.

☐ NON-URGENT PREMEDICATION (13 H OR MORE BEFORE THE PROCEDURE)

PrednISONE 50 mg PO 13 hours before the procedure

PrednISONE 50 mg PO 7 hours before the procedure

PrednISONE 50 mg PO 1 hour before the procedure

AND

DiphenhydrAMINE (Benadryl®) 50 mg PO 1 hour before the procedure

☐ SEMI-URGENT PREMEDICATION (4 H TO LESS THAN 13 H BEFORE THE PROCEDURE) OR IF NO ORAL ROUTE POSSIBLE

MethylPREDNISolone (Solu-Medrol®) 40 mg IV 4 hours before the procedure × 1 dose

AND

DiphenhydrAMINE (Benadryl®) 50 mg IV 1 hour before the procedure

☐ URGENT PREMEDICATION (LESS THAN 4 HOURS BEFORE THE PROCEDURE)

*** **Consult the radiologist in charge before starting the premedication**

DiphenhydrAMINE (Benadryl®) 50 mg IV 1 hour before the procedure

(corticosteroid not recommended in this situation)

Prescriber (print name): _____ **Signature:** _____

License no.: _____ **Date** (yyyy/mm/dd): _____/____/____ **Time** (hh:mm): ____:____