

Answer of SQL and Phyton Exericse (Week 2)

This Notebook will answer all assignment questions that was a part of IVKRA Data Science Fellowship Submission.

Part 1 : SQL Question

Part 2 : Phyton

Datasets from <http://www.postgresqltutorial.com/postgresql-sample-database/>

In order to connect postgresQL into Jupyter, there are several steps that we need to follow:

1. Download and install **iphyton-sql**, **psycopg2-binary** , and **sqlalchemy** (By using !pip install)

****iphyton-sql**** --> use for SQL Magic (%% SQL)

****sqlalchemy**** --> help SQL function save in pandas phyton

In [18]:

```
#!pip install ipython-sql
#!pip install psycopg2-binary
#!pip install sqlalchemy
```

1. %load_ext sql to load sql function in notebook

In [5]: **%load_ext** sql

1. From sqlalchemy import create_engine for make datasets into available in notebook

In [6]: **from sqlalchemy import** create_engine

1. Connect PostGreSQL database with Notebook with formula : %sql dialect+driver://username:password@host:port/database

In [7]: **%sql** postgresql://postgres:Dedebotak2305@localhost/dvdrental

1. Connect database with sqlalchemy with engine function. Formula = create_engine(dialect+driver://username:password@host:port/database)

In [8]: engine = create_engine('postgresql://postgres:Dedebotak2305@localhost/dvdrental')

Thanks to Muti Siahaan (<https://github.com/moowtea/iykra/blob/master/SQL%20and%20Python%20Exercise.ipynb>) and Andrei Teleron (<https://medium.com/analytics-vidhya/postgresql-integration-with-jupyter-notebook-deb97579a38d>) who helped me to understand about how to import SQL to Jupyter Notebook

Part 1 : SQL

1. A customer wants to know the films about "Astronout". How many recommendations could you give for him?

In [10]: **%%sql**

select count(*) as Total
from film f
where f.description @@ to_tsquery('astronaut');

* postgresql://postgres:***@localhost/dvdrental
1 rows affected.

Out[10]:

total
78

Example Movies:

In [28]: **%%sql**

select title, description
from film
where description @@ to_tsquery('astronaut')
limit 5;

* postgresql://postgres:***@localhost/dvdrental
5 rows affected.

Out[28]:

title	description
Alley Evolution	A Fast-Paced Drama of a Robot And a Composer who must Battle a Astronaut in New Orleans
American Circus	A Insightful Drama of a Girl And a Astronaut who must Face a Database Administrator in A Shark Tank
Angels Life	A Thoughtful Display of a Woman And a Astronaut who must Battle a Robot in Berlin
Anonymous Human	A Amazing Reflection of a Database Administrator And a Astronaut who must Outrace a Database Administrator in A Shark Tank
Bikini Borrowers	A Astounding Drama of a Astronaut And a Cat who must Discover a Woman in The First Manned Space Station

1. How many film have a rating of 'R' and a replacement cost between 5to15?

In [11]: **%%sql**

select count(*) as Total
from film
where rating = 'R' and replacement_cost between 5 and 15;

* postgresql://postgres:***@localhost/dvdrental
1 rows affected.

Out[11]:

total
52

Example Movies :

In [21]: **%%sql**

select title, description
from film
where rating = 'R' and replacement_cost between 5 and 15
Limit 5;

* postgresql://postgres:***@localhost/dvdrental
5 rows affected.

Out[21]:

title	description
Alone Trip	A Fast-Paced Character Study of a Composer And a Dog who must Outgun a Boat in An Abandoned Fun House
Anaconda Confessions	A Lacklustre Display of a Dentist And a Dentist who must Fight a Girl in Australia
Apocalypse Flamingos	A Astounding Story of a Dog And a Squirrel who must Defeat a Woman in An Abandoned Amusement Park
Boogie Amelie	A Lacklustre Character Study of a Husband And a Sumo Wrestler who must Succumb a Technical Writer in The Gulf of Mexico
Boulevard Mob	A Fateful Epistle of a Moose And a Monkey who must Confront a Lumberjack in Ancient China

1. How **many payment** did each staff member handle?
How ****much total amount**** processed by each staff member?

In [12]: **%%sql**

select concat(s.first_name,' ',s.last_name) as Name, s.staff_id as id, count(*),sum(p2.amount)
from staff s
inner join payment p2
on s.staff_id = p2.staff_id
group by s.staff_id
order by 3 desc;

* postgresql://postgres:***@localhost/dvdrental
2 rows affected.

Out[12]:

name	id	count	sum
Jon Stephens	2	7304	31059.92
Mike Hillyer	1	7292	30252.12

Final Answer = **Jon Stephens (ID : 2)** should get a bonus.

1. **Average Replacement Cost** By Rating:

In [13]: **%%sql**

select rating, avg(replacement_cost) as average from film
group by rating
order by 1 asc;

* postgresql://postgres:***@localhost/dvdrental
5 rows affected.

Out[13]:

rating	average
G	20.1248314606741573
PG	18.9590721649484536
PG-13	20.4025560538116592
R	20.2310256410256410
NC-17	20.1376190476190476

1. **5 customers who spend most amount of money:**

In [14]: **%%sql**

select concat(c2.first_name, ' ',c2.last_name) as Name, c2.email, sum(p2.amount) as Total
from customer c2
inner join payment p2
on c2.customer_id = p2.customer_id
group by 1,2
order by 3 desc
limit 5;

* postgresql://postgres:***@localhost/dvdrental
5 rows affected.

Out[14]:

name	email	total
Eleanor Hunt	eleanor.hunt@sakilacustomer.org	211.55
Karl Seal	karl.seal@sakilacustomer.org	208.58
Marion Snyder	marion.snyder@sakilacustomer.org	194.61
Rhonda Kennedy	rhonda.kennedy@sakilacustomer.org	191.62
Clara Shaw	clara.shaw@sakilacustomer.org	189.60

1. How **many copies** of each movie in each store do we have?
(To see all answers, please erase the **limit**)

In [15]: **%%sql**

select i.film_id, f.title, a2.address,count(*) as Total
from inventory i
inner join film f on i.film_id = f.film_id
inner join store s2 on i.store_id = s2.store_id
inner join address a2 on s2.address_id = a2.address_id
group by 1,2,3
order by 1,2,3
Limit 10;

* postgresql://postgres:***@localhost/dvdrental
10 rows affected.

Out[15]:

film_id	title	address	total
1	Academy Dinosaur	28 MySQL Boulevard	4
1	Academy Dinosaur	47 MySakila Drive	4
2	Ace Goldfinger	28 MySQL Boulevard	3
3	Adaptation Holes	28 MySQL Boulevard	4
4	Affair Prejudice	28 MySQL Boulevard	3
4	Affair Prejudice	47 MySakila Drive	4
5	African Egg	28 MySQL Boulevard	3
6	Agent Truman	28 MySQL Boulevard	3
6	Agent Truman	47 MySakila Drive	3
7	Airplane Sierra	28 MySQL Boulevard	3

1. **Customers who eligible for the credit card (minimum 40 transactions) :**

In [29]: **%%sql**

select concat(c2.first_name, ' ',c2.last_name) as Name, c2.email, count(*) as Total
from customer c2
inner join payment p2
on c2.customer_id = p2.customer_id
group by 1,2
having count(*) >= 40
order by 3 DESC;

* postgresql://postgres:***@localhost/dvdrental
3 rows affected.

Out[29]:

name	email	total
Eleanor Hunt	eleanor.hunt@sakilacustomer.org	45
Karl Seal	karl.seal@sakilacustomer.org	42
Clara Shaw	clara.shaw@sakilacustomer.org	40

Part 2 : Phyton

Please make a phyton function that introduces your name, address, DOB, and print them into one sentence!

To answer that questions, we can use input method and function method.

****Input Method****

In [17]:

```
name = input('Input Name: ')
address = input('Input Address: ')
dob = input('Input D.O.B: ')

print('My name is '+ str(name) + ', I live in ' + str(address) + ', I was born on ' + str(dob) + '.')
```


Input Name: Ravelto Wangistu
Input Address: Tangerang
Input D.O.B: May 23,1998
My name is Ravelto Wangistu, I live in Tangerang, I was born on May 23,1998.

Function Method

In [33]:

```
def greetings(name,address,DOB):
    print('My name is '+ str(name) + ', I live in ' + str(address) + ', I was born on ' + str(dob) + '.')
```

In [40]: greetings('toto','Tangerang','23 May 1998')

My name is toto, I live in Tangerang, I was born on May 23,1998.