

Using PermissionScope

with Xcode 7 & Swift 2



PermissionScope



<http://theironyard.com>



Phil Wright

Guest Lecture

October 2015

7 Year Anniversary


The
Pragmatic
Studio

Phil Wright




Cocoa Programming
Denver, CO • October 2008

You Get One Chance



Tell them **WHY**
before
asking for permission





PermissionScope

Nick O'Neill

<https://github.com/nickoneill/PermissionScope>

Field	Type	Comment
headerLabel	UILabel	Header UILabel with the message "Hey, listen!" by default.
bodyLabel	UILabel	Header UILabel with the message "We need a couple things\r\nbefore you get started." by default.
closeButtonTextColor	UIColor	Color for the close button's text color.
permissionButtonTextColor	UIColor	Color for the permission buttons' text color.
permissionButtonBorderColor	UIColor	Color for the permission buttons' border color.
buttonFont	UIFont	Font used for all the UIButtons
labelFont	UIFont	Font used for all the UILabels
closeButton	UIButton	Close button. By default in the top right corner.
closeOffset	CGSize	Offset used to position the Close button.
authorizedButtonColor	UIColor	Color used for permission buttons with authorized status
unauthorizedButtonColor	UIColor?	Color used for permission buttons with unauthorized status. By default, inverse of <code>authorizedButtonColor</code> .
permissionButtonBorderWidth	CGFloat	Border width for the permission buttons.
permissionButtonCornerRadius	CGFloat	Corner radius for the permission buttons.
permissionLabelColor	UIColor	Color for the permission labels' text color.
contentView	UIView	Dialog's content view



Swift Developer Weekly

<http://swiftdevweekly.co>