

RB Church — Curtain Track Parts Count v2 / bottom-up by mount type

ADC 1400 Rig-I-Flex | 110 hang points = 50 strut-span + 40 beam-clamp + 20 wall-mount | counts built per-point from the field, no padding | rod AND bolt carried at every point (field flex); all loose 1/2" nuts kept to trap hardware anywhere | Meridian 2026-06-16

Assembly recipes — what each point eats

STRUT SPAN

× 50 points

- 2× Unistrut beam clamp
- 1× Strut nut
- 1× 1/2" threaded rod (6"–2', varies)
- 1× 1/2" × 1.5" bolt (short-drop alt)
- 3× 1/2" nut
- 1× 1/2" split washer
- 1× 1/2" flat washer
- 1× THREADR
- 1× 4208BL track clip
- 1× 5/16" × 1.5" bolt
- 1× 5/16" nut / split / serrated / flat
- parked: 1× strut channel 6'

BEAM CLAMP

× 40 points

- 1× Reversible beam clamp MFC-1213 (1/2" jaw, own attach hw)
- 1× 1/2" threaded rod (6"–2')
- 1× 1/2" × 1.5" bolt (short-drop alt)
- 4× 1/2" nut
- 2× 1/2" split washer
- 2× 1/2" flat washer
- 1× THREADR
- 1× 4208BL track clip
- 1× 5/16" × 1.5" bolt
- 1× 5/16" nut / split / serrated / flat

WALL MOUNT

× 20 points

- 1× Unistrut wall-mount bracket
- 1× Strut nut
- 1× 90° angle bracket (replaces THREADR)
- 1× 1/2" threaded rod
- 1× 1/2" × 1.5" bolt
- 3× 1/2" nut
- 1× 1/2" split washer
- 1× 1/2" flat washer
- 1× 4208BL track clip
- 1× 5/16" × 1.5" bolt
- 1× 5/16" nut / split / serrated / flat
- verify: wall anchors (CMU) — qty TBD

Order totals — walk the shelf, fill On Hand & To Order

PART / SKU	CALC	NEED	ON HAND	TO ORDER
1. POINT-SPECIFIC STRUCTURAL				
Unistrut beam clamp	50×2	100		
Reversible beam clamp MFC-1213, 1/2" jaw	40×1	40		

PART / SKU	CALC	NEED	ON HAND	TO ORDER
Unistrut wall-mount bracket	20×1	20		
90° angle bracket	20×1	20		
Strut nut W2-8WSEG 1/2-13	50+20	70		
2. DROP HARDWARE — 1/2" (ROD AND BOLT AT EVERY POINT)				
1/2" threaded rod 6"—2'	110×1	110		
1/2"-13 × 1.5" hex bolt	110×1	110		
1/2"-13 hex nut	50×3 + 40×4 + 20×3	370		
1/2" split lock washer	50×1 + 40×2 + 20×1	150		
1/2" flat washer	50×1 + 40×2 + 20×1	150		
3. TRACK ADAPTER & CLIP				
THREADR TRAC0002, 1/2"	50+40 (not wall)	90		
4208BL track clip	110×1	110		
4. TRACK-TO-CLIP — 5/16" (SAME ON EVERY POINT)				
5/16"-18 × 1.5" hex bolt	110×1	110		
5/16"-18 hex nut	110×1	110		
5/16" split lock washer	110×1	110		
5/16" serrated washer	110×1	110		
5/16" flat washer	110×1	110		
5. TRACK, CARRIERS & ENDS (GEOMETRY-DRIVEN, NOT PER-POINT)				
1400 Rig-I-Flex track 16 ft stick	~317' / 16'	22		
1492BL 90° curve 24" R	2/side×2	4		
4201BL single carrier	12" OC, 6 panels	160		
4209BL end stop	2/track×2 +sp	8		
4224BL splice plate	28 +pad	32		
6. PARKED / VERIFY — NOT IN THIS COUNT'S TOTALS				
Strut channel 6' (W200EHPG10)	strut pts, parked	(50)		
Wall anchors CMU	20 pts × ?	TBD		
7. CRIBBING / FIELD-BUY (HOME DEPOT, NOT RB ORDER)				
2x12 Douglas Fir, 60" platform	6×2	12		

PART / SKU	CALC	NEED	ON HAND	TO ORDER
2x12 Douglas Fir ramp, 60"	3×2	6		
3/4" plywood deck, 60x33"	1×2	2		
2x4 Douglas Fir, 60" wheel stop	1×2	2		
3" structural screws lb	~2lb×2	4		
Wheel chocks	slope zone	4		