

AI Founder Influence OS

使用手册

Version 0.1.0+codex.20260623144544
2026-06-23

目录

AI Founder Influence OS · 使用手册	3
1. 简介	3
2. 安装	3
3. 快速开始	3
4. 常用 Makefile 命令	4
5. Pipeline 步骤	4
6. JSON Schema 校验	4
7. Session Manager	4
8. 测试	5
9. 目录结构	5
10. 进阶：开发插件	5

AI Founder Influence OS · 使用手册

1. 简介

AI Founder Influence OS 是一套面向 AI 创业者与个人 IP 构建者的内容生产与获客智能体。它把"素材理解 → 选题立项 → 角度生成 → 内容拆解 → 多平台成稿 → 配图 → 审核 → 发布 → 复盘 → 归档 → 数字孪生"整条流水线，用统一的轻量 runtime 管理起来。

本插件包含 19 个 skill：

- 工程底座：content-runtime
- 总控入口：content
- 流水线导演：content-runtime/scripts/content_pipeline.py
- 素材与决策：content-intake、content-validate、content-angle、content-breakdown
- 内容生产：wechat-writer、douyin-script、xhs-card
- 平台适配与视觉：content-repurpose、content-visual、wechat-publish-template
- 发布前检查：content-prelaunch、content-compliance、content-audit
- 数据与资产：content-review、self-archive、content-twin
- 商业诊断桥接：content-dbs-fusion

2. 安装

插件已注册到个人 marketplace：

bash

```
codex plugin add ai-founder-influence-os@personal
```

安装前建议备份或移走 ~/.agents/skills/ 下的旧版同名 skill，避免冲突。

3. 快速开始

bash

```
# content-runtime
cd $HOME/plugins/ai-founder-influence-os/skills/content-runtime

#
make init PROJECT=~/.ai-content-system

# intake my-material.md
make content-flow PROJECT=~/.ai-content-system INTAKE=my-material.md SLUG=demo
```

content-flow 会自动：

- 1 把 intake 素材写入 pipeline/intake/
- 2 更新 sessions/latest.json
- 3 找到当前未完成的步骤
- 4 生成 sessions/flow-task.md 任务卡

按照任务卡的指引调用对应 skill，生成产物后再次运行同一命令即可推进到下一步。

4. 常用 Makefile 命令

bash

```
make init PROJECT=~/.ai-content-system
make status PROJECT=~/.ai-content-system
make next PROJECT=~/.ai-content-system [SLUG=demo]
make content-flow PROJECT=... INTAKE=/path/to/intake.md [SLUG=demo]
make write PROJECT=... STEP=intake SLUG=demo FILE=output.md [SOURCE=...]
make read PROJECT=... STEP=intake
make brain PROJECT=... FILE=insights.md CONTENT=&quot;...&quot;
make validate-file PROJECT=... STEP=intake FILE=pipeline/intake/xxx.md
make session-boot PROJECT=... [FORCE=1]
make session-route PROJECT=... INPUT=&quot;      &quot;
make session-update PROJECT=... SECTION=knowledge_log CONTENT=&quot;...&quot;
make test
```

5. Pipeline 步骤

完整流水线共 16 个步骤：

```
intake → validate → angle → breakdown
      → write / douyin / xhs ( )
      → platform-adapt → visual
      → prelaunch / compliance ( ) → audit
      → publish → review → archive → twin
```

每个步骤的产物都通过 content-runtime write 写入 pipeline/{step}/，并更新 sessions/latest.json。

6. JSON Schema 校验

每个步骤都有对应的 schema 文件：

bash

```
$HOME/plugins/ai-founder-influence-os/skills/content-runtime/schemas/
├── common.json
├── intake.schema.json
├── validate.schema.json
├── angle.schema.json
├── breakdown.schema.json
├── write.schema.json
├── douyin.schema.json
├── xhs.schema.json
├── visual.schema.json
├── prelaunch.schema.json
├── compliance.schema.json
├── audit.schema.json
├── review.schema.json
├── archive.schema.json
└── twin.schema.json
```

make validate-file 或 python content_runtime.py validate 会优先加载 schema 校验 frontmatter 和 body 章节标题。

7. Session Manager

通用会话状态管理器负责 Context Boot、状态恢复和模块路由：

bash

```
python $HOME/plugins/ai-founder-influence-os/skills/content-runtime/scripts/session_manager.py \
--project ~/ai-content-system boot [--force]
```

```
python $HOME/plugins/ai-founder-influence-os/skills/content-runtime/scripts/session_manager.py \
--project ~/ai-content-system route " ";
```

状态保存在 ~/ai-content-system/sessions/session-state.json，包含定位、选题追踪、稿子追踪、待处理、知识库日志、校准日志、临时观察、会话摘要。

8. 测试

插件内置测试套件：

bash

```
cd $HOME/plugins/ai-founder-influence-os/skills/content-runtime
make test
```

测试覆盖：schema 校验 (valid/invalid)、write/read 往返、session route/boot。

9. 目录结构

```
~/ai-content-system
├── pipeline/      #
├── brain/         #
├── sessions/      # latest.json session-state.json
├── assets/        #
└── materials/     #
```

10. 进阶：开发插件

插件源码位于 ~/plugins/ai-founder-influence-os/。修改后运行：

bash

```
cd $HOME/.codex/skills/.system/plugin-creator
python3 scripts/update_plugin_cachebuster.py \
$HOME/plugins/ai-founder-influence-os
```

```
codex plugin add ai-founder-influence-os@personal
```

建议把插件目录纳入 Git 版本控制后再做团队分发。