



LAB Task_05

Part A

Activity 01:

```
SELECT Last_Name,Hire_Date
FROM emps
where Department_Id=(
    SELECT Department_Id
    FROM emps
    where Last_Name='Zlotkey'
)
AND Last_Name <> 'Zlotkey' ;
```





Activity 02:

SELECT Employee_Id,Last_Name,salary
FROM emps

WHERE salary >(SELECT avg(salary)
FROM emps
)
order BY salary asc;

localhost / 127.0.0.1 / company2 | localhost / 127.0.0.1 / company2 | Week_5_311L (1).pdf

localhost/phpmyadmin/index.php?route=/database/sql&db=company2

Server: 127.0.0.1 » Database: company2 » Table: emps

Run SQL query/queries on database company2:

```
1 SELECT Employee_Id, Last_Name, salary
2 FROM emps
3
4 WHERE salary > (SELECT avg(salary)
5 FROM emps
6 )
7 order BY salary asc;
```

Clear Format Get auto-saved query

☐ Bind parameters

Delimiter: Show this query here again Retain query box Rollback when finished Enable foreign key checks

Console

Air: Poor Saturday 12:14 PM 11/6/2025

localhost / 127.0.0.1 / company2 | localhost / 127.0.0.1 / company2 | Week_5_311L (1).pdf

localhost/phpmyadmin/index.php?route=/database/sql&db=company2

Server: 127.0.0.1 » Database: company2 » Table: emps

Show query box

Showing rows 0 - 7 (8 total, Query took 0.0003 seconds) [salary: 9000.00... - 24000.00...]

```
SELECT Employee_Id, Last_Name, salary FROM emps WHERE salary > (SELECT avg(salary) FROM emps ) order BY salary asc;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	Employee_Id	Last_Name	salary
☐	103	Hunold	9000.00
☐	149	Zlotkey	10500.00
☐	174	Abel	11000.00
☐	205	Higgins	12000.00
☐	201	Hartstein	13000.00
☐	101	Kochar	17000.00
☐	102	De Haan	17000.00
☐	100	King	24000.00

Check all With selected: Edit Copy Delete Export


Activate Windows Go to Settings to activate Windows.


Air: Poor Saturday 12:14 PM 11/6/2025

Activity 03:

```
SELECT Last_Name,salary  
FROM emps
```

```
WHERE Manager_Id=  
(SELECT Employee_Id  
FROM emps  
where Last_Name='King'  
)
```





Activity 04:

```

SELECT employee_id, last_name, salary
FROM emps
WHERE salary > (
    SELECT AVG(salary)
    FROM emps
)
AND department_id IN (
    SELECT DISTINCT department_id
    FROM emps
    WHERE last_name LIKE '%u%'
);

```

localhost / 127.0.0.1 / company2 x localhost / 127.0.0.1 / company2 x Week_5_311L (1).pdf x +

localhost/phpmyadmin/index.php?route=/table/sql&db=company2&table=emps

phpMyAdmin

Recent Favorites

New

- company
- company2
 - New
 - depts
 - emps
 - locs
- crud_demo
- information_schema
- mysql
- performance_schema
- phpmyadmin
- test
- testoct25
- today
- to_do_list
- week3

Server: 127.0.0.1 » Database: company2 » Table: emps

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Run SQL query/queries on table company2.emps:

```
1 SELECT employee_id, last_name, salary
2 FROM emps
3 WHERE salary > (
4   SELECT AVG(salary)
5   FROM emps
6 )
7 AND department_id IN (
8   SELECT DISTINCT department_id
9   FROM emps
10  WHERE last_name LIKE '%u%';
11 );
12
13
```

Employee_Id
First_Name
Last_Name
Email
Phone_Number
Hire_Date
Job_Id
Salary
Commission_pct
Manager_id
Department_id

SELECT * SELECT INSERT UPDATE DELETE Clear Format Get auto-saved query

☐ Bind parameters

Delimiter: Show this query here again Retain query box Rollback when finished Enable foreign key checks

Console

30°C Mostly sunny 12:49 PM 11/6/2025

localhost / 127.0.0.1 / company2 x localhost / 127.0.0.1 / company2 x Week_5_311L (1).pdf x +

localhost/phpmyadmin/index.php?route=/table/sql&db=company2&table=emps

phpMyAdmin

Recent Favorites

New

- company
- company2
 - New
 - depts
 - emps
 - locs
- crud_demo
- information_schema
- mysql
- performance_schema
- phpmyadmin
- test
- testoct25
- today
- to_do_list
- week3

Server: 127.0.0.1 » Database: company2 » Table: emps

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Show query box

Showing rows 0 - 0 (1 total, Query took 0.0004 seconds.)

```
SELECT employee_id, last_name, salary FROM emps WHERE salary > ( SELECT AVG(salary) FROM emps ) AND department_id IN ( SELECT DISTINCT department_id FROM emps WHERE last_name LIKE '%u%' );
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all Number of rows: 25 Filter rows: Search this table

Extra options

	employee_id	last_name	salary
☐ Edit ☐ Copy ☐ Delete	103	Hunold	9000.00

☐ Check all With selected: ☐ Edit ☐ Copy ☐ Delete ☐ Export

☐ Show all Number of rows: 25 Filter rows: Search this table

Query results operations

Print Copy to clipboard Export Display chart Create view

Activate Windows
Go to Settings to activate Windows.

Console


30°C Mostly sunny 12:51 PM 11/6/2025


Part_C

Activity 05:

A)

ALTER TABLE emp
MODIFY last_name VARCHAR2(50);





B)

```
CREATE TABLE employees2 AS
SELECT employee_id AS id,
       first_name,
       last_name,
       salary,
       department_id AS dept_id
FROM emps;
```


localhost / 127.0.0.1 / company2 x localhost / 127.0.0.1 / company2 x Week_5_311L (1).pdf x +

localhost/phpmyadmin/index.php?route=/table/sql&db=company2&table=emp

Server: 127.0.0.1 » Database: company2 » Table: emp

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Run SQL query/queries on table company2.emp:

```
1 CREATE TABLE employees2 AS
2 SELECT employee_id AS id,
3        first_name,
4        last_name,
5        salary,
6        department_id AS dept_id
7 FROM emps;
8
```

SELECT * SELECT INSERT UPDATE DELETE Clear Format Get auto-saved query

☐ Bind parameters

Delimiter: Show this query here again Retain query box Rollback when finished ☒ Enable foreign key checks

Console Query box

31°C Mostly sunny 1:46 PM 11/6/2025

localhost / 127.0.0.1 / company2 x localhost / 127.0.0.1 / company2 x Week_5_311L (1).pdf x +

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=company2&table=employees2

Server: 127.0.0.1 » Database: company2 » Table: employees2

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Extra options

id	first_name	last_name	salary	dept_id
100	Steven	King	24000.00	90
101	Neena	Kochar	17000.00	90
102	Lex	De Haan	17000.00	90
103	Alexander	Hunold	9000.00	60
104	Bruce	Ernst	6000.00	60
107	Diana	Lorentz	4200.00	60
124	Kevin	Mourgos	5800.00	50
141	Treena	Rajs	3500.00	50
142	Curtis	Davies	3100.00	50
143	Randall	Matos	2600.00	50
144	Peter	Vargas	2500.00	50
149	Eleni	Zlotkey	10500.00	80
174	Ellen	Abel	11000.00	80
176	Jnathon	Taylor	8600.00	80
178	Kimberely	Grant	7000.00	NULL
200	Jennifer	Whalem	4400.00	10
201	Michael	Hartstein	13000.00	20
202	Pat	Fay	6000.00	20
205	Shelley	Higgins	12000.00	110
206	William	Gietz	8300.00	110

Console w all Number of rows: 25 Filter rows: Search this table

Activate Windows Go to Settings to activate Windows.

31°C Mostly sunny 1:46 PM 11/6/2025



DROP TABLE emp;

localhost / 127.0.0.1 / company2

localhost / 127.0.0.1 / company2

Week_5_311L (1).pdf

localhost/phpmyadmin/index.php?route=/table/sql&db=company2&table=employees2

Server: 127.0.0.1 » Database: company2 » Table: employees2

Run SQL query/queries on table company2.employees2:

```
1 DROP TABLE emp;
```

id
first_name
last_name
salary
dept_id

SELECT * SELECT INSERT UPDATE DELETE Clear Format Get auto-saved query

☐ Bind parameters

Delimiter : ☒ Show this query here again ☐ Retain query box ☐ Rollback when finished ☒ Enable foreign key checks: W Go pWS

Go to Settings to activate Windows.

Console

31°C Mostly sunny

1:51 PM 11/6/2025

localhost / 127.0.0.1 / company2

localhost / 127.0.0.1 / company2

Week_5_311L (1).pdf

localhost/phpmyadmin/index.php?route=/table/sql&db=company2&table=employees2

Server: 127.0.0.1 » Database: company2 » Table: employees2

Run SQL query/queries on table company2.employees2:

```
1  
2
```

id
first_name
last_name
salary
dept_id

SELECT * SELECT INSERT UPDATE DELETE Clear Format Get auto-saved query

☐ Bind parameters

Delimiter : ☒ Show this query here again ☐ Retain query box ☐ Rollback when finished ☒ Enable foreign key checks: W Go pWS

Go to Settings to activate Windows.

Console

31°C Mostly sunny

1:53 PM 11/6/2025

D)

RENAME table employees2 TO emp;

The screenshot shows the phpMyAdmin interface with the SQL query editor open for the table 'employees2' in the 'company2' database. The query entered is 'RENAME table employees2 TO emp;'. The table structure is visible on the right, showing columns: id, first_name, last_name, salary, and dept_id. The interface includes a sidebar with a database tree, a top navigation bar, and a bottom status bar.

Run SQL query/queries on table company2.employees2:

```
1 RENAME table employees2 TO emp;
```

id
first_name
last_name
salary
dept_id

SELECT * SELECT INSERT UPDATE DELETE Clear Format Get auto-saved query

☐ Bind parameters

Delimiter: Show this query here again Retain query box Rollback when finished Enable foreign key checks

Console

The screenshot shows the phpMyAdmin interface with the table structure and data view for the table 'emp' in the 'company2' database. The table structure is visible on the left, showing columns: id, first_name, last_name, salary, and dept_id. The table data is displayed in a table format.

Extra options

id	first_name	last_name	salary	dept_id
100	Steven	King	24000.00	90
101	Neena	Kochar	17000.00	90
102	Lex	De Haan	17000.00	90
103	Alexander	Hunold	9000.00	60
104	Bruce	Ernst	6000.00	60
107	Diana	Lorentz	4200.00	60
124	Kevin	Mourgos	5800.00	50
141	Treena	Rajs	3500.00	50
142	Curtis	Davies	3100.00	50
143	Randall	Matos	2600.00	50
144	Peter	Vargas	2500.00	50
149	Eleni	Zlotkey	10500.00	80
174	Ellen	Abel	11000.00	80
176	Jnathon	Taylor	8600.00	80
178	Kimberely	Grant	7000.00	NULL
200	Jennifer	Whaleam	4400.00	10
201	Michael	Hartstein	13000.00	20
202	Pat	Fay	6000.00	20
205	Shelley	Higgins	12000.00	110
206	William	Gietz	8300.00	110

Console w all Number of rows: 25 Filter rows: Search this table

Activate Windows
Go to Settings to activate Windows.

E)

ALTER TABLE emp
DROP COLUMN first_name;

The screenshot shows the phpMyAdmin interface for the 'company2' database. The 'Table: emp' is selected. The SQL editor contains the following query:

```
1 ALTER TABLE emp
2 DROP COLUMN first_name;
3
4
```

The table structure on the right shows columns: id, first_name, last_name, salary, and dept_id. The 'Run SQL query/queries on table company2.emp:' button is visible. The 'Show this query here again' checkbox is checked.

The screenshot shows the phpMyAdmin interface for the 'company2' database. The 'Table: emp' is selected. The 'SELECT * FROM emp' query is executed, and the results are displayed in a table. The table structure on the right shows columns: id, last_name, salary, and dept_id. The 'Show this query here again' checkbox is checked.

id	last_name	salary	dept_id
100	King	24000.00	90
101	Kocher	17000.00	90
102	De Haan	17000.00	90
103	Hunold	9000.00	60
104	Ernst	6000.00	60
107	Lorentz	4200.00	60
124	Mourgos	5800.00	50
141	Rajs	3500.00	50
142	Davies	3100.00	50
143	Matos	2600.00	50
144	Vargas	2500.00	50
149	Zlotkey	10500.00	80
174	Abel	11000.00	80
176	Taylor	8600.00	80
178	Grant	7000.00	NULL
200	Whalem	4400.00	10
201	Hartstein	13000.00	20