Solar Energy Materials and Solar Cells

Oxidation-Budgeted Design of Lead-Free RbGeI3 Solar Cells: Back-Surface-Field Enhancement, Realistic Loss Budgeting and SHAP Sensitivity From SCAPS-1D Optimization to Manufacturing Tolerances, Benchmarked Against CsGeI3

--Manuscript Draft--

Manuscript Number:	SOLMAT-D-26-02796
Article Type:	Full Length Article
Keywords:	lead-free perovskite; RbGeI3; SCAPS-1D; back surface field; oxidation budget; SHAP sensitivity analysis
Corresponding Author:	Hussain Touhid Siddiquee, B. Sc in EEE Leading University Department of Electrical and Electronics Engineering Sylhet, Sylhet BANGLADESH
First Author:	Hussain Touhid Siddiquee
Order of Authors:	Hussain Touhid Siddiquee
	Md. Abdul Malek Fahim
Abstract:	The rapid rise of lead-halide perovskite solar cells has been tempered by lead toxicity, motivating a search for lead-free absorbers with comparable optoelectronics. Rubidium germanium iodide (RbGeI3) offers a direct, tunable bandgap, strong absorption, and improved environmental compatibility. Here we report a SCAPS-1D optimization of an RbGeI3 cell organized around its central liability, Ge2+ oxidation. After screening eight ETL–HTL combinations, the FTO/TiO2/RbGeI3/CuI/Au architecture was carried forward on stability and cost grounds (a D2/NiO cross-check through the same pipeline reaches 28.16%, so this stack is not the efficiency optimum). Eleven parameters were varied sequentially on one frozen deck; the consolidated device reaches 27.06% PCE. A Cu2O-like back-surface field raises the ideal point to 28.01% and recovers about one point on the identical full-realism stack (20.78% → 21.76%). Mapping VGe vacancy thermodynamics onto the defect ladder converts air exposure into a fab spec (Ef ≥ 0.46 eV holds the headline at 300 K equilibrium, 0.57–0.65 eV for anneal freeze-in; ambient falls below 20.76%), with a 15.53% current-state rung marking what first fabrication must beat. The solver pipeline is calibration-checked against experimental β-CsPbI3 [55], and SHAP analysis recovers bulk defects, bandgap and electron mobility as the dominant levers.
Opposed Reviewers:	

Powered by Editorial Manager® and ProduXion Manager® from Aries Systems Corporation

Cover letter — submission to Solar Energy Materials and Solar Cells

Dear Editor,

We submit our revised manuscript "Oxidation-Budgeted Design of Lead-Free RbGeI3 Solar Cells: Back-Surface-Field Enhancement, Realistic Loss Budgeting
and SHAP Sensitivity From SCAPS-1D Optimization to Manufacturing Tolerances,
Benchmarked Against CsGeI3" for reconsideration as a Regular Paper in Solar Energy.

Using SCAPS-1D on one frozen deck, we optimize a lead-free FTO/TiO2/RbGeI3/CuI/Au cell to 27.06% PCE (SQ-checked) and go beyond standard parameter sweeps: a Cu2O-like p+ back-surface field raising the ideal point to 28.01% (+0.98 pp on the identical full-realism stack, 20.78% to 21.76%, via rear-interface gap widening isolated by controlled trap attribution with a p+ control), a D2/NiO cross-check through the same
pipeline (28.16%, so the reported stack trades efficiency for stability), a single stacked loss waterfall bounding the experimentally plausible window
(optics, bulk/interface defects, radiative/Auger bounds, parasitics), defect-energy/capture-asymmetry mapping of Ge-related degradation, background-doping and mobility viability windows recomputed on the stacked point, series/shunt manufacturing tolerances, temperature diagnostics with a disclosed Ea extrapolation artifact (1.48 eV), a lifetime baseline (1000 ns, 8.6 um) for experimental comparison, a held-out XGBoost/SHAP sensitivity analysis recovering bulk defects, bandgap and electron mobility as the top levers, and a same-stack CsGeI3 gap control (fixed-chi protocol, not A-site proof). The work gives experimentalists quantitative targets (BSF NA ~1e19 cm-3, bulk Nt <= 1e15 cm-3, mobility >= 15 cm2/Vs, Rs <= 4 ohm.cm2) rather than an idealized efficiency number.

Crucially, this revision answers the experimental-grounding concern head-on.
No RbGeI3 device has been fabricated to date, so we calibration-check the solver pipeline itself: our SCAPS-1D rebuild of the experimental beta-CsPbI3
devices of Wang et al. (Science 2019) reproduces both the control (15.18 vs 15.10%) and the CHI-passivated champion (18.49 vs 18.40%) within 2% by tuning defect densities (plus one resistive correction), presented as calibration rather than validation. We further place our realistic window against a frozen pre-2021 snapshot of 41,316 reported devices from the Perovskite Database Project (NOMAD) purely as era-bounded
context, with no superiority claim over the present state of the art.
Finally, we convert the central liability of this absorber --- Ge2+ oxidation --- into a quantitative fab spec: mapping V_Ge vacancy thermodynamics onto our defect ladder shows E^f >= 0.46 eV (300 K equilibrium; 0.57-0.65 eV for anneal freeze-in) holds 27.06% while ambient

processing falls below 20.76%, with passivation chemistries (PCCMAI, Lewis
bases) acting as Nt reduction in waterfall language.

The work is original, not under consideration elsewhere, and all authors approve submission. A prior version was rejected; this revision rebuilds the contribution around the oxidation budget, BSF variant with measured desensitization mechanism, single stacked loss budget, lifetime baseline, held-out ML surrogate, and experimental anchoring. We suggest reviewers with expertise in lead-free perovskite simulation and SCAPS-1D device modelling.

Yours sincerely,
Hussain Touhid Siddiquee (second and corresponding author)
touhidsiddiqueeraj@gmail.com
on behalf of Md. Abdul Malek Fahim (first author;
mdabdulmalekfahim@gmail.com)
Department of Electrical and Electronic Engineering,
Leading University, Sylhet, Bangladesh

Manuscript word count: ~4,060 words excluding references (body prose ~2,880; tables/figure captions ~1,180), within the 4,000–6,000-word guide for Regular Papers. Detailed one-at-a-time sweeps, illumination/dark characteristics, screening/setup tables, validation provenance, oxidation-budget derivation and a reproducibility appendix are provided as supplementary material (cited in text).

Highlights (Solar Energy submission — RbGeI3/TiO2/CuI SCAPS-1D study)

- Cu2O BSF lifts RbGeI3 stack 27.06% to 28.01%; +0.98 pp at full realism.
- Stacked loss window 20.78% (21.76% with BSF); D2 cross-check 28.16%.
- Oxidation budget: E^f>=0.46 eV holds 27.06%; ambient below 20.76%.
- SHAP ranks bulk defects, gap, electron mobility; R2 0.907 held out.
- SCAPS pipeline calibration-checked on CsPbI3 within 2% on both devices.

Ethics declaration

The author(s) declare(s) that the study does not involve humans nor animal subjects.

Click here to view linked References

```
This is pdfTeX, Version 3.141592653-2.6-1.40.26 (TeX Live 2024)
(preloaded format=pdflatex 2024.8.2)  12 OCT 2026 01:16
entering extended mode
 restricted \write18 enabled.
 %&-line parsing enabled.
**manuscript_blindreview.tex
(./manuscript_blindreview.tex
LaTeX2e <2024-06-01> patch level 2
L3 programming layer <2024-05-27>
(c:/texlive/2024/texmf-dist/tex/latex/elsarticle/elsarticle.cls
Document Class: elsarticle 2024/04/04, 3.4: Elsevier Ltd
(c:/texlive/2024/texmf-dist/tex/latex/base/fontenc.sty
Package: fontenc 2021/04/29 v2.0v Standard LaTeX package
) (c:/texlive/2024/texmf-dist/tex/latex/l3kernel/expl3.sty
Package: expl3 2024-05-27 L3 programming layer (loader)
(c:/texlive/2024/texmf-dist/tex/latex/l3backend/l3backend-pdftex.def
File: l3backend-pdftex.def 2024-05-08 L3 backend support: PDF output
(pdfTeX)
\l__color_backend_stack_int=\count194
\l__pdf_internal_box=\box52
)) (c:/texlive/2024/texmf-dist/tex/latex/l3packages/xparse/xparse.sty
Package: xparse 2024-05-08 L3 Experimental document command parser
) (c:/texlive/2024/texmf-dist/tex/latex/etoolbox/etoolbox.sty
Package: etoolbox 2020/10/05 v2.5k e-TeX tools for LaTeX (JAW)
\etb@tempcnta=\count195
)
\@bls=\dimen141
(c:/texlive/2024/texmf-dist/tex/latex/base/article.cls
Document Class: article 2024/02/08 v1.4n Standard LaTeX document class
(c:/texlive/2024/texmf-dist/tex/latex/base/size10.clo
File: size10.clo 2024/02/08 v1.4n Standard LaTeX file (size option)
)
\c@part=\count196
\c@section=\count197
\c@subsection=\count198
\c@subsubsection=\count199
\c@paragraph=\count266
\c@subparagraph=\count267
\c@figure=\count268
\c@table=\count269
\abovecaptionskip=\skip49
\belowcaptionskip=\skip50
\bibindent=\dimen142
) (c:/texlive/2024/texmf-dist/tex/latex/graphics/graphicx.sty
Package: graphicx 2021/09/16 v1.2d Enhanced LaTeX Graphics (DPC,SPQR)
(c:/texlive/2024/texmf-dist/tex/latex/graphics/keyval.sty
Package: keyval 2022/05/29 v1.15 key=value parser (DPC)
\KV@toks@=\toks17
) (c:/texlive/2024/texmf-dist/tex/latex/graphics/graphics.sty
Package: graphics 2024/05/23 v1.4g Standard LaTeX Graphics (DPC,SPQR)
(c:/texlive/2024/texmf-dist/tex/latex/graphics/trig.sty
Package: trig 2023/12/02 v1.11 sin cos tan (DPC)
) (c:/texlive/2024/texmf-dist/tex/latex/graphics-cfg/graphics.cfg
File: graphics.cfg 2016/06/04 v1.11 sample graphics configuration
```

```
)
Package graphics Info: Driver file: pdftex.def on input line 106.
(c:/texlive/2024/texmf-dist/tex/latex/graphics-def/pdftex.def
File: pdftex.def 2024/04/13 v1.2c Graphics/color driver for pdftex
))
\Gin@req@height=\dimen143
\Gin@req@width=\dimen144
)
\c@tnote=\count270
\c@fnote=\count271
\c@cnote=\count272
\c@ead=\count273
\c@author=\count274
\@eadauthor=\toks18
\c@affn=\count275
\absbox=\box53
\elsarticlehighlightsbox=\box54
\elsarticlegrabsbox=\box55
\keybox=\box56
\Columnwidth=\dimen145
\space@left=\dimen146
\els@boxa=\box57
\els@boxb=\box58
\leftMargin=\dimen147
\@enLab=\toks19
\@sep=\skip51
\@@sep=\skip52
(./manuscript_blindreview.spl) (c:/texlive/2024/texmf-
dist/tex/latex/natbib/nat
bib.sty
Package: natbib 2010/09/13 8.31b (PWD, AO)
\bibhang=\skip53
\bibsep=\skip54
LaTeX Info: Redefining \cite on input line 694.
\c@NAT@ctr=\count276
)
\splwrite=\write3
\openout3 = `manuscript_blindreview.spl'.

\appnamewidth=\dimen148
) (c:/texlive/2024/texmf-dist/tex/latex/base/inputenc.sty
Package: inputenc 2024/02/08 v1.3d Input encoding file
\inpenc@prehook=\toks20
\inpenc@posthook=\toks21
) (c:/texlive/2024/texmf-dist/tex/latex/base/fontenc.sty
Package: fontenc 2021/04/29 v2.0v Standard LaTeX package
) (c:/texlive/2024/texmf-dist/tex/latex/amsmath/amsmath.sty
Package: amsmath 2024/05/23 v2.17q AMS math features
\@mathmargin=\skip55
For additional information on amsmath, use the `?' option.
(c:/texlive/2024/texmf-dist/tex/latex/amsmath/amstext.sty
Package: amstext 2021/08/26 v2.01 AMS text
(c:/texlive/2024/texmf-dist/tex/latex/amsmath/amsgen.sty
File: amsgen.sty 1999/11/30 v2.0 generic functions
```

```
\@emptytoks=\toks22
\ex@=\dimen149
)) (c:/texlive/2024/texmf-dist/tex/latex/amsmath/amsbsy.sty
Package: amsbsy 1999/11/29 v1.2d Bold Symbols
\pmbraise@=\dimen150
) (c:/texlive/2024/texmf-dist/tex/latex/amsmath/amsopn.sty
Package: amsopn 2022/04/08 v2.04 operator names
)
\inf@bad=\count277
LaTeX Info: Redefining \frac on input line 233.
\uproot@=\count278
\leftroot@=\count279
LaTeX Info: Redefining \overline on input line 398.
LaTeX Info: Redefining \colon on input line 409.
\classnum@=\count280
\DOTSCASE@=\count281
LaTeX Info: Redefining \ldots on input line 495.
LaTeX Info: Redefining \dots on input line 498.
LaTeX Info: Redefining \cdots on input line 619.
\Mathstrutbox@=\box59
\strutbox@=\box60
LaTeX Info: Redefining \big on input line 721.
LaTeX Info: Redefining \Big on input line 722.
LaTeX Info: Redefining \bigg on input line 723.
LaTeX Info: Redefining \Bigg on input line 724.
\big@size=\dimen151
LaTeX Font Info:    Redeclaring font encoding OML on input line 742.
LaTeX Font Info:    Redeclaring font encoding OMS on input line 743.
\macc@depth=\count282
LaTeX Info: Redefining \bmod on input line 904.
LaTeX Info: Redefining \pmod on input line 909.
LaTeX Info: Redefining \smash on input line 939.
LaTeX Info: Redefining \relbar on input line 969.
LaTeX Info: Redefining \Relbar on input line 970.
\c@MaxMatrixCols=\count283
\dotsspace@=\muskip17
\c@parentequation=\count284
\dspbrk@lvl=\count285
\tag@help=\toks23
\row@=\count286
\column@=\count287
\maxfields@=\count288
\andhelp@=\toks24
\eqnshift@=\dimen152
\alignsep@=\dimen153
\tagshift@=\dimen154
\tagwidth@=\dimen155
\totwidth@=\dimen156
\lineht@=\dimen157
\@envbody=\toks25
\multlinegap=\skip56
\multlinetaggap=\skip57
\mathdisplay@stack=\toks26
LaTeX Info: Redefining \[ on input line 2953.
```

```
LaTeX Info: Redefining \] on input line 2954.
) (c:/texlive/2024/texmf-dist/tex/latex/amsfonts/amssymb.sty
Package: amssymb 2013/01/14 v3.01 AMS font symbols
(c:/texlive/2024/texmf-dist/tex/latex/amsfonts/amsfonts.sty
Package: amsfonts 2013/01/14 v3.01 Basic AMSFonts support
\symAMSa=\mathgroup4
\symAMSb=\mathgroup5
LaTeX Font Info:    Redeclaring math symbol \hbar on input line 98.
LaTeX Font Info:    Overwriting math alphabet `\mathfrak' in version
`bold'
(Font)                  U/euf/m/n --> U/euf/b/n on input line 106.
)) (c:/texlive/2024/texmf-dist/tex/latex/tools/tabularx.sty
Package: tabularx 2023/12/11 v2.12a `tabularx' package (DPC)
(c:/texlive/2024/texmf-dist/tex/latex/tools/array.sty
Package: array 2024/06/14 v2.6d Tabular extension package (FMi)
\col@sep=\dimen158
\ar@mcellbox=\box61
\extrarowheight=\dimen159
\NC@list=\toks27
\extratabsurround=\skip58
\backup@length=\skip59
\ar@cellbox=\box62
)
\TX@col@width=\dimen160
\TX@old@table=\dimen161
\TX@old@col=\dimen162
\TX@target=\dimen163
\TX@delta=\dimen164
\TX@cols=\count289
\TX@ftn=\toks28
) (c:/texlive/2024/texmf-dist/tex/latex/booktabs/booktabs.sty
Package: booktabs 2020/01/12 v1.61803398 Publication quality tables
\heavyrulewidth=\dimen165
\lightrulewidth=\dimen166
\cmidrulewidth=\dimen167
\belowrulesep=\dimen168
\belowbottomsep=\dimen169
\aboverulesep=\dimen170
\abovetopsep=\dimen171
\cmidrulesep=\dimen172
\cmidrulekern=\dimen173
\defaultaddspace=\dimen174
\@cmidla=\count290
\@cmidlb=\count291
\@aboverulesep=\dimen175
\@belowrulesep=\dimen176
\@thisruleclass=\count292
\@lastruleclass=\count293
\@thisrulewidth=\dimen177
) (c:/texlive/2024/texmf-dist/tex/latex/url/url.sty
\Urlmuskip=\muskip18
Package: url 2013/09/16  ver 3.4  Verb mode for urls, etc.
) (c:/texlive/2024/texmf-dist/tex/latex/base/textcomp.sty
Package: textcomp 2024/04/24 v2.1b Standard LaTeX package
```

```
) (c:/texlive/2024/texmf-dist/tex/latex/lineno/lineno.sty
Package: lineno 2023/05/20 line numbers on paragraphs v5.3
(c:/texlive/2024/texmf-dist/tex/latex/kvoptions/kvoptions.sty
Package: kvoptions 2022-06-15 v3.15 Key value format for package options
(HO)
(c:/texlive/2024/texmf-dist/tex/generic/ltxcmds/ltxcmds.sty
Package: ltxcmds 2023-12-04 v1.26 LaTeX kernel commands for general use
(HO)
) (c:/texlive/2024/texmf-dist/tex/latex/kvsetkeys/kvsetkeys.sty
Package: kvsetkeys 2022-10-05 v1.19 Key value parser (HO)
))
\linenopenalty=\count294
\output=\toks29
\linenoprevgraf=\count295
\linenumbersep=\dimen178
\linenumberwidth=\dimen179
\c@linenumber=\count296
\c@pagewiselinenumber=\count297
\c@LN@truepage=\count298
\c@internallinenumber=\count299
\c@internallinenumbers=\count300
\quotelinenumbersep=\dimen180
\bframerule=\dimen181
\bframesep=\dimen182
\bframebox=\box63
\linenoamsmath@ams@eqpen=\count301
LaTeX Info: Redefining \\ on input line 3180.
) (./manuscript_blindreview.aux)
\openout1 = `manuscript_blindreview.aux'.

LaTeX Font Info:    Checking defaults for OML/cmm/m/it on input line 18.
LaTeX Font Info:    ... okay on input line 18.
LaTeX Font Info:    Checking defaults for OMS/cmsy/m/n on input line 18.
LaTeX Font Info:    ... okay on input line 18.
LaTeX Font Info:    Checking defaults for OT1/cmr/m/n on input line 18.
LaTeX Font Info:    ... okay on input line 18.
LaTeX Font Info:    Checking defaults for T1/cmr/m/n on input line 18.
LaTeX Font Info:    ... okay on input line 18.
LaTeX Font Info:    Checking defaults for TS1/cmr/m/n on input line 18.
LaTeX Font Info:    ... okay on input line 18.
LaTeX Font Info:    Checking defaults for OMX/cmex/m/n on input line 18.
LaTeX Font Info:    ... okay on input line 18.
LaTeX Font Info:    Checking defaults for U/cmr/m/n on input line 18.
LaTeX Font Info:    ... okay on input line 18.
(c:/texlive/2024/texmf-dist/tex/context/base/mkii/supp-pdf.mkii
[Loading MPS to PDF converter (version 2006.09.02).]
\scratchcounter=\count302
\scratchdimen=\dimen183
\scratchbox=\box64
\nofMPsegments=\count303
\nofMParguments=\count304
\everyMPshowfont=\toks30
\MPscratchCnt=\count305
\MPscratchDim=\dimen184
```

```
\MPnumerator=\count306
\makeMPintoPDFobject=\count307
\everyMPtoPDFconversion=\toks31
) (c:/texlive/2024/texmf-dist/tex/latex/epstopdf-pkg/epstopdf-base.sty
Package: epstopdf-base 2020-01-24 v2.11 Base part for package epstopdf
Package epstopdf-base Info: Redefining graphics rule for `.eps' on input
line 4
85.
(c:/texlive/2024/texmf-dist/tex/latex/latexconfig/epstopdf-sys.cfg
File: epstopdf-sys.cfg 2010/07/13 v1.3 Configuration of (r)epstopdf for
TeX Liv
e
))
LaTeX Font Info:    Trying to load font information for U+msa on input
line 23.

(c:/texlive/2024/texmf-dist/tex/latex/amsfonts/umsa.fd
File: umsa.fd 2013/01/14 v3.01 AMS symbols A
)
LaTeX Font Info:    Trying to load font information for U+msb on input
line 23.

(c:/texlive/2024/texmf-dist/tex/latex/amsfonts/umsb.fd
File: umsb.fd 2013/01/14 v3.01 AMS symbols B
)

[1


{c:/texlive/2024/texmf-
var/fonts/map/pdftex/updmap/pdftex.map}{c:/texlive/2024/
texmf-dist/fonts/enc/dvips/cm-super/cm-super-t1.enc}]

[2]
Overfull \hbox (1.24078pt too wide) in paragraph at lines 54--55
[]\T1/cmr/m/n/10 We use a con-ven-tional n-i-p pla-nar het-ero-junc-tion,
FTO/T
iO$[]$/RbGeI$[]$/CuI/
 []



[3]

LaTeX Warning: File `figs/fig2.png' not found on input line 58.


! Package pdftex.def Error: File `figs/fig2.png' not found: using draft
setting
.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...
```

```
l.58 ...phics[width=0.85\linewidth]{figs/fig2.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.

LaTeX Font Info:    Trying to load font information for T1+cmtt on input
line 5
8.
(c:/texlive/2024/texmf-dist/tex/latex/base/t1cmtt.fd
File: t1cmtt.fd 2023/04/13 v2.5m Standard LaTeX font definitions
)

[4]

[5]

[6]
Underfull \hbox (badness 3849) in paragraph at lines 127--127
[]|\T1/cmr/m/n/9 FTO / PCBM / RbGeI$[]$ / Spiro-
 []


Underfull \hbox (badness 10000) in paragraph at lines 154--154
[]|\T1/cmr/m/n/8 FTO/PCBM/
 []


Underfull \hbox (badness 10000) in paragraph at lines 154--154
[]|\T1/cmr/m/n/8 FTO/
 []


Underfull \hbox (badness 10000) in paragraph at lines 154--154
\T1/cmr/m/n/8 TiO$[]$/RbGeI$[]$/NiO/
 []


Underfull \hbox (badness 10000) in paragraph at lines 154--154
[]|\T1/cmr/m/n/8 FTO/PCBM/
 []


Underfull \hbox (badness 10000) in paragraph at lines 154--154
[]|\T1/cmr/m/n/8 FTO/
 []


Underfull \hbox (badness 10000) in paragraph at lines 154--154
\T1/cmr/m/n/8 TiO$[]$/RbGeI$[]$/CuI/
 []


Underfull \hbox (badness 10000) in paragraph at lines 154--154
```

[]|\T1/cmr/m/n/8 FTO/PCBM/
 []

Underfull \hbox (badness 10000) in paragraph at lines 154--154
\T1/cmr/m/n/8 RbGeI$[]$/CBTS/
 []

Underfull \hbox (badness 10000) in paragraph at lines 154--154
[]|\T1/cmr/m/n/8 FTO/
 []

Overfull \hbox (4.99373pt too wide) in paragraph at lines 154--154
\T1/cmr/m/n/8 TiO$[]$/RbGeI$[]$/CBTS/
 []

Underfull \hbox (badness 10000) in paragraph at lines 154--154
[]|\T1/cmr/m/n/8 FTO/PCBM/
 []

Underfull \hbox (badness 10000) in paragraph at lines 154--154
[]|\T1/cmr/m/n/8 FTO/
 []

Overfull \hbox (12.43219pt too wide) in paragraph at lines 154--154
\T1/cmr/m/n/8 TiO$[]$/RbGeI$[]$/Spiro/Au|
 []

[7]
Overfull \hbox (57.36597pt too wide) in paragraph at lines 161--171
[]\T1/cmr/m/n/10 Eleven pa-ram-e-ters were op-ti-mized one at a time on
the scr
eened FTO/TiO$[]$/RbGeI$[]$/CuI/
 []

[8]

[9]

[10]

LaTeX Warning: File `figs/fig4.png' not found on input line 199.

```
! Package pdftex.def Error: File `figs/fig4.png' not found: using draft
setting
.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.199 ...hics[width=0.85\linewidth]{figs/fig4.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig15.png' not found on input line 208.


! Package pdftex.def Error: File `figs/fig15.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.208 ...ics[width=0.85\linewidth]{figs/fig15.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig16.png' not found on input line 217.


! Package pdftex.def Error: File `figs/fig16.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.217 ...ics[width=0.85\linewidth]{figs/fig16.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.



[11]

[12]

[13]
```

```
[14]

LaTeX Warning: File `figs/fig17.png' not found on input line 272.


! Package pdftex.def Error: File `figs/fig17.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.272 ...ics[width=0.85\linewidth]{figs/fig17.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.



[15]

[16]

[17]

LaTeX Warning: File `figs/fig20.png' not found on input line 282.


! Package pdftex.def Error: File `figs/fig20.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.282 ...ics[width=0.85\linewidth]{figs/fig20.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig21.png' not found on input line 289.


! Package pdftex.def Error: File `figs/fig21.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...
```

```
l.289 ...ics[width=0.85\linewidth]{figs/fig21.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig22.png' not found on input line 295.


! Package pdftex.def Error: File `figs/fig22.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.295 ...ics[width=0.85\linewidth]{figs/fig22.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig23.png' not found on input line 301.


! Package pdftex.def Error: File `figs/fig23.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.301 ...ics[width=0.85\linewidth]{figs/fig23.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.



[18]

[19]

[20]

[21]
Underfull \hbox (badness 10000) in paragraph at lines 334--334
[]|\T1/cmr/m/n/7 FTO/
 []
```

```
Underfull \hbox (badness 10000) in paragraph at lines 334--334
\T1/cmr/m/n/7 TiO$[]$/RbGeI$[]$/NiO/
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
[]|\T1/cmr/m/n/7 FTO/TiO$[]$/CsGeI$[]$/CuI/
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
[]|\T1/cmr/m/n/7 ITO/
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
\T1/cmr/m/n/7 C$[]$/RbGeI$[]$/CBTS/
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
[]|\T1/cmr/m/n/7 FTO/
 []


Overfull \hbox (12.0532pt too wide) in paragraph at lines 334--334
\T1/cmr/m/n/7 TiO$[]$/RbGeI$[]$/PEDOT:PSS/
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
[]|\T1/cmr/m/n/7 FTO/
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
\T1/cmr/m/n/7 TiO$[]$/MASnI$[]$/CBTS/
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
[]|\T1/cmr/m/n/7 FTO/
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
[]|\T1/cmr/m/n/7 FTO/
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
[]|\T1/cmr/m/n/7 FTO/
 []
```

```
Underfull \hbox (badness 10000) in paragraph at lines 334--334
\T1/cmr/m/n/7 TiO$[]$/RbGeI$[]$/Spiro-
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
[]|\T1/cmr/m/n/7 FTO/
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
\T1/cmr/m/n/7 TiO$[]$/RbGeI$[]$/CuI/
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
[]|\T1/cmr/m/n/7 FTO/
 []


Underfull \hbox (badness 10000) in paragraph at lines 334--334
\T1/cmr/m/n/7 TiO$[]$/RbGeI$[]$/Cu$[]$O-
 []


Underfull \hbox (badness 10000) in paragraph at lines 353--353
[]|\T1/cmr/m/n/8 High ox-i-da-tion
 []


Underfull \hbox (badness 10000) in paragraph at lines 353--353
[]|\T1/cmr/m/n/8 High ox-i-da-tion
 []


LaTeX Warning: File `figs/fig24.png' not found on input line 360.


! Package pdftex.def Error: File `figs/fig24.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.360 ...ics[width=0.85\linewidth]{figs/fig24.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig25.png' not found on input line 366.
```

```
! Package pdftex.def Error: File `figs/fig25.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.366 ...ics[width=0.85\linewidth]{figs/fig25.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig26.png' not found on input line 372.


! Package pdftex.def Error: File `figs/fig26.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.372 ...ics[width=0.85\linewidth]{figs/fig26.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig27.png' not found on input line 378.


! Package pdftex.def Error: File `figs/fig27.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.378 ...ics[width=0.85\linewidth]{figs/fig27.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig28.png' not found on input line 384.
```

```
! Package pdftex.def Error: File `figs/fig28.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.384 ...ics[width=0.85\linewidth]{figs/fig28.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig29.png' not found on input line 390.


! Package pdftex.def Error: File `figs/fig29.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.390 ...ics[width=0.85\linewidth]{figs/fig29.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig30.png' not found on input line 396.


! Package pdftex.def Error: File `figs/fig30.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.396 ...ics[width=0.85\linewidth]{figs/fig30.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig31.png' not found on input line 402.


! Package pdftex.def Error: File `figs/fig31.png' not found: using draft
settin
g.
```

```
See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.402 ...ics[width=0.85\linewidth]{figs/fig31.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.



[22]

[23]

[24]

[25]

[26]

[27]

[28]

[29]

[30]

[31]

LaTeX Warning: File `figs/fig32.png' not found on input line 411.


! Package pdftex.def Error: File `figs/fig32.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.411 ...ics[width=0.85\linewidth]{figs/fig32.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.



[32]

[33]
```

```
LaTeX Warning: File `figs/fig23.png' not found on input line 420.


! Package pdftex.def Error: File `figs/fig23.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.420 ...ics[width=0.85\linewidth]{figs/fig23.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.



[34]

LaTeX Warning: File `figs/fig34.png' not found on input line 429.


! Package pdftex.def Error: File `figs/fig34.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.429 ...ics[width=0.85\linewidth]{figs/fig34.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.



[35]

LaTeX Warning: File `figs/fig35.png' not found on input line 438.


! Package pdftex.def Error: File `figs/fig35.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.438 ...ics[width=0.85\linewidth]{figs/fig35.png}

Try typing  <return>  to proceed.
```

```
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig36.png' not found on input line 444.


! Package pdftex.def Error: File `figs/fig36.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.444 ...ics[width=0.85\linewidth]{figs/fig36.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.



[36]

[37]

[38]

LaTeX Warning: File `figs/fig37.png' not found on input line 470.


! Package pdftex.def Error: File `figs/fig37.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.470 ...raphics[width=\textwidth]{figs/fig37.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.


LaTeX Warning: File `figs/fig38.png' not found on input line 479.


! Package pdftex.def Error: File `figs/fig38.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...
```

```
l.479 ...raphics[width=\textwidth]{figs/fig38.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.



[39]

[40]

[41]

LaTeX Warning: File `figs/fig39.png' not found on input line 488.


! Package pdftex.def Error: File `figs/fig39.png' not found: using draft
settin
g.

See the pdftex.def package documentation for explanation.
Type  H <return>  for immediate help.
 ...

l.488 ...raphics[width=\textwidth]{figs/fig39.png}

Try typing  <return>  to proceed.
If that doesn't work, type  X <return>  to quit.



[42]

[43]

[44]

[45]

[46]

[47]

[48]

[49]

[50]

[51]
Underfull \hbox (badness 1112) in paragraph at lines 567--568
\T1/cmr/m/n/10 sim-u-lated PCE,'' J. Mater. Sci.: Mater. Eng. (2026).
doi:$\T1/
```

```
cmtt/m/n/10 10 . 1186 /
 []



[52]
Underfull \hbox (badness 1092) in paragraph at lines 575--576
[]\T1/cmr/m/n/10 W. J. Jang, P. J. Park, W.-J. Ong and S. Y. Kim, ``Sta-
ble and

 []



[53]

[54] (./manuscript_blindreview.aux)
 ***********
LaTeX2e <2024-06-01> patch level 2
L3 programming layer <2024-05-27>
 ***********
 )
Here is how much of TeX's memory you used:
 5812 strings out of 473583
 90962 string characters out of 5732343
 1949908 words of memory out of 5000000
 28627 multiletter control sequences out of 15000+600000
 573779 words of font info for 79 fonts, out of 8000000 for 9000
 1141 hyphenation exceptions out of 8191
 72i,13n,79p,2482b,507s stack positions out of
10000i,1000n,20000p,200000b,200000s
<c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmex10.pfb><c:/tex
live/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmmi10.pfb><c:/texlive/2024
/texmf-
dist/fonts/type1/public/amsfonts/cm/cmmi6.pfb><c:/texlive/2024/texmf-dis
t/fonts/type1/public/amsfonts/cm/cmmi7.pfb><c:/texlive/2024/texmf-
dist/fonts/ty
pe1/public/amsfonts/cm/cmmi8.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public
/amsfonts/cm/cmr10.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/
cm/cmr5.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmr6.pfb
><c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmr7.pfb><c:/texliv
e/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmr8.pfb><c:/texlive/2024/texm
f-dist/fonts/type1/public/amsfonts/cm/cmsy10.pfb><c:/texlive/2024/texmf-
dist/fo
nts/type1/public/amsfonts/cm/cmsy6.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/
```

```
public/amsfonts/cm/cmsy7.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/ams
fonts/cm/cmsy8.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/symb
ols/msam10.pfb><c:/texlive/2024/texmf-dist/fonts/type1/public/cm-
super/sfbx1000
.pfb><c:/texlive/2024/texmf-dist/fonts/type1/public/cm-
super/sfrm0600.pfb><c:/t
exlive/2024/texmf-dist/fonts/type1/public/cm-
super/sfrm0700.pfb><c:/texlive/202
4/texmf-dist/fonts/type1/public/cm-
super/sfrm0800.pfb><c:/texlive/2024/texmf-di
st/fonts/type1/public/cm-super/sfrm0900.pfb><c:/texlive/2024/texmf-
dist/fonts/t
ype1/public/cm-super/sfrm1000.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/publi
c/cm-super/sfrm1440.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/cm-super
/sfti0800.pfb><c:/texlive/2024/texmf-dist/fonts/type1/public/cm-
super/sfti1000.
pfb><c:/texlive/2024/texmf-dist/fonts/type1/public/cm-super/sftt1000.pfb>
Output written on manuscript_blindreview.pdf (54 pages, 512966 bytes).
PDF statistics:
 305 PDF objects out of 1000 (max. 8388607)
 197 compressed objects within 2 object streams
 0 named destinations out of 1000 (max. 500000)
 1 words of extra memory for PDF output out of 10000 (max. 10000000)
```

tables.tex Click here to access/download;Table;tables.tex

```
This is pdfTeX, Version 3.141592653-2.6-1.40.26 (TeX Live 2024)
(preloaded format=pdflatex 2024.8.2)  12 OCT 2026 01:16
entering extended mode
 restricted \write18 enabled.
 %&-line parsing enabled.
**tables.tex
(./tables.tex
LaTeX2e <2024-06-01> patch level 2
L3 programming layer <2024-05-27>
(c:/texlive/2024/texmf-dist/tex/latex/base/article.cls
Document Class: article 2024/02/08 v1.4n Standard LaTeX document class
(c:/texlive/2024/texmf-dist/tex/latex/base/size12.clo
File: size12.clo 2024/02/08 v1.4n Standard LaTeX file (size option)
)
\c@part=\count194
\c@section=\count195
\c@subsection=\count196
\c@subsubsection=\count197
\c@paragraph=\count198
\c@subparagraph=\count199
\c@figure=\count266
\c@table=\count267
\abovecaptionskip=\skip49
\belowcaptionskip=\skip50
\bibindent=\dimen141
) (c:/texlive/2024/texmf-dist/tex/latex/base/inputenc.sty
Package: inputenc 2024/02/08 v1.3d Input encoding file
\inpenc@prehook=\toks17
\inpenc@posthook=\toks18
) (c:/texlive/2024/texmf-dist/tex/latex/base/fontenc.sty
Package: fontenc 2021/04/29 v2.0v Standard LaTeX package
) (c:/texlive/2024/texmf-dist/tex/latex/geometry/geometry.sty
Package: geometry 2020/01/02 v5.9 Page Geometry
(c:/texlive/2024/texmf-dist/tex/latex/graphics/keyval.sty
Package: keyval 2022/05/29 v1.15 key=value parser (DPC)
\KV@toks@=\toks19
) (c:/texlive/2024/texmf-dist/tex/generic/iftex/ifvtex.sty
Package: ifvtex 2019/10/25 v1.7 ifvtex legacy package. Use iftex instead.
(c:/texlive/2024/texmf-dist/tex/generic/iftex/iftex.sty
Package: iftex 2022/02/03 v1.0f TeX engine tests
))
\Gm@cnth=\count268
\Gm@cntv=\count269
\c@Gm@tempcnt=\count270
\Gm@bindingoffset=\dimen142
\Gm@wd@mp=\dimen143
\Gm@odd@mp=\dimen144
\Gm@even@mp=\dimen145
\Gm@layoutwidth=\dimen146
\Gm@layoutheight=\dimen147
\Gm@layouthoffset=\dimen148
\Gm@layoutvoffset=\dimen149
\Gm@dimlist=\toks20
) (c:/texlive/2024/texmf-dist/tex/latex/tools/tabularx.sty
```

```
Package: tabularx 2023/12/11 v2.12a `tabularx' package (DPC)
(c:/texlive/2024/texmf-dist/tex/latex/tools/array.sty
Package: array 2024/06/14 v2.6d Tabular extension package (FMi)
\col@sep=\dimen150
\ar@mcellbox=\box52
\extrarowheight=\dimen151
\NC@list=\toks21
\extratabsurround=\skip51
\backup@length=\skip52
\ar@cellbox=\box53
)
\TX@col@width=\dimen152
\TX@old@table=\dimen153
\TX@old@col=\dimen154
\TX@target=\dimen155
\TX@delta=\dimen156
\TX@cols=\count271
\TX@ftn=\toks22
) (c:/texlive/2024/texmf-dist/tex/latex/booktabs/booktabs.sty
Package: booktabs 2020/01/12 v1.61803398 Publication quality tables
\heavyrulewidth=\dimen157
\lightrulewidth=\dimen158
\cmidrulewidth=\dimen159
\belowrulesep=\dimen160
\belowbottomsep=\dimen161
\aboverulesep=\dimen162
\abovetopsep=\dimen163
\cmidrulesep=\dimen164
\cmidrulekern=\dimen165
\defaultaddspace=\dimen166
\@cmidla=\count272
\@cmidlb=\count273
\@aboverulesep=\dimen167
\@belowrulesep=\dimen168
\@thisruleclass=\count274
\@lastruleclass=\count275
\@thisrulewidth=\dimen169
) (c:/texlive/2024/texmf-dist/tex/latex/graphics/graphicx.sty
Package: graphicx 2021/09/16 v1.2d Enhanced LaTeX Graphics (DPC,SPQR)
(c:/texlive/2024/texmf-dist/tex/latex/graphics/graphics.sty
Package: graphics 2024/05/23 v1.4g Standard LaTeX Graphics (DPC,SPQR)
(c:/texlive/2024/texmf-dist/tex/latex/graphics/trig.sty
Package: trig 2023/12/02 v1.11 sin cos tan (DPC)
) (c:/texlive/2024/texmf-dist/tex/latex/graphics-cfg/graphics.cfg
File: graphics.cfg 2016/06/04 v1.11 sample graphics configuration
)
Package graphics Info: Driver file: pdftex.def on input line 106.
(c:/texlive/2024/texmf-dist/tex/latex/graphics-def/pdftex.def
File: pdftex.def 2024/04/13 v1.2c Graphics/color driver for pdftex
))
\Gin@req@height=\dimen170
\Gin@req@width=\dimen171
) (c:/texlive/2024/texmf-dist/tex/latex/l3backend/l3backend-pdftex.def
```

```
File: l3backend-pdftex.def 2024-05-08 L3 backend support: PDF output
(pdfTeX)
\l__color_backend_stack_int=\count276
\l__pdf_internal_box=\box54
) (./tables.aux)
\openout1 = `tables.aux'.

LaTeX Font Info:    Checking defaults for OML/cmm/m/it on input line 7.
LaTeX Font Info:    ... okay on input line 7.
LaTeX Font Info:    Checking defaults for OMS/cmsy/m/n on input line 7.
LaTeX Font Info:    ... okay on input line 7.
LaTeX Font Info:    Checking defaults for OT1/cmr/m/n on input line 7.
LaTeX Font Info:    ... okay on input line 7.
LaTeX Font Info:    Checking defaults for T1/cmr/m/n on input line 7.
LaTeX Font Info:    ... okay on input line 7.
LaTeX Font Info:    Checking defaults for TS1/cmr/m/n on input line 7.
LaTeX Font Info:    ... okay on input line 7.
LaTeX Font Info:    Checking defaults for OMX/cmex/m/n on input line 7.
LaTeX Font Info:    ... okay on input line 7.
LaTeX Font Info:    Checking defaults for U/cmr/m/n on input line 7.
LaTeX Font Info:    ... okay on input line 7.
*geometry* driver: auto-detecting
*geometry* detected driver: pdftex
*geometry* verbose mode - [ preamble ] result:
* driver: pdftex
* paper: <default>
* layout: <same size as paper>
* layoutoffset:(h,v)=(0.0pt,0.0pt)
* modes:
* h-part:(L,W,R)=(72.26999pt, 469.75502pt, 72.26999pt)
* v-part:(T,H,B)=(72.26999pt, 650.43001pt, 72.26999pt)
* \paperwidth=614.295pt
* \paperheight=794.96999pt
* \textwidth=469.75502pt
* \textheight=650.43001pt
* \oddsidemargin=0.0pt
* \evensidemargin=0.0pt
* \topmargin=-37.0pt
* \headheight=12.0pt
* \headsep=25.0pt
* \topskip=12.0pt
* \footskip=30.0pt
* \marginparwidth=44.0pt
* \marginparsep=10.0pt
* \columnsep=10.0pt
* \skip\footins=10.8pt plus 4.0pt minus 2.0pt
* \hoffset=0.0pt
* \voffset=0.0pt
* \mag=1000
* \@twocolumnfalse
* \@twosidefalse
* \@mparswitchfalse
* \@reversemarginfalse
* (1in=72.27pt=25.4mm, 1cm=28.453pt)
```

```
(c:/texlive/2024/texmf-dist/tex/context/base/mkii/supp-pdf.mkii
[Loading MPS to PDF converter (version 2006.09.02).]
\scratchcounter=\count277
\scratchdimen=\dimen172
\scratchbox=\box55
\nofMPsegments=\count278
\nofMParguments=\count279
\everyMPshowfont=\toks23
\MPscratchCnt=\count280
\MPscratchDim=\dimen173
\MPnumerator=\count281
\makeMPintoPDFobject=\count282
\everyMPtoPDFconversion=\toks24
) (c:/texlive/2024/texmf-dist/tex/latex/epstopdf-pkg/epstopdf-base.sty
Package: epstopdf-base 2020-01-24 v2.11 Base part for package epstopdf
Package epstopdf-base Info: Redefining graphics rule for `.eps' on input
line 4
85.
(c:/texlive/2024/texmf-dist/tex/latex/latexconfig/epstopdf-sys.cfg
File: epstopdf-sys.cfg 2010/07/13 v1.3 Configuration of (r)epstopdf for
TeX Liv
e
))
Underfull \hbox (badness 10000) in paragraph at lines 46--46
[]|\T1/cmr/m/n/10 FTO/PCBM/RbGeI$[]$/NiO/
 []


Underfull \hbox (badness 10000) in paragraph at lines 46--46
[]|\T1/cmr/m/n/10 FTO/PCBM/RbGeI$[]$/CuI/
 []


Underfull \hbox (badness 10000) in paragraph at lines 46--46
[]|\T1/cmr/m/n/10 FTO/PCBM/
 []


Underfull \hbox (badness 10000) in paragraph at lines 46--46
[]|\T1/cmr/m/n/10 FTO/TiO$[]$/RbGeI$[]$/CBTS/
 []


Underfull \hbox (badness 10000) in paragraph at lines 46--46
[]|\T1/cmr/m/n/10 FTO/PCBM/
 []


Underfull \hbox (badness 10000) in paragraph at lines 46--46
[]|\T1/cmr/m/n/10 FTO/
 []

LaTeX Font Info:    External font `cmex10' loaded for size
```

```
(Font)              <12> on input line 94.
! Undefined control sequence.
<argument> ... 8; optics row reports PCE$_{1\text
                                                    {-sun}}$). PCEs are
unroun...
l.111 ...CAPS outputs (displayed inputs rounded).}

The control sequence at the end of the top line
of your error message was never \def'ed. If you have
misspelled it (e.g., `\hobx'), type `I' and the correct
spelling (e.g., `I\hbox'). Otherwise just continue,
and I'll forget about whatever was undefined.

! Undefined control sequence.
<argument> ... 8; optics row reports PCE$_{1\text
                                                    {-sun}}$). PCEs are
unroun...
l.111 ...CAPS outputs (displayed inputs rounded).}

The control sequence at the end of the top line
of your error message was never \def'ed. If you have
misspelled it (e.g., `\hobx'), type `I' and the correct
spelling (e.g., `I\hbox'). Otherwise just continue,
and I'll forget about whatever was undefined.

! Undefined control sequence.
<argument> ... 8; optics row reports PCE$_{1\text
                                                    {-sun}}$). PCEs are
unroun...
l.111 ...CAPS outputs (displayed inputs rounded).}

The control sequence at the end of the top line
of your error message was never \def'ed. If you have
misspelled it (e.g., `\hobx'), type `I' and the correct
spelling (e.g., `I\hbox'). Otherwise just continue,
and I'll forget about whatever was undefined.


LaTeX Warning: Citation `r14' on page 1 undefined on input line 132.


LaTeX Warning: Citation `r24' on page 1 undefined on input line 132.


LaTeX Warning: Citation `r22' on page 1 undefined on input line 132.


LaTeX Warning: Citation `r39' on page 1 undefined on input line 132.


LaTeX Warning: Citation `r41' on page 1 undefined on input line 132.


LaTeX Warning: Citation `r42' on page 1 undefined on input line 132.
```

```
LaTeX Warning: Citation `r40' on page 1 undefined on input line 132.


Underfull \hbox (badness 10000) in paragraph at lines 132--132
[]|\T1/cmr/m/n/8 FTO/TiO$[]$/RbGeI$[]$/Spiro-OMeTAD/
 []


LaTeX Warning: Citation `r23' on page 1 undefined on input line 132.


Underfull \hbox (badness 10000) in paragraph at lines 132--132
[]|\T1/cmr/m/n/8 FTO/TiO$[]$/RbGeI$[]$/CuI/Au (this
 []


Underfull \hbox (badness 10000) in paragraph at lines 132--132
[]|\T1/cmr/m/n/8 FTO/TiO$[]$/RbGeI$[]$/Cu$[]$O-BSF/CuI/
 []


LaTeX Warning: Citation `rWang' on page 1 undefined on input line 170.


LaTeX Warning: Citation `rWang' on page 1 undefined on input line 170.



[1

{c:/texlive/2024/texmf-
var/fonts/map/pdftex/updmap/pdftex.map}{c:/texlive/2024/
texmf-dist/fonts/enc/dvips/cm-super/cm-super-t1.enc}]

[2]

[3] (./tables.aux)
 ***********
LaTeX2e <2024-06-01> patch level 2
L3 programming layer <2024-05-27>
 ***********

LaTeX Warning: There were undefined references.

 )
Here is how much of TeX's memory you used:
 2311 strings out of 473583
 35043 string characters out of 5732343
 1962908 words of memory out of 5000000
 25208 multiletter control sequences out of 15000+600000
 567878 words of font info for 56 fonts, out of 8000000 for 9000
 1141 hyphenation exceptions out of 8191
```

```
 57i,13n,65p,430b,360s stack positions out of
10000i,1000n,20000p,200000b,200000s
<c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmmi10.pfb><c:/tex
live/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmmi12.pfb><c:/texlive/2024
/texmf-
dist/fonts/type1/public/amsfonts/cm/cmmi7.pfb><c:/texlive/2024/texmf-dis
t/fonts/type1/public/amsfonts/cm/cmmi8.pfb><c:/texlive/2024/texmf-
dist/fonts/ty
pe1/public/amsfonts/cm/cmr6.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/
amsfonts/cm/cmr7.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm
/cmr8.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmsy10.pfb
><c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmsy7.pfb><c:/texli
ve/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmsy8.pfb><c:/texlive/2024/te
xmf-dist/fonts/type1/public/cm-super/sfbx0800.pfb><c:/texlive/2024/texmf-
dist/f
onts/type1/public/cm-super/sfbx1200.pfb><c:/texlive/2024/texmf-
dist/fonts/type1
/public/cm-super/sfbx1728.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/cm
-super/sfrm0800.pfb><c:/texlive/2024/texmf-dist/fonts/type1/public/cm-
super/sfr
m1000.pfb><c:/texlive/2024/texmf-dist/fonts/type1/public/cm-
super/sfrm1095.pfb>
<c:/texlive/2024/texmf-dist/fonts/type1/public/cm-super/sfrm1200.pfb>
Output written on tables.pdf (3 pages, 227106 bytes).
PDF statistics:
 100 PDF objects out of 1000 (max. 8388607)
 60 compressed objects within 1 object stream
 0 named destinations out of 1000 (max. 500000)
 1 words of extra memory for PDF output out of 10000 (max. 10000000)
```

Declaration of interests

☒The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

☐The authors declare the following financial interests/personal relationships which may be considered as potential competing interests:

supplement.pdf

Click here to access/download
Supplementary material
supplement.pdf