


Initial page

# Blow Sh!t Up

If you're feeling gloomy, make something go kaboomy.



How many sticks of dynamite?

?

Waiting for input  
from user


Paste URL to any  
image on the web

User could find an image on the  
internet and I would pass the value to  
a function that would display it.

or

Drag any image from below

These images below would be draggable into the big hero box in the middle



# Blow Sh!t Up

If you're feeling gloomy, make something go kaboomy.

TNT

How many sticks of dynamite?

15

Bar could be pulled down

User input the value 15

Image selected and displayed here

# Blow Sh!t Up

Objects would  
bounce off the wall

If you're feeling gloomy, make something go kaboomy.







Screen would shake with  
explosion

These are irregular shapes  
made with CSS and the  
selected images are passed  
to them with different  
background-positions.

The initial speed of the  
object is determined by  
how much dynamite is  
inputed by the user.

Explosion animation

All exploding  
pieces remain  
above this line





# Blow Sh!t Up

If you're feeling gloomy, make something go kaboomy.

*Would bring you back to the  
initial state of the page*


RESET

*The pieces' speed would slow down  
and than settle down at the bottom.*



# Blow Sh!t Up

If you're feeling gloomy, make something go kaboomy.



*Oops, I guess you used  
too much TNT.*

RESET

*If the user inputs too much dynamite,  
he would break the webpage*

*Blow Sh!t Up*

*If you're feeling gloomy, make many sticks of dynamite?  
How many sticks of dynamite?*

301

TNT

Paste an URL to any  
image on the web

or

Drag any image from below

