

COVID-19 AA
Protocol: 043

16.2.1.5 Abnormal Biochemistry Values

Subject Number	Test	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-104001	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-03-30	64	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-03-30	42	HIGH
AA-2020-06-104002	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-04-05	45	HIGH
AA-2020-06-104003	Urea Nitrogen (mmol/L)	Screening/Day -4 to -1	3.2-8.2	2021-04-20	2.9	LOW
AA-2020-06-104004	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-05-03	44	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-05-18	37	HIGH
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	2021-05-18	2.5	LOW
AA-2020-06-104005	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-07-13	16	HIGH
AA-2020-06-104006	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-08-03	51	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	2021-08-17	16	HIGH
AA-2020-06-104007	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-18	18	HIGH
AA-2020-06-104008	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-18	34	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-08-18	36	HIGH
AA-2020-06-105001	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-03-10	53	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-03-25	40	HIGH

COVID-19 AA
Protocol: 043

16.2.1.5 Abnormal Biochemistry Values

Subject Number	Test	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-105001	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-03-10	37	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-03-10	33	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	2021-03-25	23	HIGH
AA-2020-06-105002	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-03-30	67	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-03-30	45	HIGH
AA-2020-06-105003	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-03-30	38	HIGH
AA-2020-06-105004	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-05-04	61	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-44	2021-05-20	54	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-05-04	17	HIGH
AA-2020-06-105006	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-07-22	28	HIGH
AA-2020-06-105007	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-07-29	48	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-08-20	47	HIGH
AA-2020-06-105008	Alanine Aminotransferase (U/L)	Day 14	0-44	2021-08-16	95	HIGH
AA-2020-06-105011	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-08-19	100	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-44	2021-09-07	107	HIGH

COVID-19 AA
Protocol: 043

16.2.1.5 Abnormal Biochemistry Values

Subject Number	Test	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-105011	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-08-19	85	HIGH
	Aspartate Aminotransferase (U/L)	Day 14	14-39	2021-09-07	71	HIGH
	Creatinine (umol/L)	Day 14	62-115	2021-09-07	116	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-19	21	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	2021-09-07	10	HIGH
AA-2020-06-105014	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-09-07	10	HIGH
	Urea Nitrogen (mmol/L)	Screening/Day -4 to -1	3.2-8.2	2021-09-07	2.5	LOW
AA-2020-06-108001	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-05-06	55	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-05-06	37	HIGH
AA-2020-06-109001	Alanine Aminotransferase (U/L)	Day 14	0-44	2021-04-26	70	HIGH
AA-2020-06-109002	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-05-12	31	HIGH
AA-2020-06-109003	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-09-09	64	HIGH
	Aspartate Aminotransferase (U/L)	Day 14	14-34	2021-09-09	46	HIGH
AA-2020-06-110001	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-05	50	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-05	26	HIGH

COVID-19 AA
Protocol: 043

16.2.1.5 Abnormal Biochemistry Values

Subject Number	Test	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-110002	Urea Nitrogen (mmol/L)	Screening/Day -4 to -1	3.2-8.2	2021-09-01	2.5	LOW
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	2021-09-17	2.9	LOW
AA-2020-06-114001	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-07-24	58	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-08-14	60	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-07-24	46	HIGH
	Aspartate Aminotransferase (U/L)	Day 14	14-34	2021-08-14	37	HIGH
AA-2020-06-114002	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-08-03	35	HIGH
AA-2020-06-114005	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-19	38	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-09-07	45	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-19	17	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	2021-09-07	13	HIGH
AA-2020-06-114006	Creatinine (umol/L)	Screening/Day -4 to -1	62-115	2021-08-20	116	HIGH
AA-2020-06-115001	Urea Nitrogen (mmol/L)	Screening/Day -4 to -1	3.2-8.2	2021-08-12	2.9	LOW
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	2021-08-30	2.9	LOW
AA-2020-06-115002	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-16	10	HIGH

COVID-19 AA
Protocol: 043

16.2.1.5 Abnormal Biochemistry Values

Subject Number	Test	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-115002	C Reactive Protein (mg/L)	Day 14	0-9	2021-09-03	14	HIGH
AA-2020-06-115003	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-18	59	HIGH
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	2021-09-06	8.6	HIGH
AA-2020-06-115004	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-19	36	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-09-06	46	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-19	39	HIGH
AA-2020-06-115007	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-09-13	35	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-08-25	37	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-25	26	HIGH
AA-2020-06-115008	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-26	10	HIGH
AA-2020-06-115009	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-08-27	57	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-08-27	40	HIGH
AA-2020-06-115011	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-09-02	72	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-44	2021-09-21	47	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-09-02	76	HIGH

COVID-19 AA
Protocol: 043

16.2.1.5 Abnormal Biochemistry Values

Subject Number	Test	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-115012	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-09-03	277	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-09-20	77	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-09-03	220	HIGH
	Aspartate Aminotransferase (U/L)	Day 14	14-34	2021-09-20	43	HIGH
AA-2020-06-115013	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-09-03	67	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-09-03	74	HIGH
	Creatinine (umol/L)	Screening/Day -4 to -1	62-115	2021-09-03	125	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-09-03	21	HIGH
AA-2020-06-117003	Alanine Aminotransferase (U/L)	UNSCHEDULED	0-33	2021-07-28	37	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	2021-08-09	11	HIGH
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	2021-08-09	9.3	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-08-20	44	HIGH
AA-2020-06-117005	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-03	26	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-08-04	47	HIGH
AA-2020-06-117006	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-04	43	HIGH

COVID-19 AA
Protocol: 043

16.2.1.5 Abnormal Biochemistry Values

Subject Number	Test	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-117007	Creatinine (umol/L)	Screening/Day -4 to -1	62-115	2021-08-05	55	LOW
AA-2020-06-117008	Alanine Aminotransferase (U/L)	Day 14	0-44	2021-08-24	47	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-06	40	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	2021-08-24	27	HIGH
AA-2020-06-117009	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	2021-08-24	2.9	LOW
AA-2020-06-117010	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-11	21	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	2021-08-26	12	HIGH
AA-2020-06-117011	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-11	46	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-11	10	HIGH
AA-2020-06-117012	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-11	58	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-08-30	49	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-08-11	43	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-11	21	HIGH
AA-2020-06-117014	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-12	37	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-08-12	37	HIGH

COVID-19 AA
Protocol: 043

16.2.1.5 Abnormal Biochemistry Values

Subject Number	Test	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-117014	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-12	14	HIGH
AA-2020-06-117015	Urea Nitrogen (mmol/L)	Screening/Day -4 to -1	3.2-8.2	2021-08-13	2.9	LOW
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	2021-08-30	2.9	LOW
AA-2020-06-117017	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-16	36	HIGH
	Creatinine (umol/L)	Day 14	44-97	2021-09-02	39	LOW
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-16	14	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	2021-09-02	18	HIGH
AA-2020-06-117018	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-17	68	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-08-17	46	HIGH
AA-2020-06-117019	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-17	36	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-08-17	40	HIGH
AA-2020-06-117020	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-17	39	HIGH
AA-2020-06-117021	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-18	38	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-08-18	48	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-18	15	HIGH

COVID-19 AA
Protocol: 043

16.2.1.5 Abnormal Biochemistry Values

Subject Number	Test	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-117022	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-08-18	93	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-44	2021-09-02	51	HIGH
	Alanine Aminotransferase (U/L)	UNSCHEDULED	0-44	2021-08-24	47	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-08-18	48	HIGH
	C Reactive Protein (mg/L)	UNSCHEDULED	0-9	2021-08-24	38	HIGH
AA-2020-06-117023	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-20	19	HIGH
AA-2020-06-117024	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-08-20	133	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-08-20	72	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-20	11	HIGH
AA-2020-06-117025	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-20	43	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-34	2021-08-20	40	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-20	11	HIGH
AA-2020-06-117026	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-24	13	HIGH
	Urea Nitrogen (mmol/L)	Screening/Day -4 to -1	3.2-8.2	2021-08-24	2.1	LOW
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	2021-09-09	2.9	LOW

COVID-19 AA
Protocol: 043

16.2.1.5 Abnormal Biochemistry Values

Subject Number	Test	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-117029	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-09-08	52	HIGH
AA-2020-06-117030	Alanine Aminotransferase (U/L)	Day 14	0-44	2021-09-23	51	HIGH
AA-2020-06-119001	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-05-25	11	HIGH
AA-2020-06-119002	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-06-01	40	HIGH
AA-2020-06-119003	Creatinine (umol/L)	Screening/Day -4 to -1	62-115	2021-06-12	140	HIGH
AA-2020-06-119004	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-07-23	14	HIGH
AA-2020-06-119005	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-07-23	42	HIGH
AA-2020-06-119006	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-07-23	57	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-07-23	48	HIGH
	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-07-23	66	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-07-23	47	HIGH
AA-2020-06-119008	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-07-23	133	HIGH
	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-07-26	127	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-44	2021-08-12	123	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-07-26	56	HIGH

COVID-19 AA
Protocol: 043

16.2.1.5 Abnormal Biochemistry Values

Subject Number	Test	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-119008	Aspartate Aminotransferase (U/L)	Day 14	14-39	2021-08-12	45	HIGH
AA-2020-06-119012	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-09	14	HIGH
AA-2020-06-119015	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -1	14-39	2021-08-11	42	HIGH
	Creatinine (umol/L)	Screening/Day -4 to -1	62-115	2021-08-11	61	LOW
	C Reactive Protein (mg/L)	Day 14	0-9	2021-08-29	10	HIGH
AA-2020-06-119016	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-11	33	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	2021-08-29	15	HIGH
	Urea Nitrogen (mmol/L)	Screening/Day -4 to -1	3.2-8.2	2021-08-11	2.5	LOW
AA-2020-06-119017	Urea Nitrogen (mmol/L)	Screening/Day -4 to -1	3.2-8.2	2021-08-12	2.1	LOW
AA-2020-06-119018	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-13	37	HIGH
AA-2020-06-119019	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-08-31	35	HIGH
	Urea Nitrogen (mmol/L)	Screening/Day -4 to -1	3.2-8.2	2021-08-13	2.5	LOW
AA-2020-06-119020	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-44	2021-08-13	49	HIGH
AA-2020-06-119021	C Reactive Protein (mg/L)	Day 14	0-9	2021-08-31	13	HIGH
	Urea Nitrogen (mmol/L)	Screening/Day -4 to -1	3.2-8.2	2021-08-13	10.7	HIGH

COVID-19 AA
Protocol: 043

16.2.1.5 Abnormal Biochemistry Values

Subject Number	Test	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-119021	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	2021-08-31	10.4	HIGH
AA-2020-06-119022	Urea Nitrogen (mmol/L)	Screening/Day -4 to -1	3.2-8.2	2021-08-13	9.6	HIGH
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	2021-08-31	9.3	HIGH
AA-2020-06-119023	Urea Nitrogen (mmol/L)	Screening/Day -4 to -1	3.2-8.2	2021-08-13	8.6	HIGH
AA-2020-06-119025	Aspartate Aminotransferase (U/L)	Day 14	14-39	2021-09-01	40	HIGH
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	2021-09-01	9.6	HIGH
AA-2020-06-119026	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-16	39	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-16	10	HIGH
AA-2020-06-119028	Creatinine (umol/L)	Day 14	44-97	2021-09-03	111	HIGH
AA-2020-06-119029	Alanine Aminotransferase (U/L)	Screening/Day -4 to -1	0-33	2021-08-18	59	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	2021-09-06	76	HIGH
	Aspartate Aminotransferase (U/L)	Day 14	14-34	2021-09-06	45	HIGH
AA-2020-06-119033	C Reactive Protein (mg/L)	Screening/Day -4 to -1	0-9	2021-08-31	29	HIGH