

COVID-19 AA
Protocol: 043

Table 14.1.10 Shift Table from Baseline to End of period (Safety Population)

Parameter category	Parameter (Unit)	Baseline	Treatment end (N=86)		
			Low	Normal	High
CHEMISTRY	Alanine Aminotransferase (U/L)	HIGH	0	12 (14.0)	18 (20.9)
		MISSING	0	1 (1.2)	1 (1.2)
		NORMAL	0	45 (52.3)	7 (8.1)
	Aspartate Aminotransferase (U/L)	HIGH	0	11 (12.8)	8 (9.3)
		MISSING	0	2 (2.3)	0
		NORMAL	0	60 (69.8)	3 (3.5)
	Creatinine (umol/L)	HIGH	0	1 (1.2)	0
		LOW	0	1 (1.2)	0
		MISSING	0	2 (2.3)	0
	C Reactive Protein (mg/L)	NORMAL	1 (1.2)	77 (89.5)	2 (2.3)
		HIGH	0	18 (20.9)	11 (12.8)
		MISSING	0	2 (2.3)	0
	Urea Nitrogen (mmol/L)	NORMAL	0	49 (57.0)	4 (4.7)
		HIGH	0	1 (1.2)	2 (2.3)
		LOW	4 (4.7)	5 (5.8)	0

COVID-19 AA
Protocol: 043

Table 14.1.10 Shift Table from Baseline to End of period (Safety Population)

Parameter category	Parameter (Unit)	Baseline	Treatment end (N=86)		
			Low	Normal	High
CHEMISTRY	Urea Nitrogen (mmol/L)	MISSING	0	2 (2.3)	0
		NORMAL	2 (2.3)	66 (76.7)	2 (2.3)
HEMATOLOGY	Glucose-6-Phosphate Dehydrogenase (x10/L)	NORMAL	0	86 (100.0)	0
		HIGH	0	1 (1.2)	0
		LOW	3 (3.5)	0	0
	Hematocrit (L/L)	MISSING	0	4 (4.7)	0
		NORMAL	4 (4.7)	71 (82.6)	1 (1.2)
		HIGH	0	0	1 (1.2)
	Hemoglobin (g/L)	LOW	2 (2.3)	1 (1.2)	0
		MISSING	0	4 (4.7)	0
		NORMAL	2 (2.3)	73 (84.9)	1 (1.2)
	Neutrophils (10/L)	HIGH	0	1 (1.2)	0
		LOW	3 (3.5)	11 (12.8)	0
		MISSING	0	4 (4.7)	0
		NORMAL	0	64 (74.4)	1 (1.2)

COVID-19 AA
Protocol: 043

Table 14.1.10 Shift Table from Baseline to End of period (Safety Population)

Parameter category	Parameter (Unit)	Baseline	Treatment end (N=86)		
			Low	Normal	High
HEMATOLOGY	Platelets (10/L)	HIGH	0	2 (2.3)	0
		LOW	0	2 (2.3)	0
		MISSING	0	4 (4.7)	0
		NORMAL	0	68 (79.1)	8 (9.3)
	Erythrocytes (10/L)	HIGH	0	5 (5.8)	4 (4.7)
		LOW	0	3 (3.5)	0
		MISSING	0	3 (3.5)	1 (1.2)
		NORMAL	3 (3.5)	62 (72.1)	3 (3.5)
	Leukocytes (10/L)	HIGH	0	1 (1.2)	0
		LOW	7 (8.1)	20 (23.3)	1 (1.2)
		MISSING	1 (1.2)	3 (3.5)	0
		NORMAL	1 (1.2)	49 (57.0)	1 (1.2)