

AGNUS RESEARCH — PHASE II MASTER BUILD INSTRUCTION

You are now moving AGNUS Research from a designed prototype into a real, scalable research publication and regulatory-intelligence system.

1. FIRST: UNDERSTAND THE PROJECT STATUS

The AGNUS Research homepage and its overall information architecture have already been designed and approved.

Do **not** redesign the homepage.

Do **not** start adding new homepage sections simply because you think more sections could be useful.

Do **not** simplify the existing taxonomy.

Do **not** turn AGNUS Research into a conventional blog.

We are now entering **Phase II: Publication Infrastructure**.

The objective is to build the reusable templates, data structures, editorial system and relationships that will allow AGNUS Research to begin publishing real research.

The existing homepage is the front door.

Now build the institution behind that front door.

2. WHAT AGNUS RESEARCH IS

AGNUS Research is the research, regulatory-intelligence and knowledge layer of the broader AGNUS ecosystem.

Its purpose is to help organizations, developers, executives and professionals understand:

- AI governance
- the EU AI Act
- AI agents
- AI security
- AI auditing
- AI data governance
- AI standards
- jurisdiction-specific AI regulation

AGNUS Research must feel closer to:

- a serious research institution
- regulatory intelligence service
- standards observatory
- technology research organization
- professional knowledge system

than to a normal technology blog.

The fundamental principle is:

Truth before hype.

Every important claim should ultimately be traceable to evidence.

3. EXISTING APPROVED RESEARCH TAXONOMY

The eight research pillars are:

01 — AI Governance

Subtopics include:

- Governance Frameworks
- AI Inventory
- Risk Management
- Human Oversight
- AI Policies
- Accountability
- Governance Operating Models
- Board & Executive Governance

02 — EU AI Act

Subtopics include:

- AI Act Explained
- Scope
- Definitions
- Risk Classification
- Prohibited Practices
- High-Risk AI
- Transparency
- Documentation
- Logging
- Human Oversight
- GPAI

- Provider Obligations
- Deployer Obligations
- Importers & Distributors
- Conformity Assessment
- Registration
- Post-Market Monitoring
- Incident Reporting
- Enforcement
- Penalties
- Sandboxes
- Standards
- Codes of Practice
- Deadlines

03 — AI Agents

Subtopics include:

- Agent Governance
- Agent Identity
- Authentication
- Authorization
- Permissions
- Tool Use
- Memory
- Planning
- Human Approval
- Multi-Agent Systems
- Agent-to-Agent Communication
- Agent Lifecycle
- Monitoring
- Evaluation
- Provenance
- Agent Passports

04 — AI Security

Subtopics include:

- Prompt Injection
- Indirect Prompt Injection
- Data Leakage
- Agent Hijacking
- Tool Abuse
- Excessive Agency
- Identity
- Authentication
- Authorization
- Secrets
- API Security
- Supply Chain

- Runtime Security
- Sandboxing
- Exfiltration
- Incident Response
- AI Threat Intelligence

05 — AI Audit

Subtopics include:

- Logging
- Audit Trails
- Evidence
- Monitoring
- Observability
- Decision Records
- Approval Records
- Incident Records
- Tamper-Evident Logs
- Audit Readiness
- Assurance

06 — AI Data Governance

Subtopics include:

- GDPR
- Data Classification
- Data Lineage
- Data Residency
- Encryption
- Zero-Data Architecture
- Retention
- Deletion
- Legal Basis
- Cross-Border Transfers
- Training Data
- RAG / Knowledge Bases
- Sensitive Data

07 — Standards

Subtopics include:

- ISO / IEC
- NIST
- OWASP
- ENISA
- CEN
- CENELEC

- ETSI
- AI Management Systems
- Cybersecurity Frameworks

08 — Countries

This is the jurisdictional intelligence layer.

Initial launch jurisdictions:

- European Union
- Norway
- Italy
- Germany
- France
- Spain
- Netherlands
- Sweden
- Denmark

The architecture must allow additional jurisdictions to be added without redesigning the system.

4. IMPORTANT DISTINCTION: ORIGINAL AGNUS RESEARCH

"Original AGNUS Research" is NOT a ninth taxonomy pillar.

It is an output/publication class.

It includes:

- Research Reports
- Threat Reports
- Benchmarks
- Surveys
- State of AI Governance reports
- State of Agent Security reports
- Country Reports
- Industry Reports
- Methodology publications

Preserve this distinction.

5. PHASE II BUILD ORDER

Work in this order:

1. Research Article Template
2. Author/Profile System
3. Research Trust & Editorial Pages
4. Topic/Pillar Template
5. Country/Jurisdiction Template
6. Source Record / Source Library Template
7. Intelligence Record Data Model
8. Regulation / Obligation Data Model
9. Article-to-Evidence Relationships
10. Change Detection / Review Architecture
11. Editorial CMS / Workflow
12. Search and Filters
13. Research Report Template
14. Regulatory Calendar
15. Research Brief / subscription system
16. Populate real research

Do not jump directly to mass article generation.

Build the system first.

6. FIRST IMPLEMENTATION TASK — RESEARCH ARTICLE TEMPLATE

Start here.

Create one canonical reusable Research Article template.

Suggested URL architecture:

```
/research/{pillar}/{article-slug}/
```

Example:

```
/research/eu-ai-act/human-oversight/
```

The article must NOT look like a generic blog post.

It should look like a professional research publication.

7. ARTICLE HEADER

At the top show:

Research classification

Example:

EU AI ACT
Human Oversight

Title

Example:

Human Oversight Requirements Under the EU AI Act

Standfirst / abstract

A concise explanation of:

- what this research addresses
- why it matters
- who it affects

Then display structured metadata.

8. AUTHOR PRESENTATION

Use:

Jean-Daniel Alexis

Founder & Research Director, AGNUS

The author's name must link to the author profile.

Do not use titles such as:

- AI Guru
- AI Expert
- Leading AI Expert

Authority should come from research quality, sourcing, transparency and methodology.

Article metadata should contain:

- Written by
- Author role
- Published
- Last updated
- Last reviewed
- Jurisdiction
- Research status
- Reading time
- Content type

Example:

Written by Jean-Daniel Alexis
Founder & Research Director, AGNUS

Published: 14 August 2026
Last reviewed: 14 August 2026
Jurisdiction: European Union
Status: Current
Research type: Regulatory Guide
Reading time: 16 minutes

9. RESEARCH STATUS

Create standardized states:

CURRENT

Evidence has been reviewed and no known material change requires revision.

UNDER REVIEW

Relevant underlying evidence or guidance has changed and AGNUS is reviewing the research.

UPDATED

A material revision has recently been published.

ARCHIVED

The research remains available historically but should no longer be relied upon as current guidance.

Status must eventually be data-driven.

10. ARTICLE "AT A GLANCE" PANEL

Near the beginning create a structured panel containing:

- Jurisdiction
- Regulation
- Relevant Articles / Annexes
- Actors affected
- AI system category
- Risk classification
- Effective date
- Relevant deadline
- Authorities
- Standards involved
- Research status
- Last verification

This should make an AGNUS article immediately useful to a professional reader.

11. ARTICLE BODY STRUCTURE

Use reusable semantic blocks.

Not every article must display every block, but the system should support them.

Possible structure:

Executive Summary

What This Means

Who This Applies To

Regulatory Context

Requirements

What Organizations Must Do

Technical Implications

Governance Implications

Security Implications

Documentation Required

Human Oversight Requirements

Logging / Evidence Requirements

Deadlines

Practical Implementation

Common Mistakes

Open Questions

AGNUS Analysis

Key Takeaways

Avoid artificially forcing headings that do not apply.

12. SOURCE AND EVIDENCE SYSTEM

This is extremely important.

Every serious article must contain an evidence section.

Create:

Sources & Evidence

Separate evidence by authority level.

Primary Sources

Examples:

- EU legislation
- European Commission
- AI Office
- national regulators
- government publications
- official standards organizations
- court decisions
- official consultations

Standards / Technical Sources

Examples:

- ISO/IEC
- CEN
- CENELEC
- ETSI
- NIST
- ENISA
- OWASP

Academic Sources

Peer-reviewed papers and strong academic research.

Supporting Sources

Reliable secondary research.

Do not visually imply that a media article has the same authority as legislation.

13. SOURCE RECORD

Every source should become a structured object.

Create a source schema containing at minimum:

- source_id

- title
- issuing_organization
- source_type
- publication_date
- discovery_date
- jurisdiction
- authority_level
- URL
- archived_URL if applicable
- document_version
- language
- regulation
- relevant_articles
- relevant_annexes
- topics
- subtopics
- industries
- AI_system_types
- actors_affected
- effective_date
- deadline
- verification_date
- content_hash
- previous_hash
- source_status
- reviewer
- notes

A source must be reusable across multiple articles.

Do not copy source information independently into every article.

14. INTELLIGENCE RECORD

This is one of the central objects in AGNUS Research.

Every meaningful discovered regulatory or technical development should create an Intelligence Record.

Schema:

- Intelligence Record ID
- Source
- Source type
- Publication date
- Discovery date
- Jurisdiction
- Authority level
- Topic
- Subtopic

- Applicable regulation
- Article / Annex concerned
- Industry affected
- AI system type
- Actor affected
- Provider
- Deployer
- Importer
- Distributor
- Risk category
- Effective date
- Deadline
- What changed
- Previous position
- New position
- Legal significance
- Business significance
- Technical significance
- AGNUS Guard relevance
- Existing articles affected
- Update required?
- New article required?
- Confidence
- Reviewer
- Source URL
- Archive URL
- Hash
- Previous hash
- Discovery mechanism
- Review status

This object should eventually drive the editorial system.

15. KNOWLEDGE RELATIONSHIPS

Do not treat content as isolated database rows.

The architecture must support relationships such as:

```

SOURCE
↓
INTELLIGENCE RECORD
↓
REGULATION
↓
ARTICLE / ANNEX
↓
OBLIGATION

```

↓
ACTOR
↓
AI SYSTEM
↓
RISK CATEGORY
↓
JURISDICTION
↓
STANDARD
↓
AGNUS RESEARCH ARTICLE
↓
AGNUS PRODUCT / CONTROL

Example:

European Commission publishes new logging guidance.

The system should eventually understand:

Topic: Logging

Regulation: EU AI Act

Affected actors: Providers / Deployers

Affected research: 7 articles

Affected taxonomy: AI Audit + EU AI Act

Affected jurisdictions: EU + relevant national pages

Affected AGNUS technology: potential AGNUS Guard Audit Trail capability

Required editorial action: Review 7 articles.

This is the long-term intelligence advantage.

16. ARTICLE CHANGE HISTORY

Every regulatory article should support a visible:

Research History

Example:

14 Aug 2026 — Reviewed

No material changes identified.

02 Aug 2026 — Updated

Updated implementation timeline following application of relevant AI Act provisions.

17 Jun 2026 — Published

Initial AGNUS Research publication.

This creates transparency and trust.

17. CITATION BEHAVIOR

Where practical, claims should be linked directly to the underlying source.

The reader should be able to distinguish:

FACT

What the authoritative source states.

from:

AGNUS ANALYSIS

AGNUS interpretation, practical significance or technical analysis.

Never blur these together.

18. ARTICLE RELATIONSHIPS

At the bottom of every article include contextual navigation.

Related Research

Example:

- EU AI Act Logging Requirements
- Human Oversight Frameworks
- AI Audit Trails
- High-Risk AI Documentation

Related Regulation

EU AI Act
Article XX
Annex XX

Related Standards

Relevant ISO / CEN / NIST / ENISA material.

Jurisdiction

European Union

Country implementation

Italy
Germany
France
Spain
Netherlands
etc., where applicable.

19. AUTHOR PROFILE SYSTEM

Build:

```
/research/authors/jean-daniel-alexis/
```

Header:

Jean-Daniel Alexis

Founder & Research Director, AGNUS

The profile should explain that his work focuses on:

- AI governance
- European AI regulation
- emerging AI systems
- AI agents
- AI security
- auditability
- practical governance infrastructure

Do not exaggerate credentials.

Create sections:

About

Research Areas

Latest Research

Reports

Research Methodology

Disclosures

Contact / Professional Links

Also display:

Articles authored

Articles reviewed

Research areas

Latest review date

Only use real counts.

20. TRUST / INSTITUTIONAL PAGES

Create these pages before launch:

`/research/methodology/`

Explain:

SOURCE

→ VERIFY

→ ANALYZE

→ REVIEW

→ MONITOR

→ UPDATE

`/research/editorial-policy/`

Explain publication standards.

`/research/corrections/`

Explain how corrections are handled.

`/research/evidence-policy/`

Explain source hierarchy.

`/research/ai-use-policy/`

Explain transparently how AI may assist:

- discovery
- classification
- comparison
- translation
- organization
- drafting assistance

But publication accountability remains human.

`/research/review-policy/`

Explain how regulatory articles remain monitored.

These pages are critical for institutional credibility.

21. TOPIC/PILLAR TEMPLATE

Create one dynamic reusable template:

`/research/{pillar}/`

Examples:

`/research/eu-ai-act/`

`/research/ai-governance/`

`/research/ai-agents/`

`/research/ai-security/`

Each pillar page should contain:

Pillar introduction

What this research field covers.

Subtopic directory

Cornerstone research

Latest research

Regulatory connections

Standards connections

Jurisdictions

Reports

Frequently referenced sources

Related pillars

Do not manually build different architecture for every pillar.

Use reusable components.

22. COUNTRY INTELLIGENCE TEMPLATE

Create:

```
/research/countries/{country}/
```

Initial countries:

- European Union
- Norway
- Italy
- Germany
- France
- Spain
- Netherlands
- Sweden
- Denmark

Each country page should contain:

Country Name

Regulatory Status

AI Act / National Framework

Competent Authorities

National Legislation

Current Guidance

Implementation Timeline

Upcoming Deadlines

Enforcement

Regulatory Sandboxes

Relevant Standards

National Consultations

Latest Developments

AGNUS Research

Primary Sources

Change History


Country pages are living intelligence hubs.

They are NOT ordinary articles.

23. EU MASTER LAYER VS COUNTRY LAYER

Avoid duplicating the same EU AI Act explanation across every country.

Use:



Example:

The main explanation of human oversight belongs under:

</research/eu-ai-act/human-oversight/>

The German country page should explain:

- how Germany implements/supervises it
- relevant German authorities
- German guidance
- enforcement developments
- national differences

Do not duplicate the entire EU article.

24. SOURCE LIBRARY

Build:

</research/sources/>

This should become a searchable professional evidence library.

Filters:

- Authority
- Jurisdiction
- Regulation
- Source type
- Publication date
- Topic
- Standard
- Industry
- Actor

- Verification status

Each source should have its own detail view where appropriate.

Display:

Title
 Authority
 Date
 Jurisdiction
 Source type
 Relevant regulation
 Relevant AGNUS articles
 Verified date
 Original source

25. REGULATORY CALENDAR

Build:

`/research/calendar/`

Events include:

- application dates
- compliance deadlines
- consultations
- guidance releases
- standards milestones
- implementation deadlines
- reporting dates
- review dates

Filters:

- Jurisdiction
- Regulation
- Actor
- Industry
- Event type

The calendar should eventually derive from structured intelligence records rather than manually maintained HTML.

26. CHANGE DETECTION ENGINE ARCHITECTURE

Prepare the backend architecture for:

```
FETCH
↓
NORMALIZE
↓
HASH
↓
DEDUPLICATE
↓
COMPARE WITH PREVIOUS VERSION
↓
DETECT CHANGE
↓
CLASSIFY
↓
EXTRACT ENTITIES
↓
ASSESS IMPORTANCE
↓
MAP TO KNOWLEDGE STRUCTURE
↓
IDENTIFY AFFECTED ARTICLES
↓
CREATE EDITORIAL TASK
↓
HUMAN REVIEW
↓
UPDATE
```

Different sources can have different monitoring frequencies.

Do not automatically publish regulatory changes without human review.

27. EDITORIAL DASHBOARD

AGNUS Research needs an internal editorial dashboard.

Create architecture for:

Overview

Show:

- sources monitored
- new discoveries
- material changes
- articles requiring review
- deadlines approaching

- unresolved intelligence records
- recently updated articles

Source Monitor

Show monitored sources and their state.

Intelligence Inbox

New Intelligence Records awaiting classification/review.

Change Queue

Detected source changes.

Article Review Queue

Articles affected by new evidence.

Editorial Calendar

Planned publications.

Country Monitor

Jurisdiction-specific changes.

Regulatory Calendar

Deadlines and upcoming events.

Source Library

Evidence database.

Authors / Reviewers

Contributor management.

Reports

Original AGNUS Research projects.

28. ARTICLE EDITOR

The CMS article editor should allow structured metadata rather than just title + body.

Fields should include:

Title
Slug
Abstract
Pillar
Subtopic
Content type
Author
Reviewer
Jurisdiction
Regulation
Articles / Annexes
Affected actors
Risk category
Industry
AI system type
Publication date
Last updated
Last reviewed
Status
Sources
Standards
Related articles
Related jurisdictions
Deadlines
Change history

The article body itself can use a block editor.

29. EDITORIAL WORKFLOW

Use statuses such as:

IDEA

↓

RESEARCHING

↓

EVIDENCE COLLECTED

↓

DRAFTING

↓

FACT CHECK

↓

EDITORIAL REVIEW

↓

REGULATORY REVIEW — when required

↓

READY

↓

PUBLISHED

↓

MONITORED

↓

REVIEW REQUIRED

↓

UPDATED

or

ARCHIVED

30. SEARCH

The Research search should eventually search structured objects, not just page text.

Users should be able to search:

Topics
Regulations
Articles
Countries
Standards
Authorities
AI systems
Agents
Security threats
Obligations
Sources

Search results should clearly identify result type.

Example:

Human Oversight

Article
EU AI Act
European Union

versus:

Article 14 — Human Oversight

Regulation
EU AI Act

versus:

ISO/IEC 42001

Standard

31. FILTER SYSTEM

Preserve and operationalize the existing filters.

Support:

Topic
Jurisdiction
Content type
Regulation
Industry
Date
Research status

Eventually also support:

Actor
Risk category
Authority
Standard
AI system type

32. MULTILINGUAL ARCHITECTURE

The interface already anticipates multiple languages.

Prepare the data model for:

English
Norwegian
Italian
German
French
Swedish
Danish
Dutch
Spanish

Do NOT simply create disconnected translated pages.

Use a canonical research object with language editions.

Example:

ARTICLE ID: AR-000142

Canonical research object

|
├ EN
├ NO
├ IT
├ DE
├ FR
├ SV
├ DA
├ NL
└ ES

Each translation should retain:

- same source relationships

- same regulation relationships
- same jurisdiction metadata
- same change history relationship

But translations may have their own:

- publication date
 - review status
 - translator/reviewer
 - localized terminology
-

33. REAL COUNTS ONLY

The existing prototype contains demonstration counts such as article totals and jurisdiction totals.

These must eventually come from the database.

Never publicly display invented publication counts.

Before production launch:

remove

and replace all counts with actual computed values.

34. REGULATORY MONITOR

The homepage Regulatory Monitor must eventually be database-driven.

Each ticker item should originate from a verified Intelligence Record.

A ticker record should contain:

Category
Jurisdiction
Headline
Source
Publication date
Verification date
Materiality
Link

Only sufficiently important changes should reach the ticker.

Do not turn it into a general AI news ticker.

35. REGULATORY INTELLIGENCE CARDS

The homepage currently contains regulatory cards.

Eventually populate them from structured data.

Fields:

Regulation / Jurisdiction

Status

Current development

Next deadline

Latest guidance

Authority

Last monitored

Do not manually hard-code these indefinitely.

36. ORIGINAL AGNUS RESEARCH REPORT TEMPLATE

Build a reusable report page.

Fields:

Report title

Report type

Edition

Publication date

Authors

Reviewers

Executive summary

Methodology

Dataset / evidence base

Findings

Charts / tables

Analysis

Recommendations

Limitations

Sources

Download PDF

Citation information

Version history

Reports should have permanent URLs.

37. AGNUS RESEARCH BRIEF

Keep the concept:

One considered email. Not a news feed.

The Research Brief should summarize meaningful changes rather than every AI headline.

Subscriber preferences should eventually support:

- Governance
- EU AI Act
- Agents
- Security
- Audit
- Data Governance
- Standards
- selected jurisdictions

38. CONNECTION TO THE LARGER AGNUS ECOSYSTEM

AGNUS Research should remain editorially credible and should not become a marketing funnel.

However, the data architecture should support relationships to AGNUS technologies.

For example:

Research identifies:
Agent excessive agency

↓ relates to

Governance control:
Permission boundaries

↓ relates to

Security control:
Human approval

↓ potentially relates to

AGNUS Guard capability

These relationships should exist in the knowledge layer.

Do NOT automatically insert advertisements for AGNUS products into regulatory research.

Research credibility comes first.

39. AGNUS GUARD RELEVANCE

Intelligence Records should contain:

agnus_guard_relevance

Possible values:

- None
- Informational
- Control relevant
- Policy relevant
- Detection relevant
- Audit relevant
- Critical product impact

This will eventually allow regulatory intelligence to inform AGNUS product development.

40. DESIGN SYSTEM

Preserve the existing AGNUS Research visual language.

It should remain:

- restrained
- editorial
- institutional
- highly readable
- professional
- research-oriented
- premium without appearing luxurious for luxury's sake

Avoid:

- neon AI imagery
- robots
- glowing brains
- generic circuit boards
- excessive gradients
- crypto aesthetics
- startup-dashboard clutter

- unnecessary glassmorphism

Photography should feel:

- editorial
- architectural
- documentary
- institutional
- human
- restrained

Diagrams should feel:

- analytical
 - precise
 - clean
 - publication quality
-

41. RESPONSIVE DESIGN

Every new template must work properly on:

Desktop
Laptop
Tablet
Mobile

Article reading experience on mobile is especially important.

Avoid forcing desktop research tables into tiny screens.

Use responsive cards, expandable metadata and horizontal scrolling only when genuinely appropriate.

42. ACCESSIBILITY

Use:

semantic HTML
proper heading hierarchy
keyboard navigation
visible focus states
ARIA where required
sufficient contrast
descriptive link text
accessible forms
alt text architecture

Research credibility includes accessibility.

43. SEO / STRUCTURED DATA

Prepare semantic metadata for:

Article
Person
Organization
Report
Dataset where applicable
BreadcrumbList
FAQ only where genuinely present

Each article should support:

Canonical URL
Title
Meta description
OpenGraph
Author
Published date
Modified date
Language
Jurisdiction
Breadcrumbs

Do not create fake structured data.

44. URL ARCHITECTURE

Use clean URLs.

Examples:

`/research/`

`/research/eu-ai-act/`

`/research/eu-ai-act/human-oversight/`

`/research/ai-agents/agent-identity/`

`/research/ai-security/prompt-injection/`

/research/ai-audit/logging/

/research/data-governance/gdpr/

/research/standards/iso-iec-42001/

/research/countries/norway/

/research/countries/italy/

/research/sources/

/research/calendar/

/research/reports/

/research/methodology/

/research/authors/jean-daniel-alexis/

Avoid URLs tied to temporary UI structures.

45. LAUNCH CONTENT TARGET

Do not build hundreds of articles before launch.

Target approximately:

AI Governance

7 articles

EU AI Act

14 articles

AI Agents

7 articles

AI Security

7 articles

AI Audit

5 articles

AI Data Governance

5 articles

Standards

5 articles

Original AGNUS Research

Approximately 3 initial substantial pieces when genuinely supportable

Approximately:

50–60 substantive research publications

plus:

9 initial jurisdiction hubs

plus:

pillar pages
methodology pages
author pages
source library
regulatory calendar.

Quality is more important than raw volume.

46. FIRST CONTENT WAVE

Before producing the entire launch inventory, begin with cornerstone material.

Suggested first wave:

1. The EU AI Act: A Practical Guide for Organizations
2. AI Governance: A Practical Operating Model
3. EU AI Act Risk Classification Explained
4. Human Oversight Under the EU AI Act
5. Documentation Requirements Under the EU AI Act
6. Logging Requirements for AI Systems
7. AI Agent Governance
8. Agent Identity, Permissions and Human Approval
9. Prompt Injection and Indirect Prompt Injection
10. AI Audit Trails and Evidence
11. AI Data Governance and GDPR
12. AI Management Systems and ISO/IEC 42001

These establish the initial knowledge graph.

Do not write them yet until the article architecture and metadata system are functioning.

47. WHAT I WANT YOU TO DO RIGHT NOW

Do NOT respond by redesigning the homepage.

Do NOT give me another high-level strategy document.

Begin implementation.

TASK 1

Inspect the existing AGNUS Research files and preserve their visual system.

TASK 2

Build the canonical **Research Article Template**.

TASK 3

Build the data model supporting the article.

TASK 4

Build the reusable metadata components.

TASK 5

Build:

- author component
- research status component
- article-at-a-glance component
- evidence/source component
- AGNUS Analysis component
- change-history component
- related-research component
- regulation-reference component
- standards-reference component
- jurisdiction component

TASK 6

Create the canonical author profile for:

Jean-Daniel Alexis
Founder & Research Director, AGNUS

TASK 7

Create the first reusable Topic/Pillar template.

Use **EU AI Act** as the implementation example.

TASK 8

Create the first reusable Country Intelligence template.

Use **European Union** as the master example.

TASK 9

Make all components reusable.

Do not create one-off HTML structures that will require manually rebuilding every future page.

48. BEFORE WRITING CODE

First inspect the existing project structure.

Identify:

- existing CSS
- reusable AGNUS components
- typography
- spacing
- buttons
- cards
- navigation
- footer
- image system
- JavaScript architecture
- current Research files

Reuse what already exists wherever sensible.

Do not duplicate styles unnecessarily.

Do not introduce a new framework merely because you prefer one.

Work with the existing architecture unless there is a strong technical reason not to.

49. IMPLEMENTATION DISCIPLINE

As you work:

1. Preserve existing working pages.
 2. Make incremental changes.
 3. Keep components reusable.
 4. Avoid unnecessary dependencies.
 5. Do not fabricate regulatory data.
 6. Mark placeholder data clearly.
 7. Never present demo information as verified research.
 8. Keep content/data separate from presentation where possible.
 9. Prepare the system for eventual database/API integration.
 10. Maintain consistent taxonomy IDs/slugs.
 11. Preserve accessibility.
 12. Preserve responsive behavior.
-

50. THE END STATE

AGNUS Research should eventually operate like this:

AUTHORITATIVE SOURCES

↓

SOURCE MONITOR

↓

CHANGE DETECTION

↓

INTELLIGENCE RECORDS

↓

KNOWLEDGE GRAPH

↓

REGULATIONS

↓

OBLIGATIONS

↓

JURISDICTIONS

↓

STANDARDS

↓

RESEARCH ARTICLES

↓

REPORTS

↓

REGULATORY CALENDAR

↓

RESEARCH BRIEF

↓
CONTINUOUS MONITORING

And when evidence changes:

SOURCE CHANGES
↓
AGNUS DETECTS CHANGE
↓
INTELLIGENCE RECORD CREATED
↓
AFFECTED KNOWLEDGE IDENTIFIED
↓
AFFECTED ARTICLES IDENTIFIED
↓
ARTICLE STATUS → UNDER REVIEW
↓
EDITORIAL REVIEW
↓
ARTICLE UPDATED
↓
CHANGE HISTORY RECORDED
↓
STATUS → CURRENT

That is the system we are building.

AGNUS Research is not merely a collection of articles.

It is intended to become a **living AI governance and regulatory knowledge infrastructure**.

FINAL INSTRUCTION

Start with the **Research Article Template and its underlying data architecture now**.

Do not attempt to build every phase simultaneously.

Complete the Article Template carefully enough that it can become the canonical foundation for dozens and eventually hundreds of AGNUS Research publications.

Show me the implementation after this first phase so we can inspect it before proceeding to the next system.