



Food Safety & Personal Hygiene

CNPC Chuanqing Drilling Engineering Company Limited (CCDC)





Hygiene

Hygiene means keeping our body, clothes, hands, face, cooking area, and food preparation areas clean and free from germs. It is very important for staying healthy and preventing diseases.

Importance of Hygiene:

- Keeps harmful germs away
- Prevents food from becoming contaminated
- Maintains a healthy and clean workplace environment

Some Hygiene Rules:

- Wash your hands, especially before cooking and after using the toilet.
- Wear clean clothes.
- Keep your nails short and clean.
- Cover your mouth when coughing.
- Keep the kitchen clean.



Food Safety

Food safety is a way of keeping food safe from contamination during production, storage, processing, and serving.

Importance of Food Safety:

- Prevents foodborne diseases
- Keeps food fresh and safe for a longer time

Some Food Safety Rules:

- Wash your hands before and after cooking.
- Use clean and safe water for cooking.
- Keep raw and cooked food separate.
- Cook food properly.
- Store cold food in the refrigerator.
- Keep food covered.




Foodborne Disease

Foodborne diseases occur when people eat or drink food or water contaminated with harmful germs. These diseases can cause mild discomfort or serious, life-threatening illness.

The most common causes of food poisoning are bacteria and viruses.

Good personal hygiene is very important for food handlers because people can be a major source of bacteria.

Bacteria cannot be seen with the naked eye, but good hygiene practices can greatly reduce the risk.



E. coli



The Impact of Foodborne Disease



Abdominal pain



Vomiting



Nausea




Diarrhoea



Fever




Routes of Contamination





Routes of Contamination





(Personal Hygiene)

As a food handler, you must wash your hands at the following times to prevent the spread of germs:

- After using the toilet
- After touching your hair or nose
- After eating, smoking, or coughing
- After helping a sick co-worker
- After touching animals





Proper Handwashing Steps

- 1** First, wet your hands with water.



- 2** Rub your hands for at least 20 seconds. Clean the back of your hands, wrists, between your fingers, and under your nails.



- 3** Rinse your hands well under running water.



- 4** Finally, dry your hands with a disposable tissue.





Proper Clothing

- 1** Wear a clean uniform before starting work.



- 2** Do not take your uniform out of the kitchen area.



- 3** Make sure the uniform fits properly.



- 4** Keep towels, chef hats and other items away from food.



- 5** Wash your uniform regularly and keep it clean.



- 6** Your hair must be fully covered with a suitable hairnet or cap.





(Personal Hygiene)

Food preparation facilities have two separate hygiene areas: high-risk and low-risk areas.

- ◆ Low-Risk Area:

This includes floors, walls, ceilings, chairs, and ovens.

Cleaning: These areas should be washed with soap and dried properly.

- ◆ High-Risk Area:

This includes cutting boards, knives, refrigerators, door handles, and surfaces that come into direct contact with food.

Cleaning: These areas must be cleaned and disinfected using a food-safe disinfectant.



Improper Activities

To prevent food contamination, the following activities should be avoided while working:





Importance of Pest Control

Pests are harmful animals or insects that live in or around food, such as rats and insects.

In food production facilities, pests are considered a serious risk and health hazard. They can contaminate food with foreign materials such as droppings and hair, and they can also carry serious diseases.

In addition to health risks, pest infestations can cause significant food waste, resulting in major financial losses.

Besides contamination by bacteria and viruses, pests can contaminate food through: Hair and fur, Feces and urine, Eggs





Good Practices

All employees must be aware of and follow the following good hygiene practices:

1 Properly control waste.	2 Ensure food is properly covered in the food preparation area.	3 Clean up any spills or dropped food quickly and effectively.	4 Ensure no food is left open outside the factory.	5 Keep the factory clean and tidy.
6 Store food above the floor and away from walls.	7 Check raw materials properly when receiving and during storage.	8 Ensure food is stored in pest-proof containers.	9 Keep drains clean and covered with nets.	10 Ensure there is no shelter for any outside animals.



Cross-contamination

Cross-contamination means the spread of contamination from one source to another.

Examples:

1 Using the same knife to cut cooked food after cutting raw chicken can cause cross-contamination.



2 Direct contact between raw and cooked ingredients.



3 During defrosting, liquids released from frozen food, especially frozen poultry, must not come into contact with cleaning cloths, high-risk food, or equipment used to prepare high-risk food.





Cross-contamination

The following foods have a higher risk of containing foodborne pathogens:

- Red meat
- Poultry (chicken, etc.)
- Unpasteurized milk
- Raw eggs

All raw foods and ingredients must be kept completely separate from cooked or ready-to-eat foods.



Cross-contamination

An important point about meat and poultry is that they are highly susceptible to bacterial contamination. Therefore, these products must be covered and stored in the refrigerator to prevent contamination. They should be kept separate from other foods, and their juices or liquids must not come into contact with other food.

Finally, cutting boards, work surfaces, and knives must be thoroughly washed and cleaned with hot water and soap.



Pest Prevention

1 Insect Prevention

- Ensure that pests are not attracted to the factory or able to enter it.



2 Waste Control

- Remove waste regularly from the production area.
- Keep waste in covered containers.
- Place covered containers in a designated location.



3 External Maintenance

- Keep the factory boundary and surrounding area clean and well maintained.
- Regularly trim grass and vegetation.
- Eliminate potential hiding places for pests around the premises.



4 Factory Structure and Entrances

- Install automatic self-closing doors.
- Use mesh screens on windows to prevent pests from entering.
- Control and secure any open entrances properly.





Pest Prevention

Storage Methods for Meat Products:

1 Keep products well covered

- All meat and poultry products should be properly covered. This helps maintain the quality of the food and prevents the juices or liquids from one product mixing with another, which can cause contamination.



2 Prepare for storage in the freezer

- If you want to store meat or poultry in its original package, wrap the package with extra plastic wrap or foil and make it suitable for freezer storage.



3 Thaw and cook within 1 hour

- After removing frozen meat from the freezer, soak it in water or defrost it, then bring it to room temperature and cook it within one hour.





Pest Prevention

People responsible for cooking may have a common misconception that extra precautions are not necessary because cooking will kill the germs in the food. However, this is not always true. Maintaining good personal hygiene is also very important for everyone involved in food preparation.

There are two important points to remember:

- Cooks must wash their hands with soap for at least 20 seconds.
- Cutting boards must be properly cleaned and sanitized.



Where is the problem here???





Where is the problem here???





Where is the problem here???





Where is the problem here???





Where is the problem here???





Where is the problem here???





Where is the problem here???





Where is the problem here???





Where is the problem here???



Thank you for your attention
&
support

