

Type 2 symptoms

Type 2 symptoms

Type 2 diabetes symptoms | Diabetes UK

[Skip to main navigation](#) [Skip to content](#)

Save for later Page saved! You can go back to this later in your Diabetes and Me [Close](#)

Type 2 diabetes symptoms

What are the first warning signs and symptoms of type 2 diabetes? A lot of people don't get any signs or symptoms of type 2 diabetes – or don't notice them. Symptoms can include: Weeing a lot, especially at night. Being really thirsty. Feeling more tired than usual. Losing weight without trying to – and getting thinner. Genital itching or thrush. Cuts and wounds taking longer to heal. Blurred eyesight. Behaviour changes like feeling more irritable. Can type 2 diabetes be cured? There isn't a cure for type 2 diabetes or any other type of diabetes. By losing weight, some people can reverse their type 2 diabetes, known as remission . This means their blood sugar levels are back at 'normal' levels rather than within the range for diabetes or prediabetes and they don't need to take diabetes medication to manage their blood sugar levels. But type 2 diabetes can come back if people put weight back on. Type 2 diabetes symptoms in adults Everyone is different so your symptoms may not always be the same. But the most common symptoms of type 2 diabetes are increased thirst, needing to go to the toilet more, feeling tired and losing weight. Type 2 diabetes can be easier to miss than type 1 diabetes because the symptoms may not be so obvious. To find out more about these symptoms and what causes them, watch our video {"preview_thumbnail": "/resources-s3/public/styles/video_embed_wysiwyg_preview/public/video_thumbnails/blhy-Rb2xp4.jpg?VersionId=l44O5zbZz1_KxU88tFwTdG2GjDFv9CA5&itok=-VIUxKIX", "video_url": "https://www.youtube.com/watch?v=blhy-Rb2xp4 ";, "settings": {"responsive": 1, "width": "854", "height": "480", "autoplay": 0}, "settings_summary": ["Embedded Video (Responsive)."]}

Type 2 diabetes symptoms in children or young people (under 18s) Symptoms for type 2 diabetes in children and young people are the same as those above but may be more obvious. Type 2 diabetes in children is much less common in children than type 1 diabetes. Risk factors include a family history of ty

Save for later Page saved! You can go back to this later in your Diabetes and Me [Close](#)

Share this Page

© The British Diabetic Association operating as Diabetes UK, a charity registered in England and Wales (no. 215199) and in Scotland (no. SC039136). A company limited by guarantee registered in England and Wales with (no.00339181) and registered office at Wells Lawrence House, 126 Back Church Lane London E1 1FH

[Back to Top](#)

Brand Icons/Telephone check - FontAwesome    “ “
Header icons/tick icons/uk