

Danh mục: general

Symptoms of Diabetes

Symptoms of Diabetes

May 15, 2024

Español

Key points

Type 1 and type 2 diabetes often develop slowly over time, and both can start with few or no symptoms.

Gestational diabetes doesn't usually have symptoms. Your doctor should test you for it between 24 and 28 weeks of pregnancy.

Knowing the symptoms of diabetes can help you to manage your health and prevent complications.

Symptoms

Both type 1 and type 2 diabetes can have similar symptoms, including:

Frequent urination (peeing).

Increased thirst and hunger.

Losing weight without trying.

Fatigue (tiredness).

Feeling irritable or moody.

Blurry vision.

Frequent urinary tract infections (UTIs) or yeast infections.

Keep Reading

Testing for Diabetes

Symptoms of type 1 diabetes

People with type 1 diabetes in its early stages don't have any symptoms. As type 1 progresses

, symptoms can appear suddenly, in just a few weeks or months, and can be severe. People with type 1 diabetes may also have these symptoms:

Nausea.

Vomiting.

Stomach pains.

Diabetic ketoacidosis (DKA).

Type 1 diabetes is frequently diagnosed in childhood, but it can develop at any age.

Did you know?

In children, unexplained bed-wetting or increased accidents could be a sign of type 1 diabetes. Keep an eye on any changes in bathroom habits if your child is at risk.

Keep Reading

Just Diagnosed With Type 1 Diabetes

Symptoms of type 2 diabetes

Type 2 diabetes

symptoms often take several years to develop. Some people don't notice any symptoms at all. Type 2 diabetes usually starts when you're an adult, though more and more

children and teens

Danh mục: general

are developing it. Because symptoms are hard to spot, it's important to know the risk factors for type 2 diabetes.

Some additional symptoms more common in type 2 diabetes include:

Cuts, sores, or wounds that are very slow to heal.

Dark patches of skin around the neck, armpits, or groin.

Numbness or tingling in the hands or feet.

Keep Reading

Diabetes Risk Factors

Symptoms of gestational diabetes

Gestational diabetes

(diabetes during pregnancy) usually doesn't have any symptoms. If you're pregnant, your doctor should test you for gestational diabetes between 24 and 28 weeks of pregnancy. If needed, you can make changes like healthy eating and being active to protect your health and your baby's health. If those changes aren't enough to manage your blood sugar, your doctor may prescribe medicine to help.

May 15, 2024

Sources

Print

Share

Content Source:

National Center for Chronic Disease Prevention and Health Promotion

Diabetes