

Knowledge Graphs

Karlsruher Institut für Technologie FIZ Karlsruhe Leibniz Institute for Information Infrastructure

Lecture 5: Ontological Engineering for Smarter Knowledge Graphs

- 5.1 Beyond the Limits of OWL
 - Excursion 7: The Semantic Web Rule Language SWRL
- 5.2 How to design your own Ontology
- 5.3 How to design better Ontologies
- 5.4 Ontological Engineering
- 5.5 Knowledge Graph Construction
- 5.6 Ontologies & Knowledge Graphs Best Practices



Knowledge Graph Construction and Enrichment


- Human Collaboration (manually)
- Automated Methods
 - from unstructured text sources
 - from structured data sources

from unstructured Text Sources



- The analysis of unstructured text requires techniques from Natural Language Processing
- NLP-based Knowledge Extraction:
 - Identify entities (Entity Recognition)
 - Map entities to a reference knowledge graph (Entity Linking / Entity Resolution)
 - Identify relations (Relation Extraction)
 - Map relations to a reference knowledge graph (Property Linking)
 - Further analysis to create meaningful triples:


POS Tagging, Constituency & Dependency Parsing, Co-Reference Resolution, Semantic Role Labelling



KG Construction from unstructured Text Sources

Part-of-Speech Tagging





KG Construction from unstructured Text Sources





The Ambassadors is a 1533 painting by Hans Holbein the Younger. Also Tudor period, in the same year Elizabeth I was born.	Text to annotate — known as Jean de <u>Dinteville</u> and Georges de <u>Se</u>	elve, after the two people it portrays,	it was created in the		
- Annotations -		- Language -			
named entities ×		English ▼	Submit		
Named Entity Recognition: DATE 1533 PERSON					
The Ambassadors is a 1533 painting by Hans Holbein the Younger.					
PERSON PERSON NUMBE 2.0 Also known as Jean de Dinteville and Georges de Selve , after the two	people it portrays , it was created in the Tude	or period , in the same year Elizabe			

KG Construction from unstructured Text Sources






- Text to annotate	ie –				
The Ambassadors is a 1533 painting by Hans Holbein the Younger. Also known as Jean de <u>Dints</u> Tudor period, in the same year Elizabeth I was born.	eville and Georges de Selve, after the two people it portrays, it was created in the				
- Annotations -	- Language -				
coreference ×	English • Submit				
Speakers:					
[S(PERO)]					
The Ambassadors is a 1533 painting by Hans Holbein the Younger .					
S(PERO)					
Also known as Jean de Dinteville and Georges de Selve , after the two people it portrays , it was created in the Tudor period , in the same year Elizabeth I was born .					
Coreference	e:				
$^{ m 1}$ The Ambassadors is a 1533 painting by Hans Holbein the Younger .					
CorefEntity11	CorefEntity11				
Also known as Jean de Dinteville and Georges de Selve , after the two people it portra	ys , it was created in the Tudor period , in the same year Elizabeth I was				

KG Construction from unstructured Text Sources




Semantic Role Labelling



from unstructured Text




The Ambassadors is a 1533 painting by Hans Holbein the Younger.



from unstructured Text




The Ambassadors is a 1533 painting by Hans Holbein the Younger.




from unstructured Text



The Ambassadors is a 1533 painting by Hans Holbein the Younger.





Knowledge Graph Construction

https://chat.openai.com/chat

6 0



Create an RDF Turtle serialization of a knowledge graph from the following text: The Ambassadors is a 1533 painting by Hans Holbein the Younger. Also known as Jean de Dinteville and Georges de Selve, after the two people it portrays, it was created in the Tudor period, in the same year Elizabeth I was born.



```
Copy code
less
@prefix ex: <http://example.org/> .
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .
ex:TheAmbassadors rdf:type ex:Painting ;
                  ex:wasCreatedBy ex:HansHolbeinTheYounger ;
                  ex:wasCreatedIn 1533 ;
                  ex:depicts ex:JeanDeDinteville , ex:GeorgesDeSelve ;
                  ex:wasCreatedDuring ex:TudorPeriod .
ex:ElizabethI rdf:type ex:Person ;
              ex:wasBornIn 1533 .
```

Knowledge Graph Construction



Could you please map the entities to wikidata identifiers?



Sure! Here is the RDF Turtle serialization of the same knowledge graph with entities mapped to their corresponding Wikidata identifiers:





Copy code less @prefix wd: <http://www.wikidata.org/entity/> . @prefix wdt: <http://www.wikidata.org/prop/direct/> . @prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> . wd:0201812 rdf:type wd:03305213; wdt:P170 wd:Q159186; wdt:P depicts wd:Q1060483 , wd:Q1060373 ; wdt:P571 "1533-01-01T00:00:00Z"^^<http://www.w3.org/2001/XMLSchema#dateT wdt:P1319 wd:Q11631 .

from structured Data Sources




- Structured data sources, e.g.,
 - Relational Databases, CSV files, etc.
 - Tree-based structured sources like XML, JSON, etc.
- Unlike unstructured text, where knowledge has to be (imprecisely) extracted, structured
 data sources often can be (precisely) mapped to a knowledge graph.
- 2-Step General Mapping:
 - (1) Create a mapping from the source to a graph.
 - (2) Use the mapping in order to materialize the source data as a graph or to virtualize the source (creating a graph view over the legacy data).

KG Construction from structured Data SourcesR2RML



- R2RML is a language for specifying mappings from relational data to RDF
- A mapping takes as input a logical table, i.e.,
 - a database table
 - a database view, or
 - an SQL query
- A logical table is mapped to a set of triples by a rule called triples map.



KG Construction from structured Data Sources



- A triples map has two parts:
 - o a subject map
 - several predicate-object maps (combining predicate and object maps)
- Input of a map:

a row of the logical table

- Output of a map: for each row,
 - a subject resource (IRI or blank node), often generated from primary key values
 - several triples with the same subject, but varying predicates and objects, generated from the attributes of the row

KG Construction from structured Data Sources

R2RML Simple Example



Paintings

ID INTEGER Primary Key	Title VARCHAR(100)	Creator VARCHAR(100)
123	The Ambassadors	Hans Holbein the Younger

```
@base <http://paintings.example.org/db/> .
@prefix rr: <http://www.w3.org/ns/r2rml#>.
@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> .
@prefix dbo: <http://dbpedia.org/ontology/>.
<PaintingsMap> a rr:TriplesMap;
       rr:logicalTable [ rr:tableName "Paintings" ];
       rr:subjectMap [
               rr:template "paintings.example.org/db/{ID}";
              rr:class dbo:Artwork;
       1;
       rr:predicateObjectMap [
              rr:predicate rdfs:label ;
              rr:objectMap [ rr:column "Title" ;
              rr:language "en" ];
       1;
       rr:predicateObjectMap [
              rr:predicate dbo:author ;
              rr:objectMap [ rr:column "Creator"
              rr:language "en" ];
       1.
```

```
@base <http://paintings.example.org/db/> .
@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> .
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .
@prefix dbo: <http://dbpedia.org/ontology/>.
:123 rdf:type dbo:ArtWork ;
    rdfs:label "The Ambassadors"@en ;
    dbo:author "Hans Holbein the Younger"@en .
```

```
<http://paintings.example.org/db/123>
<http://www.w3.org/1999/02/22-rdf-syntax-ns#type>
<http://dbpedia.org/ontology/ArtWork> .

<http://paintings.example.org/db/123>
<http://www.w3.org/2000/01/rdf-schema#label> "The
Ambassadors"@en ;

<http://paintings.example.org/db/123>
<http://paintings.example.org/db/123>
<http://dbpedia.org/ontology/author> "Hans Holbein the
Younger"@en .
```



Knowledge Graphs

5. Ontological Engineering for Smarter Knowledge Graphs / 5.5 Knowledge Graph Construction



Bibliographic References:

- Souripriya Das, Seema Sundara, Richard Cyganiak (eds.,2012), <u>R2RML: RDB to RDF Mapping Language</u>, W3C Recommendation 27 September 2012.
- Aidan Hogan (2020), <u>The Web of Data</u>, Springer.
 Chap. 8.5.2 Relational Data to RDF, pp. 556–575.

Picture References:

- (1) "On this hyperrealistic scifi movie poster we see the scenery of Hans Holbein the Younger's famous painting "The Ambassadors" set into a retro futuristic environment on planet Mars showing countless small strange artifacts belonging to the ambassadors including a large distorted skull..", created via ArtBot, Deliberate, 2023, [CC-BY-4.0], https://tinybots.net/artbot
- [2] "The Ambassadors", Hans Holbein the Younger, 1533, [Public Domain], https://upload.wikimedia.org/wikipedia/commons/8/88/Hans_Holbein_the_Younger_- The_Ambassadors_- Google_Art_Project.jpg
- "On this hyperrealistic scifi movie poster we see the scenery of Hans Holbein the Younger's famous painting "The Ambassadors" set into a postapocalyptic environment on planet Mars showing countless small strange and precious artifacts belonging to the ambassadors..", created via ArtBot, Deliberate, 2023, [CC-BY-4.0], https://tinybots.net/artbot