

RULES.md — What the agent is never allowed to do

CarHunter documentation · source: RULES.md · generated June 2026

RULES.md — What the agent is never allowed to do

- 1 **Never substitute the stack.** Convex, Daytona, Playwright, React+Vite+Tailwind. TypeScript everywhere except Python scrapers. No SQLite, no Supabase, no Next.js, no "better" alternatives.
- 2 **Never start from zero where reference code exists.** Reuse: FB scrape/parse/UI from `facebook-marketplace-scraper-1.1.0`; cookie + search-URL logic from `scrape_marketplace.py`; KSL parsing + `assets/new_score_method.py` from `KSLHax-1.2`.
- 3 **Never change the spec's numbers without a BLOCKED entry:** margin threshold 1500, fees 400, score weights 45/20/15/10/10, recon keyword bumps (\$4), dedupe key formula (\$5), buy-box defaults (\$2). **Standing user override:** salvage/rebuilt title $estValue = 0.70 \times \text{clean-title comp value}$ (replaces \$4's $\times 0.65$) — comps must come from clean-title vehicles only. 3a. **Never value a car without trying the MarketCheck MCP first** (`predict_price_with_comparables / search_active_cars / search_past_90_days`). The depreciation curve is a flagged fallback, never silently used, and curve-valued cars never trigger HOT alerts. 3b. **Never use generic keyword bumps for engine/transmission failures when the YMM exists in partsCosts.** Mechanic specials price recon from real used-part medians + labor (engine +\$1,300, trans +\$900); unnamed failures assume the pricier component. Recon math must be visible in the detail drawer.
- 4 **Never let dealer listings into the feed.** Private-party only — hard filter in `parse.py`.
- 5 **Never store a Facebook password.** Session cookie from Convex settings only.
- 6 **Never run scrapers on the app server.** Daytona sandboxes only, torn down after each run.
- 7 **Never message sellers, send money, or act on a deal.** The app finds and ranks; the human decides and contacts.
- 8 **Never mark a milestone ■ without the independent subagent verifier's PASS.**
- 9 **Never work on two milestones in one cycle, and never skip ahead in the §9 build order.**
- 10 **Never retry the same failure more than 3 times** — write BLOCKED to PROGRESS.md and stop the cycle.
- 11 **Never delete or rewrite PROGRESS.md history.** Append only.