

NoReverseMatch at /admin-view-doctor

Reverse for 'adminlogin' not found. 'adminlogin' is not a valid view function or pattern name.

Request Method: GET
Request URL: http://127.0.0.1:8000/admin-view-doctor
Django Version: 3.0.5
Exception Type: NoReverseMatch
Exception Value: Reverse for 'adminlogin' not found. 'adminlogin' is not a valid view function or pattern name.
Exception Location: C:\Users\porcy\PycharmProjects\Django_HMS1.1\venv\lib\site-packages\django\urls\resolvers.py in _reverse_with_prefix, line 677
Python Executable: C:\Users\porcy\PycharmProjects\Django_HMS1.1\venv\Scripts\python.exe
Python Version: 3.8.5
Python Path: ['C:\\Users\\porcy\\PycharmProjects\\Django_HMS1.1',
'F:\\Python\\python38.zip',
'F:\\Python\\DLLs',
'F:\\Python\\lib',
'F:\\Python',
'C:\\Users\\porcy\\PycharmProjects\\Django_HMS1.1\\venv',
'C:\\Users\\porcy\\PycharmProjects\\Django_HMS1.1\\venv\\lib\\site-packages']
Server time: Thu, 20 May 2021 22:18:18 +0000

Traceback [Switch to copy-and-paste view](#)

C:\Users\porcy\PycharmProjects\Django_HMS1.1\venv\lib\site-packages\django\core\handlers\exception.py in inner

34. response = get_response(request)

► Local vars

C:\Users\porcy\PycharmProjects\Django_HMS1.1\venv\lib\site-packages\django\core\handlers\base.py in _get_response

115. response = self.process_exception_by_middleware(e, request)

► Local vars

C:\Users\porcy\PycharmProjects\Django_HMS1.1\venv\lib\site-packages\django\core\handlers\base.py in _get_response

113. response = wrapped_callback(request, *callback_args, **callback_kwargs)

► Local vars

C:\Users\porcy\PycharmProjects\Django_HMS1.1\venv\lib\site-packages\django\contrib\auth\decorators.py in _wrapped_view

23. resolved_login_url = resolve_url(login_url or settings.LOGIN_URL)

► Local vars

C:\Users\porcy\PycharmProjects\Django_HMS1.1\venv\lib\site-packages\django\shortcuts.py in resolve_url

131. return reverse(to, args=args, kwargs=kwargs)

► Local vars

C:\Users\porcy\PycharmProjects\Django_HMS1.1\venv\lib\site-packages\django\urls\base.py in reverse

87. return iri_to_uri(resolver._reverse_with_prefix(view, prefix, *args, **kwargs))

► Local vars

C:\Users\porcy\PycharmProjects\Django_HMS1.1\venv\lib\site-packages\django\urls\resolvers.py in _reverse_with_prefix

677. raise NoReverseMatch(msg)

► Local vars

Request information

USER AnonymousUser

GET No GET data

POST No POST data

FILES No FILES data

COOKIES No cookie data

META	Variable	Value
	ALLUSERSPROFILE	'C:\\ProgramData'
	ANDROID_SDK_HOME	'C:\\Android'
	APPDATA	'C:\\Users\\porcy\\AppData\\Roaming'
	CHOCOLATEYINSTALL	'C:\\ProgramData\\chocolatey'
	CHOCOLATEYLASTPATHUPDATE	'132508944843236664'
	COMMONPROGRAMFILES	'C:\\Program Files (x86)\\Common Files'
	COMMONPROGRAMFILES(X86)	'C:\\Program Files (x86)\\Common Files'
	COMMONPROGRAMW6432	'C:\\Program Files\\Common Files'
	COMPUTERNAME	'DESKTOP-8L694AL'
	COMSPEC	'C:\\Windows\\system32\\cmd.exe'
	CONTENT_LENGTH	''
	CONTENT_TYPE	'text/plain'
	DJANGO_SETTINGS_MODULE	'hospitalmanagement.settings'
	DOKANLIBRARY1	'C:\\Program Files\\Dokan\\Dokan Library-1.2.0\\'
	DOKANLIBRARY1_LIBRARYPATH_X64	'C:\\Program Files\\Dokan\\Dokan Library-1.2.0\\lib\\'
	DOKANLIBRARY1_LIBRARYPATH_X86	'C:\\Program Files\\Dokan\\Dokan Library-1.2.0\\x86\\lib\\'
	DRIVERDATA	'C:\\Windows\\System32\\Drivers\\DriverData'
	EGPL_GEOLIBRARIAN_DRIVE	'L'
	GATEWAY_INTERFACE	'CGI/1.1'
	HOMEDRIVE	'C:'
	HOMEPATH	'\\Users\\porcy'
	HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8'
	HTTP_ACCEPT_ENCODING	'gzip'
	HTTP_ACCEPT_LANGUAGE	'ru-RU,en,*'
	HTTP_CONNECTION	'Keep-Alive'
	HTTP_HOST	'127.0.0.1:8000'
	HTTP_USER_AGENT	('Mozilla/5.0 (Windows NT 6.2; Win64; x64) AppleWebKit/534.34 (KHTML, like 'Gecko) wkhtmltopdf Safari/534.34')
	IDEA_INITIAL_DIRECTORY	'C:\\Users\\porcy\\Desktop'
	LOCALAPPDATA	'C:\\Users\\porcy\\AppData\\Local'
	LOGONSERVER	'\\\\DESKTOP-8L694AL'
	MSMPI_BIN	'C:\\Program Files\\Microsoft MPI\\Bin\\'
	NUMBER_OF_PROCESSORS	'12'
	ONEDRIVE	'C:\\Users\\porcy\\OneDrive'
	ONEDRIVECONSUMER	'C:\\Users\\porcy\\OneDrive'
	OS	'Windows NT'

Variable	Value
PATH	('C:\Users\porcy\PycharmProjects\Django_HMS1.1\venv\Scripts;C:\Python39\Scripts\;C:\Python39\;C:\ProgramData\Oracle\Java\javapath;C:\Program Files\Microsoft ' 'MPI\Bin\;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Windows\System32\OpenSSH\;C ' 'Files\dotnet\;C:\Android;C:\Windows\System32;C:\Program ' 'Files\Microsoft SQL Server\Client ' 'SDK\ODBC\170\Tools\Binn\;C:\Program Files (x86)\Microsoft SQL ' 'Server\150\DTs\Binn\;C:\Program Files\Git\cmd;C:\Program Files ' '(x86)\Microsoft SQL Server\140\Tools\Binn\;C:\Program Files\Microsoft ' 'SQL Server\140\Tools\Binn\;C:\Program Files (x86)\Microsoft SQL ' 'Server\140\DTs\Binn\;C:\Program Files\Microsoft SQL ' 'Server\140\DTs\Binn\;C:\Program Files\Microsoft SQL Server\Client ' 'SDK\ODBC\130\Tools\Binn\;C:\Program Files\Microsoft SQL ' 'Server\130\Tools\Binn\;C:\sqlite\sqlite-tools-win32-x86-3330000\F;\NodeJS\;C:\ProgramData\chocolatey\bin;C:\Users\porcy\AppData\Local\Microsoft\WindowsApps;C:\Microsoft ' 'VS ' 'Code\bin;C:\Users\porcy\AppData\Local\atom\bin;C:\Users\porcy\AppData\Local\GitHubDesktop\bin;C:\Users\porcy\AppData\Roaming\npm;C:\Progri ' 'Files\heroku\bin')
PATHEXT	'.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.PY;.PW'
PATH_INFO	'/admin-view-doctor'
PROCESSOR_ARCHITECTURE	'x86'
PROCESSOR_ARCHITECTURE6432	'AMD64'
PROCESSOR_IDENTIFIER	'AMD64 Family 23 Model 8 Stepping 2, AuthenticAMD'
PROCESSOR_LEVEL	'23'
PROCESSOR_REVISION	'0802'
PROGRAMDATA	'C:\ProgramData'
PROGRAMFILES	'C:\Program Files (x86)'
PROGRAMFILES(X86)	'C:\Program Files (x86)'
PROGRAMW6432	'C:\Program Files'
PROMPT	('venv) \$PSG'
PSMODULEPATH	('C:\Program ' 'Files\WindowsPowerShell\Modules;C:\Windows\system32\WindowsPowerShell\v1.0\Modules;C:\Program ' 'Files (x86)\Microsoft SQL Server\140\Tools\PowerShell\Modules\')
PTHOME	'F:\Files\Cisco Packet Tracer 6.2iv'
PUBLIC	'C:\Users\Public'
QUERY_STRING	''
REMOTE_ADDR	'127.0.0.1'
REMOTE_HOST	''
REQUEST_METHOD	'GET'
RUN_MAIN	'true'
SCRIPT_NAME	''
SERVER_NAME	'DESKTOP-8L694AL'
SERVER_PORT	'8000'
SERVER_PROTOCOL	'HTTP/1.1'
SERVER_SOFTWARE	'WSGIServer/0.2'
SESSIONNAME	'Console'
SYSTEMDRIVE	'C:'
SYSTEMROOT	'C:\Windows'
TEMP	'C:\Users\porcy\AppData\Local\Temp'
TERMINAL_EMULATOR	'JetBrains-JediTerm'
TMP	'C:\Users\porcy\AppData\Local\Temp'
USERDOMAIN	'DESKTOP-8L694AL'
USERDOMAIN_ROAMINGPROFILE	'DESKTOP-8L694AL'
USERNAME	'Moi'
USERPROFILE	'C:\Users\porcy'
VBOX_MSI_INSTALL_PATH	'F:\VirtualBox\'
VIRTUAL_ENV	'C:\Users\porcy\PycharmProjects\Django_HMS1.1\venv'
WINDIR	'C:\Windows'
_OLD_VIRTUAL_PATH	('C:\Python39\Scripts\;C:\Python39\;C:\ProgramData\Oracle\Java\javapath;C:\Program ' 'Files\Microsoft ' 'MPI\Bin\;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Windows\System32\OpenSSH\;C ' 'Files\dotnet\;C:\Android;C:\Windows\System32;C:\Program ' 'Files\Microsoft SQL Server\Client ' 'SDK\ODBC\170\Tools\Binn\;C:\Program Files (x86)\Microsoft SQL ' 'Server\150\DTs\Binn\;C:\Program Files\Git\cmd;C:\Program Files ' '(x86)\Microsoft SQL Server\140\Tools\Binn\;C:\Program Files\Microsoft ' 'SQL Server\140\Tools\Binn\;C:\Program Files (x86)\Microsoft SQL ' 'Server\140\DTs\Binn\;C:\Program Files\Microsoft SQL ' 'Server\140\DTs\Binn\;C:\Program Files\Microsoft SQL Server\Client ' 'SDK\ODBC\130\Tools\Binn\;C:\Program Files\Microsoft SQL ' 'Server\130\Tools\Binn\;C:\sqlite\sqlite-tools-win32-x86-3330000\F;\NodeJS\;C:\ProgramData\chocolatey\bin;C:\Users\porcy\AppData\Local\Microsoft\WindowsApps;C:\Microsoft ' 'VS ' 'Code\bin;C:\Users\porcy\AppData\Local\atom\bin;C:\Users\porcy\AppData\Local\GitHubDesktop\bin;C:\Users\porcy\AppData\Roaming\npm;C:\Progri ' 'Files\heroku\bin')
_OLD_VIRTUAL_PROMPT	'\$PSG'
_INTELLIJ_COMMAND_HISTORYFILE	'C:\Users\porcy\AppData\Roaming\JetBrains\PyCharm2020.1\terminal\history\history-74'
wsgi.errors	<_io.TextIOWrapper name='<stderr>' mode='w' encoding='utf-8'>
wsgi.file_wrapper	''
wsgi.input	<django.core.handlers.wsgi.LimitedStream object at 0x0487CE38>
wsgi.multiprocess	False
wsgi.multithread	True
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings

Using settings module hospitalmanagement.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	[]
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	['django.contrib.auth.password_validation.CommonPasswordValidator', 'django.contrib.auth.password_validation.NumericPasswordValidator']
AUTH_USER_MODEL	'auth.User'
BASE_DIR	'C:\Users\porcy\PycharmProjects\Django_HMS1.1'
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	''
CACHE_MIDDLEWARE_SECONDS	600
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	False
CSRF_COOKIE_NAME	'csrftoken'
CSRF_COOKIE_PATH	'/'
CSRF_COOKIE_SAMESITE	'Lax'
CSRF_COOKIE_SECURE	False
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	[]
CSRF_USE_SESSIONS	False

Setting	Value
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.sqlite3', 'HOST': '', 'NAME': 'C:\\Users\\porcy\\PycharmProjects\\Django_HMS1.1\\db.sqlite3', 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': '', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': ''}}
DATABASE_ROUTERS	[]
DATA_UPLOAD_MAX_MEMORY_SIZE	2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS	1000
DATETIME_FORMAT	'N j, Y, P'
DATETIME_INPUT_FORMATS	['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%Y-%m-%d', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y']
DATE_FORMAT	'N j, Y'
DATE_INPUT_FORMATS	['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%Y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y']
DEBUG	True
DEBUG_PROPAGATE_EXCEPTIONS	False
DECIMAL_SEPARATOR	','
DEFAULT_CHARSET	'utf-8'
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE	'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL	'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE	''
DEFAULT_TABLESPACE	''
DISALLOWED_USER_AGENTS	[]
EMAIL_BACKEND	'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST	'smtp.gmail.com'
EMAIL_HOST_PASSWORD	*****
EMAIL_HOST_USER	'cool.ilya37@gmail.com'
EMAIL_PORT	587
EMAIL_RECEIVING_USER	['porcypine.tree@gmail.com']
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	*****
EMAIL_SUBJECT_PREFIX	'[Django] '
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	True
FILE_CHARSET	'utf-8'
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	420
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORM_RENDERER	'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS	[]
INSTALLED_APPS	['django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'hospital', 'widget_tweaks']
INTERNAL_IPS	[]

Setting	Value
LANGUAGES	[('af', 'Afrikaans'), ('ar', 'Arabic'), ('ast', 'Asturian'), ('az', 'Azerbaijani'), ('bg', 'Bulgarian'), ('be', 'Belarusian'), ('bn', 'Bengali'), ('br', 'Breton'), ('bs', 'Bosnian'), ('ca', 'Catalan'), ('cs', 'Czech'), ('cy', 'Welsh'), ('da', 'Danish'), ('de', 'German'), ('dsb', 'Lower Sorbian'), ('el', 'Greek'), ('en', 'English'), ('en-au', 'Australian English'), ('en-gb', 'British English'), ('eo', 'Esperanto'), ('es', 'Spanish'), ('es-ar', 'Argentinian Spanish'), ('es-co', 'Colombian Spanish'), ('es-mx', 'Mexican Spanish'), ('es-ni', 'Nicaraguan Spanish'), ('es-ve', 'Venezuelan Spanish'), ('et', 'Estonian'), ('eu', 'Basque'), ('fa', 'Persian'), ('fi', 'Finnish'), ('fr', 'French'), ('fy', 'Frisian'), ('ga', 'Irish'), ('gd', 'Scottish Gaelic'), ('gl', 'Galician'), ('he', 'Hebrew'), ('hi', 'Hindi'), ('hr', 'Croatian'), ('hsb', 'Upper Sorbian'), ('hu', 'Hungarian'), ('hy', 'Armenian'), ('ia', 'Interlingua'), ('id', 'Indonesian'), ('io', 'Ido'), ('is', 'Icelandic'), ('it', 'Italian'), ('ja', 'Japanese'), ('ka', 'Georgian'), ('kab', 'Kabyle'), ('kk', 'Kazakh'), ('km', 'Khmer'), ('kn', 'Kannada'), ('ko', 'Korean'), ('lb', 'Luxembourgish'), ('lt', 'Lithuanian'), ('lv', 'Latvian'), ('mk', 'Macedonian'), ('ml', 'Malayalam'), ('mn', 'Mongolian'), ('mr', 'Marathi'), ('my', 'Burmese'), ('nb', 'Norwegian Bokmål'), ('ne', 'Nepali'), ('nl', 'Dutch'), ('nn', 'Norwegian Nynorsk'), ('os', 'Ossetic'), ('pa', 'Punjabi'), ('pl', 'Polish'), ('pt', 'Portuguese'), ('pt-br', 'Brazilian Portuguese'), ('ro', 'Romanian'), ('ru', 'Russian'), ('sk', 'Slovak'), ('sl', 'Slovenian'), ('sq', 'Albanian'), ('sr', 'Serbian'), ('sr-latn', 'Serbian Latin'), ('sv', 'Swedish'), ('sw', 'Swahili'), ('ta', 'Tamil'), ('te', 'Telugu'), ('th', 'Thai'), ('tr', 'Turkish'), ('tt', 'Tatar'), ('udm', 'Udmurt'), ('uk', 'Ukrainian'), ('ur', 'Urdu'), ('uz', 'Uzbek'), ('vi', 'Vietnamese'), ('zh-hans', 'Simplified Chinese'), ('zh-hant', 'Traditional Chinese')]
LANGUAGES_BIDI	['he', 'ar', 'fa', 'ur']
LANGUAGE_CODE	'en-us'
LANGUAGE_COOKIE_AGE	None
LANGUAGE_COOKIE_DOMAIN	None
LANGUAGE_COOKIE_HTTPONLY	False
LANGUAGE_COOKIE_NAME	'django_language'
LANGUAGE_COOKIE_PATH	'/'
LANGUAGE_COOKIE_SAMESITE	None
LANGUAGE_COOKIE_SECURE	False
LOCALE_PATHS	[]
LOGGING	{}
LOGGING_CONFIG	'logging.config.dictConfig'
LOGIN_REDIRECT_URL	'/afterlogin'
LOGIN_URL	'/accounts/login/'
LOGOUT_REDIRECT_URL	None
MANAGERS	[]
MEDIA_ROOT	'C:\\Users\\porcy\\PycharmProjects\\Django HMS1.1\\static'
MEDIA_URL	''
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE	['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION_MODULES	{}
MONTH_DAY_FORMAT	'F j'
NUMBER_GROUPING	0
PASSWORD_HASHERS	'*****'
PASSWORD_RESET_TIMEOUT_DAYS	'*****'
PREPEND_WWW	False
ROOT_URLCONF	'hospitalmanagement.urls'
SECRET_KEY	'*****'
SECURE_BROWSER_XSS_FILTER	False
SECURE_CONTENT_TYPE_NOSNIFF	True
SECURE_HSTS_INCLUDE_SUBDOMAINS	False

Setting	Value
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	[]
SECURE_REFERERER_POLICY	None
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'hospitalmanagement.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
STATICFILES_DIRS	['C:\\Users\\porcy\\PycharmProjects\\Django_HMS1.1\\static']
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_DIR	'C:\\Users\\porcy\\PycharmProjects\\Django_HMS1.1\\static'
STATIC_ROOT	None
STATIC_URL	'/static/'
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': ['C:\\Users\\porcy\\PycharmProjects\\Django_HMS1.1\\templates'], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages']}}]
TEMPLATE_DIR	'C:\\Users\\porcy\\PycharmProjects\\Django_HMS1.1\\templates'
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	','
TIME_FORMAT	'p'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'hospitalmanagement.wsgi.application'
X_FRAME_OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.