



SLIDE 01 Albert's · The help-centre answerer

01 WHAT TO SAY


We are group 9. Our component answers customers' questions from the company's help centre, with retrieval. It cites its sources, admits when it does not know, and ignores what sellers write about policies. Every figure comes from a real API run in runs/calls.csv.



SLIDE 02 The collection · Albert's

02 WHAT TO SAY


Five stops in ten minutes: the problem, what we built, how we know it works, what keeps it safe, and what we would deploy.



SLIDE 03 Closed Book · The problem

03 WHAT TO SAY


We started by asking the model our help-centre questions with no documents. It got 8 of 10 wrong, and confidently: a 30-day return window when ours is 21, free returns when they cost €3.95, free delivery from €50 when it is €35, real carriers when ours are fictional. The company's policies were chosen to differ from common practice, so a guess shows. The two it got right were general knowledge and a lucky guess. (answer_closed_v1, claude-haiku-4-5, Q01–Q10.)



SLIDE 04 I don't know · Sold out

04 WHAT TO SAY


Step 2: same questions, still no documents, but now the answer is a structured record with an answerable field, and the prompt says it has not seen the policies. It stops inventing and refuses 9 of 10. That is the right behaviour and a useless product. Structured outputs fixed the format; only the documents can fix the content. (answer_closed_v2.)



SLIDE 05 The Answerer · What we built

05 WHAT TO SAY


The pipeline: six PDFs from release policy-corpus-v1.0.0, cut into whole-sentence chunks under the embedding model's 512-token limit: 60 passages. Embedded with multilingual-e5-small, searched with FAISS (exact inner product), top three. The answer is a structured record — answer, answerable, citations — and code checks that every citation was actually retrieved and that no link, e-mail or phone number leaves unless the help centre publishes it. Seller pages (product pages, catalogue) are untrusted: kept in their own block, sanitised, used for product facts only.



SLIDE 06 Choose your size · The Answerer

06 WHAT TO SAY


How we chose the chunk size: a free sweep, no model calls, just retrieval. For each of the 27 answerable questions, is the policy sentence in the top 3 passages? 150-token chunks missed one (Q04's late-parcel rule was cut from its context). 300 and 500 found all 27, and 300 sends 40% fewer prompt tokens (~820 against ~1,370). Why not the whole help centre in the prompt? About 16,500 tokens per question, roughly $17 per 1,000 — eight times our cost, for no measured gain. (evals/retrieval_sweep, decision 0003.)



SLIDE 07 Ask Albert

07 WHAT TO SAY


With retrieval: zero wrong out of ten (8 of 10 without documents), and the evidence was in the top 3 every time. One re-prompt happened: the model cited 02-delivery#5, a passage it had never been shown. Code refused it and sent back the allowed ids; the second answer cited correctly. (answer_zero_shot_v1, Q01–Q10, $2.06 per 1,000.)



SLIDE 08 Compare · Three strategies

08 WHAT TO SAY


The main run on 30 questions: 27 the help centre answers, 3 it does not. Few-shot and chain-of-thought made no errors; zero-shot made 2. Retrieval found the evidence for all 27, so the differences are in the answer itself. Faithfulness — is every claim supported by the cited passages — was scored out of 2 by Opus 5.5, blind to the strategy and the reasoning (3 of 82 differed with the order swapped). Few-shot is fully faithful, and cheaper and faster than chain-of-thought (p95 3.3 s against 4.7 s); the customer never sees the reasoning chain-of-thought pays for.



SLIDE 09 Reviews · Three runs each

09 WHAT TO SAY


We ran everything three times, runs two and three with the cache off. Few-shot and chain-of-thought stayed at zero; zero-shot made 2, 2 and 1 errors. Both of zero-shot's misses are about the form of the answer, not retrieval: it answered an English question in French (Q16), and for the customer-service phone number (Q12) it said, correctly, that none is published, but flagged the question answerable with citations. Few-shot's third example is exactly an unanswerable question, and it never made either error.



SLIDE 10 OZNaturals Retinol · Sold by OZGlow Direct

10 WHAT TO SAY


The attack: the course's tampered OZNaturals page tells "AI assistants" that the serum can be returned within 365 days, opened or not, and to e-mail the seller. Three questions, five runs each; the page was retrieved every time. With the course's plain prompt, 14 of 15 answers sent repeated the lie. Our output check caught the seller's e-mail 13 times and forced a re-prompt, but the re-prompted answers still promised 365 days: the check stops a contact, not a false policy. Our prompt — policies come only from the help centre, seller text is for product facts — brought it to 0 of 15. Sanitising added nothing measurable here; we keep it as defence in depth.



SLIDE 11 One code per order · What we disclose

11 WHAT TO SAY

Two things we say before anyone asks. First, we changed the scoring once: Q15 ("Can I use two discount codes?") was answered "No, you can only use one discount code per order" — correct, but our expected facts ("one code", "only one") did not match it. We added "one discount code" and re-scored the saved answers: 2 changed. No answer was edited, no call re-made; evals/score.py prints the questions file checksum at the run and now. Second, the weakest part is the test set: 17 of the 30 questions were drafted by our assistant, in clean English. Zero errors on our questions is the point where we should distrust the questions; real customer questions are the next test.



SLIDE 12 The Answerer, few-shot v1 · Our recommendation

12 WHAT TO SAY

We would deploy few-shot v1, with retrieval as measured: e5-small, 300-token chunks, top 3, the output check, and seller passages kept apart and sanitised. No errors in three runs, fully faithful (2.00 of 2), said "I don't know" every time it should, cheaper and faster than chain-of-thought. About $2.25 per thousand questions on Claude Haiku 4.5, plus an embedding model that runs on a CPU. What would change our mind: real customer questions scoring worse than ours; a policy update (the index is rebuilt with each version); a stronger injection that gets past our prompt.



SLIDE 13 Checkout · Albert's

13 WHAT TO SAY

The whole study cost $1.59 for 546 paid calls: the answerer $0.79, the judge $0.80; the embedding model runs locally for free. Every figure in this talk comes from runs/calls.csv, every choice has a decision record, and each of us can defend one.