

EMULATION OF THE L1 MOS KEYBOARD

The L1WSE, WSELAN and OLIEMU emulation programs allow the use of a standard keyboard (IBM/OLIVETTI PC), selected from the 14 national versions available which can be connected to the PC, or a PB keyboard - 105 key model (only with OLIEMU). The keyboard version used must be specified in the configuration programs CONF, WSECONF and OLICONF, described in the manual System Software Generation and Installation - User Guide. To use the PB 105 key keyboard the driver T_KEYB must be loaded.

Standard PC Keyboard

The following table describes the correspondency between the function keys of the L1 MOS system keyboard and those of a standard PC keyboard.

L1 KEYBOARD	PC KEYBOARD
→	SHIFT F10
CNTL →	ALT PGUP
←	SHIFT F9
CNTL ←	ALT PGDN
CNTL ↓	CTRL F10
CNTL ←	CTRL F7
CNTL →	CTRL F8
CNTL ↑	CTRL F9
CNTL CL_ERR	CTRL F6
CNTL HOME	ALT HOME
CHANGE WINDOW	ALT F7
CLEAR	ALT F6
DC	DEL
DL	SHIFT F8
ERASE	ALT F5
EXIT	END
CNTL EXIT	CTRL END
HALT PRG	ALT →
CNTL HALT PRG	ALT ←
HARD COPY	ALT F10 - SHIFT SCR PRT

(Cont.)

L1 KEYBOARD	PC KEYBOARD
IC	INS
IL	SHIFT F7
SEND	CTRL F5
SKIP	SHIFT TAB
F5	F5 - PGDN
F6	F6 - PGUP
F11	SHIFT F1
F12	SHIFT F2
F13	SHIFT F3
F14	SHIFT F4
F15	SHIFT F5
F16	SHIFT F6
F17	ALT END
F18	ALT 5
F19	ALT ↓
F20	ALT ↑
F21	CTRL F4
F22	ALT F4
F23	CTRL F3
F24	ALT F3
F25	CTRL F2
F26	ALT F2
F27	CTRL F1
F28	ALT F1
P1	ALT ↓
SHIFT P1	CTRL PGDN
P2	ALT ↑
SHIFT P2	CTRL PGUP
P3	ALT PGDN
SHIFT P3	CTRL HOME
P4	ALT PGUP
SHIFT P4	CTRL →
P5	ALT HOME
SHIFT P5	CTRL ←
S2	CTRL F4
CNTL S2	ALT F4
S3	CTRL F3
CNTL S3	ALT F3
S4	CTRL F2
CNTL S4	ALT F2
S5	CTRL F1
CNTL S5	ALT F1

Tab. 7-3 Correspondency between the L1 MOS and PC Keyboards

Notes

1. The keys that are not specified have the same function on each keyboard.
2. The keys ALT F8 on the PC save the screen page in a MS-DOS file called "SCRPRT" which is present under the current directory. This file is automatically created the first time that the program is called, or is written in append mode if it exists already. This feature is not available for graphics.
3. Under CONTSW the keys SHIFT SHIFT cause control to pass from MS-DOS to the emulator and vice versa.
4. The keys ALT F9 on the PC are used to exit from the emulator program and return to MS-DOS. This cannot be done under CONTSW.
5. The BREAK key on the PC has no effect with the emulator programs L1WSE and WSELAN, while with the OLIEMU program it causes an error condition.
6. The keys ALT F10 on the PC make alphanumeric hard copy using the PR/A (OLIEMU program) or PR/B (WSELAN program) printer.
7. The keys for MS-DOS hard copy (SHIFT SCR PRT) have the following functions:
 - If the HCBC or HCBM driver has been loaded they execute the alphanumeric or graphic (if in graphic mode) hard copy using the /B printer.
 - If the HCBC or HCBM driver has not been loaded they execute the standard MS-DOS hard copy using the /B printer.