

StandardBanner

Async

V3.6

1. Ad intergration and onboarding steps

1. Testpage setup
2. Ad serving & rendering
3. Go live test

2. AdTag

2.1 Publisher AdTag Code

```
<!-- SUEZ StandardBanner -->
<div id="" style="padding: 0px"></div>
<script type="text/javascript"
src="https://static.tpmn.co.kr/suez_sb/ads.js"></script> <script>
    function callbackSuezAd (status){
        if (status == "ERROR"){
            console.log("no ad");
        }
    };
    SuezJS.loadAd({
        divid : "REPLACE_WITH_AD_DIVID",
        publisherid: "REPLACE_WITH_PUBLISHER_ID",
        inventoryid: REPLACE_WITH_INVENTORY_ID, callbackSuezAd);
</script>
<!-- // SUEZ StandardBanner -->
```

2.2 Parameter

ParameterName	Description	Type	Required
divid	The Div ID where the ad should be placed	String	O
publisherid	Publisher ID provided by TPMN	String	O
inventoryid	Inventory ID provided by TPMN	Integer	O
oloc	PageUrl Information	String	
piburl	Extension file url(Friendly iframe)	String	
adverid	GAID or IDFA	String	Recommend

2.3 CallbackFunction

If transmission of Ad is impossible, a status value (ERROR) is transmitted to the defined function.
You can put code that calls other ads in the function implementation.

2.3.1 Use passback Url

Example)

```
function callbackSuezAd (status){
    if (status == "ERROR"){
        var xc=document.createElement("iframe");
        xc.style.width=320px; //Ad Width
        xc.style.height=50px; //Ad Height
        xc.style.border="none";
        xc.scrolling="no";
        xc.src="REPLACE_WITH_PASSBACK_URL";
        xc.setAttribute("frameBorder","0");
        xc.setAttribute("allowTransparency","true");
        document.getElementById("REPLACE_WITH_AD_DIVID").appendChild(xc);
    }
};
```

2.3.2 No use passback(callback)

```
SuezJS.loadAd({
    divid : " REPLACE_WITH_AD_DIVID",
```

```
publisherid: "REPLACE_WITH_PUBLISHER_ID",  
inventoryid: REPLACE_WITH_INVENTORY_ID},null);
```

2.4 How ad requests/responses are handled

Ad requests/responses are requested asynchronously, with minimal impact on page content loading

3.Sample

3.1 Center Align

```
<!-- SUEZ StandardBanner -->  
<div id="suez-1" style="width:100%; text-align:center; margin:0 auto;"></div>  
<script type="text/javascript"  
src="https://static.tpmn.co.kr/suez_sb/ads.js"></script> <script>  
    function callbackSuezAd (status){  
        if (status == "ERROR"){  
            console.log("no ad");  
        }  
    };  
    SuezJS.loadAd({  
        divid : "suez-1",  
        publisherid: "TPMN",  
        inventoryid: 10}, callbackSuezAd);  
</script>  
<!-- // SUEZ StandardBanner -->
```

3.2 CASE) Multiple ad placements on one page

```
<!-- SUEZ StandardBanner -->  
<div id="suez-1" style="padding: 0px"></div>  
<script type="text/javascript"  
src="https://static.tpmn.co.kr/suez_sb/ads.js"></script> <script>  
<script>  
    function callbackSuezAd (status){  
        if (status == "ERROR"){  
            console.log("no ad");  
        }  
    };  
</script>
```

```
SuezJS.loadAd({
    divid : "suez-1",
    publisherid: "TPMN",
    inventoryid: 10}, callbackSuezAd);
</script>
<!-- // SUEZ StandardBanner -->
<!-- SUEZ StandardBanner -->
<div id="suez-2" style="padding: 0px"></div>
<script>
    function callbackSuezAd2 (status){
        if (status == "ERROR"){
            console.log("callBack is being called with status : " + status);
        }
    };
    SuezJS.loadAd({
        divid : "suez-2",
        publisherid: "TPMN",
        inventoryid: 10}, callbackSuezAd2);
</script>
<!-- // SUEZ StandardBanner -->
```

⚠ Please Note : Multiple ad placements on the page

1. Use unique Div IDs& Callback Function Name if there are multiple ad placements on the page.
2. https://static.tpmn.co.kr/suez_sb/ads.js (The script only needs to be loaded once).