

Prashanth Terupelli Portfolio - Full Source Code Documentation

This document contains the complete source code for the Prashanth Terupelli Portfolio website, optimized for deployment on Vercel.

File: client/src/pages/Home.tsx

```
import { Button } from "@components/ui/button";
import { Mail, Github, Linkedin, Download, ExternalLink, ArrowRight } from "lucide-react";
import { useEffect, useState } from "react";
import { trpc } from "@lib/trpc";
import { toast } from "sonner";

/**
 * Portfolio Design Philosophy: Data-Driven Professional
 * - Dark theme with cyan (#00d9ff) and purple (#7c3aed) accents
 * - Metric-focused achievements and quantifiable impact
 * - Smooth scroll animations and interactions
 * - Professional yet approachable aesthetic
 */

interface NavItem {
  id: string;
  label: string;
  href: string;
}

const navItems: NavItem[] = [
  { id: "hero", label: "Home", href: "#hero" },
  { id: "about", label: "About", href: "#about" },
  { id: "skills", label: "Skills", href: "#skills" },
  { id: "experience", label: "Experience", href: "#experience" },
  { id: "contact", label: "Contact", href: "#contact" },
];

interface Skill {
  category: string;
  items: string[];
}

const skills: Skill[] = [
  {
    category: "Data Analytics & Technical",
    items: ["SQL", "Python (Pandas, NumPy)", "Data Wrangling", "ETL Automati"],
  },
  {
    category: "Analytics & Business",
    items: ["Data Quality Analysis", "Root-Cause Analysis", "Stakeholder ("],
  },
];
```

```

    },
    {
      category: "Tools & Platforms",
      items: ["Snowflake", "Power BI", "Jira", "Confluence", "GraphQL"],
    },
  ],
];

interface Achievement {
  metric: string;
  description: string;
  icon: string;
}

const achievements: Achievement[] = [
  {
    metric: "70%",
    description: "Data product performance boost through ETL automation",
    icon: "📊",
  },
  {
    metric: "60%+",
    description: "Validation efficiency improvement, scaled from 1 to 100",
    icon: "✅",
  },
  {
    metric: "$96K",
    description: "Annual cost savings generated",
    icon: "💰",
  },
  {
    metric: "9%",
    description: "Reporting accuracy improvement through data analysis",
    icon: "🎯",
  },
];

interface ExperienceItem {
  title: string;
  company: string;
  period: string;
  highlights: string[];
}

const experience: ExperienceItem[] = [

```

```

{
  title: "Senior Product Analyst (Data Analytics Focus)",
  company: "FactSet Research Systems",
  period: "Jun 2022 - Jan 2026",
  highlights: [
    "Boosted data product performance by 70% through ETL-driven automation",
    "Performed data wrangling by extracting, cleaning, transforming and loading data",
    "Automated Python and SQL pipelines, reducing manual effort by 40%",
    "Defined and tracked success metrics and KPIs to measure data product performance",
    "Analyzed large-scale datasets using Snowflake and SQL to identify trends and anomalies",
    "Conducted data validation and QA analysis, improving validation efficiency",
    "Built Power BI dashboards and Excel reports to visualize KPIs, trends, and forecasts"
  ],
},
];

export default function Home() {
  const [activeSection, setActiveSection] = useState("hero");
  const [scrolled, setScrolled] = useState(false);
  const [formData, setFormData] = useState({ name: "", email: "", message: "" });
  const [isSubmitting, setIsSubmitting] = useState(false);

  useEffect(() => {
    const handleScroll = () => {
      setScrolled(window.scrollY > 50);

      // Update active section based on scroll position
      for (const item of navItems) {
        const element = document.getElementById(item.id);
        if (element) {
          const rect = element.getBoundingClientRect();
          if (rect.top <= 100 && rect.bottom >= 100) {
            setActiveSection(item.id);
            break;
          }
        }
      }
    };

    window.addEventListener("scroll", handleScroll);
    return () => window.removeEventListener("scroll", handleScroll);
  }, []);

  const scrollToSection = (id: string) => {

```

```

const element = document.getElementById(id);
if (element) {
  element.scrollToView({ behavior: "smooth" });
}
};

const sendMessageMutation = trpc.contact.sendMessage.useMutation();

const handleSubmit = async () => {
  if (!formData.name || !formData.email || !formData.message) {
    toast.error("Please fill in all fields");
    return;
  }

  setIsSubmitting(true);
  try {
    const result = await sendMessageMutation.mutateAsync(formData);
    if (result.success) {
      toast.success("Message sent successfully! We'll get back to you soon");
      setFormData({ name: "", email: "", message: "" });
    } else {
      toast.error(result.message || "Failed to send message");
    }
  } catch (error) {
    console.error("Error sending message:", error);
    toast.error("There was an error sending your message. Please try again");
  } finally {
    setIsSubmitting(false);
  }
};

return (
  <div className="min-h-screen bg-background text-foreground">
    {/* Navigation */}
    <nav
      className={`fixed top-0 left-0 right-0 z-50 transition-all duration-300
        scrolled ? "bg-background/80 backdrop-blur-md border-b border-border" : ""
      }`>
      <div className="container flex items-center justify-between h-16">
        {/* Logo */}
        <div className="flex items-center gap-2">
          
      <span className="font-bold text-lg bg-gradient-to-r from-cyan
        Prashanth
      </span>
    </div>

    {/* Nav Links */}
    <div className="hidden md:flex items-center gap-8">
      {navItems.map((item) => (
        <button
          key={item.id}
          onClick={() => scrollToSection(item.id)}
          className={`text-sm font-medium transition-colors duration
            activeSection === item.id ? "text-cyan-400" : "text-muti
          }`}
        >
          {item.label}
        </button>
      ))}
    </div>

    {/* CTA Button */}
    <Button
      size="sm"
      className="bg-cyan-500 hover:bg-cyan-600 text-background font
      onClick={() => scrollToSection("contact")}
    >
      Get in Touch
    </Button>
  </div>
</nav>

{/* Hero Section */}
<section
  id="hero"
  className="relative min-h-screen flex items-center justify-center
  >
    {/* Background Image */}
    <div
      className="absolute inset-0 z-0"
      style={{
        backgroundImage:

```



```

        size="lg"
        className="bg-cyan-500 hover:bg-cyan-600 text-background-
        onClick={() => scrollToSection("about")}
      >
        Explore My Work
      <ArrowRight className="ml-2 w-4 h-4 group-hover:translate
    </Button>
  <a
    href="/Prashanth_Terupelli_Resume.pdf"
    download
    className="inline-flex items-center justify-center px-6 p
  >
    <Download className="w-4 h-4 mr-2" />
    Download CV
  </a>
</div>
</div>
</div>
</div>

{/* Scroll Indicator */}
<div className="absolute bottom-8 left-1/2 -translate-x-1/2 z-20
  <div className="w-6 h-10 border-2 border-cyan-400 rounded-full
    <div className="w-1 h-2 bg-cyan-400 rounded-full animate-pulse
    </div>
  </div>
</section>

{/* About Section */}
<section id="about" className="py-20 bg-card/30">
  <div className="container max-w-4xl">
    <div className="space-y-12">
      <div className="text-center space-y-4">
        <h2 className="text-4xl md:text-5xl font-bold" style={{ font
        <div className="w-16 h-1 bg-gradient-to-r from-cyan-400 to-
      </div>

      <div className="grid md:grid-cols-2 gap-12">
        <div className="space-y-6">
          <div>
            <h3 className="text-xl font-bold text-cyan-400 mb-3">Wh
            <p className="text-muted-foreground leading-relaxed">
              I'm an analytical and results-driven Senior Product An
            </p>
          </div>

```



```

<div>
  <h3 className="text-xl font-bold text-cyan-400 mb-3">My
  <p className="text-muted-foreground leading-relaxed">
    I believe in writing clean, maintainable code and fol
  </p>
</div>

<div>
  <h3 className="text-xl font-bold text-cyan-400 mb-3">My
  <p className="text-muted-foreground leading-relaxed">
    To continuously enhance my skills in data analytics,
  </p>
</div>
</div>

<div className="space-y-4">
  <div className="bg-background/50 border border-border rou
  <h4 className="font-bold text-cyan-400 mb-4">Quick Fact:
  <ul className="space-y-3 text-sm">
    <li className="flex items-start gap-3">
      <span className="text-purple-500 mt-1">></span>
      <span><strong>Location:</strong> Hyderabad, Telangan
    </li>
    <li className="flex items-start gap-3">
      <span className="text-purple-500 mt-1">></span>
      <span><strong>Experience:</strong> 3.7+ years in Da
    </li>
    <li className="flex items-start gap-3">
      <span className="text-purple-500 mt-1">></span>
      <span><strong>Education:</strong> B.Tech in Computer
    </li>
    <li className="flex items-start gap-3">
      <span className="text-purple-500 mt-1">></span>
      <span><strong>Status:</strong> Immediate Joiner</sp
    </li>
  </ul>
</div>

<div className="bg-background/50 border border-border rou
  <h4 className="font-bold text-cyan-400 mb-4">Connect Wi
  <div className="flex gap-3">
    <a
      href="mailto:tprashanth2301@gmail.com"

```

```

        className="p-3 bg-cyan-500/10 hover:bg-cyan-500/20 |
        title="Email"
      >
        <Mail className="w-5 h-5 text-cyan-400" />
    </a>
    <a
      href="https://linkedin.com"
      target="_blank"
      rel="noopener noreferrer"
      className="p-3 bg-cyan-500/10 hover:bg-cyan-500/20 |
      title="LinkedIn"
    >
      <Linkedin className="w-5 h-5 text-cyan-400" />
    </a>
    <a
      href="https://github.com"
      target="_blank"
      rel="noopener noreferrer"
      className="p-3 bg-cyan-500/10 hover:bg-cyan-500/20 |
      title="GitHub"
    >
      <Github className="w-5 h-5 text-cyan-400" />
    </a>
  </div>
</div>
</div>
</div>
</div>
</div>
</section>

{/* Skills Section */}
<section id="skills" className="py-20">
  <div className="container max-w-4xl">
    <div className="space-y-12">
      <div className="text-center space-y-4">
        <h2 className="text-4xl md:text-5xl font-bold" style={{ fon
          <div className="w-16 h-1 bg-gradient-to-r from-cyan-400 to-|
        </div>
      </div>
      <div className="grid md:grid-cols-3 gap-6">
        {skills.map((skillGroup, idx) => (
          <div
            key={idx}

```

```

        className="bg-card/50 border border-border rounded-xl p-4"
      >
        <h3 className="font-bold text-lg mb-4 text-cyan-400 group-hover:underline">
          {skillGroup.category}
        </h3>
        <div className="flex flex-wrap gap-2">
          {skillGroup.items.map((skill, sIdx) => (
            <span
              key={sIdx}
              className="px-3 py-1 bg-background border border-border rounded"
            >
              {skill}
            </span>
          ))}
        </div>
      </div>
    </div>
  </div>
</div>
</section>

{/* Experience Section */}
<section id="experience" className="py-20 bg-card/30">
  <div className="container max-w-4xl">
    <div className="space-y-12">
      <div className="text-center space-y-4">
        <h2 className="text-4xl md:text-5xl font-bold" style={{ font: 'serif' }}>
          Experience
        <div className="w-16 h-1 bg-gradient-to-r from-cyan-400 to-cyan-600" style={{ margin: '0 auto' }}>
        </div>
      </div>
      <div className="space-y-8">
        {experience.map((item, idx) => (
          <div
            key={idx}
            className="relative pl-8 border-l-2 border-border pb-8"
          >
            <div className="absolute -left-[9px] top-0 w-4 h-4 rounded-full bg-background border border-border" style={{ margin-left: -9px }}>
            <div className="bg-background/50 border border-border rounded" style={{ margin-left: 10px }}>
              <div className="flex flex-col md:flex-row md:items-center">
                <div>
                  <h3 className="text-xl font-bold text-foreground">
                    {item.title}
                  <p className="text-cyan-400 font-medium">{item.company}
                </div>

```



```

<div className="flex items-center gap-4 group">
  <div className="p-3 bg-purple-500/10 border border-purple-500">
    <Linkedin className="w-6 h-6 text-purple-400" />
  </div>
  <div>
    <p className="text-sm text-muted-foreground">Profession
    <a href="https://linkedin.com" target="_blank" rel="no
      linkedin.com/in/prashanth
    </a>
  </div>
</div>
</div>
</div>

<div className="bg-card/50 border border-border rounded-2xl p-4">
  <div className="space-y-4">
    <div className="space-y-2">
      <label className="text-sm font-medium">Full Name</label>
      <input
        type="text"
        placeholder="John Doe"
        className="w-full bg-background border border-border"
        value={formData.name}
        onChange={(e) => setFormData({ ...formData, name: e.target.value })}
      />
    </div>
    <div className="space-y-2">
      <label className="text-sm font-medium">Email Address</label>
      <input
        type="email"
        placeholder="john@example.com"
        className="w-full bg-background border border-border"
        value={formData.email}
        onChange={(e) => setFormData({ ...formData, email: e.target.value })}
      />
    </div>
    <div className="space-y-2">
      <label className="text-sm font-medium">Your Message</label>
      <textarea
        rows={4}
        placeholder="Tell me about your project..."
        className="w-full bg-background border border-border"
        value={formData.message}
      />
    </div>
  </div>
</div>

```



```

{ /* Footer */}
<footer className="border-t border-border py-8 bg-card/30">
  <div className="container text-center text-muted-foreground text-sm">
    <p>© 2026 Prashanth Terupelli. All rights reserved.</p>
    <p className="mt-2">Crafted with passion by Prashanth Terupelli.</p>
  </div>
</footer>

{ /* Scroll to Top Button */}
{scrolled && (
  <button
    onClick={() => scrollToSection("hero")}
    className="fixed bottom-8 right-8 z-40 p-3 bg-cyan-500 hover:bg-cyan-600"
    >
    <ArrowRight className="w-4 h-4 rotate-[-90deg]" />
  </button>
)}
</div>
);
}

```

File: client/src/App.tsx

```
import { Toaster } from "@components/ui/sonner";
import { TooltipProvider } from "@components/ui/tooltip";
import NotFound from "@pages/NotFound";
import { Route, Switch } from "wouter";
import ErrorBoundary from "../components/ErrorBoundary";
import { ThemeProvider } from "../contexts/ThemeContext";
import Home from "../pages/Home";

function Router() {
  // make sure to consider if you need authentication for certain routes
  return (
    <Switch>
      <Route path="/" component={Home} />
      <Route path="/404" component={NotFound} />
      {/* Final fallback route */}
      <Route component={NotFound} />
    </Switch>
  );
}

// NOTE: About Theme
// - First choose a default theme according to your design style (dark or
//   to keep consistent foreground/background color across components
// - If you want to make theme switchable, pass `switchable` ThemeProvider

function App() {
  return (
    <ErrorBoundary>
      <ThemeProvider
        defaultTheme="dark"
        // switchable
      >
        <TooltipProvider>
          <Toaster />
          <Router />
        </TooltipProvider>
      </ThemeProvider>
    </ErrorBoundary>
  );
}
```



```
export default App;
```

File: client/src/main.tsx

```
import { trpc } from "@lib/trpc";
import { UNAUTHED_ERR_MSG } from '@shared/const';
import { QueryClient, QueryClientProvider } from "@tanstack/react-query";
import { httpBatchLink, TRPCClientError } from "@trpc/client";
import { createRoot } from "react-dom/client";
import superjson from "superjson";
import App from "./App";
import { getLoginUrl } from "./const";
import "./index.css";

const queryClient = new QueryClient();

const redirectToLoginIfUnauthorized = (error: unknown) => {
  if (!(error instanceof TRPCClientError)) return;
  if (typeof window === "undefined") return;

  const isUnauthorized = error.message === UNAUTHED_ERR_MSG;

  if (!isUnauthorized) return;

  window.location.href = getLoginUrl();
};

queryClient.getQueryCache().subscribe(event => {
  if (event.type === "updated" && event.action.type === "error") {
    const error = event.query.state.error;
    redirectToLoginIfUnauthorized(error);
    console.error("[API Query Error]", error);
  }
});

queryClient.getMutationCache().subscribe(event => {
  if (event.type === "updated" && event.action.type === "error") {
    const error = event.mutation.state.error;
    redirectToLoginIfUnauthorized(error);
    console.error("[API Mutation Error]", error);
  }
});

const trpcClient = trpc.createClient({
  links: [
```

```

    httpBatchLink({
      url: "/api/trpc",
      transformer: superjson,
      fetch(input, init) {
        return globalThis.fetch(input, {
          ...(init ?? {}),
          credentials: "include",
        });
      },
    }),
  ],
});

createRoot(document.getElementById("root")!).render(
  <trpc.Provider client={trpcClient} queryClient={queryClient}>
    <QueryClientProvider client={queryClient}>
      <App />
    </QueryClientProvider>
  </trpc.Provider>
);

```

File: client/src/index.css

```
@import "tailwindcss";
@import "tw-animate-css";

/* Import Google Fonts */
@import url('https://fonts.googleapis.com/css2?family=Poppins:wght@400;500');

@custom-variant dark (&:is(.dark *));

@theme inline {
  --radius-sm: calc(var(--radius) - 4px);
  --radius-md: calc(var(--radius) - 2px);
  --radius-lg: var(--radius);
  --radius-xl: calc(var(--radius) + 4px);
  --color-background: var(--background);
  --color-foreground: var(--foreground);
  --color-card: var(--card);
  --color-card-foreground: var(--card-foreground);
  --color-popover: var(--popover);
  --color-popover-foreground: var(--popover-foreground);
  --color-primary: var(--primary);
  --color-primary-foreground: var(--primary-foreground);
  --color-secondary: var(--secondary);
  --color-secondary-foreground: var(--secondary-foreground);
  --color-muted: var(--muted);
  --color-muted-foreground: var(--muted-foreground);
  --color-accent: var(--accent);
  --color-accent-foreground: var(--accent-foreground);
  --color-destructive: var(--destructive);
  --color-destructive-foreground: var(--destructive-foreground);
  --color-border: var(--border);
  --color-input: var(--input);
  --color-ring: var(--ring);
  --color-chart-1: var(--chart-1);
  --color-chart-2: var(--chart-2);
  --color-chart-3: var(--chart-3);
  --color-chart-4: var(--chart-4);
  --color-chart-5: var(--chart-5);
  --color-sidebar: var(--sidebar);
  --color-sidebar-foreground: var(--sidebar-foreground);
  --color-sidebar-primary: var(--sidebar-primary);
  --color-sidebar-primary-foreground: var(--sidebar-primary-foreground);
```

```
--color-sidebar-accent: var(--sidebar-accent);
--color-sidebar-accent-foreground: var(--sidebar-accent-foreground);
--color-sidebar-border: var(--sidebar-border);
--color-sidebar-ring: var(--sidebar-ring);
}
```

```
:root {
  /* Portfolio Brand Colors */
  --primary: #00d9ff;
  --primary-foreground: #0f1419;
  --accent: #7c3aed;
  --accent-foreground: #f5f5f5;
  --success: #10b981;
  --success-foreground: #f5f5f5;

  /* Dark Theme - Professional */
  --radius: 0.65rem;
  --background: #0f1419;
  --foreground: #f5f5f5;
  --card: #1a202c;
  --card-foreground: #f5f5f5;
  --popover: #1a202c;
  --popover-foreground: #f5f5f5;
  --secondary: #2d3748;
  --secondary-foreground: #a0aec0;
  --muted: #4a5568;
  --muted-foreground: #a0aec0;
  --destructive: #ef4444;
  --destructive-foreground: #f5f5f5;
  --border: #2d3748;
  --input: #2d3748;
  --ring: #00d9ff;
  --sidebar: #1a202c;
  --sidebar-foreground: #f5f5f5;
  --sidebar-accent: #00d9ff;
  --sidebar-accent-foreground: #0f1419;
  --sidebar-border: #2d3748;
  --sidebar-ring: #00d9ff;

  /* Chart colors */
  --chart-1: #00d9ff;
  --chart-2: #7c3aed;
  --chart-3: #10b981;
  --chart-4: #f59e0b;
}
```

```

--chart-5: #ef4444;
}

.dark {
  /* Dark theme is default for this portfolio */
}

@layer base {
  * {
    @apply border-border outline-ring/50;
  }

  body {
    @apply bg-background text-foreground;
    font-family: Inter, sans-serif;
  }

  h1, h2, h3, h4, h5, h6 {
    @apply font-bold;
    font-family: Poppins, sans-serif;
  }

  button:not(:disabled),
  [role="button"]:not([aria-disabled="true"]),
  [type="button"]:not(:disabled),
  [type="submit"]:not(:disabled),
  [type="reset"]:not(:disabled),
  a[href],
  select:not(:disabled),
  input[type="checkbox"]:not(:disabled),
  input[type="radio"]:not(:disabled) {
    @apply cursor-pointer;
  }
}

@layer components {
  /**
   * Custom container utility that centers content and adds responsive padding
   */
  .container {
    width: 100%;
    margin-left: auto;
    margin-right: auto;
    padding-left: 1rem;
  }
}

```

```
padding-right: 1rem;
}

.flex {
  min-height: 0;
  min-width: 0;
}

@media (min-width: 640px) {
  .container {
    padding-left: 1.5rem;
    padding-right: 1.5rem;
  }
}

@media (min-width: 1024px) {
  .container {
    padding-left: 2rem;
    padding-right: 2rem;
    max-width: 1280px;
  }
}

/* Typography System */
.font-display {
  font-family: Poppins, sans-serif;
  @apply font-bold;
}

.font-body {
  font-family: Inter, sans-serif;
  @apply font-normal;
}

.font-mono {
  font-family: 'Fira Code', monospace;
}

/* Gradient Accent */
.gradient-accent {
  @apply bg-gradient-to-r from-cyan-400 to-purple-500 bg-clip-text text-
}

/* Glow Effect */
```

```

.glow-cyan {
  @apply shadow-lg shadow-cyan-500/20;
}

.glow-purple {
  @apply shadow-lg shadow-purple-500/20;
}
} ````

## File: client/index.html
```typescript
<!doctype html>
<html lang="en">

<head>
 <meta charset="UTF-8" />
 <meta
 name="viewport"
 content="width=device-width, initial-scale=1.0, maximum-scale=1" />
 <title>Prashanth Terupelli | Senior Product Analyst Portfolio</title>
 <!-- THIS IS THE START OF A COMMENT BLOCK, BLOCK TO BE DELETED: Google
 <link rel="preconnect" href="https://fonts.googleapis.com" />
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
 <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700;800;900" rel="stylesheet" />
 THIS IS THE END OF A COMMENT BLOCK, BLOCK TO BE DELETED -->
</head>

<body>
 <div id="root"></div>
 <script type="module" src="/src/main.tsx"></script>
 <script
 defer
 src="%VITE_ANALYTICS_ENDPOINT%/umami"
 data-website-id="%VITE_ANALYTICS_WEBSITE_ID%"></script>
</body>

</html>

```



## File: vite.config.ts

```
import { jsxLocPlugin } from "@builder.io/vite-plugin-jsx-loc";
import tailwindcss from "@tailwindcss/vite";
import react from "@vitejs/plugin-react";
import path from "node:path";
import { defineConfig } from "vite";

export default defineConfig({
 plugins: [react(), tailwindcss(), jsxLocPlugin()],
 resolve: {
 alias: {
 "@": path.resolve(import.meta.dirname, "client", "src"),
 "@shared": path.resolve(import.meta.dirname, "shared"),
 "@assets": path.resolve(import.meta.dirname, "attached_assets"),
 },
 },
 envDir: path.resolve(import.meta.dirname),
 root: path.resolve(import.meta.dirname, "client"),
 publicDir: path.resolve(import.meta.dirname, "client", "public"),
 build: {
 outDir: path.resolve(import.meta.dirname, "dist"),
 emptyOutDir: true,
 },
 server: {
 host: true,
 allowedHosts: ["localhost", "127.0.0.1"],
 fs: {
 strict: true,
 deny: ["**/*. *"],
 },
 },
});
```

## File: vercel.json

```
{
 "version": 2,
 "buildCommand": "pnpm install && pnpm run build",
 "outputDirectory": "dist",
 "framework": "vite",
 "rewrites": [
 { "source": "/(.*)", "destination": "/index.html" }
]
}
```

## File: package.json

```
{
 "name": "prashanth-portfolio",
 "version": "1.0.0",
 "type": "module",
 "license": "MIT",
 "scripts": {
 "dev": "NODE_ENV=development tsx watch server/_core/index.ts",
 "build": "vite build && esbuild server/_core/index.ts --platform=node",
 "start": "NODE_ENV=production node dist/index.js",
 "check": "tsc --noEmit",
 "format": "prettier --write .",
 "test": "vitest run",
 "db:push": "drizzle-kit generate && drizzle-kit migrate"
 },
 "dependencies": {
 "@aws-sdk/client-s3": "^3.693.0",
 "@aws-sdk/s3-request-presigner": "^3.693.0",
 "@hookform/resolvers": "^5.2.2",
 "@radix-ui/react-accordion": "^1.2.12",
 "@radix-ui/react-alert-dialog": "^1.1.15",
 "@radix-ui/react-aspect-ratio": "^1.1.7",
 "@radix-ui/react-avatar": "^1.1.10",
 "@radix-ui/react-checkbox": "^1.3.3",
 "@radix-ui/react-collapsible": "^1.1.12",
 "@radix-ui/react-context-menu": "^2.2.16",
 "@radix-ui/react-dialog": "^1.1.15",
 "@radix-ui/react-dropdown-menu": "^2.1.16",
 "@radix-ui/react-hover-card": "^1.1.15",
 "@radix-ui/react-label": "^2.1.7",
 "@radix-ui/react-menubar": "^1.1.16",
 "@radix-ui/react-navigation-menu": "^1.2.14",
 "@radix-ui/react-popover": "^1.1.15",
 "@radix-ui/react-progress": "^1.1.7",
 "@radix-ui/react-radio-group": "^1.3.8",
 "@radix-ui/react-scroll-area": "^1.2.10",
 "@radix-ui/react-select": "^2.2.6",
 "@radix-ui/react-separator": "^1.1.7",
 "@radix-ui/react-slider": "^1.3.6",
 "@radix-ui/react-slot": "^1.2.3",
 "@radix-ui/react-switch": "^1.2.6",
 "@radix-ui/react-tabs": "^1.1.13",
```

```
"@radix-ui/react-toggle": "^1.1.10",
"@radix-ui/react-toggle-group": "^1.1.11",
"@radix-ui/react-tooltip": "^1.2.8",
"@tanstack/react-query": "^5.90.2",
"@trpc/client": "^11.6.0",
"@trpc/react-query": "^11.6.0",
"@trpc/server": "^11.6.0",
"axios": "^1.12.0",
"class-variance-authority": "^0.7.1",
"clsx": "^2.1.1",
"cmdk": "^1.1.1",
"cookie": "^1.0.2",
"date-fns": "^4.1.0",
"dotenv": "^17.2.2",
"drizzle-orm": "^0.44.5",
"embla-carousel-react": "^8.6.0",
"express": "^4.21.2",
"framer-motion": "^12.23.22",
"input-otp": "^1.4.2",
"jose": "6.1.0",
"lucide-react": "^0.453.0",
"mysql2": "^3.15.0",
"nanoid": "^5.1.5",
"next-themes": "^0.4.6",
"nodemailer": "^9.0.1",
"react": "^19.2.1",
"react-day-picker": "^9.11.1",
"react-dom": "^19.2.1",
"react-hook-form": "^7.64.0",
"react-resizable-panels": "^3.0.6",
"recharts": "^2.15.2",
"sonner": "^2.0.7",
"streamdown": "^1.4.0",
"superjson": "^1.13.3",
"tailwind-merge": "^3.3.1",
"tailwindcss-animate": "^1.0.7",
"vaul": "^1.1.2",
"wouter": "^3.3.5",
"zod": "^4.1.12"
},
"devDependencies": {
 "@builder.io/vite-plugin-jsx-loc": "^0.1.1",
 "@tailwindcss/typography": "^0.5.15",
 "@tailwindcss/vite": "^4.1.3",
```

```
"@types/express": "4.17.21",
"@types/google.maps": "^3.58.1",
"@types/node": "^24.7.0",
"@types/nodemailer": "^8.0.1",
"@types/react": "^19.2.1",
"@types/react-dom": "^19.2.1",
"@vitejs/plugin-react": "^5.0.4",
"add": "^2.0.6",
"autoprefixer": "^10.4.20",
"drizzle-kit": "^0.31.4",
"esbuild": "^0.25.0",
"pnpm": "^10.15.1",
"postcss": "^8.4.47",
"prettier": "^3.6.2",
"tailwindcss": "^4.1.14",
"tsx": "^4.19.1",
"tw-animate-css": "^1.4.0",
"typescript": "5.9.3",
"vite": "^7.1.7",
"vite-plugin-manus-runtime": "^0.0.58",
"vitest": "^2.1.4"
},
"packageManager": "pnpm@10.4.1+sha512.c753b6c3ad7afa13af388fa6d808035a0",
"pnpm": {
 "patchedDependencies": {
 "wouter@3.7.1": "patches/wouter@3.7.1.patch"
 },
 "overrides": {
 "tailwindcss>nanoid": "3.3.7"
 }
}
}
```