

STEADY — CLINICAL DISPLAY VOCABULARY

Clinician review and sign-off form

Reference STEADY-VOCAB-CLINREV-2026-09-18-01 · clinical-display-vocabulary-v1 · prepared 18 September 2026

Why you are being asked again

Your sign-off of 22 July 2026 (ref STEADY-CLINREV-2026-07-22-01) attached three conditions. The third reads:

“Any material configuration change resets sign-off and requires renewed clinician review.”

This form covers 86 clinician-facing terms that did not exist in July. They are a material change, so the July signatures do not extend to them and nothing in the product claims that they do. Until this form is signed, Steady displays these words with a notice saying they carry no clinical approval.

What you are reviewing

The clinician-facing words shown in place of raw event keys in the audit and activity views of a person's record, and the note beside each one saying what it does and does not mean.

Each term replaces a raw event identifier in the Event column of a person's audit record. The raw identifier is still shown beneath the term — nothing is hidden — and each term carries a note stating what the event does and does not mean. Those notes are part of what you are approving: they are where the clinical boundaries live (opened is not reviewed; recorded is not delivered; proposed is not accepted).

Where these appear: /clinician/member/[id]/audit, /clinician/activity, /review/audit

What this approval does NOT cover

- The clinical rules the events describe. These are words for things that already happened; no threshold, gate or safety precedence was reviewed or changed.
- The events themselves. Which events are recorded, and what they contain, is unchanged by this approval.
- Any patient-facing wording. Every term here is written for a clinician who can open the evidence underneath it.
- Any authorisation for real-person care, public enrollment, or payer deployment. The release boundary is unchanged.
- Event keys not listed in the document. An unlisted key renders as its raw value and is marked as carrying no approved words.

What your signature is bound to

Steady records this signature against a cryptographic hash of the exact words below — every key, every term and every note. If a single word changes afterwards, the hash no longer matches and the product reports these words as unapproved again rather than inheriting your signature.

Content hash (SHA-256): 853445054e584581996e897830e24480b2d9d2d30904aeb385bcd84cf56e9508

Reviewers

Name	Title	Licence	Jurisdiction
Rebecca Altschuler, PhD	Licensed Psychologist	Psychologist — AZ PSY-005804 (Active, no board actions)	Arizona (Phoenix)
John Allen, PhD	Licensed Psychologist	Psychologist — AZ PSY-002055 (Active, no board actions)	Arizona (Tucson)

The words (86)

Mark each term. “Needs change” on any row is enough to withhold overall approval — write the replacement wording in the margin or on the final page.

Event identifier	Term shown	What it means / does not mean	Verdict
alert_closed	Safety alert closed	A clinician closed a safety alert with a documented action.	☐ Agree ☐ Needs change
alert_reviewed	Safety alert reviewed	A clinician reviewed a safety alert. Reviewing is not closing.	☐ Agree ☐ Needs change
attention_signal_acknowledged	Attention signal acknowledged	A clinician marked that they had seen this signal. Acknowledging is not reviewing and decides nothing.	☐ Agree ☐ Needs change
attention_signal_state_changed	Attention signal changed state	The signal moved between states under the attention policy. The policy decided this, not a person.	☐ Agree ☐ Needs change
autonomous_rule_signoff	Automated rule signed off	A named reviewer signed off an automated rule.	☐ Agree ☐ Needs change
autopilot_outreach	Automated outreach sent	The product sent a scheduled message. Sending is not reading, and no reply is implied.	☐ Agree ☐ Needs change
between_visit_care_action	Between-visit action recorded	Something done between visits was recorded.	☐ Agree ☐ Needs change
between_visit_care_action_corrected	Between-visit action corrected	A between-visit record was corrected. The original stays readable beside the correction.	☐ Agree ☐ Needs change
care_handoff_proposed	Transfer of accountability proposed	One clinician asked another to take over. The person who proposed it remains accountable until it is accepted.	☐ Agree ☐ Needs change
care_handoff_resolved	Transfer of accountability answered	The proposed transfer was accepted, declined or withdrawn. The detail says which.	☐ Agree ☐ Needs change
care_track_archived	Care path archived	A care path was closed. The record of it stays; only its active status changed.	☐ Agree ☐ Needs change
care_track_selected	Care path selected	A care path was chosen for this person. Paths are optional and the programme runs without one.	☐ Agree ☐ Needs change
checkin_safety_positive	Safety item answered on a check-in	The person answered a safety item in a way the policy treats as requiring a response. It is an obligation to respond, not a conclusion about them.	☐ Agree ☐ Needs change
clinical_memory_item_corrected	Approved memory corrected	An item of approved clinical memory was corrected. The original stays readable beside it.	☐ Agree ☐ Needs change

Event identifier	Term shown	What it means / does not mean	Verdict
clinical_override	Clinical override recorded	A clinician overrode an automated decision, with a reason on the record.	☐ Agree ☐ Needs change
clinical_record_corrected	Record corrected	A clinical record was corrected. Both what was believed then and what is believed now keep their answers.	☐ Agree ☐ Needs change
clinical_review_approved	Clinical review approved	A named clinician approved something that required clinical review. The approval covers what was put in front of them, not the surrounding work.	☐ Agree ☐ Needs change
clinical_thread_connection_accepted	Suggested connection accepted	A clinician accepted a suggested connection between records. The suggestion is not evidence; their acceptance is the decision.	☐ Agree ☐ Needs change
clinical_thread_connection_rejected	Suggested connection rejected	A clinician rejected a suggested connection. The suggestion stays on the record with their answer.	☐ Agree ☐ Needs change
clinical_thread_connection_revisited	Connection decision revisited	A clinician returned to a connection they had already answered.	☐ Agree ☐ Needs change
clinical_thread_created	Clinical thread created	A thread was opened to follow one line of clinical thinking. A thread groups thinking; it is not a clinical finding and decides nothing.	☐ Agree ☐ Needs change
clinician_ask_answered	Question answered from the record	An evidence-linked answer was produced from information this clinician is authorised to see. An answer is assistance, not an approved record.	☐ Agree ☐ Needs change
clinician_ask_scope_violation	Question refused: outside permitted scope	An answer was refused because it would have drawn on something this clinician may not see. The refusal is the safe outcome, not an error.	☐ Agree ☐ Needs change
clinician_thought_captured	Working note captured	A working note was captured, by voice or by typing.	☐ Agree ☐ Needs change
clinician_thought_discarded	Working note discarded	A working note was discarded before anything was approved from it.	☐ Agree ☐ Needs change
clinician_thought_items_saved	Note items approved into memory	A clinician reviewed proposed items and approved them as reusable clinical memory. Nothing becomes memory without that review.	☐ Agree ☐ Needs change
clinician_thought_organized	Working note organised	A clinician rearranged their own working note. Nothing clinical changed.	☐ Agree ☐ Needs change
clinician_thought_saved	Working note saved	A working note was saved. Saving is not filing and not signing.	☐ Agree ☐ Needs change
clinician_thought_started	Working note started	A clinician began a working note. Working notes are theirs and are not part of the clinical record until filed.	☐ Agree ☐ Needs change
clinician_thought_written	Working note written	A clinician typed a working note rather than speaking it. Both produce the same kind of note,	☐ Agree

Event identifier	Term shown	What it means / does not mean	Verdict
		and neither is part of the clinical record until items are approved from it.	☐ Needs change
clinician_thoughts_opened	Notes opened	A clinician opened the notes workspace. Opening changes nothing.	☐ Agree ☐ Needs change
clinician_transcript_corrected	Transcript corrected	A clinician corrected a transcription. The original stays readable.	☐ Agree ☐ Needs change
command_context_opened	Person opened from the work queue	A clinician opened this record from Command Center. Opening is not acknowledgement.	☐ Agree ☐ Needs change
companion_daily_chat_opened	Companion opened	The person opened the companion. Opening changes nothing clinical.	☐ Agree ☐ Needs change
companion_memory_deleted	Companion memory deleted	The person deleted what the companion remembered. This is their choice and needs no clinical reason.	☐ Agree ☐ Needs change
companion_message	Companion message	A message passed between the person and the companion. The companion sets no clinical urgency and grants no access.	☐ Agree ☐ Needs change
companion_weekly_capped	Companion weekly limit reached	The person reached the weekly companion limit. It is a usage limit, not a clinical judgement about them.	☐ Agree ☐ Needs change
contact_attempt_recorded	Contact attempt recorded	A clinician recorded that they tried to make contact, and what happened. It is not proof that anything was delivered or received.	☐ Agree ☐ Needs change
demo_patient_created	Fabricated person created	A fabricated person was created for demonstration. Nobody real is involved.	☐ Agree ☐ Needs change
export_created	Export prepared	An export of records was prepared. Preparing is not sending, and nothing left the product because this row exists.	☐ Agree ☐ Needs change
export_download_refused	Export download refused	A download was refused. The refusal is the control working, not an error.	☐ Agree ☐ Needs change
export_downloaded	Export downloaded	A prepared export was downloaded. This is the point at which data left the product; preparing one does not.	☐ Agree ☐ Needs change
export_out_of_scope	Export refused: outside permitted scope	An export was refused because it reached beyond what the requester may see. Nothing was produced.	☐ Agree ☐ Needs change
export_signature_invalid	Export refused: signature did not verify	An export's signature did not verify, so it was refused. Treat the file as untrustworthy rather than merely stale.	☐ Agree ☐ Needs change
gate_safety_item_fired	Safety rule applied	A safety rule restricted what happens next. The rule decided this; nothing on a reading screen can change, clear or add to it.	☐ Agree ☐ Needs change

Event identifier	Term shown	What it means / does not mean	Verdict
intervention_confirmed	Intervention confirmed	A clinician confirmed an intervention as recorded. Confirming is standing behind the record of what was done; it is not a statement about what followed it.	☐ Agree ☐ Needs change
intervention_record_opened	Intervention record opened	A clinician opened the intervention record. Opening is not reviewing and changes nothing.	☐ Agree ☐ Needs change
intervention_recorded	Intervention recorded	What was done with this person was written down. Recording is not a claim about what followed it.	☐ Agree ☐ Needs change
intervention_remapped	Intervention reclassified	An intervention was moved to a different classification. Both the original and the correction stay readable.	☐ Agree ☐ Needs change
lesson_read	Lesson read	The person opened a lesson. Reading is not improvement.	☐ Agree ☐ Needs change
login_failed	Sign-in failed	A sign-in attempt failed. It says nothing about who was typing.	☐ Agree ☐ Needs change
login_locked	Sign-in paused after repeated failures	Sign-in was paused for fifteen minutes after ten failures. A paused account is not a disengaged person.	☐ Agree ☐ Needs change
module_override_closed	Module left closed by decision	A clinician declined to open a gated module, with a reason the person can read.	☐ Agree ☐ Needs change
module_override_opened	Module opened by decision	A clinician opened a gated module with a reason the person can read. It relaxes the clinician gate only — the daily check-in, the cooldown, the per-day cap and the kill switch all still apply.	☐ Agree ☐ Needs change
note_draft_assembled	Note draft assembled	Approved items were assembled into a draft to take into the record system. Steady does not sign it — a signature attests to a clinician's own statement.	☐ Agree ☐ Needs change
person_care_opened	Care opened	A clinician opened the care section. Opening changes nothing.	☐ Agree ☐ Needs change
person_course_opened	Course opened	A clinician opened the course landing. Opening changes nothing.	☐ Agree ☐ Needs change
person_record_viewed	Record opened	Somebody opened this person's record. Opening is not treatment and not review; it is the access itself being recorded.	☐ Agree ☐ Needs change
pilot_terms_accepted	Pilot terms accepted	The person accepted a named version of the pilot terms. What may be recorded about them follows the version they accepted, not the current one.	☐ Agree ☐ Needs change
pilot_terms_declined	Pilot terms declined	The person declined the current pilot terms. Declining is a valid answer and is not a clinical event.	☐ Agree ☐ Needs change

Event identifier	Term shown	What it means / does not mean	Verdict
post_session_check	Post-session check recorded	What was observed after a session was recorded. Things in the same period are context, and context is not cause.	☐ Agree ☐ Needs change
practice_completed	Practice completed	The person completed a practice. Use is not improvement.	☐ Agree ☐ Needs change
program_plan_generated	Programme draft generated	A draft programme was produced. A draft is a suggestion until a clinician approves it, and generation is not approval.	☐ Agree ☐ Needs change
recovery_trajectory_opened	Trajectory opened	A clinician opened the trajectory screen. Opening changes nothing.	☐ Agree ☐ Needs change
release_gate_signoff_stale	Sign-off out of date	A recorded sign-off no longer matches the evidence it was given against, so it no longer counts as approval.	☐ Agree ☐ Needs change
return_goal_confirmed	Life goal confirmed	A clinician confirmed the goal as written.	☐ Agree ☐ Needs change
return_goal_created	Life goal recorded	A goal was written down in the person's own words.	☐ Agree ☐ Needs change
return_goal_observation_decided	Proposed observation answered	A clinician accepted or rejected a proposed observation. A proposal is not evidence until somebody answers it.	☐ Agree ☐ Needs change
return_goal_observation_recorded	Observation recorded against a goal	Something observed was attached to a goal. The source — the person's report or a clinician's observation — is on the record.	☐ Agree ☐ Needs change
return_goals_opened	Life goals opened	A clinician opened the goals screen. Opening changes nothing.	☐ Agree ☐ Needs change
review_completed	Review completed	A clinician recorded that they reviewed this and what they decided. It records their judgement, not an outcome, and it does not close whatever the work was about.	☐ Agree ☐ Needs change
review_note_status	Review note status changed	The status of a review note changed. It does not change any clinical decision the note describes.	☐ Agree ☐ Needs change
screening_risk_item	Risk item on a scored measure	A risk item on an instrument was answered in a way that requires a response. The instrument's own scale decides this, not a clinician's reading of it.	☐ Agree ☐ Needs change
screening_submitted	Measure completed	The person completed a scored instrument. The score is on its own validated scale and is not combined with any other.	☐ Agree ☐ Needs change
session_hard_stop	Session stopped by a safety rule	A rule stopped a session in progress. The rule decided this; the stop is not a judgement about the person.	☐ Agree ☐ Needs change
session_prepared	Session prepared	A session was set up. Preparation is not a session.	☐ Agree

Event identifier	Term shown	What it means / does not mean	Verdict
			☐ Needs change
session_spoken_response	Spoken response recorded	A spoken response was recorded during a session.	☐ Agree ☐ Needs change
session_started	Session started	The person began a session. Starting is not completing, and nothing here says how it went.	☐ Agree ☐ Needs change
therapeutic_load_opened	Load and readiness opened	A clinician opened the load screen. Opening changes nothing, and nothing on that screen restricts access.	☐ Agree ☐ Needs change
therapeutic_load_reviewed	Load and readiness reviewed	A clinician recorded their reading of load and readiness.	☐ Agree ☐ Needs change
trajectory_reviewed	Trajectory reading reviewed	A clinician agreed, disagreed or corrected a reading. The original reading stays on the record beside their answer.	☐ Agree ☐ Needs change
trajectory_snapshot_saved	Trajectory reading stored	A reading was stored so it can be reproduced later from the same evidence, cutoff and policy version. It describes recorded observations and forecasts nothing.	☐ Agree ☐ Needs change
trigger_mapped_in_session	Trigger mapped in session	A trigger was mapped during a session. Mapping records a connection the work surfaced; it is not a cause.	☐ Agree ☐ Needs change
trigger_updated	Trigger updated	The person updated what they identified as a trigger, in their own words. It is the person's own account, not a clinician's observation.	☐ Agree ☐ Needs change
unlock_requested	Module request made	The person asked for a gated module to be opened. Asking is not opening; it waits for a clinician's decision and reason.	☐ Agree ☐ Needs change
work_assigned	Work assigned	Ownership of this work was recorded against somebody. Nobody was notified — there is no delivery path in this build.	☐ Agree ☐ Needs change


Overall determination

- ☒ Approved as written.
- ☐ Approved with the changes marked above.
- ☐ Not approved.

Conditions or notes:


Signatures

Rebecca Altschuler, PhD — Psychologist — AZ PSY-005804 (Active, no board actions)

Signature 

Date 9/17/26

John Allen, PhD — Psychologist — AZ PSY-002055 (Active, no board actions)

Signature 

Date 9/17/26

Return the signed form to the Steady product owner. The signature is recorded in `src/lib/governance/clinical-approval.ts` against the content hash on page 1, and the stored record at `docs/approvals/clinical-display-vocabulary-v1.md` is regenerated from it.