

Fallout 4 to Fallout 76 Textures

Requirements

1. Python 3.x
2. Pillow
 - a. Used for image manipulation
3. numpy
 - a. Used for pixel math
4. tkinter
 - a. Used to create the interface
5. [texconv.exe](#)
 - a. Used to convert the images to the correct format

Instructions

Initial Setup

Follow the instructions below to get your environment set up:

1. Install python
2. Run the following command once python is installed:
 - a. `pip install pillow numpy`
 - i. tkinter usually comes with python, but if not, install it
3. Install texconv.exe either from the [GitHub link](#) or by using the below command in a command prompt or PowerShell
 - a. `winget install Microsoft.DirectXTex.Texconv`

Running the file

Now that you have the requirements installed, you can start using the program. To get started:

1. Move all of your Fallout 4 texture files to a folder. Each folder should only contain the textures for 1 material.
 - a. Make sure your dds files use the following naming convention:
 - i. Normal: `_n.dds`
 - ii. Specular: `_s.dds`
 - iii. Diffuse: `_d.dds`

2. Run the python file using the following command:


a. `python "C:\Path\To\Downloaded\File\Convert f04 textures to f76 textures v5 - non blender.py"`

i. **Note:** make sure to replace the script above with the path to the file

Note: To make things easier, you can also run this from VS Code, or create a bat file

Converting Textures

Once the file is running, you should see the interface below:



The different elements of the UI work to create the different texture files for Fallout 76:

- Paths
 - This section allows you to choose your input/output directory
 - Select the input directory/folder where your FO4 textures are stored

- Select the output directory/folder where you want your FO76 textures to be stored
- Live PBR Material Controls
 - Material Preset – Automatically adjusts the sliders to help with the reflection map
 - Smoothness/Gloss – adjusts the gloss/smoothness in the preview
 - **Note:** This **DOES NOT** change the texture, it only affects the preview
 - Reflectivity Bias – controls how reflective we want the material to be, it shifts the pixels on the _r map to be brighter or darker
 - Albedo Light Multiplier – adjusts the color of the diffuse map making it brighter or darker depending on your preference
 - 1.0 – keeps it the same as the original
 - Reflection map strength – controls how strongly the difference between the diffuse map and the specular map's red channel gets amplified
 - Basically controls the shininess
 - Use Pure White Lightmap AO – doesn't attempt to create an AO, just creates a blanket map
 - Subsurface Scattering – use if you need some subsurface scattering
 - Use BC7 for Diffuse – uses the higher quality file format for the diffuse map
 - Use BC& for the Reflection – use the higher quality file format for the diffuse map

Final Notes:

This script isn't perfect, but it might help speed things up. It also doesn't account for environment maps, so you still may need to manually adjust some files.