PROPOSED · NO CODE OR DEPLOYMENT AUTHORIZED

Pipeline Explorer

Human Factors Proposal & Implementation Plan

Turning a job-listing dashboard into a living decision-support cockpit: high information density, rich purposeful motion, a prominent tactical map, explicit evidence, and absolute clarity about system state.

REQUIREMENTS	PHASES	STATUS
19	5 + M	Proposed
HF-01 – HF-19	Baseline → Adaptive + Mobile track	Awaiting approval

VERSION	1.4 (supersedes 1.3)
DATE	October 15, 2026
PREPARED FOR	Tim Pruitt
PREPARED BY	Grok Bot
NEW IN 1.4	Full app coverage from the live inventory · scoring page section + HF-19 · map: selected job or filtered set, radar removed · mobile perimeter insets + camera keep-out · inventory task register

CONTENTS

Table of Contents

R	Changes in v1.4	03
01	Purpose	05
02	The Four Questions	05
03	Governing Principles	05
04	Research Basis	06
05	Baseline Observations	07
06	App Coverage	09
06.1	Coverage — Pipeline (1/2)	10
06.2	Coverage — Pipeline (2/2)	11
06.3	Coverage — Job Drawer	12
06.4	Coverage — Intake	13
06.5	Coverage — System (1/2)	14
06.6	Coverage — System (2/2)	15
06.7	Coverage — Settings	16
06.8	Coverage — Global Chrome	17
07	Information Hierarchy	18
08	Requirements HF-01 – HF-19	19
09	Requirement Detail	20
10	Visual Standards	24
11	Color System	24
12	Motion System	26
13	Map System	29
13.1	Map Panel — Reference Rendering	30
14	Scoring Page — Settings › Flex Policy & Scoring	31
14.1	Scoring Page — Proposals & HF-19	33
14.2	Geo Heat Map — Reference Rendering	34
14.3	Scoring Page Concept Mockup (landscape)	35
15	Desktop Layout 2560 × 1440	36
15.4	Desktop Concept Mockup (landscape)	37
16	Mobile Redesign — iPhone 18 Pro	38
16.1	Mobile Mockups — Portrait Queue & Detail	39
16.2	Mobile Mockup — Portrait Map + Sheet	40
16.3	Mobile Mockups — Landscape, Both Rotations	41
16.4	Mobile — Desktop Mode & Keep-out Diagram	42
17	Implementation Plan	43
17.1	Phase 0 — Baseline	45
17.2	Phase 1 — Integrity	46
17.3	Phase 2 — Workflow	47
17.4	Phase 3 — Cognitive + Visual	48
17.5	Phase 4 — Adaptive	49
17.6	Track M — Mobile	50
17.7	Inventory Task Register (v1.4)	51
18	Design Tokens (CSS)	53
19	Acceptance Targets	55
20	References	56
21	Design Standard	56

56 pages · US Letter (landscape for the 2560 mockup) · dark edition. Sections 13–16 contain concept screens built from mock data (labelled CONCEPT — MOCK DATA).

REVISION

Changes in v1.4

Tim Pruitt (owner): the general direction is great; v1.3 lacked knowledge of the app's full breadth. Tim's corrections are applied as binding design authority. Everything not listed is unchanged from v1.3.

#	CHANGE	WHAT CHANGED	WHERE	PG
0	**Full app breadth**	Read the full Foreman Cockpit inventory (Oct 15). New **App Coverage** section: site map + every area (Pipeline, job drawer, Intake, System, Settings, global chrome) with what exists / works / issues / specific proposals. Generic claims replaced: mockups now use real tabs, drawer tabs, columns, buckets, FLEX classes and scoring factors.	05 · 06 · 15	09
1	**Baseline updated**	Inventory issues added: weights 100/100 vs visible 70 (FLEX 30 implicit); 185 / 603 awaiting recalc and score drift (Anduril 77 → 72 → 59); Declined 0 / 56 / 57 and Employer rejected 0 / 2 / 7; Writer banner + pill flapping; fullscreen map trap; rail pin; duplicate entry points; local vs shared scope; transient unverified write on job open.	05	07
2	**Main map — Tim's rule**	Pipeline map shows **only the selected job**, or by default **the jobs in the current filtered selection** (current behaviour = design authority). **Radar sweep removed everywhere** (map, loading state, motion catalog M-04, boot sequence, mockups, tokens). Range rings, clusters, ping rings and dimmed filtered-out pins removed. Kept: reticle / lock-on, grid, coordinate readouts, corner brackets, score-band pins, selection sync, smooth animated auto-fit. Fullscreen gets an always-visible ✕ Close + Esc.	13 · 12 · HF-16	29
3	**Scoring page section**	New Section 14 covers Settings › Flex policy & scoring as it exists (FLEX policy, VNext gate, shared model / recalc, ranking weights, salary curve, geo heat map) and proposes: honest totals, LOCAL / SHARED badges, confirm + receipt + undo on shared changes, live impact preview, recalc progress + ◌ provisional, click-to-add / drag control points, targeting look on the geo map, canonical COMPENSATION_GEOGRAPHY as authority. Mockup + geo reference rendering. **HF-19** added.	14 · HF-19	31

REVISION · CONTINUED

Changes in v1.4 (2/2)

#	CHANGE	WHAT CHANGED	WHERE	PG
4	**Kept from v1.3**	Rich motion standard, 2560 × 1440 desktop, map prominent as a permanent centre panel — minus the radar sweep. Desktop mockup re-rendered with the real rail, sub-tabs, drawer tabs and columns.	12 · 15	**36**
5	**Mobile perimeter + camera**	Inset tokens: 24 pt side padding beyond safe area, 36 pt in corner zones, controls lifted 16 pt above the home indicator; camera keep-out top (portrait) and LEFT or RIGHT (landscape, both rotations, symmetric 82 pt). All mobile mockups re-rendered with faint keep-out overlays + a keep-out diagram page.	16 · HF-18 · 18	**38**
6	**Plan + tokens**	Inventory task register; tasks for scoring page, recalc / provisional handling, app-wide fixes and mobile insets; Phase 1 data integrity still first. Tokens: radar removed, fit + inset + scope tokens added.	17 · 18	**43**

Withdrawn in v1.4. Radar sweep (old M-04, `--pe-motion-radar`, boot step, loading state, all mockups); Chattanooga range rings and ticks; map clusters, ping rings, dimmed filtered-out pins; v1.3 desktop mock data with non-app columns.

Unchanged. Palette, signal meanings, Phase 1 integrity first, HF-01 – HF-18 intent, acceptance targets (rows added only). Status stays **PROPOSED**: no code, backlog or deployment authorized.

SECTION 01

Purpose

Turn Pipeline Explorer from a job-listing dashboard into a **decision-support cockpit**: high information density, low cognitive friction, explicit evidence, absolute clarity about system state.

> STATUS Proposed. No code, backlog or deployment changes are authorized by this document.

SECTION 02

The Four Questions

Every screen should let Tim answer these within seconds.

Q1
What needs my attention?

Q2
Which opportunities are worth pursuing?

Q3
Why does the system recommend that action?

Q4
What happened after I made a decision?

SECTION 03

Governing Principles

ID	PRINCIPLE	MEANING
P1	**Trust before polish**	Scores, counts, statuses and write confirmations are consistent and traceable.
P2	**Recognition over recall**	No internal codes or cross-screen memory required.
P3	**Complexity on demand**	Routine decisions simple; expert depth one step away, never removed.
P4	**Fast, reversible actions**	Fewest steps, protected against mistakes and failed writes.
P5	**Situational awareness**	Preserve selection; explain changes; distinguish normal / pending / failed / unknown.
P6	**Operator control**	Adaptive features recommend and organize; never silently override or rearrange.
P7	**Living, truthful HUD**	**Operator design-authority decision (v1.3):** rich motion wherever it helps — sliding, sweeping, materializing — running alongside instant actions and never hiding true state.

SECTION 04

Research Basis (correctly applied)

SOURCE	APPLICATION TO PIPELINE EXPLORER
Hick-Hyman	Organize meaningful choices; don't strip options.
Working memory	Miller 1956; Cowan 2001 (~3–5 chunks). Minimize what must be **remembered**, not what is **visible**. Not a cap on screen elements.
Fitts	Primary targets large and reachable; destructive actions separated.
Progressive disclosure	Frequent functions exposed; specialist tools deferred.
Gestalt	Group related data by spacing, alignment, consistent presentation.
Norman, emotional design	Visceral = orderly industrial look; behavioral = reliable controls; reflective = confidence the system is right.
Feedback / visibility	Nielsen heuristics: show true state and result of every action.
Adaptive UIs	The "81%" is the share of 211 studies (2012–2022) reporting *some* improvement — **not** an 81% gain. Treat as promising; test it.
NN/G data tables	Dense professional tables are correct for find / compare / act on multivariate records.
Motion (operator decision)	Tim explicitly chose a **high-motion HUD** as a design-authority decision (v1.3). Motion aids attention, continuity and change detection (NN/G animation guidance); guardrails keep it from blocking input, hiding state or flashing (WCAG 2.3.1).

How to read this basis. These findings justify *organizing* information, not removing it. Pipeline Explorer is an expert tool used daily; density is an asset when grouping, labeling and disclosure make it scannable. Every quantitative claim used in this proposal is stated with its correct scope.

SECTION 05

Baseline Observations

Live build review (Oct 14) + full read-only app inventory (Oct 15, 00:20–00:45 ET) · bar colour = severity (red integrity, amber friction, green resolved)

WEIGHTS TOTAL IS NOT HONEST	Settings › Flex policy & scoring: header reads **"Total weight: 100 / 100 — Balanced"** but the visible ranking weights sum to **70** (experience 35 · compensation 15 · geo 10 · title 5 · culture 5 · ats 0 · ownership 0); the missing 30 is the shared FLEX weight, shown on another card.
SCORE DRIFT FROM STALE RECALC	System drawer and scoring page: **185 of 603** eligible jobs await recalculation against model rev 24. In one session the Anduril Head of Production row moved **77 → 72 → 59** (HIGH_FLEX → NO_FLEX) with no user edits. Ratings carry no "provisional" marker.
COUNTS DISAGREE ACROSS VIEWS	Declined by Tim **0** (Trends donut) / **56** (Scout results cohort) / **57** (Buckets table); Employer rejected **0 / 2 / 7**; Applied 84 vs 26 (cohort). Scope labels ("live rows only") are not shown next to the numbers.
SCORE INCONSISTENCY (V1.3)	Same job showed 75 (table) vs 68 "Watch" → 70 → 75 "Strong" (detail); three names for one number. Still open.
WRITER STATUS FLAPPING	Red FAULT banner **"Writer unreachable — Failed to fetch"** on first load, then "Connected structured runtime"; Writer pill cycles checking / queued / processing / idle; drawer Health DEGRADED while listing no current faults.
BROWSING IS NOT SIDE-EFFECT FREE	Opening a job row queued a Writer write: drawer showed **UNVERIFIED 1 write · oldest 65 s**, cleared in ~2 min (likely seen-state sync, inferred). Footer: "10 local entries · 10 unverified".
FULLSCREEN MAP TRAP	Map (`m=1`) covers the section tabs with **no visible close** (one exists in the DOM, hidden); in My rulings the empty overlay "No mapped jobs in this group" blocks the tab bar. Exit only by reload. Header clipped under the rail; Layers click had no visible effect; Selection zoom 600 %.
RAIL PIN CANNOT UNPIN	Hamburger "Menu" pins the expanded rail; it overlaps the top-bar title and could not be collapsed again until reload.

SECTION 05 · CONTINUED

Baseline Observations (2/2)

DUPLICATE ENTRY POINTS	Settings tabs **Pay & location** = anchor on Scoring; **Resume & ATS** = Documents. Cards PAY / GEO + SCORING, ATS TOOLS + DOCUMENTS, AI OPERATIONS + SCHEDULES open the same views. Writer setup via ⚙ and System › Writer connection. Writer pill, bell and rail Status all open the System drawer. System top tabs Schedules / Health repeat sub-tabs.
LOCAL VS SHARED SCOPE HIDDEN	One page mixes **local to this browser** (ranking weights, geo points, salary curve, columns, ATS) with **shared model for every viewer and agent** (FLEX weight / policy) — explained only in body copy; page badge says PRESENTATION ONLY while shared Update buttons exist.
NO REAL ROUTES	All path routes (/scoring, /rules, /map, /trends …, even /zz-control-404) return 200 and silently redirect to /pipeline; state lives only in the URL hash.
TABLE OVERFLOW + CODES	Jobs table truncated horizontally; ~150 fields; headers SALARY_BASE_EST, FLEX_CLASS, EXPERIENCE_FIT; states DECLINED_BY_TIM, INTAKE / AWAITING_ANALYSIS; reason codes FIT_TOO_WEAK etc.
CHART INTEGRITY	Discovery sources split by case: LinkedIn 183 + LINKEDIN 69, Indeed 87 + INDEED 17; Declined-by-Tim reason codes “none”.
DECISION FRICTION (V1.3)	Two-step decide (Pursue / Hold / Decline prepare, SAVE JOB DECISION commits); Decline adjacent to Pursue; UNDO only for the last decision.
OPS SURFACES HEAVY	Daily job decisions share chrome with Dashboard KPIs, PR70 acceptance INDETERMINATE, Schedules UNSUPPORTED, Intake coverage UNKNOWN; Writer connection page shows Script URL + passphrase fields.
RUNTIME ERRORS (V1.3)	Console TypeErrors at pipeline lines 1320 / 1326 — to be re-verified in Phase 0.
PERFORMANCE	Selection ~0.55 s after the “memoize scoring config” fix (32 s → 0.7 s); frontend check for PR #113 currently unavailable.

Every item is mapped to a requirement and an inventory task in Section 17.7. Each one is re-checked in Phase 0 (HF-14) before work starts.

SECTION 06

App Coverage — Site Map

Single-page app; all state in the URL hash `#{"t":tab,"p":preset,"s":sort,"f":filters,"j":job,"m":1}`. Every view below was opened in the read-only inventory; nothing was saved, applied or published.

```
PIPELINE  t=pipeline
├─ Jobs                p=OPEN                queue 578 · stat cards · table · job map · drawer
├─ Review queue        p=NEEDS_TIM           50 “Needs decision”
├─ Decline candidates  p=DECLINE_CANDIDATES  8
├─ My rulings          p=RULED               0 · empty map overlay
├─ Map                 m=1                   fullscreen map of current view
├─ Trends              t=reports             “Pipeline reports”
└─ Compare             modal                 Compare roles · 0/3
   Job drawer tabs: Overview · Posting · Fit & Score · Application · Documents · History
INTAKE
├─ Scout results       t=quality             charts · cohort outcomes · scout quality
├─ Scout intake        p=SCOUT_INTAKE        426
├─ Discovery leads     p=LEADS               102
├─ Manual intake       t=intake              + ADD JOB LINK · worker status
└─ Target companies    t=companies           38 · SECTION=TARGET_COMPANIES
SYSTEM    t=automations
├─ Dashboard · Work queue · Intake coverage · Verification & recovery
├─ Schedules · Diagnostics (= Health)        repeated as top tabs
├─ Incidents                                 3 unfinished operations
├─ Writer connection   t=settings            also ⚙ gear
└─ System drawer                             bell · rail Status · Writer pill
SETTINGS
├─ Flex policy & scoring  t=scoring          “Pay & location” = anchor here
├─ Rules (Advanced)       t=rules              19 sections · TIM_PIPELINE_RULES_CANONICAL v4
├─ Display & columns                         ~150 fields · local
└─ Documents              “Resume & ATS” = same view   library · ATS proxy
GLOBAL    top bar · left rail · LAYOUT mode · View & filters · Map point filters
          FAULT banner · footer · hash-only routing
```

EXISTS What is on screen today (inventory, Oct 15).

WORKS Behaviour confirmed in the read-only pass.

ISSUES Observed problems — integrity red, friction amber.

PROPOSE Specific v1.4 change, tagged to its requirement (HF) and phase.

Coverage pages follow this order. Settings › Flex policy & scoring has its own full section (14).

SECTION 06.1

Coverage — Pipeline (1/2)

Jobs

T=PIPELINE · P=OPEN

EXISTS	"Job decision queue (578)"; stat cards Needs decision 50 · Applied 84 · Research 49 · Interviews 14d 0; Open roles ▾ / funnel → View & filters; sortable table NEW · TITLE · COMPANY · LOCATION · LINK · SCORE · BUCKET · SALARY_BASE_EST · FLEX_CLASS · EXPERIENCE_FIT · AGE; row checkboxes; job location map; job drawer.
WORKS	Stat cards switch views; sort; drawer opens; map legend Primary / Additional / Home; RECENTER / RESET.
ISSUES	Table truncated horizontally; raw codes as headers; ~578 dots on the map; opening a row queued an unverified write; ratings drift while browsing (Anduril 77 → 72 → 59).
PROPOSE	Readable 11-column default, all visible at 2560 (HF-07 / 08 / 17) · ◌ provisional on stale scores (HF-19) · map shows selected job, else filtered set, with animated auto-fit (HF-16) · opening a job never writes; seen-state local or explicit with receipt (HF-04) · Ph 1–3.

Review queue

P=NEEDS_TIM

EXISTS	Same queue preset to 50 "Needs decision" rows (Research bucket dominant), e.g. a VP Ops role at 68.
WORKS	Preset loads; decisions from the drawer.
ISSUES	Header "0 need you" vs Needs decision 50 (v1.3); no "since last review" summary.
PROPOSE	Default landing view of the cockpit; KPI tile = exact population (HF-02); change strip (HF-10); keys P / H / R / D for Pursue / Hold / Research / Decline · Ph 1–3.

Decline candidates

P=DECLINE_CANDIDATES

EXISTS	8 rows, scores 37–64 (e.g. an ops-tech role at 64).
WORKS	List loads; drawer works.
ISSUES	The rule that made a row a candidate is not shown; declining is two-step and reasons are not persisted (Trends shows none).
PROPOSE	Show the triggering rule per row; batch "Confirm declines" with reason code required, receipts and Undo (HF-03 / 11) · Ph 1–3.

My rulings

P=RULED

EXISTS	0 rows; map overlay "No mapped jobs in this group"; rulings list "none".
WORKS	Empty state renders.
ISSUES	Empty fullscreen-map overlay blocks the tab bar — user is trapped until reload.
PROPOSE	Map never covers tabs; empty state explains rulings and links to Trends export / import (HF-06) · Ph 2.

SECTION 06.2

Coverage — Pipeline (2/2)

Map (fullscreen)

M=1

EXISTS	Fullscreen US map of the current view (578 rows), zoom, Layers, RECENTER / RESET, legend.
WORKS	Shows the current view; zoom works.
ISSUES	Covers section tabs; no visible close (hidden in DOM) — exit by reload; header clipped under the rail; Layers click no visible change; Selection zoom 600 %.
PROPOSE	**Tim's rule:** selected job only, else the filtered selection; always-visible **✕ Close · Esc**; animated auto-fit (600 ms) instead of fixed 600 %; no clusters / radar / rings; Layers popover visibly applies (HF-16) · Ph 2.

Trends (“Pipeline reports”)

T=REPORTS

EXISTS	Research bottlenecks; next actions; state donut (662 roles); base-comp mix; discovery sources; integrity table (749 / 749, parse errors 0); buckets table; rulings export / import; decline reasons; notification sources.
WORKS	Integrity COUNTS OK; parse errors 0; charts render.
ISSUES	Declined by Tim 0 / Employer rejected 0 here vs 56 / 2 (Scout results) vs 57 / 7 (Buckets); LinkedIn 183 + LINKEDIN 69, Indeed 87 + INDEED 17; reason codes “none”; tab “Trends” ≠ title “Pipeline reports”.
PROPOSE	Scope label on every chart (live / archive / cohort) from one counter registry (HF-02) · case-insensitive source normalisation · persist reason codes (HF-11) · one name “Reports” · Ph 1 / 3.

Compare

MODAL · COMPARE · 0/3

EXISTS	“Compare roles · 0/3 — use Compare role in a job drawer to set up to three roles. Missing evidence stays visible.” CLOSE.
WORKS	Modal opens and closes.
ISSUES	Only discoverable from the drawer; top-bar counter gives no hint.
PROPOSE	Compare tray in the workspace; columns render from the single scoring record (HF-01) and carry ◌ provisional · Ph 3.

SECTION 06.3

Coverage — Job Drawer

Drawer header — JOB DRAWER

EXISTS Title, company, location, “Hybrid / in person…”, posted age; score ring (rating + Strong / Watch / Weak); prev / next; ×; chips bucket · FLEX class · salary · location.

WORKS Opens from table and map; prev / next.

ISSUES Rating can change while open (stale FLEX).

PROPOSE Model rev + computed-at + ◌ provisional next to the ring; drawer selection = map lock-on (HF-01 / 16 / 19).

Overview — TAB

EXISTS Key details, evidence signals, summary; TIM DECISION form: State (READY_TO_PURSUE, APPLIED, Rejected by Employer, MANUAL_RESEARCH, DECLINED_BY_TIM, CLOSED_DEAD, INVALID_DISCOVERY, DUPLICATE), Reason code, Duplicate of, note, SAVE JOB DECISION, UNDO LAST; COMPARE ROLE; ☆ PIN; provenance + DUPLICATE WARNING.

WORKS Form, compare and pin present.

ISSUES Two-step decide (PURSUE / HOLD / DECLINE / RESEARCH prepare, Save commits); raw state codes; Undo only “last”.

PROPOSE One-click decision state machine with receipts and per-decision Undo (HF-03); readable labels (HF-08); Decline separated with inline reason picker · Ph 1–3.

Posting — TAB

EXISTS Source links, posting facts, “no posting text stored”, OPEN EXTERNAL.

WORKS External link opens.

ISSUES Missing posting text is common and silent.

PROPOSE Show “posting text missing” as an olive evidence gap; AI discover is an explicit, receipted action (HF-09).

Fit & Score — TAB

EXISTS Opportunity rating breakdown — e.g. 59 WEAK: experience 88 · Degree FLEX weighted 30 (NO_FLEX −60) · net compensation 57 · geo 20 (nearest Los Angeles, CA) · ATS 46 · title 90 · culture 90 (P2) · ownership unknown; screen gate FAIL; FLEX impact −6.

WORKS Explains each factor; names the nearest geo control point.

ISSUES Weights do not visibly sum; stored FLEX may be stale; “derived viewer model” scope unclear.

PROPOSE Weight · raw · points table summing to 100 incl. FLEX; LOCAL / SHARED badges; links to Settings anchors (HF-09 / 19).

Application · Documents · History — TABS

EXISTS Application: state, interview mode, JD link, ADD TRIAGE NOTE / SAVE TIMESTAMPED NOTE, interview history. Documents: docs for this role, OPEN THE DOCUMENT LIBRARY. History: this-device ruling, added, first loaded, activity timeline.

WORKS Tabs render.

ISSUES Notes are writes without receipts; “this-device ruling” vs canonical unclear.

PROPOSE Interviews 14d tile reads from Application dates; notes get receipts; History merges Writer receipts with scope labels (HF-02 / 03).

SECTION 06.4

Coverage — Intake

Scout results

T=QUALITY

EXISTS	Intake by discovery day (10-01..10-10); cohort outcomes (638: Ready 1, Scout intake 426, Discovery lead 102, Research 8, Applied 26, Employer rejected 2, Declined by Tim 56, Duplicate 9, Closed 8); maturity 108 finalized; quality windows 7d / 30d (admission 99.3 / 98.6 %, actionable yield 0.7 / 1.4 %, invalid 96.4 / 84 %, median to final 25.1 h / 2.9 d); per-run table.
WORKS	Charts render.
ISSUES	Per-run rows mostly “no run record”; cohort counts differ from Trends without a scope label; 0.7 % actionable yield buried.
PROPOSE	Scope header on every block (HF-02); yield as the headline KPI; per-run empty state explains why · Ph 1 / 3.

Scout intake · Discovery leads

P=SCOUT_INTAKE · P=LEADS

EXISTS	Job queue filtered to 426 and 102.
WORKS	Filters apply.
ISSUES	Same UI as Jobs for very different work; View & filters shows AWAITING AI 528 / STALLED 72H 536.
PROPOSE	Triage mode (bulk dismiss with reason, confirm + count + receipt); leads styled olive “unverified”; promote-to-job action · Ph 3.

Manual intake

T=INTAKE

EXISTS	Status counters; + ADD JOB LINK; Show filter; empty table; “Worker has not checked this queue yet”; refreshes every 30 s.
WORKS	Status refresh.
ISSUES	No last-check time or ETA.
PROPOSE	Show last worker check + Writer latency; ADD JOB LINK gets a receipt · Ph 2.

Target companies

T=COMPANIES

EXISTS	Registry P1 0 · P2 18 · P3 16 · Watch 0 · Paused 4 (38); SAVE REGISTRY / DISCARD-RELOAD; ADD COMPANY; per-row priority + EDIT; rule text: priority sets discovery intensity and culture score (P1 100, P2 90, P3 75, Watch 60, unlisted / Paused 40); stored in canonical Rules SECTION=TARGET_COMPANIES.
WORKS	Registry loads; form present.
ISSUES	A canonical (shared) write is not badged as such; culture-score impact invisible.
PROPOSE	SHARED badge + confirm / receipt / undo; preview “changes culture score for N jobs” (HF-19 pattern) · Ph 2–3.

SECTION 06.5

Coverage — System (1/2)

Dashboard

T=AUTOMATIONS

EXISTS	AI Operations: REFRESH EVIDENCE; KPIs backlog 82 · completion 89 % (690 / 772) · writer blocked 14 · intake reviewed 0 · oldest open 5 d; Writer throughput (waiting 1, finished 24 h 41, peak 5 / h, longest wait 5 min, failed 24 h 2); intake funnel; backlog by stage; runtime read health (master LIVE, snapshot OK, 749 rows, age 4 d).
WORKS	Renders evidence.
ISSUES	Very dense; funnel “found 0” vs scout counts; 4-day-old snapshot not flagged.
PROPOSE	One-line health summary first; age warnings; KPIs link to filtered Work queue · Ph 3.

Work queue · Intake coverage · Verification & recovery

SUB-TABS

EXISTS	772 tracked / 690 verified / 82 unresolved (STAGE · STATE · OWNER · SOURCE · OUTCOME · NEXT ACTION); coverage UNKNOWN with window pickers + REQUEST CATCH UP, 2 requests PENDING_MANUAL; unresolved obligations with ACKNOWLEDGE.
WORKS	Tables load.
ISSUES	Jargon states; catch-up and acknowledge are writes with no confirm or receipt.
PROPOSE	Readable states (HF-08); catch-up / acknowledge need reason + confirm + receipt (HF-03) · Ph 2–3.

Schedules · Diagnostics (Health) · Incidents

SUB-TABS + TOP TABS

EXISTS	“Native control: UNSUPPORTED”, Stage a schedule proposal; PR70 production acceptance INDETERMINATE; incident history with All / Unresolved / Verified recovered / Historical and 3 unfinished operations.
WORKS	Read-only views render.
ISSUES	Schedules and Health duplicated as top tabs; INDETERMINATE / UNSUPPORTED unexplained.
PROPOSE	One entry each; plain-language status + next step; Writer banner links to Incidents · Ph 2.

SECTION 06.6

Coverage — System (2/2)

Writer connection

T=SETTINGS · ⚙

EXISTS	Script URL, passphrase (masked), TEST, SAVE CONNECTION ON THIS DEVICE, CLEAR, SEED STRUCTURED RUNTIME FROM WRITER; receipts → LOAD RECEIPTS FROM DRIVE; status “Connected structured runtime”, no write errors.
WORKS	Connection healthy after load.
ISSUES	Two entry points; credential fields on a general page; “unreachable” banner on first load then Connected.
PROPOSE	Single entry (System › Writer connection); credentials behind explicit reveal + confirm; banner only after 2 failed checks / 20 s grace (HF-04) · Ph 1–2.

System drawer

BELL · STATUS · WRITER PILL

EXISTS	Health DEGRADED (no current faults; 3 prior failures to verify); master LIVE; live code PR #109; scoring rev 24; 185 FLEX values need recalc of 603; frontend check unavailable (PR #113); migration CUTOVER_COMPLETE; AI usage meters; 3 unfinished ops; REFRESH NOW, CHECK LATEST BUILD, REVIEW FULL UNFINISHED-WORK QUEUE.
WORKS	Rich status in one place.
ISSUES	Three entry points; DEGRADED with no current fault reads as an alarm.
PROPOSE	Pill + one icon open it; health = worst *current* fault, history separate; recalc progress mirrored from Settings (HF-19) · Ph 1–2.

SECTION 06.7

Coverage — Settings

Flex policy & scoring

T=SCORING

EXISTS	FLEX policy (shared), VNext backtest gate, shared model rev 24 + recalc, ranking weights (local), salary curve, geo heat map with 20 control points.
WORKS	See Section 14.
ISSUES	Weights 100 / 70; scope mixed; 185 provisional; duplicate “Pay & location” tab.
PROPOSE	Full redesign in Section 14 (HF-19) · Ph 1–3.

Rules (Advanced rules)

T=RULES

EXISTS	TIM_PIPELINE_RULES_CANONICAL v4, ACTIVE, owner Tim Pruitt, 19 sections (Ruleset overview … Target companies), search; EDIT SOURCE TEXT / DISCARD-RELOAD / LOAD APPROVED FLEX-URL UPDATE. Change control: AIs may propose; only Tim pressing Save makes it canonical.
WORKS	Read and search.
ISSUES	Rules are the authority for scoring (COMPENSATION_GEOGRAPHY, DEGREE_FLEX, TARGET_COMPANIES) but nothing links them.
PROPOSE	Section index with “used by” links (Scoring A / E / G, Target companies); diff preview before Save; SHARED badge + receipt (HF-04 / 19) · Ph 2–3.

Display & columns

SETTINGS

EXISTS	Columns “local to this browser”: ~150 grouped fields, desktop / phone sets, frozen columns; SAVE DISPLAY ON THIS DEVICE / RESET DEFAULTS / USE COCKPIT COLUMNS / RESTORE COLUMNS.
WORKS	Lists render.
ISSUES	Scope only in copy; no readable preset.
PROPOSE	LOCAL badge; ship the 11-column readable preset (HF-07 / 08); phone set = Track M cards · Ph 3.

Documents (+ “Resume & ATS”)

SETTINGS

EXISTS	Resumes 3 (1 APPROVED) · cover letters 3 · supporting 3 · Tim's voice 2; working-text drafts (browser-only, not saved to Drive); Open in Drive; ATS profile + local proxy scores; “Automatic text extraction unavailable” for PDF.
WORKS	Library renders; Drive links.
ISSUES	“Resume & ATS” is the same view; browser-only drafts risk loss.
PROPOSE	Merge tabs as “Documents & ATS”; LOCAL draft badge + “not saved to Drive” warning; ATS score labelled “proxy” · Ph 2–3.

SECTION 06.8

Coverage — Global Chrome

Routing — URL HASH

EXISTS	Hash-only state; /scoring, /rules, /map, /trends, /companies, /help … and /zz-control-404 all return 200 and redirect to /pipeline.
WORKS	Hash deep links restore views.
ISSUES	Silent redirects hide typos and broken links.
PROPOSE	Keep hash state; add readable path aliases and a not-found notice instead of silent redirect · Ph 2.

Top bar — GLOBAL

EXISTS	Menu · title + tagline · breadcrumb · search “Search jobs, companies, or locations…” · Writer pill (idle / checking / queued / processing + countdown) · QUEUE n · LAST SYNC · COMPARE · 0/3 · COMPACT / COMFORTABLE · LAYOUT · REFRESH · bell · ⚙ (= Writer setup).
WORKS	Search, density and layout work.
ISSUES	Refresh twice (top + rail); ⚙ opens Writer setup, not Settings; pill flaps.
PROPOSE	One Refresh; ⚙ → Settings; pill debounced with “stable 12m” (HF-04 / 06) · Ph 2.

Left rail · Layout mode — GLOBAL

EXISTS	Pipeline · Intake · System · Settings, Status, Refresh; expands on hover; Menu pins. LAYOUT: MOVE handles, LOCK VIEW / SAVE / RESET VIEW / DONE.
WORKS	Hover expand; DONE exits layout.
ISSUES	Pin cannot unpin; rail overlaps title / map header.
PROPOSE	Pin toggles with visible ⇤ Unpin; rail pushes content (HF-06); LOCAL badge on layouts · Ph 2.

View & filters · Map point filters — PANELS

EXISTS	READY 1 / AWAITING AI 528 / STALLED 72H 536; ~20 preset chips; SELECT VISIBLE · AI DISCOVER MISSING DATA · MARK VISIBLE SEEN. Map: Auto zoom on selection, Selection zoom 600 %, Dense-area boost, colour chips.
WORKS	Presets apply; popover opens.
ISSUES	Bulk write / AI actions sit beside filters; dense-area boost is cluster-like; colours not score bands.
PROPOSE	Separate filters from bulk actions (confirm + count + receipt); keep auto-zoom (current behaviour) as animated fit; drop dense-area boost; pins by score band (HF-16) · Ph 2–3.

FAULT banner · footer — GLOBAL

EXISTS	Red “Writer unreachable — Failed to fetch” with ×; footer “OPERATIONS · 10 local entries · 10 unverified · browser does not run jobs or check scheduler health”.
WORKS	Dismiss works.
ISSUES	False alarm on load; “unverified” count not actionable.
PROPOSE	Debounced banner linked to Incidents; footer count opens receipts (HF-03 / 04) · Ph 1–2.

SECTION 07

Information Hierarchy

LAYER 1	**Operational state**	Needs review, New, Write failures, Applied (each scoped and labeled).
LAYER 2	**Scan / compare**	Title, employer, score, posted pay, location, degree flex, age.
LAYER 3	**Decide**	Selected job evidence, plain-English score reason, degree wording, pay assumptions, actions.
LAYER 4	**Depth**	Source records, score history, raw codes, Writer receipts, AI analysis, audit trail.

Layout (v1.3, Tim-approved): **review table left · live map centre · selected job + decisions right**; KPI tiles + change strip on top, event ticker below.

Layers mapped to the v1.4 cockpit

LAYER	DESKTOP 2560 ZONE	PHONE (PORTRAIT)
1	KPI tiles + change strip (top)	KPI strip + change strip
2	11-column table (left) + job map (centre)	Swipe cards · Map tab
3	Selected-job workspace (right)	Job detail · map bottom sheet
4	Breakdown drawers, receipts, ticker	Desktop mode

SECTION 08

Requirements

ID	REQUIREMENT	PRI	PHASE
HF-01	One authoritative score, one name, identical across views	P0	1
HF-02	Every counter has defined population, window, source	P0	1
HF-03	Transactional decisions: queued / processing / confirmed / failed / undo	P0	1
HF-04	Fix runtime errors and misleading controls	P1	1–2
HF-05	Preserve selection, filters, scroll on refresh; conflict guard	P1	2
HF-06	Predictable map, navigation, sidebar	P1	2
HF-07	Customizable high-density table (11-col default)	P2	3
HF-08	Readable labels over internal codes	P2	3
HF-09	Score rationale and uncertainty	P2	3
HF-10	“Since your last review” summary	P2	3
HF-11	Normalized chart categories; preserved decline reasons	P2	3
HF-12	Explainable, opt-in personalization	P3	4
HF-13	Phone scope: read + decide	P2	3
HF-14	Usability baseline before any change	P0	0
HF-15	Motion system: tokens, catalog, guardrails	P2	2–3
HF-16	Map panel: selected job or filtered set (targeting style kept)	P1	2–3
HF-17	2560 × 1440 primary desktop layout	P2	3
HF-18	Mobile redesign + perimeter insets, camera keep-out	P2	M
HF-19	Scoring page & geo map: honest totals, scope, preview, recalc	P1	1–3

Priority: P0 integrity / precedes all else · P1 workflow safety · P2 cognitive efficiency · P3 optional enhancement. Phase column maps to Section 17; “M” = Mobile track. HF-15 – HF-18 new in v1.3; HF-19 new in v1.4.

SECTION 09

Requirement Detail HF-01 – HF-04

HF-01 One score, one meaning — P0

- Single scoring record: value, score type, rule/model version, computed-at, evidence status.
- Queue, detail, map, compare render from that record. One display name everywhere.
- Alternative / historical scores explicitly labeled, never silently substituted.
- **First suspect:** the memoized scoring config (lag fix). Verify cache invalidation when rules/weights change.

✓ ACCEPT Identical value and band for the same job / type / version in every view.

HF-02 Counts that reconcile — P0

- Each counter documents population, filters, time window, source. “Applied – all time” vs “Applied – this view” labeled.
- Every Layer-1 tile is clickable and filters the queue to exactly its population.
- Inventory cases: Declined by Tim 0 / 56 / 57 and Employer rejected 0 / 2 / 7 (Trends · Scout results · Buckets) carry explicit scope (live / cohort / archive).

✓ ACCEPT Every counter matches its documented query; tile click count == rows shown.

HF-03 Decisions that show the truth — P0

- One click begins a write; no separate Save for routine decisions.
- States: queued, processing, confirmed, failed, superseded. Receipt + Undo shown directly under the action buttons.
- Queued state shows time waiting and any upcoming Writer blackout window (Writer latency of 20–45 min and blackouts are normal, not failures).
- Failed actions stay visible, keep payload, retry without duplicate canonical writes.
- Decline visually separated from Pursue.

✓ ACCEPT Simulated Writer failures never show success, never drop decisions, never duplicate rows.

HF-04 Behavioral surprises — P1

- Fix console errors (lines 1320 / 1326). Make Compact toggle work or remove it.
- Settings clearly separates local preferences from shared-model changes; shared changes warn and confirm.
- Remove duplicate entry points: Settings tabs + cards, ⚙ vs Writer connection, three System-drawer triggers, Schedules / Health top tabs.
- Writer banner / pill debounced (no “unreachable” flash on load); opening a job never causes a write.

SECTION 09 · CONTINUED

Requirement Detail HF-05 – HF-11

HF-05 Context preservation and conflict guard — P1

- Refresh keeps selected job, filters, sort, scroll.
- New / changed rows highlighted briefly instead of silent reorder.
- If a bot changes the selected job after it was opened, warn before the decision commits; never overwrite silently.

HF-06 Navigation — P1

- Map: permanent panel (HF-16); fullscreen sits below the tab bar with always-visible ✕ Close + Esc; auto-fit; selection synced with queue.
- Rail never covers content (push, don't overlay); Menu pin toggles with a visible Unpin.

HF-07 Density preserved — P2

- Keep 11-column desktop default; adjustable widths; column priority settings.
- No horizontal overflow for priority columns (title, company, location, score, posted pay, age); clip nothing mid-word.
- Target 15–20 visible rows at standard desktop viewport. Queue rows show posted pay + age next to score.

HF-08 Readable labels — P2

- `SALARY_BASE_EST` → “Base pay (est.)”; `FLEX_CLASS` → “Degree flex”; `RESOLVED/APPLIED_CONFIRMED` → “Applied – confirmed”. Raw codes live in Layer 4.

HF-09 Score rationale — P2

- One plain-English line next to every score (e.g., “Startup ramp role, $200–250K posted, degree required – flex”).
- Breakdown and uncertainty one click away.

HF-10 Change summary — P2

- Strip: “Since your last review: N new · N scores changed · N Writer retries needed”, each item clickable.

HF-11 Data integrity in charts — P2

- Normalize source names case-insensitively; persist decline reason codes.

SECTION 09 · CONTINUED

Requirement Detail HF-12 – HF-15

HF-12 Personalization (last) P3

- Learns from overrides (e.g., frequent declines of manager-level non-priority roles); advisory only, explains itself, reversible.
- Never alters canonical rules, applies to jobs, or decides for the user.

HF-13 Phone P2

- Phone scope: Layer 1 counts, change summary, queue, selected job, decide / undo.
- Targets ≥ 44px for decision buttons (WCAG 2.2 minimum 24px). Editing rules / settings is desktop only. **Expanded by HF-18 (v1.3).**

HF-14 Baseline first P0

- Before any change, time 5 real review tasks on the current build; record time, errors, extra navigation, scrolling, perceived difficulty. Repeat after each phase.

HF-15 Motion system P2

- Rich motion is the standard (operator decision): named duration and easing tokens; catalog M-01 – M-19 (Section 12); no radar sweep.
- Guardrails: never blocks input, never hides true state, 60 fps GPU-only, flash-safe.
- **Reduce motion** toggle in Local preferences, off by default.

v ACCEPT 0 input blocked by animation; p95 frame ≤ 16.7 ms; every animation maps to a token; write-state motion never precedes the state event.

SECTION 09 · CONTINUED

Requirement Detail HF-16 – HF-19

HF-16 Map panel — Tim's rule P1

- Permanent centre panel showing **only the selected job**, or by default **the jobs in the current filtered selection** (current behaviour = design authority).
- Score-band pins, two-way selection sync, hover cards, smooth animated auto-fit; fullscreen with visible ✕ Close + Esc.
- Targeting look kept: reticle / lock-on, grid, coordinates, corner brackets. **No radar, range rings or clusters.**

v ACCEPT Pin set == filtered rows 100 %; selection sync 100 %; close found unaided; 0 radar / ring / cluster elements.

HF-17 2560 × 1440 desktop layout P2

- Rail 56 (push) + three zones: table 1112 · map 800 · workspace 508 (job drawer); sub-tabs, KPI tiles, change strip, ticker.
- All 11 columns visible without horizontal scroll; ≥ 30 rows; type scale per Section 15.

v ACCEPT 11 / 11 columns and ≥ 30 rows at 2560 × 1440; 0 clipped priority cells.

HF-18 Mobile redesign P2

- iPhone 18 Pro (assumed 402 × 874 pt): portrait cards with swipe decisions + haptics, tab bar, full-bleed map + sheet.
- Landscape split view; desktop-mode switch with state persisting both ways.
- Perimeter: 24 pt side padding beyond safe area, 36 pt in corner zones, controls ≥ 16 pt above the home indicator; camera keep-out top (portrait) and left or right (landscape). Targets ≥ 44 pt.

v ACCEPT Undo 100 %; state kept across switch 100 %; 0 tap targets in keep-out zones, portrait and both landscape rotations.

HF-19 Scoring page & geo map P1

- Settings › Flex policy & scoring retained and enhanced (Section 14): honest total 100 % = 70 local + 30 shared FLEX.
- LOCAL / SHARED badge per card; shared saves confirm + receipt + undo; live impact preview; recalc progress + ◌ provisional.
- Geo map: targeting look, click-to-add, drag-to-move; canonical COMPENSATION_GEOGRAPHY is the authority.

v ACCEPT Per Section 14.1: total = visible sum; preview = actual change; ◌ on 100 % of stale scores.

SECTION 10

Visual Standards

- Black and neutral grey; **no blue-tinted charcoal**. Emphasis by contrast, weight, spacing, restrained status color.
- One color = one meaning everywhere: green fits rules; amber flex/question; red hard block/failed; grey terminal.
- Clear type hierarchy; minimize tiny text.
- **Rich motion by operator decision (v1.3):** animate anywhere it makes a little sense — sliding, scrolling, sweeping, materializing — under the Motion System guardrails (Section 12).
- **Map style retained:** the current military targeting look is design authority and is only enhanced (Section 13).
- Visible focus, WCAG 2.2 AA contrast, logical keyboard order, keyboard shortcuts documented in a help overlay (not tiny inline text).
- Emotional target: **confidence and control** in a living HUD — motion says the system is alive and working, never that it is unsure.

SECTION 11

Color System · futuristic military HUD · black / neutral grey · no blue tint

11.1 BASE SURFACES

Void	Page background	#000000
	CONTRAST ON VOID 1.0:1	
Hull	Panels	#0B0B0B
	CONTRAST ON VOID 1.1:1	
Plate	Cards / rows	#141414
	CONTRAST ON VOID 1.1:1	
Raised	Hover / selected	#1E1E1E
	CONTRAST ON VOID 1.3:1	
Seam	Borders	#2A2A2A
	CONTRAST ON VOID 1.5:1	
Gridline	Map grid	#3A3A3A
	CONTRAST ON VOID 1.8:1	

11.2 TEXT

Aa 84		
Primary	Body text, values, titles	#E6E6E2
	VOID 16.8:1 · PLATE 14.7:1	
Aa 84		
Secondary	Supporting text, labels	#A3A39E
	VOID 8.3:1 · PLATE 7.3:1	
Aa 84		
Muted	Metadata · non-essential only	#6B6B66
	VOID 3.9:1 · PLATE 3.4:1	

Contrast note: Muted #6B6B66 is 3.9:1 on Void (below 4.5:1), so it is limited to non-essential metadata or large text. Terminal Grey #5A5A5A (3.0:1) is used for dots and bars only and always carries a word label in Secondary text.

SECTION 11 · CONTINUED

Color System — Signal, Bands, Rules

11.3 SIGNAL COLORS

✓ HUD Green #4ADE80
Fits rules · confirmed · **Pursue**
CONTRAST ON VOID 12.1:1

◷ Amber Caution #F2B33D
Flex question · queued · **Hold**
CONTRAST ON VOID 11.3:1

✕ Alert Red #FF4D3D
Hard block · failed · **Decline**
CONTRAST ON VOID 6.4:1

◉ Target Cyan #38E1D6
Selection · focus · links — the only "live" color
CONTRAST ON VOID 12.9:1

? Olive Drab #8A8F7A
Discovery leads · unverified
CONTRAST ON VOID 6.3:1

■ Terminal Grey #5A5A5A
Closed · declined
CONTRAST ON VOID 3.0:1

11.4 SCORE BANDS

80 – 100
✓ Strong
HUD Green · icon + word

65 – 79
◷ Watch
Amber Caution · icon + word

< 65
✕ Weak
Alert Red · icon + word

Bands derive from the single authoritative score record (HF-01); band names are never re-derived per view.

11.5 USAGE RULES

RULE	STANDARD	EXAMPLE
Typography	Monospace **uppercase** for labels only; sans-serif for numbers and titles.	POSTED PAY **$212K**
Glow	Cyan glow on focus, processing, hover traces, lock-on and auto-fit trace (`0 0 6px`, 40%); one-shot green confirm flash. At rest nothing else glows.	Focused
Borders & corners	1px Seam borders; sharp or 2px corners. No pills, no soft shadows.	Panel
Signal use	Signal colors on text, thin left bars and dots — **never large fills**.	● Queued 12m
Never color alone	Every signal pairs with an icon or a word (WCAG 1.4.1), so meaning survives color-vision differences.	✕ Write failed
Cyan scarcity	Target Cyan means live / interactive / focused — incl. lock-on reticle and hover traces. Never used for status or decoration.	◉ Selected

SECTION 12

Motion System · rich motion by operator decision

DESIGN AUTHORITY Tim Pruitt explicitly chose a **HIGH-MOTION HUD** (v1.3; kept in v1.4 minus the radar sweep). Standard: **ANIMATE ANYWHERE IT MAKES A LITTLE SENSE** , within guardrails G1–G6.

12.1 DURATION TOKENS

TOKEN	VALUE	EASING	USED FOR
--pe-motion-instant	0ms	—	State commit, value write (never animated)
--pe-motion-fast	120ms	ease-out	Hover glow, press, focus ring
--pe-motion-base	240ms	ease-inout	Panel slide, tab slide, toast slide-up
--pe-motion-lock	320ms	snap	Map lock-on brackets / reticle
--pe-motion-materialize	400ms	ease-out	Job detail scanline + dissolve
--pe-motion-sweep	600ms	linear	Row cyan wipe, edge trace, ring draw-on
--pe-motion-roll	800ms	ease-out	KPI counter roll-up
--pe-motion-boot	1200ms	ease-out	Total HUD boot-up sequence
--pe-motion-breathe	1600ms loop	ease-inout	Queued amber breathe
--pe-motion-fit	600ms	ease-inout	Map auto-fit pan / zoom to job or filtered set
--pe-motion-stagger	18ms / row	—	Row stagger step, capped at 30 rows

12.2 EASING CURVES

TOKEN	CURVE	USED FOR
--pe-ease-out	cubic-bezier(0.16, 1, 0.3, 1)	Entrances, materialize, roll-up
--pe-ease-in	cubic-bezier(0.7, 0, 0.84, 0)	Exits, collapse
--pe-ease-inout	cubic-bezier(0.65, 0, 0.35, 1)	Slides, tabs, breathe
--pe-ease-snap	cubic-bezier(0.34, 1.56, 0.64, 1)	Pin drop, lock-on overshoot
--pe-ease-linear	linear	Sweeps, ticker, progress fill

BOOT-UP TIMELINE (M-01) · INPUT LIVE FROM T = 0

```
t=0     controls live · grid fades in            fast
t=120   panels slide in from edges (stagger 40 ms)  base · ease-out
t=360   corner brackets draw · map materializes     materialize
t=400   KPI counters roll up · rows stagger in      roll · stagger
t=1200  map auto-fits to the current view          fit · ease-inout
```

SECTION 12 · CONTINUED

Guardrails & Motion Catalog (1/2)

12.3 GUARDRAILS — KEPT BECAUSE THEY DO NOT FIGHT THE STANDARD

ID	GUARDRAIL	RULE
G1	**Never blocks input**	Actions dispatch at t = 0; animation runs alongside, is interruptible, and never gates a click, key or gesture. No “wait for animation” states.
G2	**Never hides true state**	Final values are in the DOM immediately; motion is a presentation layer. Write-state motion is driven only by state-machine events (Phase 1). If motion and state disagree, state wins and the animation is cancelled.
G3	**60 fps, GPU only**	Animate `transform`, `opacity`, `filter` (and SVG `stroke-dashoffset` on small elements). No layout properties. p95 frame ≤ 16.7 ms; concurrent animations capped (12 desktop / 6 phone); overflow degrades to fade.
G4	**Reduce motion toggle**	Settings › Local preferences › **Reduce motion**, **off by default** (operator decision). On: loops stop, slides become 120 ms fades, shake becomes a static outline. OS-level Reduce Motion triggers a one-time prompt; it never silently overrides Tim's choice.
G5	**Meaning conserved**	Motion colour follows signal meaning: amber breathe = queued only, red shake = failed only, cyan = live / selected / processing.
G6	**Flash safety**	Nothing flashes more than 3× per second (WCAG 2.3.1); confirmed flash is a single pulse.

12.4 CATALOG · EVERY ANIMATION NAMES ITS TOKEN

ID	ANIMATION	TRIGGER	SPECIFICATION
M-01	**HUD boot-up**	App load	Grid fades in → panels slide from edges → corner brackets draw → KPIs roll up → map auto-fits. 1200 ms total; any input skips it; controls live at t = 0.
M-02	**Panel slide-in**	Load, open, expand	Panels enter from their nearest edge: translate 24 px + fade · base · ease-out.
M-03	**Job detail materializes**	Selection	Scanline mask sweeps top → bottom with pixel-dissolve fade-in; cyan edge trace runs the panel border · materialize 400 ms. Real values from frame 1.
M-04	**Map auto-fit**	Selection / filter change	Smooth animated pan + zoom to the selected job, or to the padded bounds of the filtered selection · fit 600 ms · ease-inout; any manual pan / zoom cancels it. *Replaces the v1.3 radar sweep.*
M-05	**Map lock-on**	Job selected	Brackets collapse 2× → 1×, reticle rotates 90°, crosshairs extend, coordinates type on · lock 320 ms · snap.

SECTION 12 · CONTINUED

Motion Catalog (2/2)

ID	ANIMATION	TRIGGER	SPECIFICATION
M-06	**Pin drop**	Job enters the filtered set	Pin drops 12 px with snap overshoot · base 240 ms. No ping rings.
M-07	**KPI roll-up**	Counter change	Digits roll to the new value · roll 800 ms. Final value written at once; screen readers get the final value only.
M-08	**New-row cyan wipe**	Row new / changed	Cyan gradient wipes left → right, settles into a "changed" marker · sweep 600 ms. Replaces silent reorder (HF-05).
M-09	**Row stagger**	Load, sort, filter	Rows rise 6 px + fade, 18 ms step, capped at 30 rows.
M-10	**Score ring draws on**	Detail opens / score changes	Ring stroke draws from 0 to value · sweep 600 ms · ease-out; number shown immediately.
M-11	**Tab slide**	Tab change	Content slides horizontally in tab order · base 240 ms · ease-inout.
M-12	**Writer write states**	State-machine event	◷ queued: amber breathe (1600 ms loop) · ◉ processing: cyan sweep across the receipt · ✓ confirmed: single green flash · ✕ failed: red shake (3 × 4 px, 300 ms) then steady red with Retry.
M-13	**Toast receipts**	Decision made	Receipt slides up from the action bar · base · ease-out; stacks; failures never auto-dismiss.
M-14	**Hover glow trace**	Pointer hover / focus	1 px cyan trace runs once around the control border · fast 120 ms + sweep.
M-15	**Event ticker**	Pipeline events	Bottom feed scrolls ← at 40 px/s; pauses on hover / focus.
M-16	**Map fullscreen**	⤢ Fullscreen / ✕ Close	Fills the workspace below the tab bar · base; always-visible ✕ Close or Esc reverses; selection and viewport kept.
M-17	**Mobile swipe physics**	Card drag	Card tracks finger, action colour reveals underneath, springs back below threshold; haptic at threshold.
M-18	**Recalc progress**	Recalc running	Progress bar fills (roll 800 ms per update); ◌ provisional cross-fades to the final score when that job's recalc lands. No breathing — amber stays "queued" only.
M-19	**Panel loading**	Data loading	Corner brackets draw + one scanline pass, label "ACQUIRING…". Replaces the radar loading state.

All catalog items obey G1–G6: the action has already happened when the animation starts, and the screen shows the true state at every frame.

SECTION 13

Map System · selected job, else filtered selection · targeting style


PURPOSE (DESIGN AUTHORITY)	The pipeline map shows **only the selected job's location**, or — with nothing selected — **the jobs in the current filtered selection** (Jobs, Review queue, Decline candidates, My rulings + View & filters). Today's behaviour, Tim's binding rule.
RETAINED LOOK	Black field, grey outlines, mono state labels, zoom readout, + / − / layers, RECENTER, RESET, legend, Home — current style, only enhanced.
TARGETING LAYER	Reticle + crosshairs + corner-bracket **lock-on** on the selected job (M-05); HUD corner brackets on the panel; centre-of-view crosshair.
GRID & READOUTS	Graticule (1° minor, 5° major) with edge coordinates; selected job lat / long, range + bearing from Home, nearest geo control point and its score; cursor coordinates.
PINS	One pin per job in the filtered selection, **coloured by score band** (✓ Strong · ◷ Watch · ✕ Weak) with icon + word in the hover card; ◌ provisional pins get an olive ring; remote jobs counted in the header.
SYNC & AUTO-FIT	Selection synced map ↔ queue ↔ drawer. **Smooth animated auto-fit** (M-04, 600 ms): pans / zooms to the job, or to the bounds of the filtered set with padding — replaces the fixed 600 % selection zoom. Manual pan cancels; FIT re-fits.
FULLSCREEN	⤢ Fullscreen fills the workspace below the tab bar — never covers tabs or rail — with an always-visible ✕ **Close** · **Esc** top-right; selection, filter and viewport kept.
REMOVED IN V1.4	**Radar sweep** (map and loading), range rings + ticks, clusters, ping rings, dimmed filtered-out pins, dense-area boost — none serve “show where the job is”.

INTERACTION	RESULT
Select row / click pin	Map shows only that job; auto-fit pans / zooms to it (M-04); lock-on runs (M-05); drawer materializes (M-03).
Clear selection · Esc	Returns to the filtered selection; auto-fit to its bounds; pins enter with a short drop (M-06).
Filter / preset change	Pin set = new filter result exactly (no dimmed leftovers); header count rolls (M-07); auto-fit.
⤢ Fullscreen / ✕ Close	Expands below the tab bar (M-16); ✕ Close and Esc always visible; never a trap, also in empty views (“No mapped jobs in this group”).


SECTION 13.1

Map Panel — Reference Rendering

A · DEFAULT — JOBS IN THE CURRENT FILTERED SELECTION



B · SELECTED JOB ONLY (FULLSCREEN SHOWN, × CLOSE VISIBLE)



A Default · filtered selection
One pin per job in the current view, band colours; dashed auto-fit bounds; hover card.

B Selected job only
Only the selected job; lock-on reticle, coordinates, range / bearing, nearest geo point.

1 Auto-fit (M-04)
Animated pan + zoom to job or set bounds · 600 ms · interruptible.

2 × Close · Esc
Always visible in fullscreen (shown in B); never covers tabs.

3 Retained frame
Grid, corner brackets, view crosshair, + / − / FIT / layers, RECENTER, RESET.

4 Removed
Radar, range rings, clusters, pings, dimmed pins.

SECTION 14

Scoring Page — As It Exists · Settings › Flex policy & scoring

A general scoring page, not just a map: six cards across two scopes. Inventory, Oct 15 (read-only; no Update, Add or Publish clicked). Job-level effect: Fit & Score names the nearest control point (e.g. "nearest Los Angeles, CA" → geo 20).

CARD	SCOPE	WHAT EXISTS TODAY	ISSUE
Header · control center		"SETTINGS › FLEX POLICY AND SCORING"; tabs Scoring & flex | Pay & location | Rules | Display & columns | Documents | Resume & ATS; badge PRESENTATION ONLY; six navigation cards (Live scoring, Rules authority, Writer connection, Display controls, Documents, Governance).	Pay & location / Resume & ATS are duplicates; badge contradicts shared Update buttons.
A · FLEX weighting & eligibility	SHARED	FLEX scoring weight **30 %** (UPDATE FLEX WEIGHT). Eligibility (SECTION=DEGREE_FLEX, consumed by Writer): degree not stated = HIGH_FLEX · equivalent experience = HIGH_FLEX · hard requirement = NO_FLEX · confirmed single path = STRICT (choices HIGH / SOFT / NO / STRICT / UNKNOWN). Modifiers **HIGH 90 · SOFT 70 · NO −60 · STRICT −100**. Fresh degree evidence overrides stale FLEX = YES. UPDATE FLEX POLICY.	Shared write with no confirm, impact preview, receipt or undo; scope only in copy.
B · VNext backtest gate	PREVIEW	DESIGN_AND_BACKTEST_ONLY, cannot publish. Proposed weights: mfg domain alignment 25 · prototype-to-rate 20 · analogous ops experience 15 · scope / authority / title 15 · employer clout 10 · comp economics 10 · geography 5. Gates: 24+ labeled rows, pairwise accuracy > 70 %, good avg ≫ bad avg, evidence mapping, explicit Tim approval. State **NOT READY**; live model TIM_WEIGHTED_JOB_RATING 2026-10-04.1.	Gate progress not quantified (rows labeled so far, accuracy).
C · Shared model (published)	SHARED	Published **rev 24** · v2026-10-14.1 · Oct 14, 10:34 PM · SCORING_MODEL.md · TEST ON ONE JOB… · LOAD PUBLISHED. Stored policy values: **185 awaiting recalculation / 603 eligible**, idle — "choose Review refresh… to start".	No progress indicator; stale scores look final (Anduril 77 → 72 → 59).

SECTION 14 · CONTINUED

Scoring Page — As It Exists (2/2)

CARD	SCOPE	WHAT EXISTS TODAY	ISSUE
D · Ranking weights	LOCAL	"Ranks rows in this browser; does not write to master." Total must equal 100: experience 35 · compensation 15 · geo 10 · ats 0 · title 5 · culture 5 · ownership 0; header "Total weight: 100 / 100 — Balanced". UPDATE WEIGHTS & SALARY · RESET FORM TO DEFAULTS.	Visible sum 70; FLEX 30 implicit.
E · Salary curve	LOCAL	Floor 190 000 · target 240 000 · ceiling 300 000 (0 / 50 / 100); geo interpolation power 6. Net compensation = midpoint × state net-value factor.	Curve not drawn; relation to canonical pay rules unstated.
F · Geo heat map	LOCAL	Continuous US choropleth (+ AK, HI insets), red 0 → yellow → green 100; one distance-weighted interpolation over control points; hard points override nearby; hover tooltip names nearest point + score (Texas → "Austin, TX · 50 / 100"). Table of 20 points (name · lat · lon · score · HARD · ×): Cleveland TN 100 H, New York 0 H, Tampa 90 H, Gulf Shores 100 H, Chicago 0 H, Nashville 90, Birmingham 90, Atlanta 80, Charlotte 80, Columbia SC 80, Raleigh 70, Austin 50, Columbus OH 40, Denver 40, LA 20, SF 20, Seattle 20, Memphis 10, Detroit 5, Minneapolis 5. ADD CONTROL POINT · UPDATE GEO SCORES.	Map click-to-add untested; no drag; no preview of affected jobs.

Save paths today. Ranking weights, salary curve and geo points are **local to this browser**; FLEX weight / policy save to the **shared canonical model via Writer**; published-model changes go through "Publish shared scoring…" (present in the DOM, not visible on this tab).

SECTION 14.1

Scoring Page — Proposals & HF-19

DESIGN AUTHORITY The existing scoring page is retained and enhanced — not replaced. Status PROPOSED; no Update / Publish is authorized.

#	PROPOSAL	SPECIFICATION
S1	**Retained & enhanced**	The page stays the design authority for scoring: same cards, same fields, same order; v1.4 only adds clarity and safety.
S2	**Honest weight totals**	Weights card shows **100 % = 70 local + 30 shared FLEX** as a stacked bar; FLEX is an explicit locked row ("edit in card A"). The total can never read 100 while fields sum to 70.
S3	**LOCAL vs SHARED badges**	Every card carries a scope badge: `SHARED · EVERY VIEWER & AGENT` or `LOCAL · THIS BROWSER`. Page badge PRESENTATION ONLY removed.
S4	**Shared-change guard**	Shared saves (FLEX weight / policy, publish) need a scope warning + confirm naming the impact, return a **Writer receipt**, and offer **Undo** (24 h).
S5	**Live impact preview**	Before any save: "N of 603 scores change · M cross a band (▲ / ▼) · largest Δ" with a link to the affected rows; computed locally, no write.
S6	**Recalc progress + ◌ provisional**	Progress bar "418 / 603 · ETA" in card C, System drawer and KPI strip; every stale score shows ◌ **provisional** (table, drawer, map pin, compare) until its recalc lands; band changes held in the change strip.
S7	**Geo map: targeting look**	Grid, edge coordinates, corner brackets, cursor readout, lock-on reticle on the selected control point; heat ramp and interpolation unchanged.
S8	**Click-to-add, drag-to-move**	Click map = new point at cursor (score defaults to interpolated value); drag moves a point; arrow keys nudge score; Del removes; table ↔ map selection sync; unsaved points dashed.
S9	**Canonical authority**	Note on cards E / F: canonical pay / geo rules — **COMPENSATION_GEOGRAPHY** in TIM_PIPELINE_RULES_CANONICAL (and DEGREE_FLEX for card A) — are the authority; local curve / points may not contradict them, and conflicts are flagged.
S10	**Tabs de-duplicated**	Pay & location → in-page jump to E / F; Resume & ATS merged into "Documents & ATS"; jump chips A–G on the page.


HF-19 Scoring page & geo map `P1`

v ACCEPT Displayed total = sum of visible rows incl. FLEX (100 %); every card scoped; 100 % of shared saves confirmed + receipted + undoable; preview count = actual changed rows after save; ◌ on 100 % of stale scores; add / move control point in ≤ 2 actions.

SECTION 14.2

Geo Heat Map — Reference Rendering

Control points are the 20 from the live inventory; Austin shown mid-drag and one click-added point (both unsaved, mock). Interpolation rendered on a 0.45° grid.



1 Heat field
One IDW interpolation (power 6) over all points; ramp red 0 → amber 50 → green 100, as today.

2 Control points
○ soft · ◆ hard (overrides nearby); labels with score.

3 Lock-on + drag
Selected point gets the reticle; dashed ghost shows the old position while dragging.

4 Click to add
Dashed cyan point = unsaved; table row appears and syncs.


5 Hover tooltip
Interpolated score, nearest point + distance, jobs at location.

6 HUD frame
Grid, edge coordinates, corner brackets, cursor readout, LOCAL scope line.

Authority. Geo points and power are LOCAL ranking inputs; canonical **COMPENSATION_GEOGRAPHY** rules govern pay / geography gates. If a local point contradicts a canonical rule (e.g. a Never-Consider metro), the point shows ⚠ and the rule wins.

SECTION 14.3

Scoring Page Concept Mockup — 2560 × 1440 · rendered at 37.5 % · CONCEPT — MOCK DATA



A–C Shared column
FLEX policy with confirm + receipt + undo; recalc 418 / 603 + ◌; VNext NOT READY gates.

D–E Local column
Weights 100 % = 70 + 30 FLEX; salary curve drawn with floor / target / ceiling.

F Impact preview
47 scores change · 6 cross a band, before Update geo scores.

G Geo map
Targeting look, drag + click-to-add, synced 20-point table. Full-res PNG supplied.

SECTION 15

Desktop Layout — 2560 × 1440

Primary target: 2560 × 1440 CSS px at 1× (5120 × 2880 at 2×). Real app chrome (left rail, top bar, Pipeline sub-tabs) plus three working zones, map in the centre.

```
┌ 20 — RAIL 56 (push) — 12 ──────────────────────────────────────── 2560 ┐
 TOP BAR       56   Menu · title · breadcrumb · search · Writer pill · Queue · Sync · Compare
 SUB-TABS      44   Jobs · Review queue · Decline candidates · My rulings · Map · Trends · Compare
 KPI TILES     96   Needs decision · Applied · Research · Interviews 14d · Writer · ○ Provisional
 CHANGE STRIP  40   since last review · recalc · map mode
 MAIN        1068   TABLE 1112 |16| MAP 800 |16| JOB DRAWER 508
 TICKER        36   pipeline events feed, scrolls ←
└ H: 20+56+12+44+12+96+12+40+12+1068+12+36+20 = 1440 · W: 20+56+12+1112+16+800+16+508+20 ┘
```

15.1 REVIEW TABLE — 11 COLUMNS, PX

#	COLUMN	WIDTH
01	Score + band (SCORE) · ◌	64
02	Δ / New (NEW)	36
03	Title (TITLE)	184
04	Company (COMPANY)	112
05	Location (LOCATION)	112
06	Bucket (BUCKET)	104
07	Base pay est. (SALARY_BASE_EST)	72
08	Degree flex (FLEX_CLASS)	84
09	Exp. fit (EXPERIENCE_FIT)	56
10	Age (AGE)	36
11	Write state (new)	≈ 150 (fill)

Column gap 8 · 6 px selection bar · all 11 visible, no horizontal scroll · row 32 px → 30 rows visible. LINK moves to the drawer Posting tab.

15.2 TYPE SCALE AT 2560 (PX / WEIGHT)


ROLE	SIZE
KPI value	40 / 650
Job title (workspace)	26 / 650
Section / pay value	20 / 620
Body, why line	15–16 / 400
Table cell (row 32 px)	14 / 540
Score in table	16 / 650
Mono label (uppercase)	11.5–13
Minimum anywhere	11

15.3 ZONE CONTENTS

- **Map** 800 × 1024 · selected job, else filtered set (Section 13).
- **Job drawer**: real tabs Overview · Posting · Fit & Score · Application · Documents · History; ring + rev; weights incl. FLEX; Pursue / Hold / Research | Decline; receipts.
- **Below 2560**: 1920 keeps 3 zones (map 640, workspace 460); 1440 stacks map above workspace.

SECTION 15.4

Desktop Concept Mockup — 2560 × 1440 · rendered at 37.5 % · map prominent · fictional data



1 Table · 1112
11 app columns, readable labels, 30 rows, ◌ provisional; M-08 / M-09.

2 Map · 800
Selected job only, lock-on, coordinates, nearest geo point; Selected | Filtered.

3 Drawer · 508
Real tabs; rev 24; weights Σ 100 incl. FLEX; receipts (M-12).

4 Chrome
Rail, sub-tabs, KPIs incl. ◌ 185, change strip, ticker. Full-res PNG supplied.

SECTION 16

Mobile Redesign — iPhone 18 Pro

ASSUMED DIMENSIONS ~402 × 874 pt portrait / 874 × 402 pt landscape; Dynamic Island + front camera at the **TOP** in portrait and on the **LEFT OR RIGHT** side in landscape (depends on rotation). Safe areas ≈ 62 top / 34 bottom (portrait), 62 each side / 21 bottom (landscape). Not confirmed for this model — verify in the simulator; layout derives from safe-area insets, not constants.

16.0 PERIMETER & KEEP-OUT RULES (V1.4 — TIM)

TOKEN	VALUE	RULE
`--pe-safe-*`	**env(safe-area-inset-*)**	Always read from the OS — never hard-coded (assumed 62 / 34 portrait, 62 / 62 / 21 landscape).
`--pe-pad-side`	**24pt**	Side padding **beyond** the safe area for all content and tap targets (portrait → x 24–378).
`--pe-pad-corner`	**36pt**	Side inset for any control inside a corner zone (top / bottom 96 pt), clear of the ≈ 55 pt display radius (tab bar x 36–366).
`--pe-pad-top`	**12pt**	Below the safe-area top — first row at y 74, clear of the Dynamic Island.
`--pe-lift-bottom`	**16pt**	Bottom controls end ≥ 16 pt above the home-indicator inset → ≥ 50 pt from the bottom edge (portrait), ≥ 37 pt (landscape).
`--pe-island-clear`	**16pt**	Clearance around the camera / Dynamic Island in every orientation; nothing interactive or legible inside.
`--pe-pad-land`	**20pt**	Landscape: 20 pt beyond the 62 pt safe area on **both** sides → content x 82–792 for either rotation; no reflow when the camera swaps sides.

PORTRAIT

- KPI strip (Decide · New · Failed · ◌ Provisional) + change strip, inside the 24 pt padding.
- Swipe cards: **→ Pursue**, **← Hold**, **long-press Decline** → confirm → Undo; 35 % threshold (M-17).
- Floating tab bar Queue · Map · Changes · Search, x 36–366, ending 50 pt above the bottom.


LANDSCAPE (BOTH ROTATIONS) · DESKTOP MODE

- Split view in x 82–792: queue left, Detail | Map right; docked actions end ≥ 37 pt above bottom.
- Camera left or right: same content rectangle, so rotating never moves a control under the camera.
- 🖥 Desktop loads the 2560 layout scaled + pannable inside the same rectangle; state persists both ways.


All mockups show the perimeter faintly: hatched red camera keep-out and corner zones, dashed cyan safe-area lines, dashed amber content / tap-target boundary and home-indicator band. Targets ≥ 44 pt; decision buttons 52–56 pt; haptics as v1.3.

SECTION 16.1

Mobile Mockups — Portrait Queue & Detail · 402 × 874 pt · keep-out overlay · mock data



A · PORTRAIT QUEUE



B · PORTRAIT JOB DETAIL

A Queue
KPI strip with ◌ provisional, change strip, top card mid-swipe → Pursue (haptic at threshold), queued receipt with Undo; floating tab bar inset 36 pt and lifted above the home indicator.

B Job detail
Drawer tabs Overview · Posting · Fit · Apply · Docs · History; rev 24 current; evidence from real factors; toast; 56 pt action bar inset 36 pt, Decline separated.

SECTION 16.2

Mobile Mockup — Portrait Map + Sheet · targeting style · mock data



C · PORTRAIT MAP (SELECTED JOB) + FLOATING SHEET

Tim's map rule
Shows only the selected job (here) or, via the Selected | Filtered toggle, the jobs in the current filter. No radar, rings or clusters.

Lock-on
Reticle, crosshairs, corner brackets on the job; lat / long, range + bearing readout; selection-tick haptic.

Auto-fit
Animated pan / zoom to the job or to the filtered bounds, padded to stay inside the 24 pt inset.


Keep-out
Map starts below the 62 pt safe top; header and chips at y ≥ 74; controls 24 pt from the right edge.

Floating sheet
Inset 12 pt (actions 24+ pt from the edges); 52 pt Pursue / Hold | Decline; ◂ ▸ next job in filter.


Tab bar
Floating, x 36–366, ends 50 pt above the bottom — never in a corner or on the home indicator.

SECTION 16.3

Mobile Mockups — Landscape, Both Rotations · 874 × 402 pt



D · CAMERA LEFT — SPLIT VIEW, MAP (SELECTED JOB), DOCKED ACTIONS END 37 PT ABOVE BOTTOM




E · CAMERA RIGHT — SAME CONTENT RECTANGLE X 82–792, DETAIL TAB, ACTIONS ≥ 44 PT

Rotation-safe. Padding is symmetric (62 + 20 pt both sides), so rotating 180° moves the camera but never a control; no layout jump.

Split view. Selecting in the list locks the map on that job (Tim's rule); tapping Detail shows the drawer content.

SECTION 16.4

Desktop Mode & Keep-out Diagram



F · DESKTOP MODE — 2560 LAYOUT SCALED INSIDE X 82–792; ◧ EXIT AND VIEWPORT MINIMAP KEPT OFF THE CAMERA AND HOME-INDICATOR ZONES

G · SAFE / KEEP-OUT REGIONS (OVERLAY AT FULL STRENGTH)







SECTION 17

Implementation Plan — Overview

> **AUTHORIZATION** This plan is **PROPOSED ONLY** . No code, backlog, deployment or shared-model changes are authorized by this document. Each phase starts only on Tim's explicit approval.


Sequence and gates

#	PHASE	REQUIREMENTS	OBJECTIVE	EXIT GATE
00	**Baseline**	HF-14	Measured baseline of 5 real review tasks.	Baseline report + discrepancy register signed off.
01	**Integrity**	HF-01 · 02 · 03 · 04 · 19 (data)	One score, reconciled counts, truthful writes, recalc + ◌ provisional, honest weights, no write on view. **Still first.**	No unexplained cross-view discrepancy; zero false successes.
02	**Workflow + motion core**	HF-04 · 05 · 06 · 15 (core) · 16 (panel)	Context survives refresh; map per Tim's rule + fullscreen close; scope badges + shared-change guard; de-duplicated entry points; motion core.	Refresh keeps context; motion never blocks input.
03	**Cognitive + visual + 2560**	HF-07 – 11 · 15 – 17 · 19 + tokens	2560 cockpit, full motion catalog, scoring page + geo map, palette.	Measured faster review, no accuracy loss; 60 fps.
04	**Adaptive**	HF-12	Opt-in, explainable personalization.	Explainable, reversible, subordinate to canonical rules and Tim's decisions.
M	**Mobile track**	HF-13 · 18	iPhone portrait / landscape / desktop-mode with perimeter insets + camera keep-out; after Phase 2 gate, parallel to Phase 3.	Swipe decisions reversible; state kept across switch.

HF-14 timing is re-run at the end of every phase. No phase begins until the previous gate is reviewed with Tim. No motion or layout work starts before the Phase 1 gate.

SECTION 17 · CONTINUED

Sequencing & Cross-cutting Constraints



Writer queue latency (20–45 min). Writes routinely take 20–45 min; "queued" and "processing" are normal, not errors. Timings measure time-to-decision, not time-to-confirmation; queued motion (breathe) must never read as a fault.

Writer blackout windows. No commits accepted; decisions queue with payload and show the window end. No rollout steps inside a blackout; fault tests simulate one.

Multi-bot edits. Each decision carries the record version seen at open; a mismatch triggers the conflict guard (HF-05) and a *superseded* state. Bulk bot updates summarize in the change strip and ticker rather than individually animating.

Design authority. Layout follows Tim's v1.4 decisions: 2560 three-zone cockpit; map shows the selected job or the filtered set in its targeting style (no radar); high-motion standard; scoring page retained as authority. Further layout changes need Tim's explicit approval. Shared-model / rule changes stay out of scope in every phase.

SECTION 17.1

00 Baseline

HF-14

OBJECTIVE

Measure the current build before anything changes, so every later gate is judged against real numbers rather than impressions.

TASKS

01 Script 5 representative review tasks: (a) find the job that needs action, (b) state the main score drivers for a given job, (c) disposition a straightforward job, (d) reconcile the Applied count, (e) find the previously selected job after a refresh.

02 Run each task on the live build across at least 3 sessions; record completion time, errors, extra navigation, scrolling, and perceived difficulty (1–7 single-ease question).

03 Snapshot score value, band and label for 20 sample jobs in table, detail, map and compare views, with timestamps.

04 Snapshot every counter (header, KPI tiles, Trends) with the query it appears to represent; log mismatches (Applied 84 vs 26, Declined 57 vs 56, intake 0 vs 138, "0 need you" vs 50).

05 Capture console logs (TypeErrors at lines 1320 / 1326), selection latency (~0.55s), and an inventory of raw internal codes visible in Layers 1–3.

06 Record Writer queue depth and any blackout window active during each session.

DELIVERABLES

- Baseline report (timings, errors, difficulty)
- Discrepancy register: scores and counters
- Reusable task scripts for each re-test

EXIT GATE · ACCEPTANCE TESTS

- All 5 tasks timed in ≥ 3 sessions
- Discrepancy register reviewed and signed off by Tim
- No product changes made during the phase

RISKS & MITIGATIONS

- Bots change data mid-session → timestamp every snapshot and note Writer queue state.
- Small sample → report medians and ranges; treat targets as directional, not statistical proof.

SECTION 17.2

01 Integrity

HF-01 HF-02 HF-03 HF-04 HF-19

OBJECTIVE

Make every number, count and decision state truthful and identical everywhere before improving anything else.

TASKS

01 Define the single scoring record {value, score type, rule/model version, computed-at, evidence status}; route queue, detail, map and compare through one selector.

02 Audit the memoized scoring config: key the cache on a rules/weights version hash and invalidate on change, keeping the ≤ 0.7s selection budget.

03 Adopt one display name for the score; label any historical or alternative score explicitly.

04 Write a counter registry (population, filters, window, source) for every Layer-1 tile and header count; each tile applies that exact query to the queue.

05 Implement a one-click decision state machine: queued → processing → confirmed | failed | superseded, with an idempotency key per decision.

06 Show receipt + Undo under the buttons; queued shows time waiting and the next blackout window; failed keeps its payload and offers Retry.

07 Fix console TypeErrors at pipeline lines 1320 / 1326.

08 Expose state-machine events as the only source for write-state motion later (G2).

09 **Recalc + provisional** (HF-19): record carries model rev + computed-at; stale scores show ◌ everywhere; recalc progress 418 / 603 surfaced; root-cause drift (Anduril 77 → 72 → 59).

10 **Honest weights**: 100 % = 70 local + 30 shared FLEX on Settings and in Fit & Score; reconcile Declined 0 / 56 / 57 and Employer rejected 0 / 2 / 7.

11 Opening a job never writes; debounce the Writer banner / pill (2 failed checks or 20 s grace).

DELIVERABLES

- Scoring record spec + single selector
- Counter registry document
- Decision state machine with receipts
- Fault-injection test suite

EXIT GATE · ACCEPTANCE TESTS

- Cross-view score consistency 100% on all jobs
- Counter reconciliation 100%; tile click count == rows shown
- Fault injection (timeout, 5xx, duplicate ack, blackout): 0 false successes, 0 dropped, 0 duplicates
- Console clean across the 5 task scripts
- ◌ on 100 % of stale scores; weights total = visible sum

RISKS & MITIGATIONS

- Late confirmations look “stuck” → explicit queued timer and Writer estimate.
- Cache fix reintroduces the 32s lag → selection performance test in the gate.
- Multi-bot edits during a write → superseded state, never overwrite.

SECTION 17.3

02 Workflow

HF-04 HF-05 HF-06 HF-15 HF-16 HF-19

OBJECTIVE

Remove behavioral surprises, make context survive every refresh, make the map a permanent panel, and ship the motion core.

TASKS

01 Make the Compact toggle work or remove it.

02 Preserve selected job, filters, sort and scroll across refresh using stable job IDs.

03 New / changed rows get the cyan wipe (M-08) and a “changed” marker instead of silent reorder; bulk bot updates batch into the change strip.

04 Conflict guard: store record version on open; on mismatch at commit, show what changed and require confirmation.

05 **Map per Tim's rule** (HF-16): selected job only, else the filtered set; animated auto-fit; fullscreen below tabs with visible ✕ Close + Esc; remove radar, rings, clusters.

06 **Scope + shared-change guard** (HF-19): LOCAL / SHARED badges; confirm + receipt + undo for FLEX, publish, registry, rules.

07 **App-wide fixes** (T-08 – T-13, T-20 – T-22): rail Unpin, de-duplicated tabs / cards / drawer entries, ⚙ → Settings, path aliases, bulk-action confirm.

08 **Motion tokens file + core transitions** (HF-15): panel slide, tab slide, toast slide-up, write-state pulses bound to Phase 1 events; Reduce motion toggle (off by default).

09 Sidebar rail pushes content rather than overlaying it.

DELIVERABLES

- Scope + guard spec
- Context preservation + conflict guard
- Map rule + motion core

EXIT GATE · ACCEPTANCE TESTS

- Selection retained after refresh 100% over 50 refresh cycles
- Simulated bot edit mid-decision always warns; never overwrites
- Map collapse found unaided; selection sync 100%
- Motion never blocks input (dispatch ≤ 50 ms)
- HF-14 re-test shows no regressions

RISKS & MITIGATIONS

- Highlight noise during bulk bot activity → batch and summarize.
- Motion masking state → G2: state wins, animation cancels.

SECTION 17.4

03 Cognitive + visual

HF-07 HF-08 HF-09 HF-10 HF-11 HF-15 HF-16 HF-17 HF-19

OBJECTIVE

Make review measurably faster with the 2560 cockpit, readable labels, rationale, the full motion catalog and the HUD system.

TASKS

01 **2560 × 1440 three-zone layout** (HF-17): grid 1160 / 820 / 508, KPI tiles, change strip, ticker, type scale; all 11 columns and ≥ 30 rows; 15–20 rows at 1440–1920.

02 Label dictionary mapping internal codes to readable labels; raw codes moved to Layer 4.

03 Plain-English rationale line beside every score; breakdown + uncertainty one click away.

04 “Since your last review” strip with per-user last-review timestamp; every item clickable.

05 Normalize source names case-insensitively; persist decline reason codes and backfill where recoverable.

06 **Full motion catalog** M-01 – M-19 (no radar) + map polish (hover cards, lock-on, readouts); phone in Track M.

07 **Scoring page redesign** (HF-19, Section 14): weights bar, salary curve, impact preview, geo map targeting look, click-to-add / drag.

08 **Apply colour, motion and breakpoint tokens** (Section 18); lint against raw hex / raw durations; shortcut help overlay; contrast audit.

DELIVERABLES

- 2560 layout + label dictionary
- Rationale line + change strip
- Motion catalog + map enhancements
- Token stylesheet + visual snapshots

EXIT GATE · ACCEPTANCE TESTS

- HF-14 re-test: medians ≤ 5s / ≤ 10s / ≤ 15s, no accuracy loss
- 0 overflow at 1280 / 1440 / 1920 / 2560; 11 / 11 cols at 2560
- p95 frame ≤ 16.7 ms during map auto-fit; preview count = actual change
- WCAG 2.2 AA agreed criteria pass (automated + keyboard)
- No raw hex outside the token file

RISKS & MITIGATIONS

- Density vs readability → table text ≥ 14 px at 2560.
- Motion cost → G3 caps; perf trace in gate.

SECTION 17.5

04 Adaptive

HF-12

OBJECTIVE Add opt-in, explainable personalization that recommends and organizes without ever deciding or altering canonical rules.

TASKS

01 Log overrides (decision vs recommendation) with the reason codes persisted in Phase 3.

02 Derive advisory suggestions, e.g. “You declined 9 of the last 10 manager-level non-priority roles — rank these lower?”

03 Off by default; opt-in toggle in Local preferences; every suggestion explains itself and is reversible in one click.

04 Hard boundary: no writes to canonical rules, no automatic applications, no auto-decisions; audit log of every adaptive effect.

DELIVERABLES

- Override log + advisory suggestion engine
- Explanation + revert UI
- Adaptive-effect audit log

EXIT GATE · ACCEPTANCE TESTS

- Every suggestion has an explanation and Undo
- Audit shows zero canonical-rule mutations
- Tim opts in explicitly; HF-14 re-test shows no accuracy loss

RISKS & MITIGATIONS

- Overfitting to recent behavior → minimum-evidence threshold and decay.
- Trust erosion → visible, labeled, never a silent reorder (P6).

SECTION 17.6

M Mobile track

HF-13 HF-18

OBJECTIVE

Deliver the iPhone 18 Pro redesign (portrait, landscape, desktop-mode switch). Starts after the Phase 2 gate; runs in parallel with Phase 3.

TASKS

01 Confirm iPhone 18 Pro dimensions and safe areas in the simulator (402 × 874 pt assumed).

02 Portrait: KPI strip, change strip, swipe cards (→ Pursue, ← Hold, long-press Decline + confirm + Undo), tab bar Queue · Map · Changes · Search.

03 Map tab: selected job or filtered set, targeting style, floating sheet inside the insets.

04 **Perimeter insets**: --pe-pad-side 24, --pe-pad-corner 36, --pe-lift-bottom 16, --pe-pad-land 20; camera keep-out top / left / right; test both landscape rotations.

05 Landscape split view: list left, Detail | Map right.

06 Desktop-mode switch: 2560 layout scaled + pannable; shared view-state persists selection, filters, sort, scroll, viewport.

07 Haptics map (threshold, commit, warning, success / error); motion tokens with phone cap of 6 concurrent animations.

DELIVERABLES

- Portrait + landscape builds
- Desktop-mode switch + shared view-state
- Gesture + haptic spec

EXIT GATE · ACCEPTANCE TESTS

- All decision targets ≥ 44 pt; 0 targets in keep-out zones
- Swipe decisions reversible via Undo 100%
- State kept across switch 100% (50 cycles)
- HF-14 tasks timed on phone

RISKS & MITIGATIONS

- Accidental swipes → 35 % threshold, Undo, Decline needs long-press + confirm.
- Assumed dimensions wrong → layout from safe-area insets, not constants.

SECTION 17.7

Inventory Task Register · every baseline issue → a task

ID	TASK	AREA	REQ	PH
T-01	Scoring record carries rev + computed-at + provisional flag; ◌ badge on every stale score in table, drawer, map, compare	Pipeline · Settings	HF-01 · 19	1
T-02	Recalc progress (418 / 603 · ETA) in Settings card C, System drawer and KPI strip; band changes held until recalculated	Settings · System	HF-19	1
T-03	Root-cause score drift (Anduril 77 → 72 → 59): stored FLEX vs live policy; no rating changes on view without an event	Pipeline	HF-01	1
T-04	Honest weights total: 100 % = 70 local + 30 shared FLEX, FLEX as explicit locked row	Settings	HF-19	1
T-05	Counter registry + scope labels: Declined 0 / 56 / 57, Employer rejected 0 / 2 / 7, Applied 84 / 26	Trends · Intake	HF-02	1
T-06	Opening a job never writes; seen-state local or explicit + receipted; footer “unverified” opens receipts	Pipeline · global	HF-03 · 04	1
T-07	Writer banner / pill debounce: banner after 2 failed checks or 20 s grace; health = worst current fault	global · System	HF-04	1
T-08	Fullscreen map: below tab bar, always-visible ✕ Close + Esc, never traps (My rulings empty state)	Pipeline › Map	HF-06 · 16	2
T-09	Map = selected job only, else filtered set; animated auto-fit replaces 600 % zoom; remove clusters, dense-area boost	Pipeline › Map	HF-16	2
T-10	Rail pin toggles with visible ⇤ Unpin; rail pushes content	global	HF-06	2
T-11	De-duplicate entry points: Settings tabs, cards, ⚙ → Settings, one drawer entry, System top tabs	global · Settings · System	HF-04	2
T-12	LOCAL / SHARED badges on every settings card (scoring, target companies, rules, display, documents)	Settings · Intake	HF-04 · 19	2

SECTION 17.7 · CONTINUED

Inventory Task Register (2/2)

ID	TASK	AREA	REQ	PH
T-13	Shared-change guard: scope warning + confirm + Writer receipt + Undo (FLEX, publish, registry, rules)	Settings · Intake	HF-03 · 19	2
T-14	Impact preview before save: N scores change, M cross a band, largest Δ	Settings	HF-19	2–3
T-15	Geo map: targeting look, click-to-add, drag-to-move, keyboard nudge, table ↔ map sync	Settings	HF-19	3
T-16	Salary curve chart + COMPENSATION_GEOGRAPHY / DEGREE_FLEX authority notes and conflict ⚠	Settings · Rules	HF-19	3
T-17	One-click decisions with receipts + per-decision Undo; reason code required for Decline	Drawer · Decline candidates	HF-03 · 11	1–2
T-18	Readable labels for columns, states and reason codes; 11-column 2560 preset	Pipeline · Display	HF-07 · 08 · 17	3
T-19	Source normalisation (LinkedIn / LINKEDIN, Indeed / INDEED); persist decline reasons	Trends	HF-11	3
T-20	Path aliases + not-found notice instead of silent redirect to /pipeline	global	HF-04	2
T-21	Bulk actions (SELECT VISIBLE, AI DISCOVER, MARK SEEN, catch-up, acknowledge) separated from filters, confirm + count + receipt	global · System	HF-03	2
T-22	Writer connection: single entry, credentials behind explicit reveal	System	HF-04	2
T-23	Mobile inset tokens, camera keep-out both orientations, lifted bottom controls; simulator check both landscape rotations	Track M	HF-18	M
T-24	Radar purge: remove sweep from map, loading state, boot, catalog and tokens; lint rule against --pe-motion-radar	global	HF-15 · 16	2

Phase 1 (data integrity) tasks T-01 – T-07 and T-17 land before any layout, motion or scoring-page UI work.

SECTION 18

Design Tokens (CSS)

Phase 2 ships motion tokens; Phase 3 applies colour, motion and breakpoint tokens through a single token file. Motion and breakpoints continue on the next page. Components reference tokens only; a lint rule rejects raw hex values elsewhere. Semantic aliases (e.g. `--pe-state-failed: var(--pe-red)`) may be added, but each signal keeps exactly one meaning.

```
/* Pipeline Explorer — design tokens (proposed) */
:root {
  /* Base surfaces */
  --pe-void:            #000000;  /* page background */
  --pe-hull:            #0B0B0B;  /* panels */
  --pe-plate:           #141414;  /* cards / rows */
  --pe-raised:          #1E1E1E;  /* hover / selected */
  --pe-seam:            #2A2A2A;  /* borders */
  --pe-gridline:        #3A3A3A;  /* map grid */
  /* Text */
  --pe-text-primary:    #E6E6E2;
  --pe-text-secondary:  #A3A39E;
  --pe-text-muted:      #6B6B66;  /* non-essential only */
  /* Signal */
  --pe-green:           #4ADE80;  /* fits / confirmed / Pursue */
  --pe-amber:           #F2B33D;  /* flex / queued / Hold */
  --pe-red:             #FF4D3D;  /* hard block / failed / Decline */
  --pe-cyan:            #38E1D6;  /* selection / focus / links */
  --pe-olive:           #8A8F7A;  /* discovery / unverified */
  --pe-terminal:        #5A5A5A;  /* closed / declined */
  /* Score bands */
  --pe-band-strong:     var(--pe-green);  /* 80–100 */
  --pe-band-watch:      var(--pe-amber);  /* 65–79 */
  --pe-band-weak:       var(--pe-red);  /* < 65 */
  /* Shape, glow, type, targets */
  --pe-border:          1px solid var(--pe-seam);
  --pe-radius:          2px;
  --pe-bar:             2px;  /* signal left bar */
  --pe-glow:            0 0 6px rgba(56,225,214,0.40);  /* focus + processing only */
  --pe-font-label:      "IBM Plex Mono", ui-monospace, monospace;  /* uppercase labels */
  --pe-font-ui:         "Inter", system-ui, sans-serif;  /* numbers / titles */
  --pe-target-min:      44pt;  /* phone targets */
  --pe-target-decision: 52pt;  /* phone Pursue / Hold */
  /* Scope &amp;amp; state (v1.4) */
  --pe-scope-shared:    var(--pe-amber);  /* SHARED badge */
  --pe-scope-local:     var(--pe-text-secondary);  /* LOCAL badge */
  --pe-provisional:     var(--pe-olive);  /* ◌ recalc pending */
}
```

Glow: `box-shadow: var(--pe-glow)` on focus, processing, traces and lock-on; nothing glows at rest.

Signals as accents: `border-left: var(--pe-bar) solid var(--pe-amber)`; never a background fill.

SECTION 18 · CONTINUED

Design Tokens — Motion, Breakpoints, Layout

```
/* PE tokens · v1.4 */
:root {
  /* Motion — durations */
  --pe-motion-instant:        0ms;
  --pe-motion-fast:           120ms;
  --pe-motion-base:           240ms;
  --pe-motion-lock:           320ms;
  --pe-motion-materialize:    400ms;
  --pe-motion-sweep:          600ms;
  --pe-motion-roll:           800ms;
  --pe-motion-boot:           1200ms;
  --pe-motion-breathe:        1600ms;
  --pe-motion-fit:            600ms;
  --pe-motion-stagger:        18ms;
  /* Motion — easing */
  --pe-ease-out:              cubic-bezier(.16,1,.3,1);
  --pe-ease-in:               cubic-bezier(.7,0,.84,0);
  --pe-ease-inout:            cubic-bezier(.65,0,.35,1);
  --pe-ease-snap:             cubic-bezier(.34,1.56,.64,1);
  --pe-ease-linear:           linear;
  /* Breakpoints */
  --pe-bp-desktop-2560:       2560px;
  --pe-bp-desktop-1920:       1920px;
  --pe-bp-desktop-1440:       1440px;
  --pe-bp-phone-portrait:     402pt;
  --pe-bp-phone-landscape:    874pt;
  /* Layout @ 2560 */
  --pe-margin:                20px;
  --pe-gutter:                16px;
  --pe-col-rail:              56px;
  --pe-col-table:             1112px;
  --pe-col-map:               800px;
  --pe-col-work:              508px;
  --pe-row-h:                 32px;
  /* Mobile perimeter (v1.4) */
  --pe-pad-side:              24pt;
  --pe-pad-corner:            36pt;
  --pe-pad-top:               12pt;
  --pe-lift-bottom:           16pt;
  --pe-island-clear:          16pt;
  --pe-pad-land:              20pt;
}
```

Phone breakpoints are assumed iPhone 18 Pro dimensions (Section 16); 2560 is the primary desktop target.

```
/* layout selection */
@media (min-width: 2560px) { .cockpit { grid-template-columns: var(--pe-col-rail) var(--pe-col-table) var(--pe-col-map) var(--pe-col-work); } }
@media (max-width: 440px) and (orientation: portrait)  { .app { --layout: mobile-portrait; } }
@media (max-height: 440px) and (orientation: landscape) { .app { --layout: mobile-landscape; } }
.app[data-desktop-mode] { --layout: desktop-2560; /* scaled, pannable */ }
[data-reduce-motion] { --pe-motion-breathe: 0ms; --pe-motion-fit: 120ms; /* off by default */ }
.app { padding: calc(env(safe-area-inset-top) + var(--pe-pad-top)) calc(env(safe-area-inset-right) + var(--pe-pad-side)) calc(env(safe-area-inset-bottom) + var(--pe-lift-bottom)) calc(env(safe-area-inset-left) + var(--pe-pad-side)); }
```

Lint: no raw durations, easing curves or radar tokens in components — only `--pe-motion-*` and `--pe-ease-*`, mirroring the raw-hex rule.

Reduce motion (Settings, off by default) swaps loops to 0 and slides to `--pe-motion-fast` fades.

SECTION 19

Acceptance Targets (proposed, not research findings)

MEASURE	TARGET
Cross-view score consistency	**100%**
Counter reconciliation	**100%**
False successful-write indications	**0**
Unrecoverable failed decisions	**0**
Identify a job needing action	**≤ 5s median**
Understand main score drivers	**≤ 10s median**
Disposition a straightforward job	**≤ 15s median**
Selection retained after refresh	**100%**
Priority-column horizontal overflow	**0**
WCAG 2.2 AA agreed criteria	**Pass**
v1.3 · Input blocked by animation	**0**
v1.3 · Animation frame time (p95)	**≤ 16.7 ms**
v1.3 · Map ↔ queue selection sync	**100%**
v1.3 · Columns visible at 2560 × 1440	**11 / 11, ≥ 30 rows**
v1.3 · State kept across desktop-mode switch	**100%**
v1.4 · Weights total = sum of visible rows (incl. FLEX)	**100%**
v1.4 · Stale scores marked ◌ provisional	**100%**
v1.4 · Shared saves with confirm + receipt + undo	**100%**
v1.4 · Map pin set == filtered rows / selected job	**100%**
v1.4 · Tap targets inside keep-out zones (all orientations)	**0**
v1.4 · Writer false-alarm banners on load	**0**

SECTION 20

References

- Nielsen, *10 Usability Heuristics* (NN/G, rev. 2024)
- Nielsen, *Progressive Disclosure* (NN/G, 2006)
- Laubheimer, *Data Tables: Four Major User Tasks* (NN/G, 2022)
- Cowan, *The Magical Number 4* (2001)
- Norman, *Emotional Design* (2004 / 2008)
- *Intelligent User Interfaces and Their Evaluation* (systematic mapping, 211 studies, PMC)
- W3C, WCAG 2.2 SC 2.5.8 *Target Size (Minimum)*; SC 2.3.1 *Three Flashes*
- Harley, *The Role of Animation and Motion in UX* (NN/G, 2014)
- Apple, *Human Interface Guidelines* — layout, safe areas, haptics

SECTION 21

Design Standard (controlling statement)

> Pipeline Explorer shall be an expert decision-support system that minimizes cognitive translation, preserves situational awareness, provides truthful system feedback, and supports rapid, recoverable actions. It shall keep authoritative data consistent across views, preserve user context during updates, and expose decision evidence without unnecessary navigation. Progressive disclosure organizes complexity; it does not remove necessary information. Adaptive functionality stays transparent, explainable, reversible and under user control. By operator decision, motion is a first-class element — rich and continuous, yet never blocking input or concealing true state — the tactical map is a primary panel in its retained military targeting style that shows only the selected job or the current filtered selection, and the scoring page stays the authority for how scores are set, with every local or shared change scoped, previewed and reversible. All changes preserve established design authority unless explicitly approved, and are validated against usability, accessibility and data-integrity criteria.

> STATUS Proposed · v1.4 · October 15, 2026. No code, backlog or deployment changes authorized.