


a/ Viết lệnh thêm vào collection sinhvien trong 2 trường hợp: thêm một và nhiều document.




The screenshot shows the MongoDB Compass interface. On the left, the 'Databases' sidebar shows 'localhost:27017' with a collection 'sv' under 'QLSinhVien'. The main panel displays the 'Documents' tab for the 'sv' collection, showing three documents. Each document has fields: '_id', 'Hsuv' (name), 'Hnten' (date of birth), 'Ngaysinh' (gender), 'Phai' (email), 'Lop' (phone numbers), and 'Honhoc' (phone numbers). The documents are as follows:

- Document 1: `{ "_id": ObjectId("6a7c3b12f37e287286e02cb9"), "Hsuv": "sv001", "Hnten": "Trần Văn A", "Ngaysinh": 2002-05-15T00:00:00.000+00:00, "Phai": "Nam", "Email": Array (1), "Lop": Object, "Honhoc": Array (1) }`
- Document 2: `{ "_id": ObjectId("6a7c3b12f37e287286e02cb9"), "Hsuv": "sv003", "Hnten": "Trần Văn B", "Ngaysinh": 2003-10-20T00:00:00.000+00:00, "Phai": "Nam", "Email": Array (1), "Lop": Object, "Honhoc": Array (2), "Ngayting": Array (2) }`
- Document 3: `{ "_id": ObjectId("6a7c3b12f37e287286e02cb9"), "Hsuv": "sv005", "Hnten": "Lê Văn C", "Ngaysinh": 2003-01-12T00:00:00.000+00:00, "Phai": "Nam", "Email": Array (1), "Lop": Object }`

Below the Compass interface, a terminal window shows the following command and output:

```
> MONDOOH
{
  insertedIds: {
    '0': ObjectId("6a7c3b12f37e287286e02cb9"),
    '1': ObjectId("6a7c3b12f37e287286e02cb9")
  }
}
```

b/ Viết lệnh xóa document với điều kiện mã sinh viên là “sv005”




The screenshot shows the MongoDB Compass interface. On the left, the 'Databases' sidebar shows 'localhost:27017' with a collection 'sv' under 'QLSinhVien'. The main panel displays the 'Documents' tab for the 'sv' collection, showing two documents. The document with 'Hsuv' 'sv005' has been removed. The documents are as follows:

- Document 1: `{ "_id": ObjectId("6a7c3b12f37e287286e02cb9"), "Hsuv": "sv001", "Hnten": "Trần Văn A", "Ngaysinh": 2002-05-15T00:00:00.000+00:00, "Phai": "Nam", "Email": Array (1), "Lop": Object, "Honhoc": Array (1) }`
- Document 2: `{ "_id": ObjectId("6a7c3b12f37e287286e02cb9"), "Hsuv": "sv003", "Hnten": "Trần Văn B", "Ngaysinh": 2003-10-20T00:00:00.000+00:00, "Phai": "Nam", "Email": Array (1), "Lop": Object, "Honhoc": Array (2), "Ngayting": Array (2) }`


Below the Compass interface, a terminal window shows the following command and output:

```
> MONDOOH
> db.sv.deleteOne({ Hsuv: "sv005" })
{
  acknowledged: true,
  deletedCount: 1
}
```


c/ Viết lệnh xóa những sinh viên học lớp có mã lớp là 103




d/ Viết lệnh sửa Họ tên của sinh viên có mã sv001 thành Đỗ Nhật Lâm



e/ Sửa tuổi thành 25, Phái thành Nữ, Họ tên thành Trần Thị Lan cho sinh viên có mã là sv003



f/ Sửa ngoại ngữ thứ 2 của sinh viên có mã sv003 thành Tiếng Hàn



g/ Sửa điểm của sinh viên có mã sv003 học môn thứ 1 thành 9

The screenshot shows the MongoDB Compass interface. The left sidebar displays the database structure: **QLSinhVien** > **sv**. The main panel shows a query: `{_id: '6a855aeb07ff5bfb382947f2'}`. Below the query, two documents are displayed. The first document is for student **sv001** (Trần Thị Lâm) with a score of 8. The second document is for student **sv003** (Trần Thị Lâm) with a score of 8. The bottom terminal window shows the MongoDB shell output: `{ acknowledged: true, insertedId: null, matchedCount: 1, modifiedCount: 1, upsertedCount: 0 }`.

h/ Viết lệnh thay thế một document với _id được chỉ định.

The screenshot shows the MongoDB Compass interface. The left sidebar displays the database structure: **QLSinhVien** > **sv**. The main panel shows a query: `{_id: '6a855aeb07ff5bfb382947f2'}`. Below the query, two documents are displayed. The first document is for student **sv001** (Trần Thị Lâm) with a score of 8. The second document is for student **sv003** (Trần Thị Lâm) with a score of 8. The bottom terminal window shows the MongoDB shell output: `{ acknowledged: true, insertedId: null, matchedCount: 1, modifiedCount: 1, upsertedCount: 0 }`.