```
tvm::runtime::Object
      type_key
type_final
    _type_child_slots
      type child slots can
   overflow
      type has method visit
   attrs
      type has method sequal
   reduce
      type has method shash
   reduce
   +
      type_index
   # type_index
   # ref counter
   # deleter
   + type
          _index()
   + GetTypeKey()
   + GetTypeKeyHash()
   + IsInstance()
   + Object()
   + Object()
   + Object()
   + operator=()
   + operator=()
+ TypeIndex2Key()
   + TypeIndex2KeyHash()
   + TypeKey2Index()
      GetOrAllocRuntimeTypeIndex()
   +
   + RuntimeTypeIndex()
   # IncRef()
   # DecRef()
   # GetOrAllocRuntimeTypeIndex()
                   Δ
      tvm::runtime::ModuleNode
+ _type_index
+ _type_key
# imports
   -ModuleNode()
+ type_key()
+ GetFunction()
+ SaveToFile()
+ SaveToBinary()
+ GetSource()
+ GetFunction()
+ Import()
+ GetFuncFromEnv()
+ imports()
+ TVM DECLARE_FINAL_OBJECT_INFO()
                   Δ
    tvm::runtime::vm::Executable
   + lib
   + constants
   + global_map
   + primitive_map
   + functions
   + GetFunction()
   + Save()
   + GetBytecode()
   + Stats()
   + GetLib()
   + GetFunctionArity()
   + GetFunctionParameterName()
   + ~Executable()
   + type_key()
   + Load()
```