

CS4495 - Spring 2015 - OMS

Introduction to Computer Vision

# Problem Set 0: Images as Functions

*(really arrays or matrices of numbers)*

**Due Sunday, January 18<sup>th</sup>, 2015 at 11:55pm**

## Description

This problem set is really just to make sure you can load an image, manipulate the values, produce some output, and submit the code along with the report.

## What to submit

Create a folder named ps0\_xxxx

- 1) ps0\_matlab if you are programming in MATLAB      OR
- 2) ps0\_octave if you are programming in Octave      OR
- 3) ps0\_python if you are programming in Python

with the following structure and contents:

ps0\_xxxx/

- input/ - directory containing input images, videos or other data supplied with the problem set

- output/ - directory containing output images and other generated files

Note: Output images must be stored with following mandatory naming convention:

**ps<problem set #>-<question #>-<part>-<counter>.png**

Example: ps0-1-a-1.png (see question 1-a)

PNG format is easier to manipulate as it is lossless, hence we recommend using it over JPEG.

- ps0.m or ps0.py - your Matlab/Octave or Python code for this problem set
- ps0\_report.pdf - A PDF file that shows all your output for the problem set, including images labeled appropriately (by filename, e.g. ps0-1-a-1.png) so it is clear which section they are for and the small number of written responses necessary to answer some of the questions (as indicated). Also, for each main section, if it is not obvious how to run your

code please provide brief but clear instructions (no need to include your entire code in the report).

- \*.m or \*.py - Any other supporting files, including Matlab/Octave function files, Python modules, etc.

Zip it as `ps0_xxxx.zip`, and submit on T-Square.

## Questions

### 1. Input images

- Find two interesting images to use. They should be color, rectangular in shape (NOT square). Pick one that is wide and one tall.

You might find some classic vision examples [here](#). Or take your own. Make sure the image width or height do not exceed 512 pixels.

Output: Store the two images as `ps0-1-a-1.png` and `ps0-1-a-2.png` inside the output folder

### 2. Color planes

- Swap the red and blue pixels of image 1

Output: Store as `ps0-2-a-1.png` in the output folder

- Create a monochrome image (`img1_green`) by selecting the green channel of image 1

Output: `ps0-2-b-1.png`

- Create a monochrome image (`img1_red`) by selecting the red channel of image 1

Output: `ps0-2-c-1.png`

- Which looks more like what you'd expect a monochrome image to look like? Would you expect a computer vision algorithm to work on one better than the other?

Output: Text response in report `ps0_report.pdf`

### 3. Replacement of pixels (Note: For this, use the *better* channel from 2-b/2-c as monochrome versions.)

- Take the ~~inner~~ center square region of 100x100 pixels of monochrome version of image 1 and insert them into the center of monochrome version of image 2

Output: Store the new image created as `ps0-3-a-1.png`

### 4. Arithmetic and Geometric operations

- What is the min and max of the pixel values of `img1_green`? What is the mean?

What is the standard deviation? And how did you compute these?

Output: Text response, with code snippets

- Subtract the mean from all pixels, then divide by standard deviation, then multiply by 10 (if your image is 0 to 255) or by 0.05 (if your image ranges from 0.0 to 1.0).

Now add the mean back in.

Output: `ps0-4-b-1.png`

- Shift `img1_green` to the left by 2 pixels.

Output: `ps0-4-c-1.png`

- Subtract the shifted version of `img1_green` from the original, and save the difference image.

Output: `ps0-4-d-1.png` (make sure that the values are legal when you write the image so that you can see all relative differences), text response: What do negative pixel values mean anyways?

### 5. Noise

- Take the original colored image (image 1) and start adding Gaussian noise to the pixels in the green channel. Increase sigma until the noise is somewhat visible.

Output: `ps0-5-a-1.png`, text response: What is the value of sigma you had to use?

b. Now, instead add that amount of noise to the blue channel.

Output: ps0-5-b-1.png

c. Which looks better? Why?

Output: Text response