



FR01 HF002 → HF003 | G2 MIDI 43 | BP_0004 → BP_0006
A end 48.194027664 s | B start 48.194027664 s | gap 0.000 ms — AMBIGUOUS, no PLP



Continuous decay at B, but the preceding compound attack contains different frozen family identities. Same MIDI does not establish the same fundamental; no cross-family merge.

FR02 HF015 → HF015 | C2 MIDI 36 | BP_0024 → BP_0026


A end 52.712876644 s | B start 52.724486621 s | gap 11.610 ms — SAME_NOTE_FRAGMENT, no PLP



An earlier rise is followed by regularly oscillating, gradually declining low-band energy and RMS across the B boundary. No separate envelope restart is visible in Bass or matching mix low-band evidence.


FR03 HF016 → HF016 | G2 MIDI 43 | BP_0027 → BP_0028

A end 53.085679819 s | B start 53.085679819 s | gap 0.000 ms — SAME_NOTE_FRAGMENT, no PLP




B starts within the declining tail of an earlier broad energy lobe. Bass amplitude, low-band energy and flux continue downward; the mix low-band curve follows the same decay.

FR04 HF030 → HF030 | E1 MIDI 28 | BP_0044 → BP_0046
A end 57.709018594 s | B start 57.709018594 s | gap 0.000 ms — AMBIGUOUS, no PLP




A distinct rise develops roughly 30 ms before B, supported in both representations. A was already labelled E1 during weak activity. It is unclear whether this is a second same-pitch pizzicato or the first actual attack preceded by an early BP hypothesis; do not merge or assert two physical notes.

FR05 HF033 → HF034 | A#2 MIDI 46 | BP_0050 → BP_0052
A end 59.173159637 s | B start 59.173159637 s | gap 0.000 ms — AMBIGUOUS, no PLP



A short strong pre-B burst is visible in both signals, but the same MIDI changes from root to harmonic of a different frozen family. Attack source/ownership cannot be resolved in this restricted experiment.


FR06 HF035 → HF035 | D#2 MIDI 39 | BP_0053 → BP_0054
A end 59.614338776 s | B start 59.614338776 s | gap 0.000 ms — SAME_NOTE_FRAGMENT, no PLP



The earlier amplitude/energy establishment decays through B with continued periodic flux. No new low-band energy establishment or discrete waveform attack occurs at the split.

FR07 HF039 → HF039 | G2 MIDI 43 | BP_0058 → BP_0059


A end 61.055259864 s | B start 61.066869841 s | gap 11.610 ms — SAME_NOTE_FRAGMENT, no PLP



A smooth energy lobe established well before B falls through B without restarting. Full-mix broadband activity is present, but the matching low-band Bass decay lacks a new front.

FR08 HF040 → HF040 | B2 MIDI 47 | BP_0060 → BP_0061


A end 61.531268934 s | B start 61.531268934 s | gap 0.000 ms — SAME_NOTE_FRAGMENT, no PLP



Sustained Bass oscillation and nearly level low-band energy cross B with very small flux. Later mix-only fluctuations do not provide Bass rearticulation evidence at this boundary.

FR09 HF041 → HF041 | C3 MIDI 48 | BP_0062 → BP_0063


A end 61.867958277 s | B start 61.867958277 s | gap 0.000 ms — SAME_NOTE_FRAGMENT, no PLP



A modest smooth post-B energy swelling occurs, but waveform oscillation remains continuous and boundary flux is weak compared with the earlier attack. No discrete renewed attack episode is visible; swelling alone is not rearticulation.


FR10 HF048 → HF048 | B2 MIDI 47 | BP_0071 → BP_0072

A end 65.144539683 s | B start 65.144539683 s | gap 0.000 ms — SAME_NOTE_FRAGMENT, no PLP




Long established Bass oscillation decays smoothly across B. Boundary flux is very small in both representations; later mix peaks do not restart the Bass envelope.

FR11 HF052 → HF052 | D2 MIDI 38 | BP_0076 → BP_0078
A end 66.839596372 s | B start 66.839596372 s | gap 0.000 ms — AMBIGUOUS, no PLP



A strong new low-band rise about 60 ms before B is followed by persistent multi-peak activity. Its position inside A makes the relationship between the MIDI boundary and a second same-pitch attack uncertain; retain both hypotheses.


FR12 HF053 → HF053 | G2 MIDI 43 | BP_0079 → BP_0080
A end 67.177569615 s | B start 67.177569615 s | gap 0.000 ms — AMBIGUOUS, no PLP



A pronounced envelope/energy rise about 45 ms before B is supported in Bass and mix, with B on its decay. The existing A onset is much earlier. This may be a delayed segmentation response to an attack rather than proof of two same-pitch physical events.


FR13 HF055 → HF055 | B1 MIDI 35 | BP_0082 → BP_0084

A end 67.967048073 s | B start 67.967048073 s | gap 0.000 ms — SAME_NOTE_FRAGMENT, no PLP



B lies in an already established train of declining low-band oscillations. Earlier peaks and a perturbation remain visible, but no independent envelope restart occurs around B.


FR14 HF056 → HF056 | A#1 MIDI 34 | BP_0085 → BP_0087
A end 68.326957370 s | B start 68.326957370 s | gap 0.000 ms — SAME_NOTE_FRAGMENT, no PLP



The large earlier attack produces a multi-peak oscillatory energy envelope that continues and declines across B. The boundary is not accompanied by renewed establishment in Bass or mix.


FR15 HF057 → HF057 | C2 MIDI 36 | BP_0088 → BP_0090

A end 68.686866667 s | B start 68.686866667 s | gap 0.000 ms — SAME_NOTE_FRAGMENT, no PLP




Bass RMS and low-band energy follow the earlier attack into declining oscillatory activity through B. Mix fluctuations do not create a corresponding new Bass envelope.

FR16 HF060 → HF060 | D#2 MIDI 39 | BP_0094 → BP_0095
A end 69.756268481 s | B start 69.756268481 s | gap 0.000 ms — SAME_NOTE_FRAGMENT, no PLP



After an earlier energy rise, stable same-note oscillation and gently declining energy pass through B. Local flux maxima continue without a distinct second attack episode.


FR17 HF061 → HF061 | A#2 MIDI 46 | BP_0096 → BP_0097
A end 70.174227664 s | B start 70.174227664 s | gap 0.000 ms — SAME_NOTE_FRAGMENT, no PLP



B is well into the tail of the earlier energy/flux onset. The continuing envelope has no new steep rise; later predominantly mix activity does not corroborate a Bass attack at B.

FR18 HF062 → HF062 | G2 MIDI 43 | BP_0098 → BP_0099

A end 70.452867120 s | B start 70.464477098 s | gap 11.610 ms — SAME_NOTE_FRAGMENT, no PLP



The earlier broad energy lobe falls steeply across the short MIDI gap into a weak tail. Both representations show continuation/decay rather than an independent new front.