


HF001 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0003 · MIDI 39 / f0 77.78 Hz
Observable bands: 3; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF003 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF006 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0009 · MIDI 33 / f0 55.00 Hz
Observable bands: 3; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF008 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF010 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF016 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF017 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0029 · MIDI 41 / f0 87.31 Hz
Observable bands: 1; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF019 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0031 · MIDI 44 / f0 103.83 Hz
Observable bands: 2; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF020 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0032 · MIDI 43 / f0 98.00 Hz
Observable bands: 2; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF021 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0033 · MIDI 41 / f0 87.31 Hz
Observable bands: 1; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF022 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0034 · MIDI 35 / f0 61.74 Hz
Observable bands: 3; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF024 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0037 · MIDI 44 / f0 103.83 Hz
Observable bands: 2; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF025 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF026 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained

BP_0039 · MIDI 47 / f0 123.47 Hz
Observable bands: 1; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF030 · UNRESOLVED_ATTRIBUTION
Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF032 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0049 · MIDI 33 / f0 55.00 Hz
Observable bands: 3; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF034 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.


HF035 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0053 · MIDI 39 / f0 77.78 Hz
Observable bands: 3; sufficient: False



BP_0054 · MIDI 39 / f0 77.78 Hz
Observable bands: 2; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF036 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0055 · MIDI 34 / f0 58.27 Hz
Observable bands: 3; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF037 · UNRESOLVED_ATTRIBUTION
Exact independent member windows; root and member pitch hypotheses retained


BP_0056 · MIDI 41 / f0 87.31 Hz
Observable bands: 1; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF038 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF042 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF043 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF045 · UNRESOLVED_ATTRIBUTION
Exact independent member windows; root and member pitch hypotheses retained

BP_0067 · MIDI 57 / f0 220.00 Hz
Observable bands: 1; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF049 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0073 · MIDI 46 / f0 116.54 Hz
Observable bands: 2; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF051 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0075 · MIDI 46 / f0 116.54 Hz
Observable bands: 2; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF053 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF054 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0081 · MIDI 41 / f0 87.31 Hz
Observable bands: 1; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF056 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF058 · UNRESOLVED_ATTRIBUTION
Exact independent member windows; root and member pitch hypotheses retained


BP_0091 · MIDI 37 / f0 69.30 Hz
Observable bands: 3; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF059 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF061 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF062 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF063 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0100 · MIDI 39 / f0 77.78 Hz
Observable bands: 2; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.