


HF001 · UNRESOLVED_ATTRIBUTION
Exact independent member windows; root and member pitch hypotheses retained


BP_0003 · MIDI 39 / f0 77.78 Hz
Observable bands: 3; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF002 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF003 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF004 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0007 · MIDI 44 / f0 103.83 Hz
Observable bands: 2; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF005 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0008 · MIDI 32 / f0 51.91 Hz
Observable bands: 6; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF006 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0009 · MIDI 33 / f0 55.00 Hz
Observable bands: 3; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF007 · UNRESOLVED_ATTRIBUTION
Exact independent member windows; root and member pitch hypotheses retained


BP_0010 · MIDI 34 / f0 58.27 Hz
Observable bands: 3; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF008 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF009 · UNRESOLVED_ATTRIBUTION
Exact independent member windows; root and member pitch hypotheses retained


BP_0013 · MIDI 36 / f0 65.41 Hz
Observable bands: 3; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF010 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF011 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0017 · MIDI 29 / f0 43.65 Hz
Observable bands: 6; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF012 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF013 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF014 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF015 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF016 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF017 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0029 · MIDI 41 / f0 87.31 Hz
Observable bands: 1; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF018 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0030 · MIDI 46 / f0 116.54 Hz
Observable bands: 2; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF019 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0031 · MIDI 44 / f0 103.83 Hz
Observable bands: 2; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF020 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0032 · MIDI 43 / f0 98.00 Hz
Observable bands: 2; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF021 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0033 · MIDI 41 / f0 87.31 Hz
Observable bands: 1; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF022 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained

BP_0034 · MIDI 35 / f0 61.74 Hz
Observable bands: 3; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF023 · UNRESOLVED_ATTRIBUTION
Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF024 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0037 · MIDI 44 / f0 103.83 Hz
Observable bands: 2; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF025 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF026 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0039 · MIDI 47 / f0 123.47 Hz
Observable bands: 1; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF027 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0040 · MIDI 35 / f0 61.74 Hz
Observable bands: 3; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF028 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0041 · MIDI 48 / f0 130.81 Hz
Observable bands: 1; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF029 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF030 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF031 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0048 · MIDI 29 / f0 43.65 Hz
Observable bands: 4; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF032 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0049 · MIDI 33 / f0 55.00 Hz
Observable bands: 3; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF033 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0050 · MIDI 46 / f0 116.54 Hz
Observable bands: 1; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF034 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.


HF035 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0053 · MIDI 39 / f0 77.78 Hz
Observable bands: 3; sufficient: False



BP_0054 · MIDI 39 / f0 77.78 Hz
Observable bands: 2; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF036 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0055 · MIDI 34 / f0 58.27 Hz
Observable bands: 3; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF037 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0056 · MIDI 41 / f0 87.31 Hz
Observable bands: 1; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF038 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF039 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.


HF040 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0060 · MIDI 47 / f0 123.47 Hz
Observable bands: 1; sufficient: False



BP_0061 · MIDI 47 / f0 123.47 Hz
Observable bands: 1; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.


HF041 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0062 · MIDI 48 / f0 130.81 Hz
Observable bands: 1; sufficient: False




BP_0063 · MIDI 48 / f0 130.81 Hz
Observable bands: 1; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF042 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.


HF043 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.


HF044 · UNRESOLVED_ATTRIBUTION
Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF045 · UNRESOLVED_ATTRIBUTION
Exact independent member windows; root and member pitch hypotheses retained


BP_0067 · MIDI 57 / f0 220.00 Hz
Observable bands: 1; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF046 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF047 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0070 · MIDI 53 / f0 174.61 Hz
Observable bands: 1; sufficient: False








All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.






HF048 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0071 · MIDI 47 / f0 123.47 Hz
Observable bands: 1; sufficient: False




BP_0072 · MIDI 47 / f0 123.47 Hz
Observable bands: 1; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF049 · UNRESOLVED_ATTRIBUTION
Exact independent member windows; root and member pitch hypotheses retained

BP_0073 · MIDI 46 / f0 116.54 Hz
Observable bands: 2; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF050 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0074 · MIDI 50 / f0 146.83 Hz
Observable bands: 1; sufficient: False




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF051 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0075 · MIDI 46 / f0 116.54 Hz
Observable bands: 2; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF052 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF053 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF054 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0081 · MIDI 41 / f0 87.31 Hz
Observable bands: 1; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF055 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF056 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF057 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF058 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained


BP_0091 · MIDI 37 / f0 69.30 Hz
Observable bands: 3; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF059 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.


HF060 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0094 · MIDI 39 / f0 77.78 Hz
Observable bands: 3; sufficient: False




BP_0095 · MIDI 39 / f0 77.78 Hz
Observable bands: 3; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF061 · UNRESOLVED_ATTRIBUTION


Exact independent member windows; root and member pitch hypotheses retained



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF062 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained




All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.

HF063 · UNRESOLVED_ATTRIBUTION

Exact independent member windows; root and member pitch hypotheses retained

BP_0100 · MIDI 39 / f0 77.78 Hz
Observable bands: 2; sufficient: False



All candidates UNRESOLVED: template sufficiency gate fails. Raw similarity is not Bass proof. Orange: prior generic salience cue. Purple: native BP origin; shaded: BP activity; blue: unchanged prior stem selection. No full-mix timing selection; no PLP.