


HF001 · TARGET_ONSET_CLEAR


BP_0003 · D#2 · 77.78 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF002 · TARGET_ONSET_CLEAR

BP_0004 · G2 · 98.00 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF003 · TARGET_ONSET_UNRESOLVED



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF004 · TARGET_ACTIVITY_CONTINUOUS


BP_0007 · G#2 · 103.83 Hz
TARGET_ACTIVITY_CONTINUOUS



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF005 · TARGET_ACTIVITY_CONTINUOUS


BP_0008 · G#1 · 51.91 Hz
TARGET_ACTIVITY_CONTINUOUS



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF006 · TARGET_ONSET_CLEAR


BP_0009 · A1 · 55.00 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF007 · TARGET_ONSET_CLEAR

BP_0010 · A#1 · 58.27 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF008 · TARGET_ONSET_UNRESOLVED



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF009 · TARGET_ONSET_CLEAR

BP_0013 · C2 · 65.41 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF010 · TARGET_ONSET_MULTIPLE



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF011 · TARGET_ACTIVITY_CONTINUOUS

BP_0017 · F1 · 43.65 Hz
TARGET_ACTIVITY_CONTINUOUS




Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF012 · TARGET_ONSET_UNRESOLVED




Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF013 · TARGET_ONSET_UNRESOLVED




Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
 Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF014 · TARGET_ONSET_UNRESOLVED




Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF015 · TARGET_ONSET_UNRESOLVED




HF016 · TARGET_ONSET_CLEAR · SHARED_TARGET_ONSET



HF017 · TARGET_ONSET_CLEAR


BP_0029 · F2 · 87.31 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF018 · TARGET_ONSET_CLEAR


BP_0030 · A#2 · 116.54 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF019 · TARGET_ONSET_CLEAR


BP_0031 · G#2 · 103.83 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF020 · TARGET_ONSET_CLEAR


BP_0032 · G2 · 98.00 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF021 · TARGET_ONSET_CLEAR


BP_0033 · F2 · 87.31 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF022 · TARGET_ONSET_CLEAR

BP_0034 · B1 · 61.74 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF023 · TARGET_ONSET_UNRESOLVED



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
 Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF024 · TARGET_ONSET_CLEAR


BP_0037 · G#2 · 103.83 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF025 · TARGET_ONSET_CLEAR

BP_0038 · G2 · 98.00 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF026 · TARGET_ONSET_UNRESOLVED



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF027 · TARGET_ONSET_CLEAR


BP_0040 · B1 · 61.74 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF028 · TARGET_ONSET_CLEAR

BP_0041 · C3 · 130.81 Hz
TARGET_ONSET_CLEAR




Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF029 · TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF030 · TARGET_ONSET_UNRESOLVED



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF031 · TARGET_ACTIVITY_CONTINUOUS


BP_0048 · F1 · 43.65 Hz
TARGET_ACTIVITY_CONTINUOUS



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF032 · TARGET_NOT_OBSERVABLE


BP_0049 · A1 · 55.00 Hz
TARGET_NOT_OBSERVABLE



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF033 · TARGET_ONSET_CLEAR

BP_0050 · A#2 · 116.54 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF034 · TARGET_ONSET_UNRESOLVED





Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
 Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF035 · TARGET_ONSET_CLEAR

BP_0053 · D#2 · 77.78 Hz
TARGET_NOT_OBSERVABLE


BP_0054 · D#2 · 77.78 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF036 · TARGET_ONSET_CLEAR


BP_0055 · A#1 · 58.27 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF037 · TARGET_ONSET_CLEAR


BP_0056 · F2 · 87.31 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF038 · TARGET_ONSET_CLEAR

BP_0057 · F#2 · 92.50 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF039 · TARGET_ONSET_CLEAR · SHARED_TARGET_ONSET




Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
 Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF040 · TARGET_ONSET_CLEAR

BP_0060 · B2 · 123.47 Hz
TARGET_ONSET_CLEAR





BP_0061 · B2 · 123.47 Hz
TARGET_ACTIVITY_CONTINUOUS



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF041 · TARGET_ONSET_MULTIPLE



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF042 · TARGET_ONSET_CLEAR


BP_0064 · E3 · 164.81 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF043 · TARGET_ACTIVITY_CONTINUOUS


BP_0065 · E3 · 164.81 Hz
TARGET_ACTIVITY_CONTINUOUS



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF044 · TARGET_ONSET_CLEAR


BP_0066 · F3 · 174.61 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF045 · TARGET_ONSET_CLEAR

BP_0067 · A3 · 220.00 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF046 · TARGET_ONSET_UNRESOLVED



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF047 · TARGET_ONSET_CLEAR


BP_0070 · F3 · 174.61 Hz
TARGET_ONSET_CLEAR




Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF048 · TARGET_ONSET_CLEAR

BP_0071 · B2 · 123.47 Hz
TARGET_ONSET_CLEAR




BP_0072 · B2 · 123.47 Hz
TARGET_ACTIVITY_CONTINUOUS



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF049 · TARGET_ONSET_CLEAR


BP_0073 · A#2 · 116.54 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF050 · TARGET_ONSET_CLEAR

BP_0074 · D3 · 146.83 Hz
TARGET_ONSET_CLEAR




Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF051 · TARGET_ONSET_UNRESOLVED





Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF052 · TARGET_ONSET_UNRESOLVED



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF053 · TARGET_ONSET_UNRESOLVED



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF054 · TARGET_ONSET_CLEAR

BP_0081 · F2 · 87.31 Hz
TARGET_ONSET_CLEAR




Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF055 · TARGET_ONSET_MULTIPLE




Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF056 · TARGET_ONSET_UNRESOLVED



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF057 · TARGET_ONSET_UNRESOLVED



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.


HF058 · TARGET_ONSET_CLEAR

BP_0091 · C#2 · 69.30 Hz
TARGET_ONSET_CLEAR




Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF059 · TARGET_ONSET_UNRESOLVED




HF060 · TARGET_ONSET_CLEAR · SHARED_TARGET_ONSET




Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF061 · TARGET_ONSET_CLEAR

BP_0096 · A#2 · 116.54 Hz
TARGET_ONSET_CLEAR



BP_0097 · A#2 · 116.54 Hz
TARGET_ACTIVITY_CONTINUOUS





Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF062 · TARGET_ONSET_CLEAR · SHARED_TARGET_ONSET

BP_0098 · G2 · 98.00 Hz
TARGET_ONSET_CLEAR


BP_0099 · G2 · 98.00 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.

HF063 · TARGET_ONSET_CLEAR

BP_0100 · D#2 · 77.78 Hz
TARGET_ONSET_CLEAR



Purple: native BP; orange: original-grid target-energy crossing; blue (special review only): prior stem coordinate, read after observation freeze.
Centered filtering can smear energy before the physical onset. No PLP. Clear is conditional pitched activity, not validated Bass onset or exclusive source identity.