

Instructions for Administration:

13 to 16 Years Old

2.1 Gross Motor

2.1.1	Walks steadily	Age: 10 - 16 Years
Materials	Toy/Object	
Instructions	Use incidental observation or place an object at a distance from the child and ask the child to get it.	
Response	Observe if the child is able to walk steadily without assistance.	
Scoring	Able Not Able	

2.1.2	Climbs stairs steadily with alternate feet, not holding on	Age: 10 - 16 Years
Materials	Staircase	
Instructions	Stand the child at the lower end of a staircase. Ask the child to climb at least three or four stairs. If needed, prompt to walk with alternate feet.  A photograph showing a young person with dark hair tied back, wearing a green and black patterned shirt and dark shorts, climbing a set of three light-colored wooden steps. They are in a room with white walls and a dark floor. A poster is visible on the wall to the right.	
Response	The child should be able to climb stairs without support (e.g., handrail), with alternate feet.	
Scoring	Able Not Able	

Gross Motor Severity Ratings

Typical	Mild	Moderate	Severe
Child walks steadily and climbs stairs without support, with alternate feet	Can walk but needs help in climbing steps or can walk and climb steps independently but unsteadily	Can walk with help	Unable to walk even with substantial help


2.2. Fine Motor

2.2.1	Places a small object (e.g., rice bubble) in the 1.25cm diameter opened container (Right hand)	Age: 10 - 16 Years
Materials	Rice bubbles, Wooden Cube with 1.25cm diameter opening	
Instructions	While sitting at a table with the child, place a rice bubble and the container on the table. Demonstrate how to put the object into the container with thumb and index finger (superior pincer grasp). Ask the child to repeat what you did with their right hand (e.g., "Now you try"). Both grasping and releasing are observed.	
Response	Observe if the child is able to successfully grasp and release the object into the container with their right hand.	
Scoring	Able Not able	



2.2.2	Places a small object (e.g., rice bubble) in the 1.25cm diameter opened container (Left hand)	Age: 10 - 16 Years
Materials	Rice bubbles, Wooden Cube with 1.25cm diameter opening	
Instructions	While sitting at a table with the child, place a rice bubble and the container on the table. Demonstrate how to put the object into the container with thumb and index finger (superior pincer grasp). Ask the child to repeat what you did with their right hand (e.g., "Now you try"). Both grasping and releasing are observed.	
Response	Observe if the child is able to successfully grasp and release the object into the container with their left hand.	
Scoring	Able Not able	

2.2.3	Writes with a tripod grasp with preferred hand	Age: 10 - 16 Years
Materials	Paper, Pencil	
Instructions	Place a piece of paper on the table in front of the child. Demonstrate to the child how to hold the pencil using a tripod grasp. Then, place the pencil on the paper with the writing end pointing away from the child and ask the child to write their name using the tripod grasp.	
Response	The child should be able to write using a tripod grasp with their preferred hand, without clumsiness, allowing them to draw and write legibly, efficiently, and comfortably.	
Scoring	Able Not able	



2.2.4	Unbuttons and buttons shirt	Age: 10 - 16 Years
Materials	Small Button Up Shirt	
Instructions	Place a small shirt with button and buttonholes on the table. The lower end of the buttoned shirt should be towards the child. Ask the child to unbutton and button one button. Demonstrate if needed.	
Response	Observe if the child can button and unbutton one shirt button without clumsiness.	
Scoring	Able Not able	



2.2.5	Threads a button (minimum two holes)	Age: 10 - 16 Years
Materials	Buttons (minimum 2-holes) & Thread	
Instructions	Offer the child a button and a piece of thread. Ask them to thread two holes of the button.	
Response	Observe if the child is able to thread the button without clumsiness.	
Scoring	Able Not able	

2.2.6	Throws ball one-handed at least 3m	Age: 10 - 16 Years
Materials	Plastic Ball	
Instructions	The examiner demonstrates to the child how to throw a ball overarm with one hand. The ball should be light and with a minimum size of a tennis ball. Then, give the ball to the child and ask them to throw it overarm. Repeat for the other hand.	
Response	Observe the child throwing the ball with one hand, overarm 3 metres without clumsiness. Test both hands separately, should pass both hands	
Scoring	Able Not able	

Fine Motor Severity Ratings

Typical	Mild	Moderate	Severe
Pincer grasp observed and tiny object released in container. Completes other tasks without clumsiness.	Weak grasp, can use hands for most purposes.	Difficulty in holding implements.	No functional use of hands except to point.

2.3 Vision

Note When smarties or 100s & 1000s are required for Vision items, select colours that contrast with the green cloth.

- Use: Yellow, Orange, Red
- Avoid: Green, Blue, Purple

2.3.1	Fixates on 100x & 1000s from 30cm distance	Age: 10 - 16 Years
Materials	1 100 & 1000, Green Cloth	
Instructions	The child is seated at the table, which is covered with the green cloth. Show the child the 100 & 1000 (<3 mm sized sweet). Ask the child to cover one eye. Say, "Ooh! Look at this thing". Then, sweep your hand across the table holding the 100 & 1000, and release it at some point during the sweep of your hand across the table. Observe whether the child fixates their gaze on the released object or not. Test each eye separately by lightly covering each eye (if the child peaks or has difficulty covering their eye, an assistant or guardian can help). If no response, test with a smartie; then with a 2.5cm block; then with the 6cm spinning red ball or woolly ball; then with a reflecting object or bright light as required.	
Response	Observe whether the child fixes their gaze on the 100 & 1000.	
Scoring	Able Not able	



Vision Severity Ratings

Typical	Mild	Moderate	Severe
Fixates on 100 & 1000 from 30cm distance	Can see non-reflective object of 1.5 cm (e.g., smartie)	Can only see non-reflective object of >1.5 cm (e.g., 2.5 cm cube)	Only perceives bright light or reflective object

2.4 Hearing

2.4.1	Points at picture when asked at 45cm behind the ear with minimum voice	Age: 10 - 16 Years
Materials	Set of 6 Hearing Cards	
Instructions	Place the Hearing Picture Cards on the table in front of the child in two rows (three cards per row) in any order. Familiarise the child to each picture. Ensure that the child is able to recognise the pictures (e.g., by pointing) on verbal command: cow, horse, ball, tiger, elephant, duck. Now, move to a position at the side of the child so that you are out of eyesight and your mouth is 45cm away from their ear. Then, using a minimum voice, but not a whisper, say three of the six Hearing Cards one at a time. Then, move to the other side and say three pictures. Say the pictures at random on each side to ensure the child has no difficulty in hearing. If the child does not respond to the minimum voice, test in an increasingly louder voice as required until they respond. Begin with a normal speaking voice, then use a loud voice, and finally, if necessary, shouted speech.	
Response	The child recognises and/or points to at least one picture when asked with a minimum voice.	
Scoring	Able Not Able	



Hearing Severity Ratings

Typical	Mild	Moderate	Severe
No difficulties with hearing normal speech.	Difficulty with normal speech. Can hear loud voice. (Lowest dB heard 25-40 dB)	Difficulty with loud speech. Can hear shouted voice. (Lowest dB heard 40-60 dB)	Difficulty with shouted speech. Can hear amplified speech. (Lowest dB heard 60-90 dB)

2.5 Expressive Language

Note This domain relies primarily on observation of child vocalisations during the session:

- The examiner must be vigilant about recording child vocalisations and examples of phrases spoken throughout the assessment
- Interact and speak with the child to encourage vocalisations. You may wish to use real objects or pictures in story books and ask the child to name and describe the pictures.
- Consider 'clarity of speech' as well and document on the record form.
- If no vocalisations are made throughout the assessment, ask the caregiver if this is typical as it is not uncommon for children to behave differently in new and unfamiliar situations. Document specific examples of vocalisations reported by the caregiver on the record form.

2.5.1	Able to say a meaningful sentence of > 6 words	Age: 10 - 16 Years
Materials	None	
Instructions	Ask the child to articulate a sentence of more than six words to express a thought.	
Response	Note if the child is able to put a meaningful sentence of more than six words together to express a thought.	
Scoring	Able Not Able	

2.5.2	Takes part in conversation	Age: 10 - 16 Years
Materials	None	
Instructions	Throughout the assessment, ask the child a few simple open-ended questions and observe if they answer you accordingly. For example, general rapport building questions related to their daily life, such as: - What do you usually do after school? - What is your favourite game? - Can you tell me something about one of your friends? - Do you have any pets? What kind?	
Response	The child should take part in the conversation with appropriate answers .	
Scoring	Able Not Able	

Expressive Language Severity Ratings

Typical	Mild	Moderate	Severe
Child is easily understood and able to put together > 6 words (i.e., at least 7 words) meaningfully to express thoughts and ideas.	Speaks and is understood, but can get across only basic ideas.	Understood with difficulty, gets only basic needs across.	Either no speech or cannot be understood by others.

2.6 Cognition

2.6.1	Describes a game (5 types of descriptions)	Age: 10 - 16 Years
Materials	Timer	
Instructions	Ask the child to describe a game they are familiar with, including five types of descriptions within 4 minutes. Encourage them to imagine you don't know anything about the game and that they need to teach you how to play it. You may ask the child questions to help prompt more detail. Note: If the child cannot think of a physical or board game and does not know any of the example games well enough to describe, they may choose a video game - but only if there are no other options. Some examples of well-known games and description points include: Tag: 1. Played outdoors (in a park, school oval, any open space) 2. No equipment needed 3. Any number of players 4. One person is 'it' and chases others 5. Describe rules (not in detail). E.g., when players are tagged, they become the new 'it'. Handball (Schoolyard Version): (1) Concrete/hard/flat court divided into squares (2) Small bouncy ball (like a tennis ball or other) (3) Usually 2 to 4 players at a time (can be more depending on number of squares) (4) Players hit the ball into each other's squares using bare hands (5) Describe rules (not in detail). E.g., Ball must be hit so that it bounces in the player's own square on the first bounce, ways to become 'out' of game. Duck, Duck, Goose: (1) Played in an open space like a park, school oval, carpeted area (2) 3+ players (3) Sit in a circle on the ground (4) One player is 'it' and walks around the outside of the circle (5) Describe rules for playing (not in detail). E.g., The player who is 'it' walks around the circle, tapping others and saying "duck" until choosing player by saying "goose." The chosen goose must then chase the player around the circle and try to tag them before they reach and sit in the goose's spot. Uno: (1) Deck of colourful Uno cards (2) 2 or more players (3) Players take turns matching cards based on their colours or numbers (4) Cards also include action or wild cards that have special effects (5) Describe rules (not in detail). E.g., dealt 7 cards to begin, when a player has one card left, must call "Uno" and first to play all their cards wins. Guess Who?:	

	(1) Two boards with character faces (2) Two player game (3) Character faces on board flip up/down (4) Take turns to ask each other yes/no questions about character (5) Describe rules for playing (not in detail). E.g., First player to correctly guess the opponent's mystery character wins. Jenga: (1) Stack of rectangular wooden blocks (2) Played on a flat surface like a table or floor (3) 2 or more players (4) Players take turns removing one block at a time and placing it on top of the stack (5) Describe rules for playing (not in detail). E.g., The game continues until the tower collapses. The player who causes the collapse loses, and the last player to successfully place a block wins. Chess: (1) Board with white and black squares (2) Two players only (3) Chess pieces (king, queen, bishop, castle, pawn) (4) Movement of the different pieces (5) Describe rules for playing (not in detail) AFL (Aussie Rules Football): (1) Played on oval-shaped field (2) Four goal posts at each end (3) Two teams (18 players each) (4) Play with a football (5) Describe rules for playing (not in detail). E.g., Goals are scored by kicking the ball between tall goal posts. The team with the most points at the end of the match wins. NRL (Rugby League): (1) Played on rectangle-shaped field (2) Goal posts at each end (3) Two teams (13 players each) (4) Play with rugby ball (5) Describe rules for playing (not in detail). E.g., Players attempt to score tries. The team with the most points at the end win Cricket: (1) Field with pitch and stumps (2) Two teams (11 players each) (3) One bat and one ball (4) Umpire (5) Describe rules for playing (not in detail). E.g., One team bats and tries to score runs. The other team tries to get them out. The team with the most runs wins. Basketball/Netball: (1) Court with a divider line at the middle and a hoop on a post at each end (2) Two teams (basketball 5 players; netball 7 players) (3) One ball
--	--

	(4) Players assigned different positions (5) Describe rules for playing (not in detail). E.g., Players pass the ball to teammates and try to score by shooting it into the hoop. The team with the most points at the end of the game wins.
Response	The child should be able to describe at least five points of any of the games, in 4 minutes.
Scoring	Able Not Able

2.6.2	Draws a person as best they can (head, neck, trunk, arms, legs, fingers, toes, mouth, nose, eyes, ears, hair)	Age: 10 - 16 Years
Materials	Paper, Pencil, Timer	
Instructions	Sit the child at a table. Place a piece of paper and a pencil with the writing end pointing away from the child on the table. Ask the child to draw a person as best they can. Instruct the child not to draw a stick figure and to draw the person without shoes. If their drawing is missing any of the following features - hair, ears, nose, eyes, mouth, fingers, or toes - you may give an indirect prompt. For example, "Check what you might have missed". You may prompt up to 3 times and the child still be scored able.	
Response	The child should draw a person with the following features: head, eyes, nose, ears, mouth, hair, neck, trunk, arms, legs, fingers, and toes; within 3 minutes.	
Scoring	Able Not Able	



2.6.3	Arranges pictures that make a story	Age: 10 - 16 Years
Materials	Picture Cards, Timer	
Instructions	Put the pieces of pictures of a story on the table in a random way. Ask the child to arrange the pictures in such a way so that the story can be understood sequentially and ask the child to tell you the story. 	
Response	The child should be able to arrange the pieces in a correct way that makes a story with a logical storyline in 3 minutes.	
Scoring	Able Not able	

2.6.4	Solves puzzle	Age: 10 - 16 Years
Materials	Elephant Puzzle, Timer	
Instructions	Sit the child at a table. Put the pieces of the puzzle on the table keeping the pictures side up. Ask the child to make the puzzle by joining the pieces. 	
Response	The child should be able to solve the puzzle in 5 minutes.	
Scoring	Able Not able	

2.6.5	Makes similarities (81 and 121)	Age: 10 - 16 Years
Materials	Numbers written on paper: 81 and 121, Timer	
Instructions	Show the child two numbers. One is 81 and the other is 121. Ask the child "What is the similarity between these two numbers?" If necessary, ask a prompt question: "What kind/type of numbers are these?".	
Response	The child should answer "odd" numbers in 2 minutes.	
Scoring	Able Not able	

2.6.7	If one dozen eggs costs \$4, what is the price of 60 eggs?	Age: 13 - 16 Years
Materials	Timer	
Instructions	Ask the child, 'If one dozen eggs costs \$4, what is the price of 60 eggs?'	
Response	The child should be able to answer "\$20" either verbally or by written calculation within 3 minutes.	
Scoring	Able Not able	

Cognition Severity Ratings

Typical	Mild	Moderate	Severe
Completes tasks appropriate to their age	"Slow" in cognition & no accompanying expressive language deficit	"Poor" in cognition & no accompanying expressive language deficit OR "Slow" in cognition & difficulty in expressive language.	"Poor" in cognition & difficulty in expressive language

"Slow" = when the child is unable to perform 1-3 items

"Poor" = when the child is unable to perform >3 items

2.7 Behaviour

Note It is essential the examiner scores the Behaviour items based on both their observations and caregiver report. Observe and record the child's behaviour according to the activities listed under this domain.

Gather adequate information regarding the frequency, intensity, duration, onset, and setting of the child's behaviours to help determine the overall severity rating.

2.7.1	Poor peer play	Age: 10 - 16 Years
Materials	None	
Instructions	Observe and ask the caregiver about the following behaviours of the child. For example: - Difficulty in making friends - Likes to play alone - Does not play imaginative games with another child - Does not play games that needs some joining in with a group of other children (e.g., ball games)	
Response	Consider if the child has typical behaviour and consider if any of the above behaviours impact social (family, peer group) or occupational (usually schooling) functioning.	
Scoring	Yes (atypical behaviour) No (typical behaviour)	

2.7.2	Acts very aggressively towards other people	Age: 10 - 16 Years
Materials	None	
Instructions	Observe and ask the caregiver about the following behaviours of the child. For example: - Hits others when disagreeing with them - Bullies others	
Response	Consider if the child has typical behaviour and consider if any of the above behaviours impact social (family, peer group) or occupational (usually schooling) functioning.	
Scoring	Yes (atypical behaviour) No (typical behaviour)	

2.7.3	Acts extremely withdrawn and shy	Age: 10 - 16 Years
Materials	None	
Instructions	Observe and ask the caregiver about the following behaviours of the child. For example: - Cannot interact with others - Interferes with socialisation	
Response	Consider if the child has typical behaviour and consider if any of the above behaviours impact social (family, peer group) or occupational (usually schooling) functioning.	
Scoring	Yes (atypical behaviour) No (typical behaviour)	

2.7.4	Shows odd or unusual behaviours	Age: 10 - 16 Years
Materials	None	
Instructions	Observe and ask the caregiver about the following behaviours of the child. For example: - More interest towards particular objects or parts of a toy (e.g., spinning the wheels of a toy car) - Motor mannerisms (e.g., flapping of hands) - Unusual movement of whole body (e.g., spinning, jumping, rocking) - Any special interest, unusual in their intensity, but otherwise appropriate for peers (e.g., trains, dinosaurs, etc.) - Unusually strong interest in particular sights, smells, touch, textures etc	
Response	Consider if the child has typical behaviour and consider if any of the above behaviours impact social (family, peer group) or occupational (usually schooling) functioning.	
Scoring	Yes (atypical behaviour) No (typical behaviour)	

2.7.5	Temper tantrums	Age: 10 - 16 Years
Materials	None	
Instructions	Observe and ask the caregiver about the following behaviours of the child. For example: - Often loses temper - Shouting and crying	
Response	Consider if the child has typical behaviour and consider if any of the above behaviours impact social (family, peer group) or occupational (usually schooling) functioning.	
Scoring	Yes (atypical behaviour) No (typical behaviour)	

2.7.6	Hyperactivity	Age: 10 - 16 Years
Materials	None	
Instructions	Observe and ask the caregiver about the following behaviours of the child. For example: - Often fidgets, runs, and climbs, in situations where it is inappropriate (e.g., in the classroom) - Unable to be still for expected times - Has difficulty waiting in turn taking games - Intrudes on others (e.g., butts into conversation) - Talks excessively	
Response	Consider if the child has typical behaviour and consider if any of the above behaviours impact social (family, peer group) or occupational (usually schooling) functioning.	
Scoring	Yes (atypical behaviour) No (typical behaviour)	

2.7.7	Inattentive	Age: 10 - 16 Years
Materials	None	
Instructions	Observe and ask the caregiver about the following behaviours of the child. For example: - Fails to give close attention to details (e.g., overlooks or misses details, work is inaccurate, makes careless mistakes in schoolwork) - Has difficulty sustaining attention where needed (e.g., tasks, play, lengthy reading, focusing attention during lectures, etc) - Often does not seem to listen when spoken to directly (e.g., mind seems elsewhere) - Often does not follow through on instruction and fails to finish school work etc.	
Response	Consider if the child has typical behaviour and consider if any of the above behaviours impact social (family, peer group) or occupational (usually schooling) functioning.	
Scoring	Yes (atypical behaviour) No (typical behaviour)	

2.7.8	Extreme fear	Age: 10 - 16 Years
Materials	None	
Instructions	Observe and ask the caregiver about the following behaviours of the child. For example: - Becomes fretful in an unfamiliar environment - Easily scared - Loses courage	
Response	Consider if the child has typical behaviour and consider if any of the above behaviours impact social (family, peer group) or occupational (usually schooling) functioning.	
Scoring	Yes (atypical behaviour) No (typical behaviour)	

2.7.9	Steals/lies/cheats	Age: 10 - 16 Years
Materials	None	
Instructions	Observe and ask the caregiver about the following behaviours of the child. For example: - Often lies to obtain good favour - Often cheats - Steals items of non-trivial value without confronting a victim (e.g., shoplifting, but without breaking and entering)	
Response	Consider if the child has typical behaviour and consider if any of the above behaviours impact social (family, peer group) or occupational (usually schooling) functioning.	
Scoring	Yes (atypical behaviour) No (typical behaviour)	

Behaviour Severity Ratings

Typical	Mild	Moderate	Severe
Consider typical if any of the above behaviour has no untoward impact on the social (family, peer group) or occupational (usually school) functioning	No more than minor limitation in present social (family, peer group) or occupational (usually school) functioning	Symptoms or functional limitations between 'mild' and 'severe' are present. Especially if there are repeated complaints from school or social/peer groups	Symptoms result in marked limitation in social (family, peer group) or occupational (usually school) functioning; difficulty in management by family

2.8 Self-Care Items

Note The child should be scored based on whether the skill is present/absent and their ability to perform the skill when required. If the child lacks the ability to perform the skill, score the item as not able. If the child has the ability to perform the skill but does not do so when needed or without help, score the item as not able. Take into consideration how often the child performs the skill or behaviour when needed, without assistance and without prompting.

2.8.1	Eating food independently without spilling in culturally appropriate ways.	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can eat food by self without spilling in culturally appropriate ways.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.2	Can eat with spoon without spilling	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can eat with spoon without spilling food.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.3	Cutting food (fruits or vegetables) into pieces	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can cut food (fruits or vegetables) into pieces.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.4	Can pour water into glass from jar/jug/bottle and drinks well	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can pour water into glass from jar/jug/bottle and drinks well.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.5	Drinking through a straw	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can drink through a straw.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.6	Making cordial by pouring and stirring	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can make cordial, by pouring and stirring.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.7	Washing the whole body using water and drying with a towel	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can wash their whole body using water and drying with a towel.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.8	Can clean scalp with soap or shampoo	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can clean scalp with soap or shampoo.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.9	Caring for teeth	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can care for teeth.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.10	Caring for hair	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can care for hair.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.11	Putting on or taking off clothes and footwear (tie shoelace if present)	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can put on or take off clothes and footwear (tie shoelace if present).	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.12	Can choose dress appropriate for climate (for summer and winter)	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can choose dress appropriate for climate (for summer and winter).	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.13	Cleaning oneself after urination, defecation, using toilet paper properly	Age: 10-16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can clean self after urination, defecation using toilet paper properly.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.14	Cleaning for menstruation (if applicable)	Age: 10 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can clean for menstruation.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able Not Applicable	

2.8.15	Caring for finger and toenails	Age: 13 - 16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can care for finger and toenails.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

2.8.16	Making milo/egg omelette	Age: 13-16 Years
Materials	None	
Instructions	Ask caregiver (or child) if child can make milo/egg omelette.	
Response	Caregiver's or child's recall. The child should perform the activity independently.	
Scoring	Able Sometimes with help / Not able	

Self-Care Severity Ratings

Typical	Mild <25%	Moderate 25-50%	Severe >50%
Child has the ability to perform all of the above tasks and will perform them most or all of the time without prompting/reminders and without assistance.	Scored 'Sometimes with Help' or 'Not Able' for 1-3 of 15 activities. In general: Child has the ability to perform most of the above tasks but will only perform them sometimes when needed, sometimes requires reminding/ prompting, and/or sometimes needs assistance.	Scored 'Sometimes with Help' or 'Not Able' for 4-7 of 15 activities. In general: Child has the ability to perform some of the above tasks but rarely performs them when needed, often needs reminding/ prompting, and/or often needs assistance.	Scored 'Sometimes with Help' or 'Not Able' for >7 of 15 activities. In general: Child either does not have the ability to perform most of the above tasks, OR child has the ability to perform the task but never/almost never performs the task when needed, always or almost always needs reminding/ prompting, always or almost always needs assistance, and/or refuses to perform the skill.

2.9 Seizure

2.9.1	Seizure (unprovoked)	Age: 10 - 16 Years
Materials	None	
Instructions	Ask the caregiver or check records as to whether child has ever experienced an unprovoked seizure. Seizures are manifestations of neuronal injury due to excessive electrical activity in the brain. Any disturbance in the brain may cause seizures, which may be single or repetitive, and involves a sudden change in behaviour.	
Response	Score no and consider typical if the child has not experienced any episode of seizure in the past year.	
Scoring	Yes No	

Seizure Severity Ratings

Typical	Mild	Moderate	Severe
The child has not experienced any episode of seizure in the past year.	One or more than one unprovoked seizure in the past year but not in the past month.	One or more than one unprovoked seizure in the past month.	More than one unprovoked seizure in the past week.