

Instructions for Administration:

11 Months Old

Note Ensure to wash your hands before handling the child and to handle the child gently.

Definitions

Plane: In reference to items requiring holding a body part on the same plane as another, this refers to being level to.


Prone Position: The prone position refers to lying horizontally with the face and torso facing down. The infant lies with knees drawn up under the abdomen with pelvis high. Head is turned to one side.


Supine Position: The supine position refers to lying horizontally with the face and torso facing up.


Ventral Suspension: The baby is placed in prone position and suspended in the air by a hand placed under the chest. The head hangs down with some flexion of elbows and knees.

1.1 Gross Motor

Notes If the child does not perform the gross motor item for their age, but performs a more advanced gross motor item, then the item specific for their age is considered normal.


1.1.30	Pulls self from lying to sitting position	Age: 10 - 11 months
Materials	Padded Surface	
Instructions	Lie the infant in supine position on a padded surface on the floor.	
Response	Observe whether the infant can pull themselves up from lying to sitting position. 	
Grading	Present With difficulty Attempts only Never	

1.1.31	Pulls self to standing position, holds on	Age: 10-11 months
Materials	Chair/Table, Attractive Toy, Padded Surface	
Instructions	Put an attractive toy on the seat of a small chair/table in front of the infant, who is sitting on a padded surface on the floor, to attract them. Steady the chair and encourage the infant to take the toy.	
Response	Observe if the infant pulls self to a standing position and holds onto the chair. 	
Grading	Present With difficulty Attempts only Never	

1.1.32	Crawls with abdomen off surface or bottom shuffles	Age: 11 months
Materials	Attractive Toy, Padded Surface	
Overview	Crawling, where the trunk is held off the floor and supported by all four limbs is an effective means of movement, but if the infant wants to use their hands they must stop and fall back to a sitting position.	
Instructions	Sit the infant on a padded surface on the floor. Put an attractive toy in front of the infant but beyond his/her reach. 	
Response	Observe if the infant proceeds by crawling or bottom shuffling to the toy.	
Grading	Present With difficulty Attempts only Never	

1.2 Fine Motor Items

Note If the child does not perform the fine motor item for their age, but performs a more advanced fine motor item, then the item specific for their age is considered normal.

1.2.10	Inferior pincer	Age: 11 months
Materials	1 Smartie	
Instructions	Sit the infant on the caregiver's lap supported upright at a table. Place a small object such as a smartie on the table in front of the infant and within their reach. 	
Response	Observe if the infant grasps the object using the inferior pincer grasp. This involves the holding the object between the first and second fingers at the ends of the phalanges, and the thumb. The infant may also use a variation of the inferior pincer grasp where they grasp with the ventral surfaces of their thumb and index finger, distal thumb joint extended. Either grasp is accepted and scored present. 	
Grading	Present With difficulty With all fingers Palmar Grasp	

1.3 Vision Items

Notes When smarties or 100s & 1000s are required for Vision items, select colours that contrast with the green cloth.

- Use: Yellow, Orange, Red
- Avoid: Green, Blue, Purple

Near vision and watching adults are evaluated separately, but only near vision is considered for the scoring of domain severity. When scoring vision of the child, fixation on objects placed on the tabletop is considered normal response.

1.3.9	Watches moving adult from 3 metres	Age: 3 - 11 months
Materials	None	
Instructions	Stand in front of the infant at a distance of three metres and draw their attention. Move along an arc around the visual field of the infant and observe if the eyes move to track the moving adult. If no response, keep coming closer and observe the distance at which the infant's visual attention is engaged.	
Response	Infant watches moving adult from 3 metres.	
Grading	Present From 2m From 1m From <1m	

1.3.12	Fixates on 100 & 1000 from 30cm	Age: 9 - 11 months
Materials	1 100s & 1000s, Green Cloth If no response to 100s & 1000s: Smartie, Yellow Block, Red Ball on String, Compact Mirror, Torch	
Instructions	The infant is seated supported upright in the caregiver's lap at a table, which is covered with a green cloth. Show the 100 & 1000 (a < 3mm sized sweet) to the infant and say "Ooh! Look at this beautiful thing". Place the 100 & 1000 on one side of the table keeping the gaze of the infant on it. Then, sweep your hand across the table holding the 100 & 1000, and release it at some point during the sweep of your hand across the table. Observe whether the infant fixates their gaze on the released object or not. If no response, test with a smartie; then with a 2.5 cm block; then with the 6cm spinning red ball on string; then with a reflecting object; then a torch beam	

	
Response	Infant fixes gaze on the 100 & 1000 from 30cm.
Grading	Present Can see non-reflected object of 1.5cm (e.g., Smartie) Can see non-reflected object of >1.5cm (e.g., 2.5cm block) Perceives bright light or reflecting object

1.4 Hearing Items

Note Soft whisper - 10 to 25 db; conversational speech - 25 to 55 db; crying baby - 55 to 65 db; rattle - 60 to 80db.

1.4.9	Distraction test at ear level - Rattle	Age: 7 - 11 months
Materials	Assistant, Rattle, Any Soundless Toy	
Instructions	The infant is seated on the caregiver's lap, supported upright. The examiner is the 'distractor' who sits in front of the infant at a distance of 1 to 2 metres. The assistant stands behind the caregiver and the child to provide a sound stimulus. The distractor encourages the infant's attention towards themselves by lightly playing with a 'soundless' toy, then swiftly putting it out of sight as a signal to the assistant to start the sound stimulus (rattle) at 1 metre from the ear at the infant's ear level and outside of their range of vision. The test is done in turn on each side of the infant.	
Response	The infant will turn their head and visually locate the source of the sound, equally on both sides.	
Grading	Present Questionable To loud rattle only No response	



1.4.10	Distraction test at ear level - Voice	Age: 7 - 11 months
Materials	Assistant, Any Soundless Toy	
Instructions	The infant is seated on the caregiver's lap, supported upright. The examiner is the 'distractor' who sits in front of the infant at a distance of 1 to 2 metres. The assistant stands behind the caregiver and the child to provide a sound stimulus. The distractor encourages the infant's attention towards themselves by lightly playing with a 'soundless' toy, then swiftly putting it out of sight as a signal to the assistant to start the sound stimulus (voice) at 1 metre from the ear at the infant's ear level and outside of their range of vision. The test is done in turn on each side of the infant.	
Response	The infant will turn their head and visually locate the source of the sound, equally on both sides.	
Grading	Present Questionable To loud voice only No response	



1.5 Expressive Language Item

Note This domain relies primarily on observation of infant vocalisations during the session:

- The examiner has to be vigilant about recording all infant vocalisations during the entire assessment so that none are missed.
- Interact and speak with the child to encourage vocalisations.
- If no vocalisations are made throughout the assessment, ask the caregiver if this is typical as it is not uncommon for young children to behave differently in new and unfamiliar situations. Document specific examples of vocalisations reported by the caregiver on the record form.

1.5.8	Babbling in string e.g, “ba ba ba ba”	Age: 10-11 months
Materials	None	
Instructions	At this age the child enjoys a string of babbling (i.e., several syllables in repetition).	
Response	Note repetitive syllables of a combination of consonant and vowel sounds.	
Grading	Babbles in a string (e.g., “ba ba ba ba”) Single syllable (e.g., “ba” or “ma”) Seldom single syllable Only vowels or less	

1.6 Cognition Items

1.6.17	Finds toy under cloth	Age: 11 months
Materials	Green Cloth, Attractive Toy	
Instructions	Show a small attractive toy to the infant. Then, place it on the table in front of the infant and cover it with the green cloth keeping the attention of the infant on the toy. Ask the child: "Where is the toy?" If no response, repeat three times.	
Response	The infant finds the toy (e.g., looks at it, or reaches for it), by uncovering the cloth.	
Grading	Present Questionable Attempt (holds the cloth) Does not try	



1.6.18	Understands gestures	Age: 11 months
Materials	None	
Instructions	The examiner speaks with gestures/action words, e.g., "bye bye", "pat-a-cake", "blow kisses". If there is no response, repeat six times.	
Response	Immediately after the demonstration, the infant should imitate the activity.	
Grading	Present After >3 demonstrations After >5 demonstrations Does not try	

1.7 Behaviour Items

Note It is essential the examiner scores the Behaviour items based on their observations and caregiver report regarding sleep. Observe and record the child's behaviour according to the activities listed under this domain.

1.7.6	Sleep/awake rhythm	Age: 1 - 11 months
Materials	None	
Instructions	Ask the caregiver about the infant's sleep patterns.	
Response	Score according to caregiver's recall. Over the first 3 months of life the total amount of sleep declines little, but the cycles are longer so that, by the age of 3 months, 70% of infants are sleeping right through the night. By 6 months, 80% of infants sleep through the night, but there are still 10% waking every night by the age of 1 year. By this age, the great majority of infants have established a stable pattern of sleep and wakefulness with a long sleep at night and a nap in the morning and afternoon. Mild, moderate and severe grades of response are: occasional disturbance, considerable disturbance, and constant problem. Either the infant is sleeping too much or is awake for longer periods of time.	
Grading	Normal sleep patterns Occasional disturbance Considerable disturbance Constant problems	

1.7.7	Displays positive affect most of the time	Age: 1 - 11 months
Materials	None	
Instructions	Note the infant's affect.	
Response	The grading is done according to the degree of negative affect displayed during the assessment. Positive affect comprises of smiling, laughing, sound making that is perceived as the expression of excitement, happiness or pleasure. Negative affect includes fussing, pouting, whining, crying, vocal or physical expressions of anger.	
Grading	Displays positive affect Sometimes negative Mostly negative Constantly negative	

1.7.8	Displays normal periods of quietness	Age: 3 - 11 months
Materials	None	
Instructions	This item tests the child's quietness. Few children are so quiet that they are very unresponsive.	
Response	The infant is quiet, responsive, not restless.	
Grading	Displays normal periods of quietness Placid/Quiet Unusually Quiet Extremely Quiet	

1.7.9	Displays responsiveness to surroundings	Age: 3 - 11 months
Materials	None	
Instructions	Observe if infant engages in visual, auditory, oral, or physical exploration. For example, trying to touch or hold objects.	
Response	Degree of responsiveness is noted. A curiosity towards new stimuli within the environment is normal.	
Grading	Present Most of the time Infrequent Never	

1.7.10	Good eye contact	Age: 3 - 11 months
Materials	None	
Instructions	Note the frequency of eye contact the infant makes with the examiner.	
Response	The infant should be making eye contact with persons interacting with them.	
Grading	Present Most of the time Infrequent Never	

1.7.11	Good attention to tasks	Age: 6 - 11 months
Materials	None	
Instructions	Observe the infant's focused attention and concentration towards a particular activity in the assessment. Some infants might have attention deficits or attention deficit / hyperactivity disorders that might express themselves at an early age.	
Response	The infant displays good attention to tasks during the assessment.	
Grading	Present Most of the time Poor attention but not hyperactive Poor attention and hyperactive	

1.8 Seizure Item

1.8.4	Seizures (provoked or unprovoked)	Age: 6 - 11 months
Materials	None	
Instructions	Ask caregiver or check medical records to determine whether infant has ever experienced a seizure. Seizures are manifestations of neuronal injury due to excessive electrical activity in the brain. Any disturbance in the brain may cause seizures, which may be single or repetitive, and involves a sudden change in behaviour.	
Response	Consider typical if the child has not had a provoked or unprovoked seizure.	
Grading	No seizures (provoked or unprovoked) One or more than one typical febrile fit in the past year One or more than one unprovoked seizure/atypical febrile fit in past year More than one unprovoked seizure/atypical febrile fit in the past week	