

Instructions for Administration:


24 Months Old

2.1 Gross Motor

Notes If the child does not perform the gross motor item for their age, but performs a more advanced gross motor item, then the item specific for their age is considered normal.

2.1.5	Runs	Age: 24 - <30 months
Materials	Attractive Toy or Ball	
Instructions	Put a toy such as a ball on the floor away from the child. Encourage the child to run to get it.	
Response	Observe if the child is able to run.	
Grading	Present Attempts Walks only Walks with support	

2.1.6	Kicks a ball	Age: 24 - <30 months
Materials	Large foam ball	
Instructions	Put the ball on the floor. Then, ask the child to kick it. 	
Response	Observe if the child is able to kick the ball.	
Grading	Present Walks into ball Only positions self Does not try	

2.1.7	Climbs stairs holding rail	Age: 24 - <30 months
Materials	Staircase, Attractive Toy	
Instructions	Stand the child at the lower end of a staircase. Put a toy at the upper end. Encourage the child to climb the stairs to get the toy.	
Response	Observe if the child is able to climb the stairs while holding the rail, both feet per stair. 	
Grading	Present Unsteady Needs help Does not try	

2.2 Fine Motor Items

Note If the child does not perform the fine motor item for their age, but performs a more advanced fine motor item, then the item specific for their age is considered normal.

2.2.3	Precise release of a tiny object into a small container	Age: 15 - <30months
Materials	Rice Bubble, Wooden Cube with 2.5cm diameter opening	
Instructions	Sit the child on a child's seat. Place a rice bubble and the wooden cube with the 2.5cm diameter mouth facing up in front of the child. Ask the child to "put it in the hole".	
Response	Observe the child release the rice bubble into the hole.	
Grading	Present Clumsy release Attempts, but unsuccessful release No attempt	

2.2.5	Drinks water from a cup	Age: 24 - <30 months
Materials	Cup, Water	
Instructions	Place a cup of water in front of the child.	
Response	Observe the child reach and grasp the cup, bring it to their mouth, and drink the water.	
Grading	Present Clumsily Attempts No attempt	

2.2.6	Throws a ball	Age: 24 - <30 months
Materials	Large Foam Ball	
Instructions	The examiner demonstrates to the child how to throw a ball, which should be light and with a minimum 16cm diameter. Then give the ball to the child and ask the child to throw it.	
Response	Observe if the child is able to throw the ball very near with two hands. At 24 months, the child throws the ball using both arms or either arm, flexion of elbows, trunk leaning forward	
Grading	Present Unsteady release Attempts No attempt	

2.3 Vision Items

Notes When smarties or 100s & 1000s are required for Vision items, select colours that contrast with the green cloth.

- Use: Yellow, Orange, Red
- Avoid: Green, Blue, Purple

Near vision and watching adults are evaluated separately, but only near vision is considered for the scoring of domain severity. When scoring vision of the child, fixation on objects placed on the tabletop is considered normal response.

2.3.1	Watches moving adult from 3 metres	Age: 12 - <36 months
Materials	None	
Instructions	Stand in front of the child at a distance of 3 metres and draw their attention. Move along an arc around the visual field of the child and observe if the eyes move to track the moving adult. If no response, keep coming closer and observe the distance at which the child's visual attention is engaged.	
Response	Watches moving adult from 3 metres.	
Grading	Present From 2m From 1m From <1m	

2.3.2	Fixates on 100 & 1000 from 30cm	Age: 12 - <36 months
Materials	1 100s & 1000s, Green Cloth If no response to 100s & 1000s: Smartie, Yellow Block, Red Ball on String, Compact Mirror, Torch	
Instructions	The child is seated supported upright in the caregiver's lap at a table, which is covered with a green cloth. Show the 100 & 1000 (a <3mm sized sweet) to the child and say "Ooh! Look at this beautiful thing". Place the 100 & 1000 on one side of the table keeping the gaze of the child on it. Then, sweep your hand across the table holding the 100 & 1000, and release it at some point during the sweep of your hand across the table. Observe whether the child fixates their gaze on the released object or not. If no response, test with a smartie; then with a 2.5 cm block; then with the 6cm spinning red ball on string; then with a reflecting object; then a torch beam.	
Response	Child fixates gaze on the 100 & 1000 from 30cm	
Grading	Present Can see non-reflected object of 1.5cm (e.g., Smartie) Can see non-reflected object of >1.5cm (e.g., 2.5cm block) Perceives bright light or reflecting object	



2.4 Hearing Items

Note Soft whisper - 10 to 25 db; conversational speech - 25 to 55 db; crying baby - 55 to 65 db; rattle - 60 to 80db.

2.4.2	Distraction test above ear level – Voice	Age: 12 - 24 months
Materials	Assistant, Any Soundless Toy	
Instructions	The child is seated on the mother's lap, supported upright. The examiner is the 'distractor' who sits in front of the infant at a distance of 1 to 2 meters. The assistant stands behind the caregiver and the child to provide a sound stimuli. The distractor encourages the child's attention towards themselves by lightly playing with a 'soundless' toy, then swiftly putting it out of sight as a signal to the assistant to start the sound stimulus. The sound stimulus is the assistant's voice, which is produced from a distance of 1 meter, above the child's ear level and outside of their range of vision. The test is done in turn on each side of the child. 	
Response	The child will turn their head and visually locate the source of the sound, equally on both sides.	
Grading	Present Questionable To loud voice only No response	

2.4.3	Points at doll's features	Age: 24 - <36 months
Materials	Doll	
Instructions	The child is sitting at a table. Place a sitting doll on the table in front of the child and familiarise the child to the parts of the doll's body. Ensure that the child is able to recognise the following parts on verbal command: nose, mouth, ear, and on the other side: hair, eye, hand. Now move to a position at the side of the child so that you are out of sight and your mouth is 45 cm from the ear. Ask the child to point to body parts of the doll with a minimum voice but not a whisper: eye, teeth, nose on one side. Then, move to the other side and ask the child to point to other body parts of the doll with a minimum voice: hair, hand, and mouth. Ask three body parts at each side at random to ensure that the child has no difficulty in hearing. If hearing test is not possible due to inability of the child to identify doll's features or pictures, then test with rattle or voice from behind the child, out of line of vision at/above ear level.	
Response	The child points at the doll's features at least once when asked.	
Grading	Able Questionable Loud Voice Only No Response	



2.5 Expressive Language Items

Note This domain relies primarily on observation of child vocalisations during the session:

- The examiner must be vigilant in listening for and recording the child's vocalisations throughout the assessment to ensure accurate scoring of the items.
- Interact and speak with the child to encourage vocalisations. You may wish to use real objects or pictures in story books and ask the child to name the objects.
- If no vocalisations are made throughout the assessment, ask the caregiver if this is typical as it is not uncommon for young children to behave differently in new and unfamiliar situations. Document specific examples of vocalisations reported by the caregiver on the record form.

2.5.5	Joins two words together to express a thought	Age: 24 - <36 months
Materials	None	
Overview	This item is an important milestone for speech development and requires the child to put two words together meaningfully. For example, "mummy kiss", "daddy car", "boy kicking".	
Instructions	Note if the child is able to put two words together to express a thought.	
Response	The child puts two words together to express a thought.	
Grading	Present 4 - 6 meaningful words 2 - 3 meaningful words Single meaningful word	


2.6 Cognition Items

2.6.10	Spontaneous self-related symbolic play	Age: 18 - 24 months
Materials	3 objects e.g., Cup, Spoon, Comb, Shoe, Toothbrush	
Instructions	Offer objects such as a cup, spoon and comb to the child one at a time. Offer a maximum of three objects. If the child does not show any response, demonstrate. 	
Response	Observe if the child shows any self-related play. For example, pretends to drink from the cup, feed self with spoon, or comb their hair.	
Grading	Present After demonstration Partial attempt (takes the object but does not to the task) Does not attempt	

2.6.11	Looks towards an object pointed at by examiner across the room	Age: 18 - <36 months
Materials	Familiar object in environment	
Instructions	Point to any object with which the child is familiar. For example, a ball, doll, or clock, and say "Oh look! There is a ball/doll/clock". If no response, repeat four to five times. 	
Response	The child should look towards the pointed object.	
Grading	Present After repeated cues (>3 times) Attempts, but looks toward incorrect object Does not attempt	

2.6.12	Points at an object when asked	Age: 18 - <36 months
Materials	Familiar object in environment	
Instructions	The examiner asks the child "Where is the doll?" or where any other familiar object in the room is, e.g., "Where is the light?". If no response, repeat four to five times.	
Response	The child points at the requested object.	
Grading	Present After repeated cues (>3 times) Attempts, but points to incorrect object Does not attempt	

2.6.13	Detached-from-self symbolic play	Age: 20 - 24 months
Materials	Doll, Comb, Spoon	
Instructions	Give the child a doll and a comb or spoon and ask the child to comb doll's hair or feed the doll. Request three times. If there is no response, demonstrate once.	
Response	Observe if the child shows any pretend play detached from the self. For example, feeding the doll with the spoon or combing the doll's hair.	
Grading	Present After demonstration Partial attempt (takes the object) Does not attempt	




2.6.14	Asks for toilet by gesture or verbally	Age: 24 - <30 months
Materials	None	
Instructions	Ask the caregiver if the child is toilet-trained.	
Response	Caregiver recall of any clear and deliberate communication (e.g., gestures or verbal) from child indicating their own toilet needs is taken as a normal response.	
Grading	Present Occasionally Partial (only for bowel movement) Never	

2.6.15	Assimilation of noun labels	Age: 24 - <36 months
Materials	5 Objects e.g., Cup, Shoe, Comb, Spoon, Sock	
Instructions	Place five objects on the table in a horizontal line with a space between them. First, make sure, by asking the caregiver, whether the objects are familiar to the child. Say, for example, "Put the spoon in the cup"; "Put the sock on the shoes". Take care not to eye point the object named (i.e. direct your eye gaze toward the object) or indicate the object by the position of your hand. Place each object back in the line before naming another. Repeat four to five times if no response.	
Response	The child should be able to make associations between two nouns.	
Grading	Present With repeated prompting (>3 times) At the one-noun level only Cannot follow instruction	



2.6.16	Builds tower of five blocks	Age: 24 - <30 months
Materials	5 Blocks of the same colour	
Instructions	Sit the child at a table. Demonstrate to the child how to build a tower of five blocks and say, "See my tower". Then, break the tower and give your blocks to the child and ask them to build a tower like yours. Once the child has begun to build, encourage them to continue. For example, offering a block and saying, "Here is another one". If there is no response, place one block in front of the child and put another block into the child's hand. Say "Put it on top" pointing to the first block and repeat three times. Demonstrate no more than four to five times.	
Response	The child should be able to make associations between two nouns.	
Grading	Present Builds tower of 2 blocks Attempts (takes the block) No attempt	



2.6.17	Matches shapes on puzzle board (circle, triangle, square)	Age: 24 - <36 months
Materials	Shapes Puzzle Board	
Instructions	Sit the child at a table. Place the pieces correctly in the board, holding it in your lap or under the table so that the child does not see you insert them. Place the Puzzle Board on the table, directly in front of the child. Remove each shape while the child is watching and say, "I am taking them out". Place the pieces between the board and the child in the following order starting from the child's left: square circle, triangle. Gesture towards the board and say invitingly, "(child's name), put them in". Do not point directly to the holes. If no response, repeat this procedure four to five times and score the response after the last demonstration.	
Response	The child is able to match the shapes and put all three shapes in their appropriate places in the board.	
Grading	Present With repeated demonstrations (>3 times) One shape None	



2.7 Behaviour Items

Note Observe and record the child's behaviour according to the activities listed under this domain.

2.7.1	Sleep / awake rhythm	Age: 12 - 24 months
Materials	None	
Instructions	Ask the caregiver about the child's sleep patterns.	
Response	Score according to caregiver's recall. By age 1 year, there are still 10% of infants waking every night by the age of 1 year, but by this age the great majority have established a stable pattern of sleep and wakefulness with a long sleep at night and a nap in the morning and afternoon. Mild, moderate and severe grades of response are: occasional disturbance, considerable disturbance, or constant problem, respectively. Either the child is sleeping too much or is awake for longer periods of time.	
Grading	Normal sleep patterns Occasional disturbance Considerable disturbance Constant problems	

2.7.2	Displays positive affect most of the time	Age: 12 - 24 months
Materials	None	
Instructions	Note the child's affect.	
Response	The grading is done according to the degree of negative affect displayed during the assessment. Positive affect comprises of smiling, laughing, sound making that is perceived as the expression of excitement, happiness or pleasure. Negative affect includes fussing, pouting, whining, crying, vocal or physical expressions of anger.	
Grading	Displays positive affect Sometimes negative Mostly negative Constantly negative	

2.7.5	Good eye contact	Age: 12 - <36 months
Materials	None	
Instructions	Note the frequency of eye contact the child makes with the examiner.	
Response	The infant should be making eye contact with persons interacting with them.	
Grading	Present Most of the time Infrequent Never	

2.7.6	Good attention to tasks	Age: 12 - <36 months
Materials	None	
Instructions	Observe the child's focused attention and concentration towards a particular activity. Some children might have attention deficits or attention deficit / hyperactivity disorders that might express themselves at an early age.	
Response	The child displays good attention to tasks during the assessment.	
Grading	Present Most of the time Poor attention but not hyperactive Poor attention and hyperactive	

2.7.7	Cooperativeness	Age: 24 - <36 months
Materials	None	
Instructions	The examiner must make a request to the child such as, "Give me the dolly, please" or "Give the spoon to mummy" and observe the child's co-cooperativeness to respond.	
Response	The degree to which the child willingly responds to the examiner's request to perform tasks is recorded.	
Grading	Present Most of the time Infrequent Never	

2.7.8	Sociability	Age: 24 - <36 months
Materials	None	
Instructions	This item measures the child's degree of socialisation during the assessment, especially with the examiner (who is a stranger).	
Response	The child's degree of sociability with the examiner or caregiver is noted.	
Grading	Present Most of the time Infrequent Never	

2.8 Seizure Item

Note Seizures which occurred in the neonatal period (first 28 days) are not considered in the rating of seizures after that period.

2.8.1	Seizures (provoked or unprovoked)	Age: 12 - <36 months
Materials	None	
Instructions	Ask caregiver or check medical records to determine whether child has ever experienced a seizure. Seizures are manifestations of neuronal injury due to excessive electrical activity in the brain. Any disturbance in the brain may cause seizures, which may be single or repetitive, and involves a sudden change in behaviour.	
Response	Consider typical if the child has not had a provoked or unprovoked seizure.	
Grading	No seizures (provoked or unprovoked) One or more than one typical febrile fit in the past year One or more than one unprovoked seizure/atypical febrile fit in past year More than one unprovoked seizure/atypical febrile fit in the past week	